
PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Autonomous Region in Muslim Mindanao (ARMM) - RMDC Complex, Brgv. Rebuken, Sultan Kudarat, Maguindanao ITEM LOT ITEM **AGENCY SPECS** QTY UNIT NO. NO. NO. OF PAX PRODUCE ORGANIC VEGETABLE (Leading to Organic Agriculture Production NC II) 5 Steel Rake 14 tine made of steel; hardwood 20 PC handle 2 Sprayer Knapsack type (16 litres cap) 1 UNIT 20 stainless tank and steel lance manual type with cone nozzles and fan nozzles 1 3 Shovel Round point steel blade; fiber glass PC 20 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carbon Steel head, goose neck type, Garden Hoe 1 PC 20 4 hardwood handle, 6" blade PC 20 5 Sprinkler 2 gallon capacity, heavy duty plastic Sub-total, PRODUCE ORGANIC VEGETABLE (Leading to Organic Agriculture 20 . Production NC II) 10 SERVICE ENGINE COMPONENTS (Leading to Automotive Servicing NC II) Socket Wrench socket chrome vanadium: 1 pc 1/2" SET 10 Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 2 Combination chrome vanadium steel, set of 8 sizes 1 SET 10 (8mm, 9mm, 10mm, 12mm, 14mm, Wrench (Open 17mm, 19mm, 22mm) 7.5 deg offset And Box End) 6 in carbon steel insulated handle 1 SET 10 3 Circlip Pliers detachable tip (combination) internal and external Allen Wrench Hex Key Set, Number of Pieces 9, 1 SET 10 4 Arm Length 2.80 to 6.80 In., Sizes Set Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 8" shank length (chrome plated) 1 PC 10 5 Philips Screw Driver plastic handle, tip: 2 X 6mm PC 8" shank length (chrome plated) 1 10 6 Flat Screw Driver





EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy.
Rebuken, Sultan Kudarat, Maguindanao

NO.		l .	AGENCY SPECS	QTY	UNIT	NO.
	NO.					OF PAX
17	Electr		d Maintenance NC II			1 7/
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
			allation and Maintenance NC II			20 🔨
26			WELDING (SMAW) NC I		- DO	10
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	19
	2	Welding Mask	Flip Front Welding Helmet, Impact- resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	19
	Sub-to	otal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I			19



EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy. Rebuken, Sultan Kudarat, Maguindanao

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
31	DRES	SMAKING NC II		·		
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	20
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	20
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	20
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	20
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	20
	Sub-to	tal, DRESSMAKIN			·	20
33	HILOT (WELLNESS MASSAGE) NC II					
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	20
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	20
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	ВОХ	20
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	20
	5	Head Band	3"x 23" cotton fabric with snap tape	11	PC	20
	6	Body Lotion	200 ml., Hypoallergenic	11	BOTTLE	20
	7	Aromatic Oil	100 ml.	11	BOTTLE	20
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	20
	9	Powder	Baby powder, 200 g	1.	BOTTLE	20
	10	Mentholated Oil	100 ml.	1	BOTTLE	20
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	20
	Sub-to	otal, HILOT (WELL)	NESS MASSAGE) NC II			20
	TOTA	L				109

109 Napoler 7

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
			- G/F Balibrea Building, Pili Drive B		City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
					110.11	PAX
8		,	TUNE UP (Leading to Automotive So			25
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches	1	PC	25
	:		and 0.038 to 0.635 mm			
			mm sizes: .038, .051, .064, .076,			
1			.102, .127, .152, .178, .203, .229,			
			.254, .279, .305, .330, .356, .381,			
		•	.406, .432, .483, .457, .508,			
			.533, .559, .584, .610 and .635mm.			
			Inch sizes: .0015, .002, .0025, .004,			
İ			.005, .006, .007, .008, .009, .010,			
	,		.011, .012, .013, .014, .0.15, .016,			
			017, 018, 019, 020, 021,			
		OIDi	.022, .023, .024, and .025.	1	SET	25
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SEI	23
<u> </u>	3	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	25
		Wrench	Plug, Socket Wrench 16mm)	
	. 4	Combination	chrome vanadium steel, set of 8 sizes	1	SET	25
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	25
			Ratchet Wrench, 10 pcs Socket 6			
			side/point (10mm, 11mm, 12mm,			-
			13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	6	Flat Screw Driver	8" shank length (chrome plated)	1	PC	25
		Tial Sciew Dilver	plastic handle, tip: 1/4" / 6.5mm	•	, 0	
	7	Philips Screw	8" shank length (chrome plated)	1	PC	25
		Driver	plastic handle, tip: 2 X 6mm GAS ENGINE TUNE UP (Leading)	40 11	ito motivo	25
	1	otal,PERFORM(cing NC I)	SAS ENGINE TONE OF (Leading	io Ai	itomotive	25
11	SERV	ICE AUTOMOTIVE	E ELECTRICAL COMPONENTS (L	.eading	to Auto	motive
	1	ing NCII)				
	1	Battery Load	100-Amp, 6V and 12V batteries.	1	PC	55
		Tester	shock-resistant meter, sturdy steel			
			case that has a durable baked			
			enamel finish, rubber insulated carry			
			handle, equipped with super-grip			
			battery clamps and a top-mounted rocker switch.		·	
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	55
		Electrical Plier	finish: plastic-dipped	·		
	3	Philips Screw	8" shank length (chrome plated)	1	PC	55
		Driver	plastic handle, tip: 2 X 6mm			
	<u> </u>					

7 pgyden af

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
			. – G/F Balibrea Building, Pili Drive B		City	
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF
						PAX
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	55
 	Sub-ti	tal SERVICE ALL	TOMOTIVE ELECTRICAL COMPONE	NTS /	eading to	55
		notive Servicing N		1410 (L	eaunig to	33 ,
13			all Engine System (Leading to M	otorove	la/Small I	Engina
13	1		an Engine System (Leading to M	Otorcyc	Je/Omani, J	Liigiile
}	1	ing NC II)	14 mg 1/2" Drive Immost Driver 1 mg 9	7	CET	40
	1	Manual Impact	1 pc 1/2" Drive Impact Driver, 1 pc 8	1	SET	49
		Driver	mm long bit holder, 1 pc 36 mm long,			
			8 mm slotted bit, 1 pc 36 mm long, 10			
			mm slotted bit, 1 pc 36 mm long, PH2			
-			bit, 1 pc 36 mm long, PH3 bit			
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	49
	_		Ratchet Wrench, 10 pcs Socket 6	•		.0
			side/point (10mm, 11mm, 12mm,			
[
			13mm, 14mm, 15mm, 17mm, 19mm,			
			22mm, 24mm), 1 pc Extension Rod			
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	49
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	4	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	49
		Wrench	Plug, Socket Wrench 21mm	'	921	70
				4	CET	40
	5	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	49
		Wrench	Plug, Socket Wrench 16mm			
	6	Allen Wrench	Hex Key Set, Number of Pieces 9,	1	SET	49
		Set	Arm Length 2.80 to 6.80 In., Sizes			
			Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,			
			10mm, Blade Material Alloy steel,			
			Handle Type L-Shaped, Includes			
			Molded Plastic Holder	i	į	
	7	Cirolin Dijara		1	CET.	40
	/	Circlip Pliers	6 in carbon steel insulated handle	ı	SET	49
			detachable tip (combination) internal		ļ	
		<u> </u>	and external			-ha -
	Sub-to	•	lotorcycle/Small Engine System	(Lea	ding to	49 ू
		cycle/Small Engine	e Servicing NC II)			
16	CARP	ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18	1	PC	50
			in. length / 450 mm; hardwood handle			
	2	Claw Hammer	Forged High-Carbon Steel Head;	1	PC	50
	~	Claw Hallillei		1	, 0	50
		D. II D. 1 D. 1	Smooth Face; 16 Oz; Wood Handle			
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	50
			High impact ABS case with durable	[
			rubber Corrosion resistant tru-zero			:
			end	1	1	
	4	Steel Square	Carpenters framing square;	1	PC	50
1	'		2x16x24", Steel	.	. 0	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3	1	PC	50
	٦	Obline revei pai		'		50
			vials; Length: 24"			

> apr

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	2
	- :		- G/F Balibrea Building, Pili Drive B		ity	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	50
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board-Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	50
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	50
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	50
-	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	50
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	50
	Sub-to	tal, CARPENTRY	NC II			50 <
17	Electr	ical Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	260
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	260
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	260
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	260
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	260

7 ap

	PRO	EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
			A – G/F Balibrea Building, Pili Drive B	utuan C	City	<u> </u>
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	260
- 181 3 1	Sub-to	otal, Electrical Inst	allation and Maintenance NC II	19.32	1 No Berthadia:	260
22	WOR	KS (Leading to Plu			,	· · · · · · · · · · · · · · · · · · ·
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	96
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	96
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	96
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	.96
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	96
	MAIN	TENANCE WORKS	ULTIPLE PLUMBING INSTALLATIO (LEADING TO PLUMBING NC II)	N AND	REPAIR	96
23	CONS 1	Steel Brush	Hardened steel brush, wooden handle	1	PC	46
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	46
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	46
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	46
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	46
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"	1	PC	46
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	46
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	46
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	46
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	46

Nyple agh

	PROC	EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive B	utuan C	ity	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	46
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	46
· ·	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	46
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	46
	Sub-to	tal, CONSTRUCTI	ON PAINTING NC II			46
25	RACS	ERVICING (Dom/F				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse:	1	UNIT	50
			0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	50
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	50
	Sub-to	tal, RAC SERVICI	NG (Dom/RAC) NC II			50 、
26			WELDING (SMAW) NC I			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	330
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	330
	Sub-to	otal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I			330

> ap

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
	27 - 27 - 2		- G/F Balibrea Building, Pili Drive B		City	· · · · · · · · · · · · · · · · · · ·
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
27	l	nble Electronics cing NC II)	Products (Leading to Electronic P	roducts	s Assemb	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	24
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	24
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	24
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1.	PC	24
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	24
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	24
		otal, Assemble Elenated	ectronics Products (Leading to Elec	tronic	Products	24 .
28			ronic Products and Systems (Leading	a to Ele	ctronic Pr	oducts
	1	nbly and Servicing	· · · · · · · · · · · · · · · · · · ·			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	24
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	24
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	24
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	24

7 Offer

	PROC	EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
		,	– G/F Balibrea Building, Pili Drive B			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	24
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	24 24
	Sub-total, Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)					
29		e Industrial Electr cts Assembly and		s (Lead	ing to Elec	ctronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		UNIT	24
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	24
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	24
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	24
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	24
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	24
		•	strial Electronic Modules, Product roducts Assembly and Servicing NC		Systems	24
31		SMAKING NC II				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	43

7 Agysu

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
			A – G/F Balibrea Building, Pili Drive B		City	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	43
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	43
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	43
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5"L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	43
		otal, DRESSMAKIN				43
33	HILOT	(WELLNESS MAS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	1	Face Towel	100 % cotton, 12" X 12", white	11	PC	204
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	204
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	204
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	204
-	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	204
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	204
	7	Aromatic Oil	100 ml.	1	BOTTLE	204
-	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	204
	9	Powder	Baby powder, 200 g	1	BOTTLE	204
	10	Mentholated Oil	100 ml.	1	BOTTLE	204
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	204
	Sub-to	otal, HILOT (WELL	NESS MASSAGE) NC II	,		204
34			AND PEDICURE (Leading to Beauty C	are NC	11)	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	51
	2	Cuticle Pusher	stainless steel, 5"	1	PC	51
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	51
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	51
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	51
	6	Nail Brush	Plastic, soft bristle	1	PC	51
	7	Emery Board	80/100 coarse, 8" Long	1	PC	51
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	51



	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
			A - G/F Balibrea Building, Pili Drive E		City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Cotton Balls	150 balls	1	PACK	51
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	51
	11	Nail Polish Remover	120 ml bottle	1	BÓTTLE	51
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	51
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	51
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	51
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	51
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	51
	17	Low Stool	hard plastic, round	1	PC	51
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	51
	Sub-to	otal, PERFORM MA	NICURE AND PEDICURE (Leading to	Beauty	/ Care NC	51
	II)					`
45	PAST	RY MAKING (Lead	ing to Bread and Pastry Production I	VC II)	:	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz		PC	32
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	32
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	32
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	32
	Sub-to	tal, PASTRY MAK	ING (Leading to Bread and Pastry Pr	oductio	n NC II)	32
47			OT MEALS (Leading to Cookery NC			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	115
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	115
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC ·	115
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	115
	5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	115

Myser asp

	PROC		ARTER TOOLKITS FOR THE SPECIA		NING FOR	!
<u> </u>			MENT PROGRAM (STEP) FOR FY 20 . – G/F Balibrea Building, Pili Drive B		itv	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	115
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	115
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	115
			D COOK HOT MEALS (Leading to Co	okery N	VC II)	115
48	PREP	ARE COLD MEALS	(Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	76
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	76
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	76
	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	76
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	76
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	76
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	76
	Sub-to	otal, PREPARE CO	LD MEALS (Leading to Cookery NC I	1)		76
	TOTAL	_				1,554

Mysen

agh

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City

			Road, South Superhighway, Taguig C	ity		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
3	ANIMA	AL PRODUCTION (· · · · · · · · · · · · · · · · · · ·			
	1	Dehorner	High-tempered steel blade, rust- resistant, horn hole size 1 inch	1	PC	25
	2	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	25
	3	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	4	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	5	Hoof knife/ Hook Knife	billhook blade, blade length: 110mm, made of carbon steel, wood handle with iron bolster and stud	1	PC	25
	6	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	7	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	25
	Sub-to	tal, ANIMAL PROL	DUCTION (Ruminants) NC II			25
7	PERF	ORM DIESEL ENGI	NE TUNE UP (Leading to Automotive	Servic	ing NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	191
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	191
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	191

1. Appell

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
TES	SDA-Ce		DA Administration Building, Gate 1, Road, South Superhighway, Taguig C			<u>. </u>
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Flat Screw Driver	plastic handle, tip: 1/4" / 6.5mm	1	PC	191
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	191
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	191
	Servic	ing NC I)	IESEL ENGINE TUNE UP (Leading			191
8	PERF	ORM GAS ENGINE	TUNE-UP (Leading to Automotive S	ervicing	NC I)	
	2	Feeler gauge Spark Plug	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PĆ SET	125
	3	Wrench Spark Plug	Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark	1	SET	125
		Wrench	Plug, Socket Wrench 16mm			
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	125
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	125
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	125
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	125
	Subto NC I)	tal, PERFORM GAS	S ENGINE TUNE-UP (Leading to Autor	notive	Servicing	125

Mysler Ogs Ogs

	PROC		ARTER TOOLKITS FOR THE SPECIA		NING FOR	
TES	SDA-Ce		MENT PROGRAM (STEP) FOR FY 20 DA Administration Building, Gate 1,		Complex,	East
			Road, South Superhighway, Taguig C			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
140.	110.					PAX
9	SERV	ICE UNDERCHASS	SIS COMPONENTS (Leading to Autor	notive S	Servicing N	IC II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	50
			Ratchet Wrench, 10 pcs Socket 6			
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
		Cail Caring	22mm, 24mm), 1 pc Extension Rod	1	CET	50
	2	Coil Spring Compressor	12" Coil Spring Compressor (Silver). For all vehicles equipped with	1	SET	50
		Compressor	Macpherson Struts or any other coil			
			spring brand, double ended jaws with			
			safety hooks			
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	50
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	4	Vise Grip	10 inches length, Stainless Steel.	1	PC	50
			Jaws: straight, flat, square,			
			Adjustable screw			
			ERCHASSIS COMPONENTS (Leadin	g to Al	itomotive	50
10		ing NC II)	ONENTS (Leading to Automotive Se	rvicina	NC III	
10	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	100
	•	Socket virench	Ratchet Wrench, 10 pcs Socket 6	•	OLI	100
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
	,		22mm, 24mm), 1 pc Extension Rod			
	2	Combination	chrome vanadium steel, set of 8 sizes	1	SET	100
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
		And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	3	Circlip Pliers	6 in carbon steel insulated handle	1	SET	100
			detachable tip (combination) internal			
		Allen Wrench Set	and external	1	CET	100
	4	Allen vvrench Set	Hex Key Set, Number of Pieces 9,	1	SET	100
,			Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,			
			10mm, Blade Material Alloy steel,			
			Handle Type L-Shaped, Includes			
			Molded Plastic Holder			
	5	Philips Screw	8" shank length (chrome plated)	1	PC	100
		Driver	plastic handle, tip: 2 X 6mm			
	6	Flat Screw Driver	8" shank length (chrome plated)	1	PC	100
			plastic handle, tip: 1/4" / 6.5mm			
	7	Ball Peen	Forged hard steel; jacketed graphite	1	PC	100
	0	Hammer	ballpeen hammer, 16 oz./ 1 lb	4	0	400
	Subto NC II)	tai, SERVICE ENGI	NE COMPONENTS (Leading to Autor	notive (servicing	100

Syphen

NC II)

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TE	SDA-Ce	entral Office - TES	DA Administration Building, Gate 1,	TESDA	Complex,	East
LOT	ITEM	Service F	Road, South Superhighway, Taguig C AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.	112.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			OF
						PAX
11	1		E ELECTRICAL COMPONENTS (L	.eading	to Auto	motive
	Servic	Battery Load	100-Amp, 6V and 12V batteries.	1	PC	75
	'	Tester	shock-resistant meter, sturdy steel	'	10	, 5
		,	case that has a durable baked			
			enamel finish, rubber insulated carry			
			handle, equipped with super-grip battery clamps and a top-mounted			
			rocker switch.			
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	75
		Electrical Plier	finish: plastic-dipped			
	3	Philips Screw	8" shank length (chrome plated)	1	PC	75
	J. 3	Driver	plastic handle, tip: 2 X 6mm		PC	J. 73
	4	Flat Screw Driver	8" shank length (chrome plated)	1	PC	75
			plastic handle, tip: 1/4" / 6.5mm			
			OMOTIVE ELECTRICAL COMPONE	NTS (L	eading to	75
12		notive Servicing N		tivo So	minima NC	11\
12	3ERVI	Socket Wrench	Socket chrome vanadium: 1 pc 1/2"	1	SET	25
		Socket Wienen	Ratchet Wrench, 10 pcs Socket 6	•	OLI	20
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
		Combination	22mm, 24mm), 1 pc Extension Rod	4	CET	- 0.5
	2	Combination Wrench (Open	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm,	1	SET	25
	:	And Box End)	17mm, 19mm, 22mm) 7.5 deg offset			
	3	Vise Grip	10 inches length, Stainless Steel.	1	PC	25
			Jaws: straight, flat, square,			
	4	Dall Dans	Adjustable screw	4	DO.	
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
	5	Circlip Pliers	6 in carbon steel insulated handle	1	SET	25
			detachable tip (combination) internal	•		
			and external			
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20	1	PC	25
	7	Dhiling Corour	m-kg) capacity, 1/2 drive	1	DC	25
	'	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	'	PC	25
	8	Flat Screw Driver	8" shank length (chrome plated)	1	PC	.25
			plastic handle, tip: 1/4"/ 6.5mm	-		
	1		VER TRAIN COMPONENTS (Leading	g to Ai	ıtomotive	25
	Servic	ing NC II)				
	L					

7 ap

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East

			load, South Superhighway, Taguig C	ity		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
13	Servic	e Motorcycle/Sm	all Engine System (Leading to M	otorcy	le/Small	Engine
	Servic	ing NC II)				
,	1	Manual Impact	1 pc 1/2" Drive Impact Driver,1 pc 8	1	SET	229
		Driver	mm long bit holder,1 pc 36 mm long,			
			8 mm slotted bit,1 pc 36 mm long, 10			
			mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit			
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	229
	_	Cooker Tronon	Ratchet Wrench, 10 pcs Socket 6			
			side/point (10mm, 11mm, 12mm,			
			13mm, 14mm, 15mm, 17mm, 19mm,			
			22mm, 24mm), 1 pc Extension Rod			
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	229
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,			
·	4	And Box End) Spark Plug	17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark	1	SET	229
	4	Wrench	Plug, Socket Wrench 21mm	,	02,	
	5	Spark Plug	1pc T-Handle Universal Joint Spark	1	SET	229
		Wrench	Plug, Socket Wrench 16mm			
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9,	1	SET	229
			Arm Length 2.80 to 6.80 In., Sizes			
			Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,			
			10mm, Blade Material Alloy steel,			
			Handle Type L-Shaped, Includes Molded Plastic Holder			
	7	Circlip Pliers	6 in carbon steel insulated handle	1	SET	229
	,	on onp 1 horo	detachable tip(combination) internal	,		
• • •			and external			
	Subto	•	otorcycle/Small Engine System	(Lea	ding to	229
		cycle/Small Engine				
14			m (Leading to Motorcycle/Small Engi			
	1.	VOM (Multitostor)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V	1	UNIT	46
		(Multitester)	Internal Battery: R6 (IEC) or UM-3			
			1.5V x 2 Internal Fuse:			
			0.5Ano/250V/5.2mm dia. X 20mm			
			Dimension and Weight: 159.5 x 129			
			x 41.5 mm/approx. 320g Resistance:			
			X1 to X1k			
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	46
		Electrical Plier	finish: plastic-dipped	1	PC	46
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	l	PC	40
	4	Flat Screw Driver	8" shank length (chrome plated)	1	PC	46
	-	, lat Goldw Dilver	plastic handle, tip: 1/4" / 6.5mm	•	'	
			Francis and about 1 and 1			

> Aprile

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguin City

Service Road, South Superhighway, Taguig City						
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	46
	Service	cing NC II)	rical System (Leading to Motorcyc			46 <
15	Overh NC II)		nall Engine (Leading to Motorcycle/	Small I		vicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	86
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	86
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	86
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	86
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	86
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	86

ar vigner

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

		Service F	Road, South Superhighway, Taguig C	ity		10.1
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 in., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	86
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	86
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	86
		tai, Overnaui Mot e Servicing NC II)	orcycle/Small Engine (Leading to M	notorcy	cie/Smaii	86
16	CARP	ENTRY NO II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	228
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	228
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	228
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	228
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	228
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	228
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	228
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	228
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	228
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	228
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	228

7 Apylen

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office - TESDA Administration Building, Gate 1, TESDA Complex, East

		Service F	Road, South Superhighway, Taguig C	ity	· · · · · · · · · · · · · · · · · · ·	
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF
	Subto	tal, CARPENTRY N	NC II	ļ		PAX 228 \
17			d Maintenance NC II			220
	1	VOM	Multi-tester Analog DCV Range: 0.1	1	UNIT	326
	·	(Multitester)	V to 1000V ACV Range: 10 to 750V		01111	020
			Internal Battery: R6 (IEC) or UM-3			
			1.5V x 2 Internal Fuse:			
			0.5Ano/250V/5.2mm dia. X 20mm			
			Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance:			
			X1 to X1k			
	2	Screw Driver Set	4 pieces per set	1	SET	326
			Flat Blade Tip:			
		and the second second	6.5X150mm,5X100mm		* * *	
			Phillips Blade tip: 1X100mm,			
			2X150mm Plastic and rubberized handle,			
			Chrome Vanadium, Shank 6"			
	3	Long Nose Pliers	Overall Length: 8"	1	PC	326
			Knife Length: 5/8"			
			Material: Carbon Steel			
	1	Discond Cutting	Handle Finish: plastic dipped Overall length 8", Handle finish	1	PC	326
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	•	FC	320
	5	Electricians/	Overall Length: 8", Steel Alloy,	1	PC	326
	ļ <u>.</u>	Electrical Plier	Handle finish: plastic-dipped			
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	326
			High impact ABS case with durable rubber Corrosion resistant tru-zero			
			end			
	Subto	tal, Electrical Insta	llation and Maintenance NC II			326
21		ITTING NC II				
	1	Ball Peen	Forged hard steel; jacketed graphite	1	PC	25
		Hammer	ballpeen hammer, 16 oz./ 1 lb			0
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	25
			High impact ABS case with durable			
			rubber Corrosion resistant tru-zero end			
	4	File	Half-round, 8", tapered width and	1	PC	25
	•		thickness, bastard teeth spacing,		. •	
			Plastic handle is slip resistant			
L	<u> </u>					

7 Apriler

145

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City

	,		Road, South Superhighway, Taguig C			T
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	25
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1 1	PC	25
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	25
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
		tal, PIPEFITTING I	NC II			25
24		ETTING NC II		· · · · · · · · · · · · · · · · · · ·		, <u>-</u>
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	75
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	75
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	75
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	75
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	75
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75
		otal, TILE SETTING				75
25	RACS	ERVICING (Dom/F		, , , , , , , , , , , , , , , , , , ,		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25

T ap

EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	Road, South Superhighway, Taguig C AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	3 1111	OF
						PAX
	2	Mechanical	2 valves, number of hoses 3, gauge	1	SET	25
		Manifold Gauge	high side pressure 0-500 PSIG,			
		Set	Gauge low side pressure 30 ln. Hg.			
			to 250 PSIG, for use with R-22, R-			}
			134a refrigerants, 1/4 in. vacuum port		:	
			size, hose length 36", 2500 PSI burst.			
	3	Flaring tool set	Flares and swages. Screw-type	1	SET	25
			feed.Two bars included cover 9			
			sizes. Swivel-type swaging adapters			
			and flaring cone hardened steel,			
			chrome finished. Slip-on forged steel			
			yoke. Includes tool case. Flares 1/8",			
			3/16", 1/4", 5/16", 3/8", 7/16", 1/2",			
		***	5/8" and 3/4" O.D. Includes 5 swage		2 1	
			adapters for 7 tube sizes: 3/16", 1/4",			
			5/16", 3/8", 1/2", 5/8", 3/4" O.D.			
	Sub-to	tal. RAC SERVICE	NG (Dom/RAC) NC II			25
26			WELDING (SMAW) NC I	,	····	
	1	Portable Welding		1	PC	689
	1	Machine	hrtz, single phase, 200 Amps, with	'	1 0	000
		Macrime	welding electrode holder and welding			
			ground.			
	2	Welding Mask	Flip Front Welding Helmet, impact-	1	PC	689
	2	vveiding iviask	resistant polypropylene material,	'	, 0	000
			adjustable fit, 41/2" x 2" view area			
			with lens			
	Cub to	tal CHIELDED ME	TAL ARC WELDING (SMAW) NC I			689
			Products (Leading to Electronic P	roducto	Accomb	
27			Products (Leading to Electronic Pr	ouucis	ASSEIIID	iy and
		ing NC II)	Multi tester Angles DCV/ Bangs: 0.1	1	UNIT	50
	1	VOM	Multi-tester Analog DCV Range: 0.1	1 1	UNIT	
		/N/1. (1414 a a 4 a x)	\/ to 1000\/ AC\/ Bango: 10 to 750\/			
		(Multitester)	V to 1000V ACV Range: 10 to 750V	·		
		(Multitester)	Internal Battery: R6 (IEC) or UM-3	·		
		(Multitester)	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse:			
		(Multitester)	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm	·		
		(Multitester)	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129			
		(Multitester)	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance:			
			Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	(Multitester) Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip	1	PC	50
		Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz		PC	50
	2		Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz Overall Length: 8"	1		
		Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz Overall Length: 8" Knife Length: 5/8"		PC	50
		Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz Overall Length: 8"		PC	50
		Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz Overall Length: 8" Knife Length: 5/8"		PC PC	50 50
		Soldering Iron	Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel		PC	50

7 agr

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	Road, South Superhighway, Taguig C AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50
	6 .	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	50
		otal, Assemble Ele ably and Servicing	ectronics Products (Leading to Elec NC II)	tronic	Products	50
28			ronic Products and Systems (Leading	g to Ele	ctronic Pro	oduct
	Assen	nbly and Servicing	NC II) Multi-tester Analog DCV Range: 0.1		118117	60
	1	VOM (Multitester)	V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	00
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	60
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	60
·	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	60
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	60
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	60
		tal, Service Cons	umer Electronic Products and Syste	ems (Le	eading to	6

7 ap

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR EY 2017

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

LOT	ITEM		Road, South Superhighway, Taguig C		1 15	1.0
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
31	DRES	SMAKING NC II	<i>L</i>	<u> </u>		1 7/
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	318
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	318
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	318
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	318
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	318
	Sub-to	otal, DRESSMAKIN				318
32		RING NC II				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	100
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	100
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	100
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	100
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC .	100

Myler

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

Service Road, South Superhighway, Taguig City						
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	Sub-to	tal, TAILORING N	CII		J	100
33		(WELLNESS MAS				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	158
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC .	158
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	158
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	158
	5	Head Band	3"x 23" cotton fabric with snap tape	11	PC	158
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	158
	7	Aromatic Oil	100 ml.	1	BOTTLE	158
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	158
	9	Powder	Baby powder, 200 g	1	BOTTLE	158
	10	Mentholated Oil	100 ml.	1	BOTTLE	158
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	158
			NESS MASSAGE) NC II			158
34			ND PEDICURE (Leading to Beauty C		,	
	1	Cuticle Nipper	Stainless steel, 3.5"		PC .	77
	2	Cuticle Pusher	stainless steel, 5"	1	PC	77
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	77
	4	Hand Nail Cutter	stainless steel, 2.5" long	<u>1</u> 1	PC	77
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"		PC	77
	6	Nail Brush	Plastic, soft bristle		PC	77
-	7	Emery Board	80/100 coarse, 8" Long	1	PC	77
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	77
	9	Cotton Balls	150 balls	1	PACK	77
ļ	10	Cuticle Remover	120 ml bottle	1	BOTTLE	77
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	77
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	77
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	77
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	77
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	77

1 ays

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

LOT NO.	NO.	ITEM	Road, South Superhighway, Taguig C AGENCY SPECS	QTY	UNIT	NO. OF PAX
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	77
	17	Low Stool	hard plastic, round	1	PC	77
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	77
	Sub-to	otal, PERFORM MA	NICURE AND PEDICURE (Leading to	Beaut	y Care NC	77 、
36	PERF	ORM BODY MASS	AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	175
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	175
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	175
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	175
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	175
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	175
	7	Aromatic Oil	100 ml.	1	BOTTLE	175
	8	Virgin Coconut	250 ml.	1	BOTTLE	175
	9	Powder	Baby powder, 200 g	1	BOTTLE	175
	10	Mentholated Oil	100 ml.	1	BOTTLE	175
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	175
	Sub-total, PERFORM BODY MASSAGE (Leading to Beauty Care NC II)					
38	PERF	ORM FACIAL TREA	ATMENT (Leading to Beauty Care NC	II)		
	1	Acne Gel	plastic tube, 25ml	1	PC	50
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	50
· · · · · · · · · · · · · · · · · · ·	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	50
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	50
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	50
	6	Facial Brush	wooden handle, soft bristle	1	PC	50
	7	Facial Cream	50 ml, dermatologically tested	1	PC	50
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	50
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	50
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	50
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	50

7 agh

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

	T		Road, South Superhighway, Taguig C			1
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	50
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	14	Cotton Balls	150 balls	1 1	PACK	50
		<u> </u>	CIAL TREATMENT (Leading to Beau	ty Care		50
39			eading to Beauty Care NC II)	ty care	11.0.317.	
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	50
	2	Callus Remover	Stainless Steel, 7"	1	PC	50
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	50
	4	Foot File	Wooden, 9.5"	1	PC	50
	. 5	Foot Blush	100ml, spray type	1	BOTTLE	50
	6	Foot Soak	150ml, Liquid	1	BOTTLE	50
	7	Foot Scrub	150ml, cream	1	TUBE	50
	8	Foot Lotion	150ml, scented	1	BOTTLE	50
	9	Foot Brush	plastic handle, plastic bristle	1	PC	50
	Sub-to	otal, PERFORM FO	OT SPA (Leading to Beauty Care NC	<i>II)</i>		50 、
40	PERF	ORM FACIAL MAK	E-UP (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	135
	2	Blusher	pink and bronze shade, 4grams each	2	PC	135
	3	Eye Brow Pencil	black, 4"	1	PC	135
	4	Eye Brow Pencil	brown, 4"	1	PC	135
	5	Eye Liner Pencil	black, 4"	1	PC	135
	6	Eye Liner Pencil	brown, 4"	11	PC	135
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	135
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	135
	9	Eyelash Curler	stainless steel, scissor type	1	PC	135
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	135
	11	Make-Up Sponge	round, powder puff sponge	1	PC	135
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	135
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	135
	14	Lipstick	matte finish, red	1	PC	135
	15	Lipstick	matte finish, coral pink	1	PC	135
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	135
	17	Mascara	black, water proof, 7g	1	PC	135
	18	Pressed Powder	natural shade, matte finish	1	PC	135
	19	Cotton Balls	150 balls	1	PACK	135
	20	Concealer	20ml with UVA/UVB protection	1	PC	135

7 Ayr

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Central Office - TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City NO. ITEM ITEM AGENCY SPECS UNIT LOT OF NO. NO. PAX Sub-total, PERFORM FACIAL MAKE-UP (Leading to Beauty Care NC II) 135 PERFORM HAIR CUTTING SERVICES (Leading to Hairdressing NC II) 43 220V, 1800W, 60 Hz, hot and cold UNIT 155 Hair Blower blower function 2 Cutting Scissors 6" stainless steel with tight regulator 1 PC 155 5" Single notched, 23 teeth, stainless 1 PC 155 3 Thinning steel Scissors 1 PC 155 black with 3 pockets 4 Apron 1 PC 155 Protective Cape Water proof, nylon, black 5 Wood handle, app. 10 cm x 6.7cm PC 155 Neck brush 1 6 Talcum Powder BOTTLE 155 250a Sub-total, PERFORM HAIR CUTTING SERVICES (Leading to Hairdressing NC 155 44 BREAD MAKING (Leading to Bread and Pastry Production NC II) 18L Stainless Housing, Timer 60mins PC 364 Electric Oven with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz Stainless steel, 1 set (1 cup, ½ cup, 1 SET 364 2 Measuring Cups 1/3 cup, 1/4 cup) 1 PC 364 Transparent glass,1 cup capacity, Measuring Urn 3 measurements are clearly mark in ounce, quarts and millilitres Mixing Bowl Stainless steel, 8" diameter, 5 quart PC 364 4 capacity 364 Sub-total, BREAD MAKING (Leading to Bread and Pastry Production NC II) PASTRY MAKING (Leading to Bread and Pastry Production NC II) 45 18L Stainless Housing, Timer 60mins PC 231 Electric Oven 1 with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, Stainless steel, 1 set (1 cup, 1/2 cup, 1 SET

y Agyan and

1/3 cup, 1/4 cup)

2

Measuring Cups

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East
Service Road, South Superhighway, Taguig City

Service Road, South Superhighway, Taguig City						
NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	231	
4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	231	
Sub-to	otal, PASTRY MAK	ING (Leading to Bread and Pastry P	roducti	on NC II)	231	
CAKE	MAKING (Leading	to Bread and Pastry Production NC	II)			
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass. 4 Stage Heating		PC	270	
N. 1980.	TTO SERVER BOOK COLUMN	Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz				
2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	270	
3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	270	
4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	270	
				NC II)	270	
			1)			
1		stick, riveted handle	1		90	
		capacity			90	
3	Chef's Knife	polymer handle	1		90	
4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	90	
5	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	90	
6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	90	
7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	90	
8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	90	
			okery N	VC II)	90 、	
PREP	ARE COLD MEAL					
1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	195	
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	195	
	3 4 Sub-to CAKE 1 2 3 4 Sub-to PREP 1 2 3 4 5 6 7 8 Sub-to PREP 1	Mixing Bowl Muffin Pan Sub-total, PASTRY MAK CAKE MAKING (Leading Electric Oven Mixing Bowl Muffin Pan Sub-total, CAKE MAKING PREPARE AND COOK H Frying Pan Mixing Bowl Mixing Bowl Chef's Knife Measuring Cups Mixing Bowl Chef's Knife Measuring Cups Chopping Board Wooden Spoon Sub-total, PREPARE AN PREPARE COLD MEALS Frying Pan	Mixing Bowl Stainless steel, 8" diameter, 5 quart capacity 4 Muffin Pan 6 holes, 3oz capacity per holes, nonstick Sub-total, PASTRY MAKING (Leading to Bread and Pastry P. CAKE MAKING (Leading to Bread and Pastry Production NC 1 Electric Oven 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz 2 Measuring Cups Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) 3 Mixing Bowl Stainless steel, 8" diameter, 5 quart capacity 4 Muffin Pan 6 holes, 3oz capacity per holes, nonstick Sub-total, CAKE MAKING (Leading to Bread and Pastry Procential Prying Pan 10" diameter by 2" high teflon, nonstick, riveted handle 2 Mixing Bowl Stainless steel, 8 " diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel blade with black polymer handle 4 Measuring Cups Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) 5 Chopping Board 8", stainless steel blade with black polymer handle 4 Measuring Cups Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) 5 Chopping Board 12" long, biodegradable, solid birchwood 7 Saucepan 6" diameter stainless with lid, non riveted black handle 8 Strainer 8" diameter, single fine mesh, flat wooden handle Sub-total, PREPARE AND COOK HOT MEALS (Leading to CoPREPARE COLD MEALS (Leading to Cookery NC II) 1 Frying Pan 10" diameter by 2" high teflon, nonstick, riveted handle Sub-total, PREPARE AND COOK HOT MEALS (Leading to CoPREPARE COLD MEALS (Leading to Cookery NC II) 1 Frying Pan 10" diameter by 2" high teflon, nonstick, riveted handle Sub-total, PREPARE AND COOK HOT MEALS (Leading to CoPREPARE COLD MEALS (Leading to Cookery NC II) 1 Frying Pan 10" diameter, 5 quart bitch, riveted handle	NO. Mixing Bowl Stainless steel, 8" diameter, 5 quart 1 capacity	NO. 3 Mixing Bowl Stainless steel, 8" diameter, 5 quart 1 PC capacity 4 Muffin Pan 6 holes, 3oz capacity per holes, non- 1 PC stick Sub-total, PASTRY MAKING (Leading to Bread and Pastry Production NC II) 1 Electric Oven 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz 2 Measuring Cups Stainless steel, 1 set (1 cup, ½ cup, 1 SET 1/3 cup, ½ cup) 3 Mixing Bowl Stainless steel, 8" diameter, 5 quart 1 PC capacity 4 Muffin Pan 6 holes, 3oz capacity per holes, non- stick Sub-total, CAKE MAKING (Leading to Bread and Pastry Production NC II) PREPARE AND COOK HOT MEALS (Leading to Cookery NC II) 1 Frying Pan 10" diameter by 2" high teflon, non- stick, riveted handle 2 Mixing Bowl Stainless steel, 8 " diameter, 5 quart 1 PC capacity 3 Chef's Knife 8", stainless steel blade with black 1 PC polymer handle 4 Measuring Cups Stainless steel, 1 set (1 cup, ½ cup, 1 SET 1/3 cup, ½ cup) 5 Chopping Board ½" x 12" x 18"; made of polyethylene 1 PC material properties of material material material material properties with lid, non 1 PC polymer handle 8 Strainer 8" diameter, single fine mesh, flat 1 PC polymer Paralle Sub-total, PREPARE AND COOK HOT MEALS (Leading to Cookery NC II) 1 Frying Pan 10" diameter by 2" high teflon, non- 1 PC stick, riveted handle 8 Strainer 8" diameter, single fine mesh, flat 1 PC wooden handle Sub-total, PREPARE AND COOK HOT MEALS (Leading to Cookery NC II) PREPARE COLD MEALS (Leading to Cookery NC II) PREPARE COLD MEALS (Leading to Cookery NC II)	

Agraer Agr

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Central Office – TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Superhighway, Taguig City

	T		Road, South Superhighway, Taguig C			1
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	195
# D	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	195
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	195
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	195
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	195
	Sub-to	otal, PREPARE CO	LD MEALS (Leading to Cookery NC	(I)		195
49	PROC NC II)		LTING, CURING AND SMOKING (Lead	N . ie	· ,	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	245
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	245
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	245
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	245
	5	Chefs Knife	8", stainless steel blade with black polymer handle	1	PC	245
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	245
	Food	Processing NC II)	OD BY SALTING, CURING AND SMOR	·		245
50	PROC NC II)		ERMENTATION AND PICKLING (Lead			
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	93
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	93
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	93
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	93
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	93

7 ayn

155

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017							
TF!	SDA-Ce		DA Administration Building, Gate 1,		Complex,	East		
'-	007.00		Road, South Superhighway, Taguig C		*			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	93		
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	93		
	Sub-total, PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processing NC II)							
	TOTAL					5,136		

af Mysler

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Cordillera Administrative Region (CAR) - # 32 Magsaysay Drive, Loakan Proper, Baguio City LOT ITEM ITEM AGENCY SPECS QTY UNIT NO. NO. NO. OF PAX PRODUCE ORGANIC VEGETABLE (Leading to Organic Agriculture Production NC II) 5 Steel Rake 14 tine made of steel: hardwood PC 15 handle . , . . . 2 Sprayer Knapsack type (16 litres UNIT. 15 stainless tank and steel lance manual type with cone nozzles and fan 3 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" 4 Garden Hoe Carbon Steel head, goose neck type, 1 PC 15 hardwood handle, 6" blade Sprinkler 2 gallon capacity, heavy duty plastic PC 15 Sub-total, PRODUCE ORGANIC VEGETABLE (Leading to Organic Agriculture 15 Production NC II) 7 PERFORM DIESEL ENGINE TUNE UP (Leading to Automotive Servicing NC I) 26 tempered steel leaves/blade Feeler gauge PC 15 ranging from 0.015 in to 0.025 inches 0.038 to 0.635 mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .022, .023, .024, and .025. 2 Combination chrome vanadium steel, set of 8 sizes 1 SET 15 (8mm, 9mm, 10mm, 12mm, 14mm, Wrench (Open And Box End) 17mm, 19mm, 22mm) 7.5 deg offset Socket Wrench socket chrome vanadium: 1 pc 1/2" SET 15 Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 4 Flat Screw Driver 8" shank length (chrome plated) 1 PC 15 plastic handle, tip: 1/4" / 6.5mm Philips Screw 5 8" shank length (chrome plated) 1 PC 15 plastic handle, tip: 2 X 6mm Driver

> pyriter

15

SET

1

157

and external

6 in carbon steel insulated handle

detachable tip (combination) internal

Circlip Pliers

6

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,
Baquio City

Baguio City									
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	15			
		otal, PERFORM D	IESEL ENGINE TUNE UP (Leading	to A	utomotive	15			
8		PERFORM GAS ENGINE TUNE UP (Leading to Automotive Servicing NC I)							
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381,	1	PC	20			
			.406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.						
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20			
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20			
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20			
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20			
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20			
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20			
	i		GAS ENGINE TUNE UP (Leading	to A	utomotive	20			
10			ONENTS (Leading to Automotive Se	ervicing	g NC II)				
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	30			
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	30			

7 Mysean

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper, Baguio City

·	T		Bagulo City			
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF
	3	Circlip Pliers	6 in carbon steel insulated handle	1	SET	PAX 30
	3	Oli Clip File15	detachable tip (combination) internal	'	JE1	30
			and external			
	4	Allen Wrench Set		1	SET	30
		7 (1101) 77 011011 001	Arm Length 2.80 to 6.80 In., Sizes	'	021	
			Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,			
			10mm, Blade Material Alloy steel,			
			Handle Type L-Shaped, Includes			
			Molded Plastic Holder			
	5	Philips Screw	8" shank length (chrome plated)	1	PC	30
		Driver	plastic handle, tip: 2 X 6mm			
	6	Flat Screw Driver	, , ,	1	PC	30
		and the second s	plastic handle, tip: 1/4" / 6.5mm			
	7	Ball Peen	Forged hard steel, jacketed graphite	1	PC	30
		Hammer	ballpeen hammer, 16 oz./ 1 lb			
		otal, SERVICE ENG	INE COMPONENTS (Leading to Auto	motive	Servicing	30 <
	NC II)		E FOTBIOLI CONTRIBUTE			
11	1		E ELECTRICAL COMPONENTS (L	eading	to Autor	notive
		ing NCII)	100 Amn 61/ and 101/ battaria		DO 1	2.4
	1	Battery Load	100-Amp, 6V and 12V batteries.	1	PC	34
		Tester	shock-resistant meter, sturdy steel case that has a durable baked			
			enamel finish, rubber insulated carry			
			handle, equipped with super-grip			
			battery clamps and a top-mounted			
			rocker switch.			
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	34
		Electrical Plier	finish: plastic-dipped			
	3	Philips Screw	8" shank length (chrome plated)	1	PC	34
<u>. </u>		Driver	plastic handle, tip: 2 X 6mm			·
	4	Flat Screw Driver	8" shank length (chrome plated)	1	PC	34
			plastic handle, tip: 1/4" / 6.5mm			
	1	•	TOMOTIVE ELECTRICAL COMPONE	NTS (L	eading to	34
		notive Servicing N	CII)			
16	CARP	ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18	1	PC	49
			in. length / 450 mm; hardwood handle			
	2	Claw Hammer	Forged High-Carbon Steel Head;	1	PC	49
			Smooth Face; 16 Oz; Wood Handle			
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1"	1	PC	49
			High impact ABS case with durable			
			rubber Corrosion resistant tru-zero			
	4	0410	end			40
	4	Steel Square	Carpenters framing square;	1	PC	49
			2x16x24", Steel			

Apple

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,
Baguio City

	Baguio City						
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	49	
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	49	
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	49	
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	49	
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	49	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	49	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	49	
_ 		otal, CARPENTRY	NC II			49	
18		NRY NC I	Ct - 1 21 71 d b l			45	
	2	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC PC	15	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	•	PC	15	
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	15	
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC`	15	
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	15	
	6	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	15	
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	15	
		otal, MASONRY NO				15	
19		,	ASONRY SURFACE (Leading to Mas	· ·			
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	46	

Togyden I

TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

NO. NO. 2 Concrete/cement Finishing Trowel High Carbon Steel Blade, Wooden Handle 3 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 46 High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Hacksaw With Blade Adjustable hacksaw frame with binetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 5 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 46 vials; Length: 24"				Baguio City			
Finishing Trowel High Carbon Steel Blade, Wooden Handle 3 Pull-Push Rule Blade length 8m/26ft Blade width 1* 1 PC 46 High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Hacksaw With Blade Blade length 8m/26ft Blade width 1blade rubber Corrosion resistant tru-zero end 5 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 46 wials; Length; 24" wials; Length; 24" aluminum alloy frame and handle Smooth Face; 16 Oz; Wood Handle Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle length 20" blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle length 20" blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle length 20" blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle length 20" blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle 1 PC 15 blade; fiber glass 1 PC 46 wials; Length; 24" with 8.25" wooden handle 1 PC 15 blade; fiber glass 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum alloy frame and handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Adjustable hacksaw frame with bine hade aluminum Blade frame handle 1 PC 15 hacksaw With Blade aluminum Blade frame handle 1 PC 15 hacksaw With Blade aluminum Blade frame handle 1 PC 15 hacksaw With Blade aluminum Blade frame handle length 11.5" width 8.25" wooden handle length 11.5" width 8.25" wo	LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Hacksaw With Blade Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum, top-read center vial; 3 1 PC 46 vials; Length: 24" 6 Claw Hammer Forged High-Carbon Steel Head; 1 PC 46 Smooth Face; 16 Oz; Wood Handle 7 Shovel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" 8 Steel Square Carpenters framing square; 1 PC 46 Sub-total, PLASTER CONCRETE/MASONRY SURFACE (LEADING TO 46 MASONRY NC II) 1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 High impact ABS case with durable rubber Corrosion resistant tru-zero end 3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 Hacksaw With Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 Hacksaw With Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (Leading to Masonry NC II) 7 Shovel Round point steel blade; fiber glass 1 PC 15 Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 Width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 MASONRY NC II) 1 Steel Brush Hardened steel brush, wooden 1 PC 14		2		High Carbon Steel Blade, Wooden	1	PC	46
Blade metal hacksaw blade, 24 TPI, aluminum alloy frame and handle 5 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 46 vials; Length: 24" 6 Ciaw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle 7 Shovel Round point steel blade; fiber glass 1 PC 46 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" 8 Steel Square Carpenters framing square; 1 PC 46 MASONRY NC II) 20 INSTALL PRE-CAST BALUSTERS AND HANDRAIL (Leading to Masonry NC II) 1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 High impact ABS case with durable rubber Corrosion resistant tru-zero end 3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 Hacksaw With Adjustable hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 Hacksaw With Blade Round point steel blade; fiber glass 1 PC 15 Shovel Round point steel bl		3	Pull-Push Rule	High impact ABS case with durable rubber Corrosion resistant tru-zero	1,	PC	46
Vials; Length: 24"			Blade	metal hacksaw blade, 24 TPI,	1	PC	46
Smooth Face; 16 Oz; Wood Handle 7 Shovel Round point steel blade; fiber glass 1 PC 46 20" width 8.25" wooden handle length 20" 8 Steel Square Carpenters framing square; 1 PC 46 2x16x24", Steel Sub-total, PLASTER CONCRETE/MASONRY SURFACE (LEADING TO MASONRY NC II) 1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 2 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 15 15 15 15 15 16 16				vials; Length: 24"			
D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" 8 Steel Square Carpenters framing square; 2x16x24", Steel Sub-total, PLASTER CONCRETE/MASONRY SURFACE (LEADING TO 46 MASONRY NC II) 1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 2 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 5 Hacksaw With Adjustable hacksaw frame with binetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 7 Shovel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 2 CONSTRUCTION PAINTING NC II	· • • • • • • • • • • • • • • • • • • •		Claw Hammer	Smooth Face; 16 Oz; Wood Handle		PC	46
2x16x24", Steel Sub-total, PLASTER CONCRETE/MASONRY SURFACE (LEADING TO MASONRY NC II) 46 MASONRY NC II) 1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 15 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 15 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 15 PC 15 PC 15 PC Pull-Push Rule Blade length 8m/26ft Blade width 1" PC 15 PC 15 PC Pull-Push Rule Blade length 8m/26ft Blade width 1" PC PC PC PC PC PC PC P		7	Shovel	D-grip handle, blade length 11.5" width 8.25" wooden handle length	1	PC	46
MASONRY NC II) 20 INSTALL PRE-CAST BALUSTERS AND HANDRAIL (Leading to Masonry NC II) 1		8	Steel Square		1	PC	46
1 Pointing Trowel Steel 3" x 7", Wooden handle 1 PC 15 2 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 High impact ABS case with durable rubber Corrosion resistant tru-zero end 3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 vials; Length: 24" 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 Hacksaw With Adjustable hacksaw frame with binelade metal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		MASC	NRY NC II)		· · · · · · · · · · · · · · · · · · ·		46 ,
2 Pull-Push Rule Blade length 8m/26ft Blade width 1" 1 PC 15 High impact ABS case with durable rubber Corrosion resistant tru-zero end 3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 vials; Length: 24" 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 Hacksaw With Adjustable hacksaw frame with binetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14	20	 		, <u>, , , , , , , , , , , , , , , , , , </u>	to Masc		
High impact ABS case with durable rubber Corrosion resistant tru-zero end 3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 vials; Length: 24" 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 Hacksaw With Adjustable hacksaw frame with bill Blade Hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 23 CONSTRUCTION PAINTING NC II					1	ļ	
3 Spirit Level Bar Aluminum, top-read center vial; 3 1 PC 15 vials; Length: 24" 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 15 5 Hacksaw With Adjustable hacksaw frame with bi-Blade metal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		2	Pull-Push Rule	High impact ABS case with durable rubber Corrosion resistant tru-zero	1	PC	15
5 Hacksaw With Blade Adjustable hacksaw frame with bilinetal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO 15 MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		3	Spirit Level Bar		1	PC	15
Blade metal hacksaw blade, 24 TPI, aluminum alloy frame and handle 6 Steel Square Carpenters framing square; 1 PC 15 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass 1 PC 15 D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		4	Rubber Mallet	16 oz, Wooden Handle	1	PC	15
6 Steel Square Carpenters framing square; 2x16x24", Steel 7 Shovel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		5		metal hacksaw blade, 24 TPI,	1	PC	15
7 Shovel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Sub-total, INSTALL PRE-CAST BALUSTERS AND HANDRAIL (LEADING TO MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		6	Steel Square	Carpenters framing square;	1	PC	15
MASONRY NC II) 23 CONSTRUCTION PAINTING NC II 1 Steel Brush Hardened steel brush, wooden 1 PC 14		7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length	1	PC	15
1 Steel Brush Hardened steel brush, wooden 1 PC 14		MASO	NRY NC II)		L (LEA	DING TO	15
	23	· · · · · · · · · · · · · · · · · · ·		,			
		1	Steel Brush	·	1	PC	14

7 Mayren

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,
Baguio City

		1====	Baguio City			T
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	14
.'	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	14
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	14
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"	1	PC	14
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	14
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	14
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	14
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	14
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	14
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	14
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	14
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	14
	Sub-to	otal, CONSTRUCTI	ON PAINTING NC II			14
24	TILES	SETTING NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	10
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	10
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	10
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	10
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	10
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	10
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	10



TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

	_		Baguio City	·		
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	10
		otal, TILE SETTING				10
26	SHIEL			1216. ·	Markingt i	gunter grand
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	50
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	50
and fine to	Sub-to	tal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I	e i e	. The state of the	50
30		ITURE MAKING (F				
	1	Air Compressor	Air Compressor (1/4 hp, standard operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v, 60hz, single phase/ belt-drive)	1	PC	50
	2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	50
	3	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"	1	PC	50
			IAKING (FINISHING) NC II			50
31	DRES	SMAKING NC II		·	·	
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	98
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L -shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	98
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	98
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	98
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing	1	PC	98

7 Mil

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

			Baguio City			*****
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic	1	PC	98
		5 98	handle), spools of asstd. colors of sewing threads and other notions			1.59
	Sub-to	otal, DRESSMAKIN				98 、
32	TAILO	RING NC II				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control,	1	UNIT	10
r	A TO BEST TO		numbered tension dial with drop feed, wooden table with drawers and cast iron stand			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	10
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	10
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	10
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	10
	Sub-to	tal, TAILORING N				10
34	PERF	ORM MANICURE A	ND PEDICURE (Leading to Beauty C	are NC	ll)	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	15
	2	Cuticle Pusher	stainless steel, 5"	1	PC	15
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	15
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	15
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	15
	6	Nail Brush	Plastic, soft bristle	1	PC	15
	7	Emery Board	80/100 coarse, 8" Long	<u>1</u> 3	PC	15
	8	Orange Woodstick	1.77mm, smooth woodstick		PCS	15
	9	Cutiala Damayor	150 balls	11	PACK	15
	10	Cuticle Remover Nail Polish	120 ml bottle 120 ml bottle	1	BOTTLE BOTTLE	15 15
	L	Remover			L	

My de la mate

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,
Baguio City

	Baguio City								
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	15			
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	15			
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	15			
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	15			
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	15			
	17	Low Stool	hard plastic, round	1	PC	15			
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	15			
35	II)		NICURE AND PEDICURE (Leading to	Beaut	y Care NC	15.			
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz	1	PC	15			
	2	Paraffin Wax	Scented, 500g	1	BOX	15			
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	15			
			ND SPA (Leading to Beauty Care NC	· 		15			
38	PERF	,	ATMENT (Leading to Beauty Care NC						
	1	Acne Gel	plastic tube, 25ml	1	PC	15			
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	15			
	3_	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	15			
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	15			
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	15			
	6	Facial Brush	wooden handle, soft bristle	1	PC	15			
	7	Facial Cream	50 ml, dermatologically tested	1	PC	15			
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	15			
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	15			
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	15			
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	15			
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	15			
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	15			
<u> </u>	14	Cotton Balls	150 balls	1	PACK	15			
				tv Care		15			
		Sub-total, PERFORM FACIAL TREATMENT (Leading to Beauty Care NC II)							

Agylu , it

7 pt

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

Baguio City							
NO.	NO.		AGENCY SPECS	QTY	UNIT	NO. OF PAX	
39	PERF		eading to Beauty Care NC II)	·			
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	15	
	2	Callus Remover	Stainless Steel, 7"	1	PC	.15	
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	15	
	4	Foot File	Wooden, 9.5"	1	PC	15	
	5	Foot Blush	100ml, spray type	1	BOTTLE	15	
	6	Foot Soak	150ml, Liquid	1	BOTTLE	15	
	7	Foot Scrub	150ml, cream	1	TUBE	15	
	8	Foot Lotion	150ml, scented	1	BOTTLE	15	
	9	Foot Brush	plastic handle, plastic bristle	1	PC	15	
	Sub-to	tal, PERFORM FO	OT SPA (Leading to Beauty Care NC	11)		15	
40			E-UP (Leading to Beauty Care NC II)				
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	15	
	2	Blusher	pink and bronze shade, 4grams each	2	PC	15	
	3	Eye Brow Pencil	black, 4"	1	PC	15	
	4	Eye Brow Pencil	brown, 4"	1	PC	15	
ļ ———	5	Eye Liner Pencil	black, 4"	1	PC	15	
ļ ———	6	Eye Liner Pencil	brown, 4"	1	PC	15	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	15	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	15	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	15	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	15	
	11	Make-Up Sponge	round, powder puff sponge	1	PC	15	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	15	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	15	
	14	Lipstick	matte finish, red	1	PC	15	
	15	Lipstick	matte finish, coral pink	1	PC	15	
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	15	
	17	Mascara	black, water proof, 7g	1	PC	15	
	18	Pressed Powder	natural shade, matte finish	1	PC	15	
	19	Cotton Balls	150 balls	1	PACK	15	
	20	Concealer	20ml with UVA/UVB protection	1	PC	15	
	Sub-to	tal, PERFORM FA	CIAL MAKE-UP (Leading to Beauty C	are NC	11)	15	
41			ING/BLEACHING SERVICES (Leading				
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	15	

> M

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,
Baguio City

LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	15
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	15
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	15
-	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	15
	6	Bleaching Powder	30g (sachet)	3	PC	15
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	15
	8	Protective Cape	Water proof, nylon, black	1	PC	15
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	15
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	15
		otal, PERFORM H ressing NC II)	AIR COLORING/BLEACHING SERVIO	CES (Le	eading to	15
42	PERF	ORM HAIR PERMIN	NG/STRAIGHTENING (Leading to Hair	rdressii	ng NC II)	
	1	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC	15
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	15
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	15
***	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	15
	5	Curling Rods	4mm size	2	DOZ	15
	6	Curling Rods	14mm size	2	DOZ	15
	7	Curling Rods	16mm size	2	DOZ	15
	8	Applicator Brush	Plastic, black, with comb and tail	_1_	PC	15
— . — .	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	15
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	15
	11	Protective Cape	Water proof, nylon, black	1	PC	15
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	15
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	15
	Sub-to Hairdr	otal, PERFORM essing NC II)	HAIR PERMING/STRAIGHTENING	(Lea	ding to	15

My to

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

Baguio City							
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
43	PERF		IG SERVICES (Leading to Hairdressi	ng NC I	,,,		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	15	
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	. 15 , .	
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	15	
	4	Apron	black with 3 pockets	1	PC	15	
	5	Protective Cape	Water proof, nylon, black	1	PC	15	
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	15	
	7	Talcum Powder	250g	1	BOTTLE	15	
n cher en en p	II)	otal, PERFORM HA	NR CUTTING SERVICES (Leading to	*		15	
44	BREA	D MAKING (Leadir	ng to Bread and Pastry Production N	C II)		65	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	65	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	65	
	3	Measuring Urn	Transparent glass,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	65	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	65	
	Sub-to	tal, BREAD MAKI	NG (Leading to Bread and Pastry Pro	duction	NC II)	65	
45			ing to Bread and Pastry Production N				
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	116	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	116	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	116	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper, Baguio City

NO.	NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	116
			(ING (Leading to Bread and Pastry Pr		n NC II)	116
46	CAKE	,	to Bread and Pastry Production NC	<u>II)</u> .	<u> </u>	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	65
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	65
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	65
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	65
<u>-</u>			G (Leading to Bread and Pastry Proc		NC II)	65
47		,	OT MEALS (Leading to Cookery NC	(I)		
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	37
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	37
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	37
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	37
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	37
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	37
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	37
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	37
			D COOK HOT MEALS (Leading to Co	okery N	IC II)	37
48	PREP.	ARE COLD MEALS Frying Pan	(Leading to Cookery NC II) 10" diameter by 2" high teflon, non-	1	PC	65
	2	Mixing Bowl	stick, riveted handle Stainless steel, 8" diameter, 5 quart	1	PC	65
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	65

71

1 John

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

Baguio City							
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	65	
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	65	
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	65	
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	65	
	Sub-to	otal, PREPARE CO	LD MEALS (Leading to Cookery NC	(1)		65	
49	NC II)						
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	61	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	61	
ļ	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)	1	SET	61	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	61	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	61	
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	61	
		otal, PROCESS FO Processing NC II)	OD BY SALTING, CURING AND SMOI	KING (L	eading to	61	
50	PROC	ESS FOODS BY F	ERMENTATION AND PICKLING (Lead	ing to I	Food Proc	essing	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	15	
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	15	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	15	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	15	
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	15	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	15	

Myria 7 st

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TES	DA-Co		ative Region (CAR) – # 32 Magsaysay Baguio City		Loakan Pr	oper,
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	15
	Food	Processing NC II)	ODS BY FERMENTATION AND PICK	•		15
51			JGAR CONCENTRATION (Leading to	Food	Processing	NC II)
	1	Blender	2 speed, 1.5liter capacity, glass jar with stainless steel blades	1	unit	40
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pentype adjustable clip secures thermometer to pan	1	PC	40
řin Lu	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC ·	40
_	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	40
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
		otal, PROCESS FO ssing NC II)	ODS BY SUGAR CONCENTRATION (I	Leading	to Food	40
	TOTA					1,055

Agya



EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

	South Superhighway, Taguig City								
LOT	ITE	ITEM	AGENCÝ SPECS	QTY	UNIT	NO.			
NO.	M NO.					OF PAX			
7		ORM DIESEL ENG	NE TUNE UP (Leading to Automotive	e Servic	ing NC I)	1 777			
	1	Feeler gauge	26 tempered steel leaves/blade	1	PC	246			
			ranging from 0.015 in to 0.025 inches						
			and 0.038 to 0.635 mm						
			mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229,			1			
			.254, .279, .305, .330, .356, .381,						
			.406, .432, .483, .457, .508,						
			.533, .559, .584, .610 and .635mm.						
			Inch sizes: .0015, .002, .0025, .004,						
		·	.005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016,						
:			.017, .018, .019, .020, .021,						
		· · · · · · · · · · · · · · · · · · ·	.022, .023, .024, and .025.	: 					
	2	Combination	chrome vanadium steel, set of 8 sizes	1	SET	246			
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,						
	3	And Box End) Socket Wrench	17mm, 19mm, 22mm) 7.5 deg offset socket chrome vanadium: 1 pc 1/2"	1	SET	246			
]	Socket Wielich	Ratchet Wrench, 10 pcs Socket 6		OLI	240			
			side/point (10mm, 11mm, 12mm,						
			13mm, 14mm, 15mm, 17mm, 19mm,						
		5	22mm, 24mm), 1 pc Extension Rod			0.40			
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	246			
	5	Philips Screw	8" shank length (chrome plated)	1	PC	246			
		Driver	plastic handle, tip: 2 X 6mm						
	6	Circlip Pliers	6 in carbon steel insulated handle	1	SET	246			
		·	detachable tip(combination)internal						
	Sub-ti	otal PERFORM D	and external IESEL ENGINE TUNE UP (Leading	to A	itomotive	246 ¬			
		cing NC I)	react thanks force of (teading	to At	itomotive .	270 %			
9			IS COMPONENTS (Leading to Auton	notive S		IC II)			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	64			
			Ratchet Wrench, 10 pcs Socket 6	į					
			side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm,						
			22mm, 24mm), 1 pc Extension Rod	i					
	2	Coil Spring	12" Coil Spring Compressor (Silver).	1	SET	64			
		Compressor	For all vehicles equipped with						
			Macpherson Struts or any other coil						
			spring brand, double ended jaws with safety hooks						
	3	Combination	chrome vanadium steel, set of 8 sizes	1	SET	64			
		Wrench (Open	(8mm, 9mm, 10mm, 12mm, 14mm,						
	<u> </u>	And Box End)	17mm, 19mm, 22mm) 7.5 deg offset						

7 it

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

			outh Superhighway, Taguig City			
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	64
	1	otal, SERVICE UND cing NC II)	DERCHASSIS COMPONENTS (Leadin	ng to Au	<i>itomotive</i>	64 _
10	SERV	ICE ENGINE COMP	PONENTS (Leading to Automotive S	ervicing	NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	37
-	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	37
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	37
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	37
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	37
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	37
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	37
	NC II)	·	INE COMPONENTS (Leading to Auto			37
11		ICE AUTOMOTIVI cing NCII)	E ELECTRICAL COMPONENTS (L	eading	to Autor	notive
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	38
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	38
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	38
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	38

7 Agysee

	PRO	_	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TE	SDA-N		gion (NCR) – Gate 2, TESDA Complet outh Superhighway, Taguig City	x, East	Service Ro	oad,
LOT	ITE	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	M NO.					OF PAX
	Sub-to		TOMOTIVE ELECTRICAL COMPONE	NTS (L	eading to	38 _
	Auton	notive Servicing N				
12			COMPONENTS (Leading to Autom			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	63
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	63
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	63
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	63
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	63
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	63
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	63
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	63
	[otal, SERVICE PO cing NCII)	WER TRAIN COMPONENTS (Leadin	g to Au	ıtomotive	63
13	Servi	ce Motorcycle/Sm cing NC II)	all Engine System (Leading to M	otorcyc	le/Small I	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	438
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	438
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	438
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	438

7 Agysea

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

		S	outh Superhighway, Taguig City			•
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	438
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	438
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	438
	Sub-to		Motorcycle/Small Engine System	(Lea	ding to	438 -
14		cycle/Small Engine ce Electrical System	e Se <i>rvicing NC II)</i> n (Leading to Motorcycle/Small Engi	ne Sen	ricing NC I	<u> </u>
17	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	65
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	65
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	65
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	65
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	65
	Service	cing NC II)	trical System (Leading to Motorcyc			65 ~
15	NC II)		nall Engine (Leading to Motorcycle/	Small l	, 	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	75

7 Agyden

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

South Superhighway, Taguig City							
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	. 2,	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	75	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	75	
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm.lnch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	75	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	75	
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	75	
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	75	
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	75	
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75	
	Engin	otal, Overhaul Mo e Servicing NC II)	torcycle/Small Engine (Leading to I	Notorcy	cle/Small	75 _	
16	CARP	ENTRY NC II					
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length/450 mm; hardwood handle	1	PC	202	
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	202	

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	202
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	202
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	202
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	202
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	202
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	202
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	202
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	202
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	202
	Sub-t	otal, CARPENTRY	A			202 -
17	Electr	ical Installation an	d Maintenance NC II			
	1		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	106
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	106
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8"	1	PC	106

7 Agyler

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
15.			Material: Carbon Steel Handle Finish: plastic dipped			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	106
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	106
	6	Pull-Push Ruie	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	106
	Sub-te	otal. Electrical Inst	allation and Maintenance NC II			106
18		NRY NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	20
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20
· · · · =	6	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	20
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20
	Sub-t	otal, MASONRY NO				20
22		ORM MULTIPLE KS (Leading to Plui	PLUMBING INSTALLATION AND F	REPAIR	MAINTE	NANCE
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	25
	2	Hacksaw With Blade	Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	25
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25

7 K

TESDA-National Capital Region (NCR) - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITE M	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
	NO.					PAX
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
			IULTIPLE PLUMBING INSTALLATIO	N AND	REPAIR	25
			(LEADING TO PLUMBING NC II)	<u> </u>		
24		SETTING NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	146
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	146
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	146
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	146
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	146
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	146
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	146
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	146
	Sub-to	tal, TILE SETTING	NC II			146 -
25	RACS	SERVICING (Dom/R	RAC) NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	48
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	48

7 A

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

		S	outh Superhighway, Taguig City	,, <u></u>		
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	48
			NG (Dom/RAC) NC II			48 -
26			WELDING (SMAW) NC I	····		
	4	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	1,240
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	1,240
			TAL ARC WELDING (SMAW) NC I			1,240 -
27		ing NC II)	Products (Leading to Electronic P	,		-,
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	20
-	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
-	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

LOT NO.	ITE M NO.	ITEM	outh Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	20
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	20
	Asser	nbly and Servicing	ectronics Products (Leading to Elec NC II)			20
28			ronic Products and Systems (Leading	g to Ele	ctronic Pr	oduct
	1	nbly and Servicing VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	61
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	61
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	61
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	61
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mmPlastic and rubberized handle,Chrome Vanadium, Shank 6"	1	SET	61
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	61
		otal, Service Cons	umer Electronic Products and Systembly and Servicing NC II)	ems (L	eading to	61

Myder

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

	,	Y	outh Superhighway, Taguig City			
LOT NO.	M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
31	DRES	SMAKING NC II				
e yer e tra	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	TIAC	153
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	153
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	153
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	153
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	153
	Sub-t	otal, DRESSMAKIN			L	153
33		(WELLNESS MAS		-		
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,397
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	1,397
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	1,397
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	1,397
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,397
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	1,397
	7	Aromatic Oil	100 ml.	1	BOTTLE	1,397
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,397
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,397
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,397
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	1,397
	Sub-t	otal, HILOT (WELL	NESS MASSAGE) NC II			1,397



EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,—South Superhighway, Taguig City

	1		outh Superhighway, Taguig City	1	T	· · · · · ·
LOT NO.	M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
34	PERF	ORM MANICURE	AND PEDICURE (Leading to Beauty C	are NC	: [[]	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	362
	2	Cuticle Pusher	stainless steel, 5"	1	PC	362
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	362
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	362
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	362
	6	Nail Brush	Plastic, soft bristle	1	PC	362
	7	Emery Board	80/100 coarse, 8" Long	1	PC	362
	8	Orange	1.77mm, smooth woodstick	3	PCS	362
		Woodstick	1.77 mm, smooth woodstick		1 00	002
	9	Cotton Balls	150 balls	1	PACK	362
500 £ 1 =	10	Cuticle Remover	120 ml bottle	1	BOTTLE	362
	11	Nail Polish	120 ml bottle	1	BOTTLE	362
	''	Remover				
	12	Antiseptic	25 ml bottle	1	BOTTLE	362
	-	(Merthiolate)		'		
	13	Colored Nail	15ml bottle, preferably touch of tan	1	BOTTLE	362
		Polish		·		
	14	Colored Nail	15ml bottle, white	1	BOTTLE	362
		Polish	,			
	15	Colorless Nail	15ml bottle, with glitters	1	BOTTLE	362
		Polish				
	16	Colorless Nail	15ml bottle	1	BOTTLE	362
		Polish				
•	17	Low Stool	hard plastic, round	1	PC	362
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	362
	Sub-to	otal, PERFORM MA	ANICURE AND PEDICURE (Leading to	Beauty	y Care NC	362
35		ORM HAND SPA (I	_eading to Beauty Care NC II)		· · · · · ·	
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz	1	PC	25
	2	Paraffin Wax	Scented, 500g	1	вох	25
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x	1	ROLL	25
			38 cm)		NOLL .	
			ND SPA (Leading to Beauty Care NC	<i>[11)</i>		25
36			AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	100
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	100
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	100
	L	L				

7 July

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,
South Superhighway, Taguig City

LOT	ITE	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	M NO.					OF
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck	1	PAIR	100
	'	Corab can	top with 2 lower front pockets),	1	FAIR	100
			garterized pants with adjustable draw			
			string and back pocket, free size,			
			blue color.			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	100
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	100
	7	Aromatic Oil	100 ml.	1	BOTTLE	100
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	100
	9	Powder	Baby powder, 200 g	1	BOTTLE	100
	10	Mentholated Oil	100 ml.	1	BOTTLE	100
	11	Storage Box	Plastic, clear storage box with lid	1	PC	100
			lock, carry handle, 14" x 10" x 8"			
			DDY MASSAGE (Leading to Beauty Co	are NC	<i>II)</i>	100 -
37			B (Leading to Beauty Care NC II)	4	DOV.	
	1	Face Mask	disposable earloop face mask, 50	1	ВОХ	25
	2	Head Dand	pcs per box		DC	25
	2	Head Band Scrub Suit	3"x 23" cotton fabric with snap tape	1	PC	25
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets),	ı	PAIR	25
			garterized pants with adjustable draw			
			string and back pocket, free size,			
			blue color.			
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	25
	5	Scrubbing	Exfoliating bath and shower gloves,	1	PAIR	25
		Gloves	elasticized wrist (regular size, nylon)	·		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	25
	7	Whitening Soap	135 grams, papaya	1	PC	25
	8	Scrubbing	milk salt, 350 grams	1	PACK	25
		Products				
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	25
			DDY SCRUB (Leading to Beauty Care			25 ~
38	PERF		ATMENT (Leading to Beauty Care NC	11)		
	1	Acne Gel	plastic tube, 25ml	11	PC	166
	2	Astringent	125 ml, deep cleansing,	1	BOTTLE	166
		Di 1:	hypoallergenic			
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	166
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	166
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	166
	6	Facial Brush	wooden handle, soft bristle	1	PC	166
	7	Facial Cream	50 ml, dermatologically tested	1	PC	166
	8	Facial Scrub	50ml, dermatologically tested	1	TUBE	166
		Cream				

1 Wellen

.

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

			outh Superhighway, Taguig City			
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	166
and ye	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	166
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	166
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	166
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	166
	14	Cotton Balls	150 balls	1	PACK	166
			CIAL TREATMENT (Leading to Beau	ty Care	NC II)	166
39	PERF		eading to Beauty Care NC II)			
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	123
to the same	2	Callus Remover	Stainless Steel, 7"	1	PC	123
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	123
	4	Foot File	Wooden, 9.5"	1	PC	123
	5	Foot Blush	100ml, spray type	1	BOTTLE	123
	6	Foot Soak	150ml, Liquid	11	BOTTLE	123
	7	Foot Scrub	150ml, cream	1	TUBE	123
	8	Foot Lotion	150ml, scented	1	BOTTLE	123
	9	Foot Brush	plastic handle, plastic bristle	1	PC	123
			OT SPA (Leading to Beauty Care NC	<i>II)</i>		123 _
40			E-UP (Leading to Beauty Care NC II)			-
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	43
	2	Blusher	pink and bronze shade, 4grams each	2	PC	43
	3	Eye Brow Pencil	black, 4"	1	PC PC	43
	4	Eye Brow Pencil	brown, 4"	1	PC	43
	5	Eye Liner Pencil	black, 4"	11	PC	43
	6	Eye Liner Pencil	brown, 4"	11	PC	43
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	43
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	43
	9	Eyelash Curler	stainless steel, scissor type	11	PC	43
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	43
	11	Make-Up Sponge	round, powder puff sponge	1	PC	43
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	43
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	43
	14	Lipstick	matte finish, red	1	PC	43
	15	Lipstick	matte finish, coral pink	1	PC	43
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	43

Agree &

TESDA-National Capital Region (NCR) - Gate 2, TESDA Complex, East Service Road,

LOT NO.	ITE M NO.	ITEM	outh Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	17	Mascara	black, water proof, 7g	1	PĊ	43
	18	Pressed Powder	natural shade, matte finish	1	PC	43
	19	Cotton Balls	150 balls	1	PACK	43
	20	Concealer	20ml with UVA/UVB protection	1	PC	43
			CIAL MAKE-UP (Leading to Beauty C	are NC		43
41			RING/BLEACHING SERVICES (Leadin			
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	54
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	54
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	54
	4	Applicator Brush	Plastic, black, with comb and tail	1:	PC	54
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	54
	6	Bleaching Powder	30g (sachet)	3	PC	54
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	54
	8	Protective Cape	Water proof, nylon, black	1	PC	54
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	54
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	вох	54
		otal, PERFORM HA	AIR COLORING/BLEACHING SERVI	CES (L	eading to	54
42	PERF	ORM HAIR PERMI	NG/STRAIGHTENING (Leading to Hair	rdressi	ng NC II)	
	1	Hair Straightening Iron	220V, 60hz, adjustable heat control	1	PC	25
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	25
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	25
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	25
	5	Curling Rods	4mm size	2	DOZ	25
	6	Curling Rods	14mm size	2	DOZ	25
	7	Curling Rods	16mm size	2	DOZ	25
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	25
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	25
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	25

Myren Mr

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
TE	ESDA-N	lational Capital Re	gion (NCR) – Gate 2, TESDA Complex outh Superhighway, Taguig City		Service Ro	oad,
LOT NO.	M NO.	ITEM	AGENCÝ SPECS	QTY	UNIT	NO. OF PAX
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	25
	1	otal, PERFORM ressing NC II)	HAIR PERMING/STRAIGHTENING	i (Lea	nding to	25 ∽
43	PERF	ORM HAIR CUTTIN	IG SERVICES (Leading to Hairdressin	ng NC I	<u>I)</u>	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	125
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	125
partan	-3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	. 1	PC·····	···125
	4	Apron	black with 3 pockets	1	PC	125
	5	Protective Cape	Water proof, nylon, black	1	PC	125
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	125
	7	Talcum Powder	250g IR CUTTING SERVICES (Leading to I	1	BOTTLE	125
44	II) BREA	D MAKING (Leadir	ng to Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	290
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	290
	3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	290
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	290
	Sub-to	otal, BREAD MAKII	NG (Leading to Bread and Pastry Pro	ductio	n NC II)	290

Myren

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

		S	outh Superhighway, Taguig City			
LOT NO.	ITE M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
45		RY MAKING (Lead	ing to Bread and Pastry Production	NC II)		1
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	314
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	314
ALL NO.	3.	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1.	PC ·	314
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	314
			ING (Leading to Bread and Pastry P		on NC II)	314
46	CAKE	,	to Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	340
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	340
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	340
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	340
			G (Leading to Bread and Pastry Prod		NC II)	340 -
47			OT MEALS (Leading to Cookery NC	1	PC	392
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	392
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	392
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	392
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	392

rgyew

X

TESDA-National Capital Region (NCR) - Gate 2, TESDA Complex, East Service Road,

LOT	JT:-		outh Superhighway, Taguig City	071	1111	1
LOT NO.	M NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	392
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	392
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	392
	Sub-t	otal, PREPARE AN	D COOK HOT MEALS (Leading to Co	okery I	VC II)	392
48	PREP	ARE COLD MEAL	S (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	200
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	200
- 1	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	200
	4	Chopping Board	½" x 12" x 18"; made of polyethylene material	1	PC	200
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	200
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	200
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	200
	Sub-te	otal, PREPARE CO	LD MEALS (Leading to Cookery NC I	1)		200
49	PROC NC II)	ESS FOOD BY SA	LTING, CURING AND SMOKING (Lead	ling to I	Food Proc	essin
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	125
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	125
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	125
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	125
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	125
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	125
		otal, PROCESS FO Processing NC II)	OD BY SALTING, CURING AND SMOR	(ING (Le	eading to	125
	TOTA					7,153

Agyrie

M

TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

			Occidental				
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
10	SERV	ICE ENGINE COMP	PONENTS (Leading to Automotive Se	ervicing	NC II)		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	43	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	43	
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	43	
s general	4	Allen Wrench Set	Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	43 -	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	43	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	43	
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	43	
	NC II)		INE COMPONENTS (Leading to Auto			43	
13	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small En Servicing NC II)						
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	70	
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	70	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	70	
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	70	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	70	

Marken

7

TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

	· · · · · · · · · · · · · · · · · · ·		<u>Occidental</u>			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	70
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	70
		cycle/Small Engin	Motorcycle/Small Engine System e Servicing NC II)	(Lea	ding to	70
16		ENTRY NC II				
	1 -	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1		23
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	23
•	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	23
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	23
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	23
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	23
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	23
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	23
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	23
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	23
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	23
	Sub-to	tal, CARPENTRY	· · · · · · · · · · · · · · · · · · ·			23

More

191

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

			Occidental			
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
17	Electr	ical Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	Sub-to	otal, Electrical Inst	allation and Maintenance NC II			20 <
21		ITTING NC II				,
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	23
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	23
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	23
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	23
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	23

Agguer

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Negros Island Region (NIR) - RTC-Talisay, Lacson Street, Talisay City, Negros Occidental LOT ITEM ITEM AGENCY SPECS QTY UNIT NO. NO. OF NO. PAX 6 1 Adjustable stainless steel blade, high visibility PC 23 Combination die cast handle with brass hardware, Square 12 tn. Length of blade Heavy duty, Machine ground anvils, PC 23 C - Clamp steel sliding pin handles, bright plated steel swivel, 8" opening Adjustable hacksaw frame with bi-1 23 Hacksaw With PC metal hacksaw blade, 24 TPI, Blade aluminum alloy frame and handle Sub-total, PIPEFITTING NC II 23 PERFORM MULTIPLE PLUMBING INSTALLATION AND REPAIR MAINTENANCE 22 WORKS (Leading to Plumbing NC II) Pipe Wrench 14" Straight cast iron handle; max jaw 1 PC 29 opening: 65mm (2.55") Adjustable hacksaw frame with bi-PC 2 Hacksaw With 1 29 metal hacksaw blade, 24 TPI, Blade aluminum alloy frame and handle **PVC Pipe Cutter** PVC pipe cutter; steel handle 1/2"- 2" PC 29 3 1 Blade length 8m/26ft Blade width 1" PC 29 4 Pull-Push Rule High impact ABS case with durable rubber Corrosion resistant tru-zero Forged hard steel; jacketed graphite PC 29 5 Ball Peen 1 ballpeen hammer, 16 oz./ 1 lb Hammer Sub-total, PERFORM MULTIPLE PLUMBING INSTALLATION AND REPAIR 29 MAINTENANCE WORKS (LEADING TO PLUMBING NC II) TILE SETTING NC II 24 Tile Cutter 1 PC 24 Pen type, carbide tip, manual 8" length End nipper Plier 8" 1 PC 24 2 Nipper, End Cutter Pull-Push Rule Blade length 8m/26ft Blade width 1" PC 24 3 High impact ABS case with durable rubber Corrosion resistant tru-zero end Rubber Mallet 16 oz, Wooden Handle 1 PC 24 4 PC 24 Notched Trowel Notched Trowel: carbon 1 steel; Wooden/ Plastic handle 1 PC 6 Spirit Level Bar Aluminum, top-read center vial; 3 24 vials; Length: 24" 7 Plier Forged carbon steel, length 8 inches, 1 PC 24 machined jaws Forged High-Carbon Steel Head; PC Claw Hammer 1 24 Smooth Face; 16 Oz; Wood Handle

My w

Sub-total, TILE SETTING NC II

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Negros Island Region (NIR) - RTC-Talisay, Lacson Street, Talisay City, Negros Occidental ITEM AGENCY SPECS QTY UNIT NO. LOT ITEM OF NO. NO. PAX SHIELDED METAL ARC WELDING (SMAW) NC I 26 Portable welding machine, 220 V, 60 PC 221 Portable Welding hrtz, single phase, 200 Amps, with Machine welding electrode holder and welding ground. Flip Front Welding Helmet, impact-1 PC 221 2 Welding Mask resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens Sub-total, SHIELDED METAL ARC WELDING (SMAW) NC I 221 Service Consumer Electronic Products and Systems (Leading to Electronic Products 28 Assembly and Servicing NC II) Multi-tester Analog DCV Range: 0.1 UNIT 20 1 VOM V to 1000V ACV Range: 10 to 750V (Multitester) Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx, 320g Resistance: X1 to X1k 2 30 watts, 220 Volts, Heat pencil tip 1 PC 20 Soldering Iron 60Hz Overall Length: 8" $\overline{1}$ 3 Long Nose Pliers PC 20 Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped Overall length 8", Handle finish 20 4 Diagonal Cutting PC plastic dipped, Carbon Steel Plier Screw Driver Set 1 5 4 pieces per set SET 20 Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" Anodized aluminum housing, high PC 6 Desoldering 20 Pump/Solder suction, strong and light weight. Sucker Sub-total, Service Consumer Electronic Products and Systems (Leading to 20 Electronic Products Assembly and Servicing NC II) 30 FURNITURE MAKING (FINISHING) NC II Air Compressor Air Compressor (1/4 hp, standard PC 20 operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v,

1 happen

60hz, single phase/ belt-drive)

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

			Occidental		·	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	20
	3	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"	1	PC	20
	Sub-to	otal, FURNITURE N	MAKING (FINISHING) NC II			20
31	DRES	SMAKING NC II				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast	1	UNIT	30
			iron stand			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	30
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	30
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	30
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	30
	Sub-to	tal, DRESSMAKIN			L	30
33	· ······	(WELLNESS MAS				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	63
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	63
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	63
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	63
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC -	63
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	63
	7	Aromatic Oil	100 ml.	1	BOTTLE	63
	. 8	Virgin Coconut Oil	250 ml.	1	BOTTLE	63
	9	Powder	Baby powder, 200 g	1	BOTTLE	63



EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

LOT	1	ITEM	AGENCY SPECS	QTY	UNIT	NO.
NO.	NO.					OF PAX
	10	Mentholated Oil	100 ml.	1	BOTTLE	63
 _	11	Storage Box	Plastic, clear storage box with lid	1	PC	63
			lock, carry handle, 14" x 10" x 8"			
			NESS MASSAGE) NC II			63
34			ND PEDICURE (Leading to Beauty C	are NC		
	11	Cuticle Nipper	Stainless steel, 3.5"	11	PC	42
	2	Cuticle Pusher	stainless steel, 5"	1	PC	42
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	42
· · · · · · · · · · · · · · · · · · ·	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	42
· .	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	42
	6	Nail Brush	Plastic, soft bristle	11	PC	42
	7	Emery Board	80/100 coarse, 8" Long	. 1	PC	42
!	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	42
	9	Cotton Balls	150 balls	1	PACK	42
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	42
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	42
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	42
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	42
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	42
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	42
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	42
	17	Low Stool	hard plastic, round	1	PC	42
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	42
	II)	· · · · · · · · · · · · · · · · · · ·	NICURE AND PEDICURE (Leading to	Beauty	y Care NC	42 .
36			AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	20
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	20
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	20
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	20
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	20
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	20

Whim

EMPLOYMENT PROGRAM (STEP) FOR FY 2017
TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros
Occidental

		Occidental			
ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	Aromatic Oil	100 ml.	1	BOTTLE	20
8	Virgin Coconut Oil	250 ml.	1	BOTTLE	20
9	Powder	Baby powder, 200 g	1	BOTTLE	20
10	Mentholated Oil	100 ml.	1	BOTTLE	20
11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	20
Sub-to	otal, PERFORM BC		are NC	II)	20
					
1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	22
2	Callus Remover	Stainless Steel, 7"	1	PC	22
3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	22
4	Foot File	Wooden, 9.5"	1	PC	22
5	Foot Blush	100ml, spray type	1	BOTTLE	22
6	Foot Soak	150ml, Liquid	1	BOTTLE	22
7	Foot Scrub	150ml, cream	1	TUBE	22
8	Foot Lotion	150ml, scented	1	BOTTLE	22
9			1	PC	22
Sub-to	<u></u>		<i>II)</i>		22
				1)	
1	Hair Blower	220V, 1800W, 60 Hz, hot and cold	1	UNIT	25
2	Cutting Scissors	6" stainless steel with tight regulator	1	PC	25
3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	25
4	Apron	black with 3 pockets	1	PC	25
5			1	PC	25
6			1	PC	25
7			1		25
1			Hairdre		25
	MAKING (Leading	to Bread and Pastry Production NC	[])		
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake	1	PC	22
	9 10 11 Sub-to PERFO 1 2 3 4 5 6 7 8 9 Sub-to PERFO 1 2 3	NO. 7 Aromatic Oil 8 Virgin Coconut Oil 9 Powder 10 Mentholated Oil 11 Storage Box Sub-total, PERFORM BO PERFORM FOOT SPA (L 1 Footspa Machine 2 Callus Remover 3 Scrubbing Gloves 4 Foot File 5 Foot Blush 6 Foot Soak 7 Foot Scrub 8 Foot Lotion 9 Foot Brush Sub-total, PERFORM FO PERFORM HAIR CUTTIN 1 Hair Blower 2 Cutting Scissors 3 Thinning Scissors 4 Apron 5 Protective Cape 6 Neck brush 7 Talcum Powder Sub-total, PERFORM HAIR II) CAKE MAKING (Leading	ITEM NO. ITEM NO. AGENCY SPECS	ITEM NO. ITEM AGENCY SPECS QTY	ITEM NO. ITEM AGENCY SPECS QTY UNIT NO.

Je Je

TESDA-Negros Island Region (NIR) - RTC-Talisay, Lacson Street, Talisay City, Negros Occidental

			Occidental			
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	22
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	22
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	22
	Sub-to	tal. CAKE MAKIN	G (Leading to Bread and Pastry Prod	uction	NC II)	22
47			OT MEALS (Leading to Cookery NC			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	112
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	112
	· 3····	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC.	112
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	112
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	112
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	112
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	112
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	112
	Sub-to	tal, PREPARE AN	D COOK HOT MEALS (Leading to Co	okery N	IC II)	112
48	PREP	ARE COLD MEALS	(Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	21
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	21
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	21
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	21
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	21
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	21
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	21
	Sub-to	otal, PREPARE CO	LD MEALS (Leading to Cookery NC I	I)		21

198

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017										
TESDA-Negros Island Region (NIR) – RTC-Talisay, Lacson Street, Talisay City, Negros Occidental										
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF				
40	DDOO	FOC FOOD BY CA	TING CUDING AND SMOVING // co.	-1: 4 -		PAX				
49	PROCESS FOOD BY SALTING, CURING AND SMOKING (Leading to Food Proce NC II)									
	1	Food Processor	2 Speed with Pulse, with safety lock,	1	unit	33				
			6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	"						
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	33				
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	33				
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	33				
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	33 5 00 80 5				
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	33				
	1		OD BY SALTING, CURING AND SMOI	KING (L	eading to	33				
50	PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processing NC II)									
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	21				
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	21				
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	21				
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	21				
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	21				
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	21				
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	21				
	Sub-total, PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processing NC II)									

Myran

TE			on (NIR) – RTC-Talisay, Lacson Street Occidental		5.		
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
51	PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processing						
	1	Blender	2 speed, 1.5liter capacity, glass jar with stainless steel blades	1	unit	21	
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pentype adjustable clip secures thermometer to pan	1	PC	21	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	21	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	21	
. »	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	21	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	21	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	21	
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	21	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	21	
	Sub-total, PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processing NC II)						
	TOTAL						

