ЮТ 10.	ITEM NO.	ITEM	on Avenue, Catbangen, City of San Fe AGENCY SPECS	QTY	UNIT	NO. OF PAX
2	ANIMA	L PRODUCTION (SV	vine) NC II	LJ		
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	19
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	19
	3	Reusable	Fiberglass hypodermic adjustable	1	PC	19
	1	Veterinary Syringe	syringe with engraved volume indication on barrel; 10 ml capacity		na tan ƙasar ƙ San ƙasar	i
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	19
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	19
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	19
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; reusable and sterilizable	1	PC	19
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	19
	Sub-to	tal, ANIMAL PRODU	ICTION (Swine) NC II			19
7	PERFC	ORM DIESEL ENGIN	E TUNE UP (Leading to Automotive Serv	icing NC	C I)	
			mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	40
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	40
	<u>، </u>		201	1	e q	p.

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR	
EMPLOYMENT PROGRAM (STEP) FOR FY 2017	

 $\omega < \gamma_{\rm c}$

07			on Avenue, Catbangen, City of San Fe			
OT 10.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip(combination)internal and external	1	SET	40
		otal, PERFORM D sing NC I)	IESEL ENGINE TUNE UP (Leading	to Al	utomotive	40 _\
8	PERF	ORM GAS ENGINE	TUNE UP (Leading to Automotive Se	ervicing	g NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508,	1	PC	91
			.533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	91
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	91
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	91
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	91
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	91
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	91
		otal, PERFORM (ing NC I)	GAS ENGINE TUNE UP (Leading	to Al		91 ₇
			202		\sim	My

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
			on Avenue, Catbangen, City of San F	ernande	o, La Unior	<u>n</u>
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
11	SEDV		E ELECTRICAL COMPONENTS (L	onding	to <u>Auto</u>	PAX
11	Sorvio	ing NCII)	L LECTRICAE COMPONENTS (L	eaung	to Auto	mouve
	1		100-Amp, 6V and 12V batteries.	1	PC	30
		Tester	shock-resistant meter, sturdy steel		FC	30
.			case that has a durable baked			
			enamel finish, rubber insulated carry			
			handle, equipped with super-grip			
			battery clamps and a top-mounted			
		· · · · ·	rocker switch.			
	2	Electricians/	Overall length: 8", Steel Alloy, Handle	1	PC	30
		Electrical Plier	finish: plastic-dipped	1	. 0	
	3	Philips Screw	8" shank length (chrome plated)	1	PC	30
		Driver	plastic handle, tip: 2 X 6mm	•		
•	4	Flat Screw Driver		1	PC	30
			plastic handle, tip: 1/4" / 6.5mm	-		
	Sub-to	otal, SERVICE AU	TOMOTIVE ELECTRICAL COMPONE	NTS (Le	eading to	30
		notive Servicing N		•	J	
13		e Motorcycle/Sm ing NC II)	all Engine System (Leading to M	otorcyc	le/Small E	Engine
	1	Manual Impact	1 pc 1/2" Drive Impact Driver,1 pc 8	1	SET	57
		Driver	mm long bit holder,1 pc 36 mm long,			
			8 mm slotted bit, 1 pc 36 mm long, 10			
			mm slotted bit,1 pc 36 mm long, PH2	-		
			bit,1 pc 36 mm long, PH3 bit			
	2	Socket Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2"	1	SET	57
	2	Socket Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6	1	SET	57
	2	Socket Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm,	1	SET	57
*	2	Socket Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm,	1	SET	57
			bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	2	Combination	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes	1	SET	57
		Combination Wrench (Open	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm,			
	3	Combination Wrench (Open And Box End)	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	57
		Combination Wrench (Open And Box End) Spark Plug	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark			
	3	Combination Wrench (Open And Box End) Spark Plug Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET SET	57
	3	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark	1	SET	57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1 1 1 1	SET SET SET	57 57 57
	3	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9,	1	SET SET	57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes	1 1 1 1	SET SET SET	57 57 57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,	1 1 1 1	SET SET SET	57 57 57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel,	1 1 1 1	SET SET SET	57 57 57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench	bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes	1 1 1 1	SET SET SET	57 57 57
	3 4 5 6	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench Set	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1 1 1 1	SET SET SET	57 57 57 57
	3 4 5	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 6 in carbon steel insulated handle	1 1 1 1	SET SET SET	57 57 57
	3 4 5 6	Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug Wrench Allen Wrench Set	bit,1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1 1 1 1	SET SET SET	57 57 57 57

An an

			MENT PROGRAM (STEP) FOR FY 20			۲
			on Avenue, Catbangen, City of San Fe	ernando	<u>, La Unio</u>	<u>n</u>
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	ÚNIT	NO. OF PAX
<u>16</u>	CARP	ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PÇ	35
-	2 	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	35
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	35
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	35
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	35
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	- 1	PC	35
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	35
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	35
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	35
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	35
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	35
	Sub-to	otal, CARPENTRY	NC II			35
17			d Maintenance NC II			4
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	85

7 Gr

	TESD	A-Region I – Quezo	MENT PROGRAM (STEP) FOR FY 20 on Avenue, Catbangen, City of San F	ernand	o, La Unior)
.0T 10.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	85
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	85
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	85
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	- 1	Ser PC - eres	85
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	85
			allation and Maintenance NC II			85 _
19	PLAST		ASONRY SURFACE (Leading to Mas	onry N		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	15
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	15
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	15
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	15
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	15
		Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	15
	6				PC	15
	6 7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1		
	7	Steel Square	D-grip handle, blade length 11.5" width 8.25" wooden handle length	1	PC	15
	7 8 Sub-to	Steel Square	D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carpenters framing square;		ING TO	15 15 <i>Myr</i>

: *2*.

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

OT.		ITEM	AGENCY SPECS	QTY	UNIT	NO.
10.	NO.		AGENUI OFLOO		UNIT	OF PAX
24	<u> </u>	SETTING NC II				1
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	22
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	22
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	22
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	22
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	22
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	22
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	22
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	22
	Sub-to	otal, TILE SETTING				22
25		ERVICING (Dom/F			UNIT	15
		(Multitester)	V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		0.77	
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	15
	3	Flaring tool set	Flares and swages. Screw-type feed.Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	15
	Sub-to	otal, RAC SERVICI	NG (Dom/RAC) NC II			15
			206	· · · · · · · · · · · · · · · · · · ·		p p

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FUR	
	TESD		on Avenue, Catbangen, City of San F		o. La Unioi	Ŋ
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	N(O
		DED METAL ADO		ļ ļ		P/
26	1	Portable Welding Machine	hrtz, single phase, 200 Amps, with welding electrode holder and welding	1	PC	50
	2	Welding Mask	ground. Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	50
<u> </u>	Sub-to	otal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I	↓,	. <u>, , , , , , , , , , , , , , , , , , , </u>	50
				·,		ļ
28	1	e Consumer Elect hbly and Servicing	ronic Products and Systems (Leadin NC II)	g to Ele	ctronic Pr	odu
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	12
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	14
<u> </u>	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	14
, <u></u> ,	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	14
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	14
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	14

207

,

1 ap

jes a -

	TESD/		MENT PROGRAM (STEP) FOR FY 20 on Avenue, Catbangen, City of San Fo		o La Unior	<u> </u>		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX		
31	DRES	SMAKING NC II				FAA		
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	251		
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2 " W curve ruler	1	SET	251		
	3	Cutting Shears	8" length, stainless steel cutting blade , plastic handle used for cutting fabrics	1	PC	251		
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	251		
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	251		
	Sub-to	otal, DRESSMAKIN				251		
33	HILOT (WELLNESS MASSAGE) NC II							
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	550		
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	550		
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	550		
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	550		
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	550		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	550		
	7	Aromatic Oil	100 ml.	1	BOTTLE	550		
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	550		
	9	Powder	Baby powder, 200 g	1	BOTTLE	550		
- 11 - 1	10	Mentholated Oil	100 ml.	1	BOTTLE	550		
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	550		
	Sub-to	otal, HILOT (WELLI	NESS MASSAGE) NC II			550		
34			ND PEDICURE (Leading to Beauty C		113			

7 ap

1 "

			MENT PROGRAM (STEP) FOR FY 20			
-			on Avenue, Catbangen, City of San Fe	ernand	o, La Unior	1
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QŤY	UNIT	NO. OF PAX
	2	Cuticle Pusher	stainless steel, 5"		PC	101
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	101
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PĈ	101
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PĈ	101
	6	Nail Brush	Plastic, soft bristle	1	PC	101
	7	Emery Board	80/100 coarse, 8" Long	1	PC	101
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	101
	9	Cotton Balls	150 balls	1	PACK	101
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	101
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	101
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	101
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	101
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	101
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	101
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	101
	17	Low Stool	hard plastic, round	1	PC	101
_	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	101
	Sub-to II)	otal, PERFORM MA	NICURE AND PEDICURE (Leading to	Beaut	y Care NC	101
36		· · · · · · · · · · · · · · · · · · ·	AGE (Leading to Beauty Care NC II)		PC	67
	1	Face Towel	100 % cotton, 12" X 12", white	<u> </u>		
	2	Bath Towel	100 % cotton, 27" X 54", white		PC	67
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	67
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	67
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	67
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	67
	7	Aromatic Oil	100 ml.	1	BOTTLE	67
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	67
	9	Powder	Baby powder, 200 g	1	BOTTLE	67
	10	Mentholated Oil	100 ml.	1	BOTTLE	67

•

;

.

209

ap ap

7

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
••••			on Avenue, Catbangen, City of San Fe		······································	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NC OF PA
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	67
	Sub-to	otal, PERFORM BC	DDY MASSAGE (Leading to Beauty C	are NC	<i>II)</i>	67
39			eading to Beauty Care NC II)	4		
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	• UNIT	40
	2	Callus Remover	Stainless Steel, 7"	1	PC	40
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	40
	4	Foot File	Wooden, 9.5"	1	PC	40
	5	Foot Blush	100ml, spray type	1	BOTTLE	40
	6	Foot Soak	150ml, Liquid	1	BOTTLE	40
	7	Foot Scrub	150ml, cream	1	TUBE	40
	8	Foot Lotion	150ml, scented	1	BOTTLE	40
	9	Foot Brush	plastic handle, plastic bristle	1	PÇ	40
			OT SPA (Leading to Beauty Care NC			40
43	PERF	· · · · · · · · · · · · · · · · · · ·	G SERVICES (Leading to Hairdressin	ng NC I		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	67
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	67
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	67
	4	Apron	black with 3 pockets	1	PC	67
-	5	Protective Cape	Water proof, nylon, black	1	PC	67
	6	Neck brush	Wood handle, app. 10 cm x 6.7 cm	1	PC	67
	7	Talcum Powder	250g	1	BOTTLE	67
	Sub-to II)	otal, PERFORM HA	IR CUTTING SERVICES (Leading to I	Hairdre	ssing NC	- 67
44	BREA		g to Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	190
· .	2 .	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	190
	3	Measuring Urn	Transparent glass,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	190
,						190

7 ap

.ОТ 10.	ITEM NO.	ITEM	on Avenue, Catbangen, City of San F AGENCY SPECS	QTY	UNIT	NO. OF PAX
	Sub-te	otal, BREAD MAK	NG (Leading to Bread and Pastry Pr	oductio	n NC II)	190
45			ling to Bread and Pastry Production	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	28
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	28
** ***	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	28
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	28
			(ING (Leading to Bread and Pastry Pi		on NC II)	28 -
46	CAKE	MAKING (Leading Electric Oven	to Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins	<u>II)</u> 1 ↓	PC	14
			with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	14
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	14
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	14
47			G (Leading to Bread and Pastry Prod		NC II)	14 -
47	1 1	Frying Pan	OT MEALS (Leading to Cookery NC I 10" diameter by 2" high teflon, non- stick, riveted handle	1) 1	PC	228
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	228
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	228
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	228
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	228
			211			(hagy auf

÷.

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017

F	NO. OF PAX	UNIT	QTY	on Avenue, Catbangen, City of San Fe AGENCY SPECS		ITEM NO.
	228	PC	1	12" long, biodegradable, solid birchwood	Wooden Spoon	6
8	228	PC	1	6" diameter stainless with lid, non riveted black handle	Saucepan	7
8	228	PC	1	8" diameter, single fine mesh, flat wooden handle	Strainer	8
8 -	228	VC II)	okery l	D COOK HOT MEALS (Leading to Co	otal, PREPARE AN	Sub-to
				S (Leading to Cookery NC II)		PREP
	85	PC	1	10" diameter by 2" high teflon, non- stick, riveted handle	Frying Pan	1
5	85	PC	1	Stainless steel, 8" diameter, 5 quart capacity	Mixing Bowl	2
5	85	PC	1	8", stainless steel blade with black polymer handle	Chef's Knife	3
5	85	PC	1	¹ / ₂ " x 12" x 18"; made of polyethylene material	Chopping Board	4
5	85	PC	1	12" long, biodegradable, solid birchwood	Wooden Spoon	5
5	85	PC	1	6" diameter stainless with lid, non riveted black handle	Saucepan	6
	85	SET	1	Stainless steel, 1 set (1 cup, 1/2 cup,	Measuring Cups	7
5				1/3 CUD % CUD)		
	85		I) ¹	1/3 cup, ¼ cup) DLD MEALS (Leading to Cookery NC I	otal. PREPARE CO	Sub-to
5_	85	Food Prod	<i>l)</i> ling to l	DLD MEALS (Leading to Cookery NC I	otal, PREPARE CO CESS FOOD BY SA	Sub-to
5 ng	85 cessing		ling to l	LD MEALS (Leading to Cookery NC I LTING, CURING AND SMOKING (Lead	ESS FOOD BY SA	Sub-to PROC NC II)
5 ng	85	Food Prod unit	I) ling to l	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with	ESS FOOD BY SA	PROC
5 - ng 6	85 cessing		ling to l	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart	ESS FOOD BY SA	PROC NC II)
5 - ng 6	85 cessing 146	unit	ling to l	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup,	Food Processor	PROC NC II) 1
5 - ng 6	85 cessing 146 146	unit PC	ling to I	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring	PROC NC II) 1
5 ng 6 6 6	85 cessing 146 146 146	unit PC SET	ling to I	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups	PROC NC II) 1 2 3
5 - ng 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	85 cessing 146 146 146	unit PC SET SET	1 1 1 1 1 1	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black polymer handle Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring Spoons	PROC NC II) 1 2 3 4
5 - ng 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	85 cessing 146 146 146 146 146	unit PC SET SET PC UNIT	ling to 1 1 1 1 1 1 1	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black polymer handle Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring Spoons Chef's Knife Weighing Scale otal, PROCESS FO	PROC NC II) 1 2 3 4 5 6 5 6 5 8ub-to
5	85 cessing 146 146 146 146 146 146 146 146	unit PC SET SET PC UNIT	ling to 1 1 1 1 1 1 KING (L	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black polymer handle Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring Spoons Chef's Knife Weighing Scale otal, PROCESS FO	PROC NC II) 1 2 3 4 5 6 <i>Sub-tic</i> <i>to Foc</i> PROC
5	85 cessing 146 146 146 146 146 146 146 146	unit PC SET SET PC UNIT	ling to 1 1 1 1 1 1 KING (L	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black polymer handle Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring Spoons Chef's Knife Weighing Scale otal, PROCESS FO	PROC NC II) 1 2 3 4 5 6 Sub-to to Foo
5	85 cessing 146 146 146 146 146 146 146 146 146	unit PC SET SET PC UNIT Leading d Process unit	ling to 1 1 1 1 1 1 KING (L	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments Stainless steel, 8" diameter, 5 quart capacity Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 8", stainless steel blade with black polymer handle Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray OD BY SALTING, CURING AND SMO II) UGAR CONCENTRATION (Leading 1	ESS FOOD BY SA Food Processor Mixing Bowl Measuring Cups Measuring Spoons Chef's Knife Weighing Scale otal, PROCESS FO od Processing NC ESS FOODS BY S	PROC NC II) 1 2 3 4 5 6 Sub-to to Foo PROC II)

	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen- type adjustable clip secures thermometer to pan	1	PC	35
1 2 e d	1.3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	. 1 - 1	ne SETerred	35
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	35
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	35
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	35
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	35
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	35
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	35
		otal, PROCESS FO ssing NC II)	ODS BY SUGAR CONCENTRATION (Leading	to Food	35
	ΓΟΤΑΙ					2,864

.

	PRO	CUREMENT OF ST EMPLO	ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20	L TRAII	NING FOF	2
			Region II – Carig, Tuguegarao Cagaya		<u></u>	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
2	ANIM	AL PRODUCTION (S	Swine) NC II	ل ــــــ ــــــــــــــــــــــــــــــ	<u> </u>	170
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	90
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	90
	3	Reusable	Fiberglass hypodermic adjustable	1	PC	90
		Veterinary	syringe with engraved volume			
		Syringe	indication on barrel; 10 ml capacity			
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	90
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	90
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	90
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; reusable and sterilizable	1	PC	90
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	90
	Sub-to	tal, ANIMAL PROD	UCTION (Swine) NC II			90
9	SERVI	CE UNDERCHASSI	S COMPONENTS (Leading to Automot	ive Serv	icing NC I	1)
,	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SĒT	55
	2	Coil Spring Compressor	12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	55
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	55
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	55
10	Servici	ng NC II)	DERCHASSIS COMPONENTS (Leading			55
10			ONENTS (Leading to Automotive Servic	ing NC		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	37

			MENT PROGRAM (STEP) FOR FY 20			
<u> </u>			Region II – Carig, Tuguegarao Cagay	an	, , , , ,	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	37
e ^t	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	37
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	37
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	37
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	37
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	37
	Sub-to NC II)	otal, SERVICE ENG	INE COMPONENTS (Leading to Autor	notive :	Servicing	37
11	NC II) SERVI Servic	CE AUTOMOTIVE	INE COMPONENTS (Leading to Autor	eading	to Auto	motive
	NC II) SERVI		INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted			
11	NC II) SERVI Servic	CE AUTOMOTIVE ing NCII) Battery Load Tester Electricians/	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle	eading	to Auto	motive
11	NC II) SERVI Servic	CE AUTOMOTIVE ing NCII) Battery Load Tester	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated)	eading 1	to Auto PC	motive 37
	NC II) SERVI Servic 1	CE AUTOMOTIVE ing NCII) Battery Load Tester Electricians/ Electrical Plier Philips Screw	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	eading 1 1	to Auto PC PC	motive 37 37
	NC II) SERVI Servic 1 2 3 4 Sub-tc Autom	CE AUTOMOTIVE ing NCII) Battery Load Tester Electricians/ Electrical Plier Philips Screw Driver Flat Screw Driver ital, SERVICE AUT	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm COMOTIVE ELECTRICAL COMPONEN	eading 1 1 1 1 NTS (Le	to Auto PC PC PC PC eading to	motive 37 37 37 37 37 37 37
11	NC II) SERVI Servic 1 2 3 4 Sub-tc Autom	CE AUTOMOTIVE ing NCII) Battery Load Tester Electricians/ Electrical Plier Philips Screw Driver Flat Screw Driver ital, SERVICE AUT otive Servicing NC CE POWER TRAIN	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm OMOTIVE ELECTRICAL COMPONENTS CII)	eading 1 1 1 1 NTS (Le	to Auto PC PC PC PC eading to	motive 37 37 37 37 37 37
	NC II) SERVI Servic 1 2 3 4 Sub-tc Autom	CE AUTOMOTIVE ing NCII) Battery Load Tester Electricians/ Electrical Plier Philips Screw Driver Flat Screw Driver ital, SERVICE AUT	INE COMPONENTS (Leading to Autor E ELECTRICAL COMPONENTS (Leading to Autor 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm COMOTIVE ELECTRICAL COMPONEN	eading 1 1 1 1 NTS (Le	to Auto PC PC PC PC eading to	motive 37 37 37 37 37 37

ngysen Ap

	.	and the second	Region II – Carig, Tuguegarao Cagaya			
.0T 10.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	37
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	37
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	37
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	37
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	37
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	37
		otal, SERVICE PO	WER TRAIN COMPONENTS (Leading	g to AL	ıtomotive	37
13	Servic	e Motorcycle/Smi ing NC II)	all Engine System (Leading to M	otorcyc	le/Small E	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	25
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
-	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	25
····•	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	25
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8,	1	SET	25
			10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder			
	7	Circlip Pliers	Handle Type L-Shaped, Includes	1	SET	25 25

,

¥

216

7 ag

LOT NO. 17	ITEM NO.	ITEM	Region II – Carig, Tuguegarao Cagay AGENCY SPECS d Maintenance NC II	QTY	UNIT	NO. OF PAX
17	Electr	VOM			E IN LET	1 100
		(Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm	1	UNIT	122
	2	Screw Driver Set	Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			100
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm	1	SET	122
			Plastic and rubberized handle, Chrome Vanadium, Shank 6"		· · · ·	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	122
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	122
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	122
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	122
	Sub-to	otal, Electrical Inst	allation and Maintenance NC II			122
31	DRES	SMAKING NC II				
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	75
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	75
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	75
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	75
	La		217	ł.		Ngo an

 	PROC	EMPLO	STARTER TOOLKITS FOR THE SPECIA DYMENT PROGRAM (STEP) FOR FY 20 A-Region II – Carig, Tuguegarao Cagaya	17	NING FOF	<u>.</u>
 LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	75
	Sub-to	tal, DRESSMAK		- <i>-</i>		75
	TOTAL					478

for for the second seco

•

			YMENT PROGRAM (STEP) FOR FY 20			
			Government Center Bo., Maimpis, San			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	ANIM	AL PRODUCTION	(Poultry-Chicken) NC II	,		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	25
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	25
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded- on plug	1	SET	25
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	25
			DUCTION (Poultry-Chicken) NC II	÷		25
2	ANIM/	AL PRODUCTION	(Swine) NC II			
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	25
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	25
÷	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	25
	. 4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; reusable and sterilizable	1	PC	25
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	25
	Sub-to	otal, ANIMAL PRO	DUCTION (Swine) NC II			25
3	ANIMA	AL PRODUCTION	(Ruminants) NC II			
	1	Dehorner	High-tempered steel blade, rust- resistant, horn hole size 1 inch	1	PC	25
	2	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	25
	3	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
	TE	SDA-Region III – G	overnment Center Bo., Maimpis, San	Fernal	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	5	Hoof knife/ Hook Knife	billhook blade, blade length: 110mm, made of carbon steel, wood handle with iron bolster and stud	1	PC	25
	6	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	7	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	25
	Sub-to	otal, ANIMAL PROL	DUCTION (Ruminants) NC II			25
5	PROD		GETABLE (Leading to Organic Agric	ulture l	Productior	NC II)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	25
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	25
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	25
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	25
	Produ	otal, PRODUCE OR ction NC II)	GANIC VEGETABLE (Leading to Org			25
7	PERF		NE TUNE UP (Leading to Automotive	e Servic		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	164
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	164

ş h, z

			overnment Center Bo., Maimpis, San	гетат	Ido City	
_OT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	164
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	164
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	164
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	164
	Servic	ing NC I)	IESEL ENGINE TUNE UP (Leading			164
8	PERF		TUNE UP (Leading to Automotive Se	ervicing		
	2	Feeler gauge Spark Plug	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm.Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. 1pc T-Handle Universal Joint Spark	1	PC	40
		Wrench	Plug, Socket Wrench 21mm	1	SET	40
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm			
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	40
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	40

Agy the

	TE	SDA-Region III – G	overnment Center Bo., Maimpis, San	Fernar	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
9	SERV		IS COMPONENTS (Leading to Auton	notive S	Servicing N	IC II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm,	1	SET	75
			22mm, 24mm), 1 pc Extension Rod			75
	2	Coil Spring Compressor	12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	75
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	75
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	75
	Servic	ing NC II)	ERCHASSIS COMPONENTS (Leadir			75
10		ICE ENGINE COME	ONENTS (Leading to Automotive Se	ervicino		
10	SERV	CE ENGINE COM				
10	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm,	1	SET	115
		Socket Wrench Combination Wrench (Open	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm,			115
	1	Socket Wrench Combination	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes	1	SET	
	1	Socket Wrench Combination Wrench (Open And Box End)	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 6 in carbon steel insulated handle detachable tip (combination) internal and external Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes	1	SET SET	115
	1 2 3	Socket Wrench Combination Wrench (Open And Box End) Circlip Pliers	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 6 in carbon steel insulated handle detachable tip (combination) internal and external Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel,	1	SET SET	115
	1 2 3 4	Socket Wrench Combination Wrench (Open And Box End) Circlip Pliers Allen Wrench Set Philips Screw	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 6 in carbon steel insulated handle detachable tip (combination) internal and external Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder 8" shank length (chrome plated)	1	SET SET SET	115 115 115

ja ja

	IES	DA-Region III – G	overnment Center Bo., Maimpis, San	Fernar	iuo oity	
	IEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		CE AUTOMOTIVI ing NCII)	E ELECTRICAL COMPONENTS (L	eading	to Auto	motive
	1		100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	232
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	232
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	232
	4	Flat Screw Driver	plastic handle, tip: 1/4" / 6.5mm	1	PC	232
		otal, SERVICE AU notive Servicing N	TOMOTIVE ELECTRICAL COMPONE CII)	NTS (Le	eading to	232
13 Se	ervic		all Engine System (Leading to M	otorcyc	le/Small	Engine
					0	
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	177
		Manual Impact	mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2	1	SET SET	177
	1	Manual Impact Driver	mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	177
	1 2	Manual Impact Driver Socket Wrench Combination Wrench (Open	mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm,	1	SET	177
	2	Manual Impact Driver Socket Wrench Combination Wrench (Open And Box End) Spark Plug	mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark	1	SET	177 177 177 177
	1 2 3 4	Manual Impact Driver Socket Wrench Combination Wrench (Open And Box End) Spark Plug Wrench Spark Plug	mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET SET	177 177 177

¥., .

223

r gyre jr

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
	TE	SDA-Region III – G	overnment Center Bo., Maimpis, Sar	n Fernar	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
14	Servic	e Electrical System	m (Leading to Motorcycle/Small Engi	ne Serv	vicing NC I	l)
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	100
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	100
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	100
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	100
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	100
	Servic	ing NC II)	rical System (Leading to Motorcyc		· • • • • • • • • • • •	100
15	Overh NC II)	-	nall Engine (Leading to Motorcycle/	Small E	Engine Sei	vicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	52
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	52
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	52
[

•••

.

ja ja

	TE		(MENT PROGRAM (STEP) FOR FY 20 Government Center Bo., Maimpis, San		do City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	52
	. 5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	52
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	52
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	52
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	52
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	52
		otal, Overhaul Mo e Servicing NC II)	torcycle/Small Engine (Leading to N	1otorcy	cle/Small	52.⁄
16	CARP	ENTRY NC II				
- .	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	36
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	36
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	36
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	36
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	36
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	36

in in

	TE	SDA-Region III – G	overnment Center Bo., Maimpis, San	Fernan	do City	
LOT NO.		ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	36
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	36-
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	36
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	36
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	36
	Sub-to	otal, CARPENTRY				36
21	PIPEF	ITTING NC II				
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	40
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	40
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	40
· · · · ·	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	40
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	40
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	40
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	40
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	40
	Sub to	tal, PIPEFITTING				40

÷,

226

0

je

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
	TES		overnment Center Bo., Maimpis, San		ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
22			PLUMBING INSTALLATION AND F	REPAIR	MAINTEN	ANCE
	WORK	(S (Leading to Plu				
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	40
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	40
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	40
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	40
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	40
	Sub-to		ULTIPLE PLUMBING INSTALLATIO	N AND	REPAIR	40
	1	,	(LEADING TO PLUMBING NC II)			
26			WELDING (SMAW) NC I			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	1119
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	1119
	Sub-to	tal SHIELDED ME	TAL ARC WELDING (SMAW) NC I			1119
27			Products (Leading to Electronic P	roducts	Assembl	
- - - 1		ing NC II)		, ouu oto	100011101	y ana
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	215
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	215
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel	1	PC	215
	4	Diagonal Cutting Plier	Handle Finish: plastic dipped Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	215

Ja ja

LOT NO.	ITEM NO.	SDA-Region III – G ITEM	overnment Center Bo., Maimpis, San AGENCY SPECS	Fernar QTY	UNIT	NO. OF PAX
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle,	1	SET	215
	6	Desoldering Pump/Solder Sucker	Chrome Vanadium, Shank 6" Anodized aluminum housing, high suction, strong and light weight.	1	PC	215
			ectronics Products (Leading to Elec	tronic	Products	215
28	Assen	nbly and Servicing the Consumer Elect	NC II) ronic Products and Systems (Leading	a to Fle	ctronic Pro	oducts
20	Assen	nbly and Servicing	NC II)	9 10 110		
		VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	355
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	355
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	355
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	355
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	355
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	355
		Sucker Stal, Service Cons	suction, strong and light weight. umer Electronic Products and Systemetry and Servicing NC II)	ems (Le	eading to	355

Agy den ja

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
	TES		overnment Center Bo., Maimpis, San		ndo City	
LOT NO.	ITEM NO.	IŤEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
29		e Industrial Electr cts Assembly and	onic Modules, Products and System Servicing NC II)	s (Lead	ing to Ele	ctronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	150
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	150
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	150
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	150
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	150
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	150
		otal, Service Indu	strial Electronic Modules, Product roducts Assembly and Servicing NC		Systems	150
31	DRES	SMAKING NC II	_			
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	345
· · ·		Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	345
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	345
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges 229	1	PC	345

gyptic. Jir

	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
	TE		overnment Center Bo., Maimpis, San		ndo Citv	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	345
	Sub-to	otal, DRESSMAKIN				345
33	HILOT	(WELLNESS MAS	SAGE) NC II			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	634
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	634
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	634
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	634
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	634
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	634
	7	Aromatic Oil	100 ml.	1	BOTTLE	634
·	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	634
_	9	Powder	Baby powder, 200 g	1	BOTTLE	634
	10	Mentholated Oil	100 ml.	1	BOTTLE	634
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	634
	Sub-to	otal, HILOT (WELL	NESS MASSAGE) NC II			634
34	PERF	ORM MANICURE A	ND PEDICURE (Leading to Beauty C	are NC	<u>II)</u>	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	479
	2	Cuticle Pusher	stainless steel, 5"	1	PC	479
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	479
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	479
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	479
	6	Nail Brush	Plastic, soft bristle	1	PC	479
	7	Emery Board	80/100 coarse, 8" Long	1	PC	479
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	479
	9	Cotton Balls	150 balls	1	PACK	479
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	479
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	479
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	479
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	479

for for the second seco

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
- <u></u>	TES		overnment Center Bo., Maimpis, San		ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	479
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	479
	16	Colorless Nail Polish	15ml bottle	. 1	BOTTLE	479
	17	Low Stool	hard plastic, round	1	PC	479
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	479
	<i>II)</i>		NICURE AND PEDICURE (Leading to	Beaut	y Care NC	479
36	· · · · · · · · · · · · · · · · · · ·		AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC DC	125
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	125
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	125
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	125
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	125
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	125
	7	Aromatic Oil	100 ml.	1	BOTTLE	125
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	125
	9	Powder	Baby powder, 200 g	1	BOTTLE	_125
	10	Mentholated Oil	100 ml.	1	BOTTLE	125
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	125
38			DY MASSAGE (Leading to Beauty Ca ATMENT (Leading to Beauty Care NC		<i>II)</i>	125
	1	Acne Gel	plastic tube, 25ml	1	PC	95
- <u>-</u>	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	95
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	95
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	95
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	95
	6	Facial Brush	wooden handle, soft bristle	1	PC	95
	7	Facial Cream	50 ml, dermatologically tested	1	PC	95
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	95
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	95
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	95

7 Ja

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
	TE		overnment Center Bo., Maimpis, Sar	i Ferna	ndo City	
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	95
	12	Sun Block Cream		1	TUBE	95
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	95
	14	Cotton Balls	150 balls	1	PACK	95
	Sub-to	otal, PERFORM FA	CIAL TREATMENT (Leading to Beau	ty Care	NC II)	95
39			eading to Beauty Care NC II)	· · · ·		
	1	Footspa Machine	220V 1800-2000W 60Hz, with bubbles and vibrator	1	UNIT	90
	2	Callus Remover	Stainless Steel, 7"	1	PC	90
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	90
	4	Foot File	Wooden, 9.5"	1	PC	90
	5	Foot Blush	100ml, spray type	1	BOTTLE	90
	6	Foot Soak	150ml, Liquid	1 1	BOTTLE	90
	7	Foot Scrub	150ml, cream	1	TUBE	90
	8	Foot Lotion	150ml, scented	1	BOTTLE	90
	9	Foot Brush	plastic handle, plastic bristle	1	PC	90
	Sub-to	tal, PERFORM FO	OT SPA (Leading to Beauty Care NC	11)		90
40			E-UP (Leading to Beauty Care NC II)		l	
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	58
	2	Blusher	pink and bronze shade, 4grams each	2	PC	58
	3	Eye Brow Pencil	black, 4"	1	PC	58
	4	Eye Brow Pencil	brown, 4"	1	PC	58
	5	Eye Liner Pencil	black, 4"	1	PC	58
	6	Eye Liner Pencil	brown, 4"	1	PC	58
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	58
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	58
	9	Eyelash Curler	stainless steel, scissor type	1	PC	58
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	58
	11	Make-Up Sponge	round, powder puff sponge	1	PC	58
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	58
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	58
	14	Lipstick	matte finish, red	1	PC	58
	15	Lipstick	matte finish, coral pink	1	PC PC	58
	16	Make Up Brush	wooden handle, soft bristle, set of	1	SET	58
		Set	5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)		JL1	50
	17	Mascara	black, water proof, 7g	1	PC	58
	18	Pressed Powder	natural shade, matte finish	1	PC	58
	19	Cotton Balls	150 balls	1	PACK	58
	20	Concealer	20ml with UVA/UVB protection	1	PC	58
			CIAL MAKE-UP (Leading to Beauty C	are NC		58

jø V

	TES	SDA-Region III – G	overnment Center Bo., Maimpis, San	Fernar	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
41	PERF		ING/BLEACHING SERVICES (Leadin		irdressing	NC II
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	233
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	233
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	233
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	233
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	233
	6	Bleaching Powder	30g (sachet)	3	PC	233
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	233
	8	Protective Cape	Water proof, nylon, black	1	PC	233
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	233
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	233
	Hairdı	ressing NC II)	AIR COLORING/BLEACHING SERVIC	_	-	233
42	PERF		NG/STRAIGHTENING (Leading to Hai	rd r essir		
	1	Hair	220V, 60hz, adjustable heat control	1	PC	164
		Straightening			10	104
	2	Straightening Iron Hair Straightening	straightening solution and neutralizing cream, at 500ml each	1	SET	
	2	Straightening Iron Hair	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5	1		
		Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming	neutralizing cream, at 500ml each		SET	164
	3	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500	1	SET PC	164 164
	3	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each	1	SET PC SET	164 164 164
	3 4 5	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size	1 1 2 2 2	SET PC SET DOZ	164 164 164
	3 4 5 6	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods Curling Rods	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size	1 1 2 2 2 1	SET PC SET DOZ DOZ PC	164 164 164 164 164
	3 4 5 6 7 8 9	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods Curling Rods Curling Rods	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 16mm size	1 1 2 2 2 1 1	SET PC SET DOZ DOZ PC PC	164 164 164 164 164 164 164
	3 4 5 6 7 8	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods Curling Rods Curling Rods Applicator Brush	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 16mm size Plastic, black, with comb and tail Plastic, transparent, 100 ml capacity Thick plastic, preferably black, free size	1 1 2 2 2 1	SET PC SET DOZ DOZ PC PC PACK	164 164 164 164 164 164 164
	3 4 5 6 7 8 9	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods Curling Rods Curling Rods Curling Rods Applicator Brush Bottle Applicator	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 16mm size Plastic, black, with comb and tail Plastic, transparent, 100 ml capacity Thick plastic, preferably black, free	1 1 2 2 2 1 1 1 1 1	SET PC SET DOZ DOZ PC PC PACK PC	164 164 164 164 164 164 164 164
	3 4 5 6 7 8 9 10	Straightening Iron Hair Straightening Product Mixing Bowl Hair Perming Product Curling Rods Curling Rods Curling Rods Curling Rods Applicator Brush Bottle Applicator Shower Cap	neutralizing cream, at 500ml each Plastic, 6 cm height, diameter 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 16mm size Plastic, black, with comb and tail Plastic, transparent, 100 ml capacity Thick plastic, preferably black, free size	1 1 2 2 2 1 1 1 1	SET PC SET DOZ DOZ PC PC PACK	164 164 164 164 164 164 164

• *

Jo grandin ja 7

• • •

	TE	SDA-Region III – G	(MENT PROGRAM (STEP) FOR FY 20 overnment Center Bo., Maimpis, San	Ferna	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
43	PERF	ORM HAIR CUTTIN	IG SERVICES (Leading to Hairdressi	ng NC	ii)	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	416
21.25	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	416
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	416
	4	Apron	black with 3 pockets	1	PC	416
	5	Protective Cape	Water proof, nylon, black	1	PC	416
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	416
	7	Talcum Powder	250g	1	BOTTLE	416
	Sub-to II)		AIR CUTTING SERVICES (Leading to	Hairdre		416
44	BREA	D MAKING (Leadii	ng to Bread and Pastry Production N	CII)		<i></i>
	1	Electric Oven Measuring Cups	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	PC	272
	3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	272
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	272
	Sub-to	otal, BREAD MAKI	NG (Leading to Bread and Pastry Pro	oductio	n NC II)	272
45	PASTI	RY MAKING (Lead	ing to Bread and Pastry Production I	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	156
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	156
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	156

Myser 7 jø

LOT NO. 46			AGENCY SPECS 6 holes, 3oz capacity per holes, non- stick <i>ING (Leading to Bread and Pastry Pi</i> to Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Temperature Control		UNIT PC on NC II) PC	NO. OF PAX 156 156
46	Sub-to CAKE	o <i>tal, PASTRY MAK</i> MAKING (Leading	stick <i>ING (Leading to Bread and Pastry Pi</i> to Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	roducti	on NC II)	156
46	CAKE	MAKING (Leading	to Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)			·····
46			18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	ll) 1	PC	126
	1.	Electric Oven	with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	1	PC	126
			Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz			ο ως γιώνο στο το Ι
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1,	SET	126
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	126
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	126
	Sub-to	otal, CAKE MAKIN	G (Leading to Bread and Pastry Prod	luction	NC II)	126
47	PREP	ARE AND COOK H	IOT MEALS (Leading to Cookery NC I	l)		
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	393
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	393
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	393
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	393
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	393
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	393
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	393
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	393
			D COOK HOT MEALS (Leading to Co	okery N	VC II)	393
48			S (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	95
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	95
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	95

1¢

		SDA-Region III – G	overnment Center Bo., Maimpis, San	Fernar	ndo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Chopping Board	1⁄2" x 12" x 18"; made of polyethylene material	1	PC	95
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	95
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	95
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	95
	Sub-to	otal, PREPARE CC	LD MEALS (Leading to Cookery NC I	1)	· · · · · · · · · · · · · · · · · · ·	95
49	PROCESS FOOD BY SALTING, CURING AND SMOKING (Leading to Food Proc					essin
	NC II)					
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	135
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	135
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	135
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	135
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	135
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	135
50	Sub-total, PROCESS FOOD BY SALTING, CURING AND SMOKING (Leading to					135
	Food Processing NC II)					
	PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Proce					essing
	NC II)					·····
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	25
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	25
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	25
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	25
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	25

•]

7 ja

			MENT PROGRAM (STEP) FOR FY 20		1.01	
			overnment Center Bo., Maimpis, San			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	25
		otal, PROCESS FO Processing NC II)	ODS BY FERMENTATION AND PICK	LING (L	eading to	25
51	PROC II)	ESS FOODS BY S	UGAR CONCENTRATION (Leading	to Foo	d Processi	ng N(
	1	Blender	2 speed, 1.5liter capacity, glass jar with stainless steel blades	1	unit	25
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen- type adjustable clip secures thermometer to pan	1	PC	25
-574.41	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	. 1	SET	.25
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	25
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	25
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	25
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	. 25
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	25
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	25
		•	ODS BY SUGAR CONCENTRATION (Leading	g to Food	25
52	SERVI	ssing NC II) CE CONSUMER R NIGHTLIGHT AN	ELECTRONIC PRODUCTS AND SYS	STEMS	(ASSEMB	LY OI
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	113
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	113
	3	Diagonal Cutting	Overall length 8", Handle finish	1	PC	113

ż

237

In ja

LOT NO.	ITEM NO.	ITEM	overnment Center Bo., Maimpis, San AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	113
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	113
		•	NSUMER ELECTRONIC PRODUCTS NIGHTLIGHT AND POST LAMP)	AND S	SYSTEMS	113
	TOTAL	-				6,989

a y

<u>,</u>42

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR
EMPLOYMENT PROGRAM (STEP) FOR FY 2017
SDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
1			(Poultry-Chicken) NC II			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	25
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	25
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded- on plug	1	SET	25
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	25
··········			DUCTION (Poultry-Chicken) NC II			25
2	ANIMA	AL PRODUCTION		·		·
	1	Ear Notcher	Small V-shape blade; stainless	1	PC	25
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	25
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	25
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable	1	BOX	25
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; reusable and sterilizable	1	PC	25
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	25
			DUCTION (Swine) NC II			25
5	PROD		GETABLE (Leading to Organic Agric			
		Steel Rake	14 tine made of steel; hardwood handle		PC	56
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	56 Ng
1	l		239	f_	7	Ny

10T NO. 7	Agricu	ulture Production I	NE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade		PC PC PC	NO. OF PAX 56 56 56 56
7	4 5 Sub-to Agricu PERF	Garden Hoe Sprinkler Dtal, PRODUCE OF Liture Production I ORM DIESEL ENG	D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carbon Steel head, goose neck type, hardwood handle, 6" blade 2 gallon capacity, heavy duty plastic RGANIC VEGETABLE (Leading to Org NC II) INE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade	1 1 vanic e Servio	PC PC	56
7	5 Sub-to Agricu PERF	Sprinkler Dtal, PRODUCE OF Liture Production I ORM DIESEL ENG	hardwood handle, 6" blade 2 gallon capacity, heavy duty plastic RGANIC VEGETABLE (Leading to Org NC II) INE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade	1 Ianic Servic	PC	56
7	Sub-to Agricu PERF	otal, PRODUCE OF ulture Production I ORM DIESEL ENG	RGANIC VEGETABLE (Leading to Org NC II) INE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade	anic e Servic	· · · · · · · · · · · · · · · · · · ·	
7	PERF	ORM DIESEL ENG	NE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade		ing NC I)	L
			26 tempered steel leaves/blade			
			ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.		PC	316
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	316
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	316
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	316
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	316
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	316
		otal, PERFORM D ing NC I)	IESEL ENGINE TUNE UP (Leading	to Au	itomotive	316 A-g

1 2.

ж.

an 1

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
8	PERF	ORM GAS ENGINE	TUNE UP (Leading to Automotive Se	ervicing		, · · · ·
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508,.533, .559, .584, .610 and .635mm.Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020,	1	PC	50
	2	Spark Plug	.021,.022, .023, .024, and .025. 1pc T-Handle Universal Joint Spark	1	SET	50
	2	Wrench	Plug, Socket Wrench 21mm	•	021	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	50
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	50
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	50
	Servic	ing NC I)	GAS ENGINE TUNE UP (Leading			50
9	SERV		IS COMPONENTS (Leading to Auton	. 1		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50
	2	Coil Spring Compressor	12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	50
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50 Mgr

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20)17				
TES	ESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road Superhighway, Taguig City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	50		
		otal, SERVICE UNL cing NC II)	DERCHASSIS COMPONENTS (Leadii	ng to Ai	itomotive	50		
10			PONENTS (Leading to Automotive S	ervicino		I		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	48		
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	48		
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	48		
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	48		
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	48		
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	48		
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	48		
	Sub-to NC II)	otal, SERVICE ENG	INE COMPONENTS (Leading to Autor	notive S	Servicing	48		
11	SERVI	CE AUTOMOTIVE	E ELECTRICAL COMPONENTS (L	eading	to Auto	motive		
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	50		
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	50		
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	50		
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	50 Agyde		
			242			Aprile		

TES	DA-Reg	ion IV-A (CALABA	RZON) – Gate 2, TESDA Complex, Ea Superhighway, Taguig City	ast Serv	lice Road,	South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		otal, SERVICE AU notive Servicing N	TOMOTIVE ELECTRICAL COMPONE	NTS (L	eading to	50
13	Servic	e Motorcycle/Sm	all Engine System (Leading to M	otorcyc	le/Small	Ingine
	Servic	ing NC II)		1 1.157	31-21 (J. 1944)	
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	294
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm,	1	SET	294
	··· , ···		13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	294
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	294
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	294
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	294
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	294
	Sub-to		otorcycle/Small Engine System	(Lea	ding to	294
	Motor	cycle/Small Engine	e Servicing NC II)		iaing NC II	<u>, </u>
<u>14</u>	1	VOM (Multitester)	n (Leading to Motorcycle/Small Engi Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	<u>)</u> 144
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	144
<u> </u>	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	144 Mgy
	±	· · · · · · · · · · · · · · · · · · ·	243		<u>,</u>	Ny

5 B 6

.79

ا درک

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	144
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	144
15	Servic	ing NC II)	trical System (Leading to Motorcyc nall Engine (Leading to Motorcycle/		-	144
15	NC II)	aut wotorcycle/Sil	Tall Engine (Leading to Motorcycler	Sinan r	zngine Sei	vicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	24
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	24
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	24
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	24
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	24
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	24

÷.,

,÷ 1

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	24
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	24
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	24
		otal, Overhaul Mo e Servicing NC II)	torcycle/Small Engine (Leading to N	lotorcy	cle/Small	24
16		ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length/450 mm; hardwood handle	1	PC	30
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	30
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	30
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	30
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	30
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	30
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	30
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	30
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	30
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	30
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	30
	Sub-to	otal, CARPENTRY	<u>NC II</u> 245		,	30

7

. .

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
17	Electr	ical Installation an	d Maintenance NC II			
St.	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	310
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	310
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	310
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	310
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	310
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	310
	Sub-to	otal, Electrical Inst	allation and Maintenance NC II			310
21	PIPEF	ITTING NC II				<u>_</u>
	1.	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	532
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	532
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	532
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	532
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	532

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	532
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	532
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	532
		otal, PIPEFITTING				532
23	-	TRUCTION PAINT		4		47
	1	Steel Brush Paint Brush, 1"	Hardened steel brush, wooden handle Soft Bristle, 1", long bristle, wooden	1	PC PC	47
	2	Paint Brush, 1 Paint Brush, 2"	handle, stainless steel ferrules Soft Bristle, 2", long bristle, wooden	2	PC	47
	4	Paint Brush, 2 Paint Brush, 3"	handle, stainless steel ferrules Soft Bristle, 3", long bristle, wooden	2	PC	47
	4 5	Paint Brush, 4"	handle, stainless steel ferrules Soft Bristle, 4", long bristle, wooden	2	PC	47
	6	Spray Gun,	handle, stainless steel ferrules HVLP spray gun with a 1.5 mm fluid	1	 	47
		Gravity Feed Type	tip, 400 ml Aluminum cup; air inlet 1/4"			
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	47
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	47
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	47
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	47
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size:4"	1	PC	47
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	47
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	47
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	47
	Sub-to	otal, CONSTRUCTI	ON PAINTING NC II			47 (~g

24	TILE 5 1 2 3	Tile Cutter Nipper, End Cutter Pull-Push Rule	Pen type, carbide tip, manual 8" length End nipper Plier 8" Blade length 8m/26ft Blade width 1"	1	PC	80
	2	Nipper, End Cutter	length End nipper Plier 8"			80
	3	Cutter	••	1		
		Pull-Push Rule	Blade length 8m/26ft Blade width 1"		PC	80
	4		High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	80
		Rubber Mallet	16 oz, Wooden Handle	1	PC	80
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	80
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	· 80·
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	80
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	80
		otal, TILE SETTING				80
25		ERVICING (Dom/F				,
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	45
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	45
	3	Flaring tool set	Flares and swages. Screw-type feed.Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	45
	Sub-to	otal, RAC SERVICI	NG (Dom/RAC) NC II	<u>-</u>		45

	DA-Neg		RZON) – Gate 2, TESDA Complex, Ea Superhighway, Taguig City		ice Roau,	South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
26	SHIEL		WELDING (SMAW) NC I			
\$	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	1422
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	1422
	Sub-to	otal, SHIELDED ME	TAL ARC WELDING (SMAW) NC I			1422
27		nble Electronics sing NC II)	Products (Leading to Electronic P	roducts	Assemb	ly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
<u></u>	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25
		otal, Assemble Ele hbly and Servicing	ectronics Products (Leading to Elec NC II)	tronic l	Products	25

ES	DA-Reg	ion IV-A (CALABA	RZON) – Gate 2, TESDA Complex, Ea Superhighway, Taguig City	ast Serv	vice Road,	South	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
28		e Consumer Elect	ronic Products and Systems (Leadin NC II)	g to Ele	ctronic Pr	oducts	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	30	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	30	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	30	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	30	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	30	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	30 30	
	Sub-total, Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)						
31	DRES 1	SMAKING NC II Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	628	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	628	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	628	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	628	

TES	DA-Reg	ion IV-A (CALABA	RZON) – Gate 2, TESDA Complex, Ea Superhighway, Taguig City	st Ser	vice Road,	South
LOT NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	628
	Sub-to	otal, DRESSMAKIN			L	628
33	HILOT	WELLNESS MAS	SAGE) NC II			La
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	2353
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	2353
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	2353
• ••.	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	2353
_	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	2353
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	2353
	7	Aromatic Oil	100 ml.	1	BOTTLE	2353
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	2353
	9	Powder	Baby powder, 200 g	1	BOTTLE	2353
	10	Mentholated Oil	100 ml.	1	BOTTLE	2353
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	2353
· ·			NESS MASSAGE) NC II			2353
34	PERF		ND PEDICURE (Leading to Beauty C	are NC		
	1	Cuticle Nipper	Stainless steel, 3.5"		PC	356
	2	Cuticle Pusher	stainless steel, 5"	1	PC	356
·····	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	356
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	356
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	356
	6	Nail Brush	Plastic, soft bristle	1	PC	356
	7	Emery Board	80/100 coarse, 8" Long	1	PC	356
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	356
	9	Cotton Balls	150 balls	1	PACK	356
	10	Cuticle Remover	120 ml bottle		BOTTLE	356
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	356
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	356
			251			My

251

]

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	356
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	356
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	356
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	356
	17	Low Stool	hard plastic, round	1	PC	356
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	356
	II)	-	NICURE AND PEDICURE (Leading to	Beaut _.	y Care NC	356
36	PERF		AGE (Leading to Beauty Care NC II)			· · · · · ,
	1	Face Towel	100 % cotton, 12" X 12", white		PC	5
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	5
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	5
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	5
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	5
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	5
	7	Aromatic Oil	100 ml.	1	BOTTLE	5
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	5
	9	Powder	Baby powder, 200 g	1	BOTTLE	5
	10	Mentholated Oil	100 ml.	1	BOTTLE	5
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	5
· · -·	Sub-to	otal, PERFORM BC	DY MASSAGE (Leading to Beauty C	are NC	<i>II)</i>	5
38			ATMENT (Leading to Beauty Care NC			
	1	Acne Gel	plastic tube, 25ml	1	PC	46
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	46
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	46
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	46
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	46
	6	Facial Brush	wooden handle, soft bristle	1	PC	46
	7	Facial Cream	50 ml, dermatologically tested	1	PC	46
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	46

IESI	JA-Reg	ion IV-A (CALABA	RZON) – Gate 2, TESDA Complex, Ea Superhighway, Taguig City	ist Serv	vice Road,	South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	46
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	46
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	46
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	46
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	46
	14	Cotton Balls	150 balls	1	PACK	46
	·····			L Cara		40 46
40			CIAL TREATMENT (Leading to Beaut	y care		40
40			E-UP (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	44
· · · · ·	2	Blusher	pink and bronze shade, 4grams each	2	PC	44
	3	Eye Brow Pencil	black, 4"	1	PC	44
	4	Eye Brow Pencil	brown, 4"	1	PC	44
	5	Eye Liner Pencil	black, 4"	1	PC	44
	6	Eye Liner Pencil	brown, 4"	1	PC	44
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	44
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	44
	9	Eyelash Curler	stainless steel, scissor type	1	PC	44
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	44
	11	Make-Up Sponge		1	PC	44
	12	Foundation	Liguid, 30 ml, natural shade	1	BOTTLE	44
.	12	Head Band	3"x 23" cotton fabric with snap tape	1	PC	44
	14	Lipstick	matte finish, red	1	PC	44
	15	Lipstick	matte finish, coral pink	<u>'</u> 1	PC	44
	16	Make Up Brush Set		1	SET	44
	17	Mascara	black, water proof, 7g	1	PC	44
	18	Pressed Powder	natural shade, matte finish	1	PC	44
	19	Cotton Balls	150 balls	1	PACK	44
	20	Concealer	20ml with UVA/UVB protection	1	PC	44
			CIAL MAKE-UP (Leading to Beauty C			44
43			G SERVICES (Leading to Hairdressin			
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	94
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	94
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	94
			253			Mg

....

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR **EMPLOYMENT PROGRAM (STEP) FOR FY 2017** TESDA-Region IV-A (CALABARZON) - Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City ITEM LOT ITEM AGENCY SPECS QTY UNIT NO. NO. NO. OF PAX 4 Apron black with 3 pockets 1 PC 94 PC 5 Protective Cape Water proof, nylon, black 1 94 Neck brush Wood handle, app. 10 cm x 6.7cm 6 1 94 PC 7 Talcum Powder 250g 1 BOTTLE 94 Sub-total, PERFORM HAIR CUTTING SERVICES (Leading to Hairdressing NC 94 *II*) BREAD MAKING (Leading to Bread and Pastry Production NC II) 44 Electric Oven 18L Stainless Housing, Timer 60mins PC 869 1 1 with bell alarm. Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz Stainless steel, 1 set (1 cup, 1/2 cup, 2 1 SET 869 Measuring Cups $1/3 \text{ cup}, \frac{1}{4} \text{ cup}$ 3 Transparent glass, 1 cup capacity, 1 PC Measuring Urn 869 measurements are clearly mark in ounce, quarts and millilitres 4 Mixing Bowl Stainless steel, 8" diameter, 5 quart 1 PC 869 capacity Sub-total, BREAD MAKING (Leading to Bread and Pastry Production NC II) 869 PASTRY MAKING (Leading to Bread and Pastry Production NC II) 45 PC 114 Electric Oven 18L Stainless Housing, Timer 60mins 1 1 with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz Stainless steel, 1 set (1 cup, 1/2 cup, 1 114 2 Measuring Cups SET $1/3 \text{ cup}, \frac{1}{4} \text{ cup}$ 3 Stainless steel, 8" diameter, 5 quart 1 PC 114 Mixing Bowl capacity 4 Muffin Pan 6 holes, 3oz capacity per holes, non-1 PC 114 stick Sub-total, PASTRY MAKING (Leading to Bread and Pastry Production NC II) 114

.0T NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
46	CAKE		to Bread and Pastry Production NC	ll)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz	1	PC	168
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	168
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC a	i - 168∝
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	168
	Sub-to	otal, CAKE MAKIN	G (Leading to Bread and Pastry Proc	luction	NC II)	168
47			OT MEALS (Leading to Cookery NC			470
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	472
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	472
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	472
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	472
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	472
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	472
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	472
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	472
	Sub-to	otal, PREPARE AN	D COOK HOT MEALS (Leading to Co	okery N	IC II)	472
49	PROC NC II)	ESS FOOD BY SA	LTING, CURING AND SMOKING (Lead	ling to F	Food Proc	essing:
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit	65
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	65
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	65

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20	17				
TES	DA-Reg	ion IV-A (CALABA	RZON) – Gate 2, TESDA Complex, Ea	ast Serv	vice Road,	South		
LOT	ITEM	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO.		
NO.	NO.		AGENCI SFE05	U II	UNIT	OF		
NO.	NO.				. · ·	1		
			Of integration to at (d) and the difference			PAX		
	4	Measuring	Stainless steel, 1 set (1tbsp, 1 tsp, 1/2	1	SET	65		
	<u> </u>	Spoons	tsp, ¼ tsp)			ļ		
	5	Chef's Knife	8", stainless steel blade with black	1	PC	65		
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	polymer handle					
	6	Weighing Scale	Manual Weighing Scale; maximum	1	UNIT	65		
			weight capacity; 2 kg, graduated by					
			grams; removable and washable tray					
	Sub-te	tal. PROCESS FO	OD BY SALTING, CURING AND SMOP	KING (L	eading to	65		
		Processing NC II)	,		J			
50			ERMENTATION AND PICKLING (Lead	ling to F	Food Proc	essina		
	NC II)					Jeenig		
	1	Food Processor	2 Speed with Pulse, with safety lock,	1	unit	25		
·· •	4 		6 cups capacity, stainless steel		unt	20		
			chopping and shredding blades, with					
			5 disc attachments					
		Ohofie Maife		1		25		
	2	Chef's Knife	8", stainless steel blade with black	1	PC	25		
			polymer handle		077			
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	25		
			1/3 cup, ¼ cup)					
	4	Measuring	Stainless steel, 1 set (1tbsp, 1 tsp, 1⁄2	1	SET	25		
		Spoons	tsp, ¼ tsp)					
	5	Casserole	Stainless; 6L capacity; with two grip	1	PC	25		
			handle, with cover					
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	25		
		Ū	capacity					
	7	Colander	5 qts capacity, stainless steel, with	1	PC	25		
		Coldination	two grip handles					
	Sub-to	tal PROCESS ED		ING (I	ading to	25		
	Sub-total, PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to 25 Food Processing NC II)							
51	PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processing NC							
51		233100000010	OGAR CONCENTRATION (Leading I	0 1000	11100633	ing no		
	<u>)</u>	Dlandar	2 analy 1 E liter conseins glass int	4	unit	444		
	1	Blender	2 speed, 1.5 liter capacity, glass jar	1	unit	111		
			with stainless steel blades			414		
	2	Candy	8" long, measures temperatures	1	PC	111		
		Thermometer	from 100 to 400 degrees F; glass,					
			pen-type adjustable clip secures					
			thermometer to pan					
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	111		
			1/3 cup, ¼ cup)					
	4	Measuring	Stainless steel, 1 set (1tbsp, 1 tsp, 1⁄2	1	SET	111		
		Spoons	tsp, ¼ tsp)					
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	111		
			capacity					
	6	Casserole	Stainless; 6L capacity; with two grip	1	PC	111		
	Ŭ		handle, with cover	•				
				L	l	Ngr		
			256			Mon		

ESI	ESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road Superhighway, Taguig City							
от Ю.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	111		
,	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	111		
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	111		
	Sub-total, PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processing NC II)							
	TOTAL							

5

-

`

TES	DA-Reg		MENT PROGRAM (STEP) FOR FY 20 PA) – Luna Building III, Gov. Infantad Oriental Mindoro		et, Calapar	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	PERF	ORM DIESEL ENG	INE TUNE UP (Leading to Automotive	e Servio	cing NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	50
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	50
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	50
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	50
		otal, PERFORM D ting NC I)	IESEL ENGINE TUNE UP (Leading	to Al	ıtomotive	50
8			TUNE UP (Leading to Automotive Se	ervicing		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508,.533, .559, .584, .610 and .635mm.Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021,.022, .023, .024, and .025.	1	PC	115
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	115

1 ppin

PROCUREMENT OF STARTER TOOLKITS F	OR THE SPECIAL TRAINING FOR
EMPLOYMENT PROGRAM (S	STEP) FOR FY 2017

.

TES	DA-Reg		PA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapar	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	115
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	115
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	115
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	115
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	115
	Servic	ing NC I)	GAS ENGINE TUNE UP (Leading			115
11		ICE AUTOMOTIVI	E ELECTRICAL COMPONENTS (L	eading	to Autor	notive
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	130
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	130
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	130
	4	Flat Screw Driver		1	PC	130
		otal, SERVICE AU notive Servicing N	TOMOTIVE ELECTRICAL COMPONE CII)	NTS (L	eading to	130
13		e Motorcycle/Sm ing NC II)	all Engine System(Leading to Mo	otorcyc	le/Small E	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	317
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	317

7 register

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	317
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	317
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	317
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	317
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	317
	The second s	cycle/Small Engine		•		317
14	Servic		n (Leading to Motorcycle/Small Engi	ne Serv		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	35
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	35
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	35
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	35
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	35

7 ja

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
15	Overh NC II)	aul Motorcycle/Sn	nall Engine (Leading to Motorcycle/	Small	Engine Se	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	35
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit	1	SET	35
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	35
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	35
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	35
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	35
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	35
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	35
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	35

pen je 4

TES	DA-Reg		(MENT PROGRAM (STEP) FOR FY 20 DPA) – Luna Building III, Gov. Infantae Oriental Mindoro		et, Calapa	n City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO OF PA
16	CARP	ENTRY NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	40
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	40
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	40
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	40
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	40
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	40
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	40
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	40
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	40
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	40
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	40
	Sub-to	otal, CARPENTRY	NC II	l		40
17	Electri	cal Installation an	d Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance:	1	UNIT	199

7 marte

e,

	DA-Reg		(MENT PROGRAM (STEP) FOR FY 20 PPA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapa	n
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	
			allation and Maintenance NC II			
19	PLAS		ASONRY SURFACE (Leading to Mas			<u></u>
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length	1	PC	
			20"			

263

,

- Myrtu

TES	DA-Rec		<u> (MENT PROGRAM (STEP) FOR FY 20</u> DPA) – Luna Building III, Gov. Infantad		et Calana	n Cit
120			Oriental Mindoro		, ourapu	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	N O P/
24	TILE S	SETTING NC II		· · · · · ·		
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	33
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	33
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	33
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	33
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle	1	PC	33
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	33
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	33
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	33
		otal, TILE SETTING				33
25	RAC S	ERVICING (Dom/F				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	4
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	4
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters	1	SET	4

, ,

264

rgyle jo

TES	DA-Reg		(MENT PROGRAM (STEP) FOR FY 20 DPA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapa	n Ci	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	N C P	
26	SHIEL	DED METAL ARC	WELDING (SMAW) NC I	ļ			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	PC	2	
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens	1	PC	2	
			ETAL ARC WELDING (SMAW) NC I			2	
27							
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	5	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	5	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	5	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	5	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	5	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	5	

265

/ rgypten ju

	PRO		ARTER TOOLKITS FOR THE SPECIA		NING FOR	2				
TES	DA-Reg	gion IV-B (MIMARC	(MENT PROGRAM (STEP) FOR FY 20 PA) – Luna Building III, Gov. Infanta Oriental Mindoro	do Stree	et, Calapa	n City,				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX				
28	Assembly and Servicing NC II)									
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	95				
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	95				
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	95				
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	95				
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	95				
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	95				
			umer Electronic Products and Syste embly and Servicing NC II)	ems (Le	ading to	95				
29	Servic	e Industrial Electr	onic Modules, Products and Systems	s (Leadi	ing to Elec	ctronic				
	1	<u>cts Assembly and</u> VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	16				
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	16				
i	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	16				

.

rynner p

	PROC		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TES	DA-Reg		PA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapar	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	16
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	16
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	16
31	(Leadi		strial Electronic Modules, Product roducts Assembly and Servicing NC		Systems	16
	1	Ordinary Sewing machine	operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand	1	UNIT	50
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	50
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	50
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	50
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	50
		tal, DRESSMAKIN				50
33		(WELLNESS MAS	SAGE) NC II			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	362
	2 3	Bath Towel Face Mask	100 % cotton, 27" X 54", white disposable earloop face mask, 50 pcs per box	1	PC BOX	<u>362</u> 362

.

jor jo T

		EMPLOY	ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20	17		
TES	DA-Reg	jion IV-B (MIMARC	0PA) – Luna Building III, Gov. Infantae Oriental Mindoro	do Stre	et, Calapai	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	362
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	362
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	362
	7	Aromatic Oil	100 ml.	1	BOTTLE	362
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	362
	9	Powder	Baby powder, 200 g	1	BOTTLE	362
	10	Mentholated Oil	100 ml.	1	BOTTLE	362
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	362
	Sub-to	otal, HILOT (WELLI	NESS MASSAGE) NC II			362
34	PERF	ORM MANICURE A	ND PEDICURE (Leading to Beauty C	are NC	II)	
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	232
	2	Cuticle Pusher	stainless steel, 5"	1	PC	232
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	232
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	232
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	232
	6	Nail Brush	Plastic, soft bristle	1	PC	232
	7	Emery Board	80/100 coarse, 8" Long	1	PC	232
	8	Orange Woodstick	1.77mm, smooth woodstick	3	PCS	232
	9	Cotton Balls	150 balls	1	PACK	232
	10	Cuticle Remover	120 ml bottle	1	BOTTLE	232
	11	Nail Polish Remover	120 ml bottle	1	BOTTLE	232
	12	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	232
	13	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	232
	14	Colored Nail Polish	15ml bottle, white	1	BOTTLE	232
	15	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	232
	16	Colorless Nail Polish	15ml bottle	1	BOTTLE	232
	17	Low Stool	hard plastic, round	1	PC	232
	18	Face Towel	100 % cotton, 12" X 12", white	1	PC	232
	Sub-to II)	tal, PERFORM MA	NICURE AND PEDICURE (Leading to	Beauty	Care NC	232

Nyrten 7

	PRO		ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20		INING FOR	
TES	DA-Reg		PA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapai	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
36			AGE (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	40
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	40
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	40
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	40
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	40
	7	Aromatic Oil	100 ml.	1	BOTTLE	40
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	40
	9	Powder	Baby powder, 200 g	1	BOTTLE	40
	10	Mentholated Oil	100 ml.	1	BOTTLE	40
-	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40
	Sub-to	otal, PERFORM BO	DY MASSAGE (Leading to Beauty Ca	are NC	<i>II)</i>	40
38	PERFO	ORM FACIAL TREA	ATMENT (Leading to Beauty Care NC	II)		
	1	Acne Gel	plastic tube, 25ml	1	PC	45
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	45
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	45
	4	Cleansing Cream		1	BOTTLE	45
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	45
	6	Facial Brush	wooden handle, soft bristle	1	PC	45
	7	Facial Cream	50 ml, dermatologically tested	1	PC	45
	8	Facial Scrub Cream	50ml, dermatologically tested	1	TUBE	45
	9	Moisturizer	50 ml, plastic container, hypoallergenic	1	PC	45
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	45
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	45
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	45
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	45
	14	Cotton Balls	150 balls	1	PACK	45
	Sub-to	tal, PERFORM FA	CIAL TREATMENT (Leading to Beaut	y Care	NC II)	45
40			E-UP (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	90
	2	Blusher	pink and bronze shade, 4grams each	2	PC	90

Agyptian 7

TES	DA-Reg	jion IV-B (MIMARC	PA) – Luna Building III, Gov. Infantae Oriental Mindoro	do Stre	et, Calapai	n City	
OT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO OF PA)	
	3	Eye Brow Pencil	black, 4"	1	PC	90	
	4	Eye Brow Pencil	brown, 4"	1	PC	90	
	5	Eye Liner Pencil	black, 4"	1	PC	90	
	6	Eye Liner Pencil	brown, 4"	1	PC	90	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	90	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	90	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	90	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	90	
	11	Make-Up Sponge		1	PC	90	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	90	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	90	
	14	Lipstick	matte finish, red	1	PC	90	
	15	Lipstick	matte finish, coral pink	1	PC	90	
	16	Make Up Brush Set	5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	90	
	17	Mascara	black, water proof, 7g	1	PC PC	90	
	18	Pressed Powder	natural shade, matte finish	1	PC	90	
	19	Cotton Balls	150 balls	1	PACK	90	
_	_20_	Concealer	20ml with UVA/UVB protection	1	PC	90	
			CIAL MAKE-UP (Leading to Beauty C			90	
13			G SERVICES (Leading to Hairdressin	ng NC I			
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	100	
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	100	
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	100	
	4	Apron	black with 3 pockets	1	PC	100	
	5	Protective Cape	Water proof, nylon, black	1	PC	100	
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	100	
	7	Talcum Powder	250g	1	BOTTLE	100	

Myrfler ja

			ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20			ζ.
TES	DA-Reg		DPA) – Luna Building III, Gov. Infanta Oriental Mindoro		et, Calapa	n City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO OF PA)
44	BRFA	D MAKING (Leadi	ng to Bread and Pastry Production N		<u> </u>	FA
	1	Electric Oven	18L Stainless Housing, Timer 60mins	1	PC	303
	1		with bell alarm, Temperature Control			
			(100-250C) 4 Stainless Steel Heating			
			Element, Indicator Light, Removable			
			Tray for easy Cleaning (Crumb Tray)			
			Tempered Glass, 4 Stage Heating			
			Selection Accessories: Enamel Bake			
			Tray, Wire Rack, Tray Handle, 220V, 60hz			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	303
	2	weasuring Cups	$1/3 \text{ cup}, \frac{1}{4} \text{ cup}$		0L1	303
	3	Measuring Urn	Transparent glass, 1 cup capacity,	1	PC	303
	-	g en e	measurements are clearly mark in			
			ounce, quarts and millilitres			
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	303
		L	capacity			ļ
			NG (Leading to Bread and Pastry Pro		n NC II)	303
45			ing to Bread and Pastry Production I	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins	1	PC	85
			with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating			
			Element, Indicator Light, Removable			
			Tray for easy Cleaning (Crumb Tray)			
			Tempered Glass, 4 Stage Heating			
			Selection Accessories: Enamel Bake			
			Tray, Wire Rack, Tray Handle, 220V,			
			60hz			
ĺ	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup,	1	SET	85
			1/3 cup, ¼ cup)			<u> </u>
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	85
		Muffin Pan	capacity	1	PC	85
	4	munin Fan	6 holes, 3oz capacity per holes, non- stick	•	FU	05
	Sub-to	tal. PASTRY MAK	ING (Leading to Bread and Pastry Pi	roductio	on NC II)	85
46			to Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins	1	PC	129
			with bell alarm, Temperature Control			
			(100-250C) 4 Stainless Steel Heating			
			Element, Indicator Light, Removable			
			Tray for easy Cleaning (Crumb Tray)	-		
			Tempered Glass, 4 Stage Heating			
			Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V,			

271

reporter jo.

LOT NO.	ITEM NO.	ITEM	Oriental Mindoro AGENCY SPECS	QTY	UNIT	NO. OF PAX				
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	129				
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	129				
	4	Muffin Pan	6 holes, 3oz capacity per holes, non- stick	1	PC	129				
		Sub-total, CAKE MAKING (Leading to Bread and Pastry Production NC II)								
47	PREPARE AND COOK HOT MEALS (Leading to Cookery NC II)									
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	38				
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	38				
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	38				
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	38				
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	38				
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	38				
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	38				
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	38				
	Sub-total, PREPARE AND COOK HOT MEALS (Leading to Cookery NC II)									
48			(Leading to Cookery NC II)			·				
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	50				
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50				
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50				
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	50				
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	50				
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	50				
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50				
- 1			LD MEALS (Leading to Cookery NC II			50				

7

TES	DA-Reg		(MENT PROGRAM (STEP) FOR FY 20 DPA) – Luna Building III, Gov. Infantad Oriental Mindoro		et, Calapa		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT		
49	PROCESS FOOD BY SALTING, CURING AND SMOKING (Leading to Food Proc NC II)						
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments	1	unit		
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC		
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET		
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET		
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC		
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT		
	1	•	OOD BY SALTING, CURING AND SMOP	KING (L	eading to		
50	Food Processing NC II) PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Proc						
	1		ERMENTATION AND PICKLING (Lead	ling to I	Food Proc		
	NC II)	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with	1	Food Proc unit		
	NC II)		2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel				
	NC II) 1	Food Processor	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 	1	unit		
	NC II) 1 2	Food Processor Chef's Knife Measuring Cups Measuring	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ 	1	unit PC		
	NC II) 1 2 3	Food Processor Chef's Knife Measuring Cups	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip 	1	unit PC SET		
	NC II) 1 2 3 4	Food Processor Chef's Knife Measuring Cups Measuring Spoons	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) 	1 1 1 1 1	unit PC SET SET		
	NC II) 1 2 3 4 5	Food Processor Chef's Knife Measuring Cups Measuring Spoons Casserole	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart 	1 1 1 1 1 1	unit PC SET SET PC		
	NC II) 1 2 3 4 5 6 7 Sub-to	Food Processor Chef's Knife Measuring Cups Measuring Spoons Casserole Mixing Bowl Colander	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart capacity 5 qts capacity, stainless steel, with 	1 1 1 1 1 1 1	unit PC SET SET PC PC PC		
51	NC II) 1 2 3 4 5 6 7 Sub-to Food J	Food Processor Chef's Knife Measuring Cups Measuring Spoons Casserole Mixing Bowl Colander	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments 8", stainless steel blade with black polymer handle Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart capacity 5 qts capacity, stainless steel, with two grip handles 	1 1 1 1 1 1	unit PC SET PC PC PC eading to		

Agypter jo

	PROC		ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20		NING FOR	
TES	DA-Reg	jion IV-B (MIMARC	DPA) – Luna Building III, Gov. Infantad Oriental Mindoro		et, Calapa	n City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	40
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	40
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
	Sub-to Proces	tal, PROCESS FO	ODS BY SUGAR CONCENTRATION (I	eading	to Food	40
TOTAL						

.

Agypen ja