| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|-------|------------------|--|----------|-------------|--------|
| | *** | TESDA-Regi | on V – Regional Center, Rawis, Lega | spi City | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | 1 | | | OF |
| | | | - | | | PAX |
| 1 | ANIMA | AL PRODUCTION | (Poultry-Chicken) NC II | | | |
| | 1 | Galloner | Dimension: height 347 mm (tube), 55 | 3 | PC | 65 |
| | | | mm (plate, plate diameter is 9.6 | | | |
| | | | inches, 5000 ml water capacity, | | | |
| | | | plastic | | | L |
| | 2 | Tubular Feeder | 3 kg. capacity, automatic plastic | 5 | PC | 65 |
| | | | feeder, 11 inches plate diameter, | | | |
| | | | 10.5 inches feeder height | | | |
| | 3 | Brooder/Heater | 45 cm diameter aluminum reflector; | 1 | SET | 65 |
| | | Lamp | socket is insulated porcelain, flexible | | | |
| | | | heavy gauge SJT cord with molded- | | | |
| | | | on plug | | | |
| | 4 | Infrared Lamp | 250 Watts Bulb, clear colour emitted | 1 | PC | 65 |
| | | | light | | <u> </u> | |
| | | | DUCTION (Poultry-Chicken) NC II | | | 65 |
| 4 | RAISE | | EN (Leading to Organic Agriculture I | | | |
| | 1 | Galloner | Dimension: height 347 mm (tube), 55 | 3 | PC | 25 |
| | | | mm (plate, plate diameter is 9.6 | | | |
| | | | inches, 5000 ml water capacity, | | | |
| | | | plastic | | | |
| | 2 | Tubular Feeder | 3 kg. capacity, automatic plastic | 5 | PC | 25 |
| | | | feeder, 11 inches plate diameter, | | | |
| | | | 10.5 inches feeder height | | | |
| | 3 | Brooder/Heater | 45 cm diameter aluminum reflector; | 1 | SET | 25 |
| | | Lamp | socket is insulated porcelain, flexible | | | |
| | | 7. | heavy gauge SJT cord with molded- | | | |
| | | | on plug | | | |
| | 4 | Infrared Lamp | 250 Watts Bulb, clear colour emitted | 1 | PC | 25 |
| | | | light | | | |
| | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene | 1 | PC | 25 |
| | | 01 0 11 11 | material | | | |
| | 6 | Chef's Knife | 8", stainless steel blade with black | 1 | PC | 25 |
| | | | polymer handle | | | |
| ļļ | | | ANIC CHICKEN (Leading to Orga | inic Ag | riculture | 25 |
| | | ction NC II) | NOCCTION AND EVERACTO (I I'. | | | |
| 6 | | | PNCOCTION AND EXTRACTS (Leadin | g to Org | Janic Agric | uiture |
| | | ction NC II) | Delypropologo 4 liter associate with | | DC 1 | 72 |
| | 1 | Measuring | Polypropelene, 1 liter capacity with | 1 | PC | 73 |
| | | Cup/Jug | graduation | | LINUT | 72 |
| | 2 | Sprayer | Knapsack type (16 litres cap) | 1 | UNIT | 73 |
| | | | stainless tank and steel lance manual | | | |
| | 3 | Channing Paged | type with cone and fan nozzles | 1 | PC | 73 |
| | 3 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | 70 | 13 |
| | 4 | Weighing Scale | 10 kg. capacity | 1 | UNIT | 73 |
| 1 | 4 | vveigining Scale | To hy, capacity | | CIVII | () |

Agyler ja

| | PRO | CUREMENT OF ST EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | L TRAII | NING FOR | |
|------------|------|---|--|---------|-----------|------------------|
| | | TESDA-Regio | on V – Regional Center, Rawis, Legas | pi City | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 73 |
| | | otal, PRODUCE OI ic Agriculture Pro | RGANIC CONCOCTION AND EXTRA duction NC II) | CTS (Le | eading to | 73 |
| 7 | PERF | ORM DIESEL ENG | NE TUNE UP (Leading to Automotive | Servic | ing NC I) | |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | 1 | PC | 155 |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 155 |
| | 3 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 155 |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 155 |
| | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 155 |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 155 |
| | | tal, PERFORM Di ing NC I) | IESEL ENGINE TUNE UP (Leading | to Au | tomotive | 155 |

Myglen

| _ | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | I TRAI | NING FOR | · · · · · · · · · · · · · · · · · · · |
|-----|------|---|---|----------|-----------|---------------------------------------|
| | | EMPLOY | MENT PROGRAM (STEP) FOR FY 20 | 17 | | • |
| | γ | | on V – Regional Center, Rawis, Legas | pi City | | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 8 | PERF | ORM GAS ENGINE | TUNE UP (Leading to Automotive S | ervicin | g NC I) | - |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, | 1 | PC | 80 |
| | | | .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | | | |
| | 2 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | 1 | SET | 80 |
| | 3 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 80 |
| | 4 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 80 |
| | 5 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 80 |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 80 |
| | 7 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 80 |
| | | otal,PERFORM(ing NC I) | GAS ENGINE TUNE UP (Leading | to Au | ıtomotive | 80 |
| 9 | SERV | CE UNDERCHASS | IS COMPONENTS (Leading to Auton | notive S | | |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 41 |
| | 2 | Coil Spring Compressor | 12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks | 1 | SET | 41 |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 41 |

Jayle J

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-------------|--------|-------------------|--|-------------|-----------|--------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | \ | | | | OF |
| | | | | | | PAX |
| | 4 | Vise Grip | 10 inches length, Stainless Steel. | 1 | PC | 41 |
| | | | Jaws: straight, flat, square, | ľ | | |
| | | | Adjustable screw | | | |
| | Sub-to | otal, SERVICE UNI | DERCHASSIS COMPONENTS (Leading | ng to Au | utomotive | 41 |
| | | cing NC II) | | | | |
| 10 | SERV | ICE ENGINE COMP | PONENTS (Leading to Automotive Se | rvicing | NC II) | |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 91 |
| 1 | | | Ratchet Wrench, 10 pcs Socket 6 | | | |
| } | | | side/point (10mm, 11mm, 12mm, | 1 | | |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| |] | | 22mm, 24mm), 1 pc Extension Rod | | | |
| | 2 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 91 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | | | |
| | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | 3 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 91 |
| | | On onp : noro | detachable tip (combination) internal | . | 02. | |
| | | | and external | | | |
| | 4 | Allen Wrench | Hex Key Set, Number of Pieces 9, | 1 | SET | 91 |
| | 7 | Set | Arm Length 2.80 to 6.80 In., Sizes | ' | 0_, | J. |
| | | | Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, | | | ļ |
| | | | 10mm, Blade Material Alloy steel, | | | |
| | | | Handle Type L-Shaped, Includes | | | . |
| | | | Molded Plastic Holder | | | |
| | 5 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 91 |
| | 5 | Driver | plastic handle, tip: 2 X 6mm | ' | , 0 | 91 |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) | 1 | PC | 91 |
| | O | Flat Sciew Dilvei | plastic handle, tip: 1/4" / 6.5mm | ' } | 10 | 91 |
| | 7 | Ball Peen | Forged hard steel; jacketed graphite | 1 | PC | 91 |
| | , | Hammer | ballpeen hammer, 16 oz./ 1 lb | • | . 0 | • |
| | Sub-to | | NGINE COMPONENTS (Leading | to Au | tomotive | 91 |
| | | ing NC II) | 10//12 00/// 0//2/// (2000//g | | | |
| 11 | | | ELECTRICAL COMPONENTS (L | eading | to Autor | notive |
| | | ing NCII) | | <u>-</u> | | |
| | 1 | Battery Load | 100-Amp, 6V and 12V batteries. | 1 | PC | 50 |
| | · | Tester | shock-resistant meter, sturdy steel | | | |
| | | | case that has a durable baked | İ | Ì | |
| | | ' | enamel finish, rubber insulated carry | | | |
| | | | handle, equipped with super-grip | | İ | 1 |
| | | | battery clamps and a top-mounted | } | | |
| | | | rocker switch. | | l | Į |
| | | Electriciona/ | | 1 | BC | 50 |
| | 2 | Electricians/ | Overall length: 8", Steel Alloy, Handle | 1 | PC | 50 |
| | 3 | Electrical Plier | finish: plastic-dipped | 1 | PC | 50 |
| | 3 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 50 |
| | | Driver | plastic handle, tip: 2 X 6mm | | DC. | - FO |
|] | 4 | Flat Screw Driver | 8" shank length (chrome plated) | 1 | PC | 50 |
| | | | plastic handle, tip: 1/4" / 6.5mm | | | |

refigia

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|-------------|--------------------|--|---------|-------------|---------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | 7.02.10 01.200 | | 0.4.1 | OF |
| | | | | | | PAX |
| ļ | Sub-ti | otal SERVICE ALL | TOMOTIVE ELECTRICAL COMPONE | NTS / | eading to | 50 |
| | | notive Servicing N | | 1415 (L | eaumy to | 30 |
| 13 | | | all Engine System (Leading to M | otorcyc | le/Small | Engine |
| .5 | | ing NC II) | an Engine System (Leading to W | otorcyc | ,ie/Siliali | Liigine |
| | 1 | Manual Impact | 1 pc 1/2" Drive Impact Driver,1 pc 8 | 1 | SET | 81 |
| | ' | Driver | mm long bit holder,1 pc 36 mm long, | ' | OL. | 0, |
| | | Dilvei | 8 mm slotted bit,1 pc 36 mm long, 10 | | | |
| ĺ | } | | mm slotted bit,1 pc 36 mm long, PH2 | , | | |
| Ì | | | bit, 1 pc 36 mm long, PH3 bit | | | |
| | 2 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 81 |
| | 2 | Socket Wielich | 1 | • | SEI | 01 |
| | | | Ratchet Wrench, 10 pcs Socket 6 | | | |
| [| | | side/point (10mm, 11mm, 12mm, | | | |
| } | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| | | | 22mm, 24mm), 1 pc Extension Rod | | | |
| } | 3 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 81 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | | | |
| _ | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | 4 | Spark Plug | 1pc T-Handle Universal Joint Spark | 1 | SET | 81 |
| | | Wrench | Plug, Socket Wrench 21mm | | | |
| | 5 | Spark Plug | 1pc T-Handle Universal Joint Spark | 1 | SET | 81 |
| | | Wrench | Plug, Socket Wrench 16mm | | | |
| | 6 | Allen Wrench | Hex Key Set, Number of Pieces 9, | 1 | SET | 81 |
| | | Set | Arm Length 2.80 to 6.80 In., Sizes | | | |
| | [| | Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, | - | | |
| | | | 10mm, Blade Material Alloy steel, | | | |
| | | | Handle Type L-Shaped, Includes | İ | | |
| | | | Molded Plastic Holder | 1 | į | j |
| | 7 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 81 |
| | ' | On onp 1 hors | detachable tip (combination) internal | • | 02. | - 1 |
| | | | and external | | } | İ |
| _ | Sub-to | otal. Service M | Notorcycle/Small Engine System | (Lead | ding to | 81 |
| | | cycle/Small Engine | | (LCai | anig to | |
| 14 | | | n (Leading to Motorcycle/Small Engi | ne Serv | icing NC II |) |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 20 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | | | |
| | | , | Internal Battery: R6 (IEC) or UM-3 | | | ľ |
| | | | 1.5V x 2 Internal Fuse: | ţ | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | | | Į |
| | | • | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | ĺ | Ì | } |
| | | | X1 to X1k | } | |) |
| | 2 | Electricians/ | Overall length: 8", Steel Alloy, Handle | 1 | PC | 20 |
| İ | 4 | Electrical Plier | finish: plastic-dipped | • | , , | 20 |
| | 3 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 20 |
| | ٥ | Driver | plastic handle, tip: 2 X 6mm | 1 | 1-0 | 20 |
| | 4 | Flat Screw Driver | | 1 | PC | 20 |
| | 4 | TIAL SCIEW DIIVEL | • | 1 | | 20 |
| | | | plastic handle, tip: 1/4" / 6.5mm | 1 | | |

in ju

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
|------------|--------|---|---|----------|------|------------------|
| | | TESDA-Region | on V – Regional Center, Rawis, Legas | spi City | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 5 | Battery Load Tester | 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. | 1 | PC | 20 |
| | Servic | ing NC II) | trical System (Leading to Motorcyc | | | 20 |
| 15 | NC II) | | nall Engine (Leading to Motorcycle/ | | | |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 55 |
| | 2 | Manual Impact Driver | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit | 1 | SET | 55 |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 55 |
| | 4 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: 0.038, 0.051, 0.064, 0.076, 0.102, 0.127, 0.152, 0.178, 0.203, 0.229, 0.254, 0.279, 0.305, 0.330, 0.356, 0.381, 0.406, 0.432, 0.483, 0.457, 0.508, 0.533, 0.559, 0.584, 0.610 and 0.635mm.Inch sizes: 0.0015, 0.002, 0.0025, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.017, 0.018, 0.019, 0.020, 0.021, 0.022, 0.023, 0.024, and 0.025. | 1 | PC | 55 |
| | 5 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | 1 | SET | 55 |
| | 6 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 55 |
| | 7 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 55 |

white

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | · |
|-----|--------|---------------------|---|-------------|-----------|------------------|
| | | TESDA-Region | on V – Regional Center, Rawis, Legas | spi City | | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 8 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 55 |
| | 9 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 55 |
| | Engin | e Servicing NC II) | torcycle/Small Engine (Leading to I | Motorcy | cle/Small | 55 |
| 16 | CARP | ENTRY NC II | | | | |
| | 1 | Cross Cut Saw | Crosscut saw; 8 points per inch; 18 in. length/450 mm; hardwood handle | 1 | PC | 233 |
| | 2 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 233 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 233 |
| | 4 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 233 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 233 |
| | 6 | Sledge Hammer | Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle | 1 | PC | 233 |
| | 7 | Chalk Line Reel | Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle | 1 | PC | 233 |
| | 8 | Wood Chisel | Forged steel blade; 3/4: blade width; plastic handle | 1 | PC | 233 |
| | 9 | Try Square | Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations | 1 | PC | 233 |
| | 10 | Ripping Bar | Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow | 1 | PC | 233 |
| | 11 | Plumb Bob | Hexagonal/Conical shape, Machined Steel, 8 ounce | 1 | PC | 233 |
| | Sub-to | tal, CARPENTRY | NC II | | | 233 |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ₹ |
|--------------|--------|----------------------|--|-------------|-------------|-------------|
| - | | | on V – Regional Center, Rawis, Lega | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | 0.11.1 | OF |
| 1 | | | | | | PAX |
| 17 | Electr | ical Installation an | d Maintenance NC II | | | |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 471 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | | | |
| İ | | s | Internal Battery: R6 (IEC) or UM-3 | 1 | | |
| ļ | | | 1.5V x 2 Internal Fuse: | | | |
| | Ì | | 0.5Ano/250V/5.2mm dia. X 20mm | 1 | | ļ |
| | | | Dimension and Weight: 159.5 x 129 | [| | |
| | | | x 41.5 mm/approx. 320g Resistance: | | | ļ |
| | | | X1 to X1k | | | |
| | 2 | Screw Driver Set | 4 pieces per set | 1 | SET | 471 |
| | | | Flat Blade Tip: 6.5X150mm, | | | |
| | | | 5X100mm | | | |
| | | | Phillips Blade tip: 1X100mm, | 1 | | |
| | | | 2X150mm | | | |
| | | | Plastic and rubberized handle, Chrome Vanadium, Shank 6" | | | } |
| | 3 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 471 |
| | 3 | Long Nose Filers | Knife Length: 5/8" | ' | rC | 4/1 |
| | | | Material: Carbon Steel | 1 | | } |
| | | | Handle Finish: plastic dipped | | | j |
| | 4 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 471 |
| ļ į | · | Plier | plastic dipped, Carbon Steel | • | . • | |
| | 5 | Electricians/ | Overall Length: 8", Steel Alloy, | 1 | PC | 471 |
| | | Electrical Plier | Handle finish: plastic-dipped | | | |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 471 |
| | | | High impact ABS case with durable | | | |
| | | | rubber Corrosion resistant tru-zero | | | |
| | | | end | | | |
| | | | allation and Maintenance NC II | | | 471 |
| 18 | | NRY NC I | | , , -ı | | |
| | 1 | Pointing Trowel | Steel 3" x 7", wooden handle | 1 | PC_ | 265 |
| | 2 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 265 |
|] | | | High impact ABS case with durable | | | } |
| | | | rubber Corrosion resistant tru-zero | | | |
| - | 3 | Claw Hammer | end Forged High-Carbon Steel Head; | 1 | PC | 265 |
| | ر ا | Claw Hallille | Smooth Face; 16 Oz; Wood Handle | ' | FU | 200 |
| | 4 | Spirit Level Bar | Aluminum, top-read center vial; 3 | 1 | PC | 265 |
| | - | Opini Level Dai | vials; Length: 24" | ' | 1.0 | 200 |
| | 5 | Shovel | Round point steel blade; fiber glass | 1 | PC | 265 |
| | | 0,10401 | D-grip handle, blade length 11.5" | ' | , 0 | 200 |
| | | | width 8.25" wooden handle length | | | |
| | | | 20" | | | |
| | 6 | Hacksaw With | Adjustable hacksaw frame with bi- | 1 | PC | 265 |
| | | Blade | metal hacksaw blade, 24 TPI, | | | |
| | Į. | Į. | aluminum alloy frame and handle | 1 | | |

rapple jo

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | NING FOR | |
|-----|--------|-------------------------------------|---|-------------|----------|-------------|
| | | TESDA-Regio | on V – Regional Center, Rawis, Lega | spi City | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF PAX |
| | 7 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 265 |
| | Sub-to | otal, MASONRY NO | | | | 265 |
| 19 | PLAS | TER CONCRETE/N | MASONRY SURFACE (Leading to Mas | sonry No | C II) | |
| | 1 | Pointing Trowel | Steel 3" x 7", wooden handle | 1 | PC | 148 |
| | 2 | Concrete/cement Finishing Trowel | Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle | 1 | PC | 148 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 148 |
| | 4 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 148 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 148 |
| | 6 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 148 |
| | 7 | Shovel | Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" | 1 | PC | 148 |
| | 8 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 148 |
| | MASO | NRY NC II) | CONCRETE/MASONRY SURFACE | (LEADI | ING TO | 148 |
| 23 | CONS | TRUCTION PAINTI | NG NC II | | | |
| | 1 | Steel Brush | Hardened steel brush, wooden handle | 1 | PC | 50 |
| | 2 | Paint Brush, 1" | Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules | 2 | PC | 50 |
| | 3 | Paint Brush, 2" | Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules | 2 | PC | 50 |
| | 4 | Paint Brush, 3" | Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules | 2 | PC | 50 |
| | 5 | Paint Brush, 4" | Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules | 2 | PC | 50 |
| | 6 | Spray Gun, Gravity Feed Type | HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4" | 1 | PC | 50 |
| | 7 | Air Hose | HVLP air hose, 1/4" dia. X 6 meters length, 150 psi | 1 | SET | 50 |
| | 8 | Scraper | Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade | 1 | PC | 50 |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ? |
|-----|-------------|-----------------------------|--|---------|----------|------------------|
| | | TESDA-Region | on V – Regional Center, Rawis, Legas | pi City | | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 9 | Putty Knife | Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade | 1 | PC | 50 |
| | 10 | Industrial Safety Goggles | Ventilated | 1 | PC | 50 |
| | 11 | Paint Roller, 4" | Paint Roller pure polyester with handle, size: 4" | 1 | PC | 50 |
| | 12 | Paint Roller, 7" | Paint Roller pure polyester with handle size: 7" | 1 | PC | 50 |
| | 13 | Paint Roller, 9" | Paint Roller pure polyester with handle, size: 9" | 1 | PC | 50 |
| | 14 | Paint Roller Pan/Tray | Plastic, size: 9" | 1 | PC | 50 |
| | Sub-to | tal, CONSTRUCTI | ON PAINTING NC II | | | 50 |
| 24 | TILES | ETTING NC II | | | | |
| | 1 | Tile Cutter | Pen type, carbide tip, manual 8" length | 1 | PC | 236 |
| | 2 | Nipper, End Cutter | End nipper Plier 8" | 1 | PC | 236 |
| | 3 | Pull-Push Rule | Błade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 236 |
| | 4 | Rubber Mallet | 16 oz, Wooden Handle | 1 | PC | 236 |
| | 5 | Notched Trowel | Notched Trowel; carbon steel; Wooden/ Plastic handle | 1 | PC | 236 |
| | 6 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 236 |
| | 7 | Plier | Forged carbon steel, length 8 inches, machined jaws | 1 | PC | 236 |
| | 8 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 236 |
| | Sub-to | tal, TILE SETTING | NC II | | | 236 |
| 26 | | DED METAL ARC | WELDING (SMAW) NC I | | | |
| | 1 | Portable Welding Machine | Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | 1 | PC | 833 |
| | 2 Sub-to | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 833 833 |
| į. | SUD-10 | lai, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | | | ೦೨೨ |

Ju ju

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|-----|---|--|------------|-------------|------------------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 27 | | nble Electronics ing NC II) | Products (Leading to Electronic P | roducts | Assemb | ly and |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 162 |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 162 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 162 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 162 |
| | D. | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 162 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 162 |
| | | | ectronics Products (Leading to Elec | tronic l | Products | 162 |
| | | nbly and Servicing | | - 4 - F1 - | 400010 | - do: - 4- |
| 28 | | e Consumer Electi ibly and Servicing | ronic Products and Systems (Leading | a to Elec | stronic Pro | Jaucis |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 88 |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 88 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 88 |

Myrten jo

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | INING FOR | |
|------------|-------------|--|---|---------|--------------|------------------|
| | | | on V – Regional Center, Rawis, Legas | | 1 | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Diagonal Cutting Plier | plastic dipped, Carbon Steel | 1 | PC | 88 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 88 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 88 |
| | Electr | onic Products Ass | umer Electronic Products and Syst embly and Servicing NC II) | | | 88 |
| 29 | | e Industrial Electrons cts Assembly and | onic Modules, Products and System Servicing NC II) | s (Lead | ling to Elec | ctronic |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | | UNIT | 65 |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 65 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 65 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 65 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 65 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 65 |
| | | • | strial Electronic Modules, Product roducts Assembly and Servicing NC | | Systems | 65 |

1 ju

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | INING FOR | |
|------------|-------------|-------------------------|---|-----|-----------|------------------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 31 | DRES | SMAKING NC II | | | | ' |
| | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | 1 | UNIT | 541 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2 " W curve ruler | 1 | SET | 541 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC | 541 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 541 |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | 1 | PC | 541 |
| | Sub-to | tal, DRESSMAKIN | | | | 541 |
| 33 | HILOT | (WELLNESS MAS | SAGE) NC II | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 508 |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 508 |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 508 |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 508 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 508 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 508 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 508 |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 508 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 508 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 508 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 508 |
| | | | NESS MASSAGE) NC II | | | 508 |
| 34 | | | ND PEDICURE (Leading to Beauty C | | | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 1 | PC | 213 |

Jo Jo

| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | L TRA | INING FOR | <u> </u> | |
|---|---|-----------------------------|--|--------------|-------------|-----------|--|
| | | | on V – Regional Center, Rawis, Legas | | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | , | | NO | |
| NO. | NO. | 11 [14] | AGENCI SPECS | QTY | UNIT | NO. OF | |
| | | | | | | PAX | |
| | _ 2 | Cuticle Pusher | stainless steel, 5" | 1 | PC | 213 | |
| | 3 | Foot Nail Cutter | stainless steel, 3" long | 1 | PC | 213 | |
| | 4 | Hand Nail Cutter | stainless steel, 2.5" long | 1 | PC | 213 | |
| | 5 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 213 | |
| | 6 | Nail Brush | Plastic, soft bristle | 1 | PC | 213 | |
| | 7 | Emery Board | 80/100 coarse, 8" Long | 1 | PC | 213 | |
| | 8 | Orange Woodstick | 1.77mm, smooth woodstick | 3 | PCS | 213 | |
| | 9 | Cotton Balls | 150 balls | 1 | PACK | 213 | |
| | 10 | Cuticle Remover | 120 ml bottle | 1 | BOTTLE | 213 | |
| | 11 | Nail Polish Remover | 120 ml bottle | 1 | BOTTLE | 213 | |
| | 12 | Antiseptic (Merthiolate) | 25 ml bottle | 1 | BOTTLE | 213 | |
| | 13 | Colored Nail Polish | 15ml bottle, preferably touch of tan | 1 | BOTTLE | 213 | |
| | 14 | Colored Nail Polish | 15ml bottle, white | 1 | BOTTLE | 213 | |
| | 15 | Colorless Nail Polish | 15ml bottle, with glitters | 1 | BOTTLE | 213 | |
| | 16 | Colorless Nail Polish | 15ml bottle | 1 | BOTTLE | 213 | |
| .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 17 | Low Stool | hard plastic, round | 1 | PC | 213 | |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 213 | |
| | Sub-total, PERFORM MANICURE AND PEDICURE (Leading to Beauty Care NC II) | | | | | | |
| 35 | PERF | <u>ORM HAND SPA (L</u> | eading to Beauty Care NC II) | | | | |
| | 1 | Handspa Machine | Thermostatically-controlled heating unit, 220v, 60hz | 1 | PC | 20 | |
| | 2 | Paraffin Wax | Scented, 500g | 1 | BOX | 20 | |
| | 3 | Clingwrap | clear, transparent, 150 sq. ft (36.6m x 38 cm) | 1 | ROLL | 20 | |
| | Sub-to | tal, PERFORM HA | ND SPA (Leading to Beauty Care NC | : 11) | | 20 | |
| 41 | | | ING/BLEACHING SERVICES (Leading | | irdressing | NC II) | |
| | 1 | Colorants | Paste form, brown (light, medium and dark) at 100 grams each | 3 | TUBE | 41 | |
| | 2 | Colorants | Paste form, blonde (light, medium and dark) at 100 grams each | 3 | TUBE | 41 | |
| | 3 | Mixing Bowl | Plastic, 6 cm height, diameter 13.5 cm, color black. | 1 | PC | 41 | |
| | 4 | Applicator Brush | Plastic, black, with comb and tail | 1 | PC | 41 | |
| | 5 | Frosting Cap with Hook | Reusable hair color highlighting cap hat with metal hook | 1 | PC | 41 | |
| | 6 | Bleaching Powder | 30g (sachet) | 3 | PC | 41 | |

Mayle Ja

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | INING FOR | |
|-----|--------|-------------------|--|----------------|-----------|-------|
| - | | | on V – Regional Center, Rawis, Legas | | , | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | } | | | } | OF |
| | | | | | | PAX |
| i | 7 | Hand Gloves | washable, medium size, preferably | 1 | PAIR | 41 |
| | 1 | | black | | | '' |
| | 8 | Protective Cape | Water proof, nylon, black | 1 | PC | 41 |
| | 9 | Oxidizing | set of 3, 6%, 9% and 12%, at 100 mi | 1 | SET | 41 |
| | | Solution | each bottle | , | 0 | i |
| | 10 | Face Mask | disposable earloop face mask, 50 | 1 | BOX | 41 |
| | | | pcs per box | | | |
| | | | 1 | | | |
| | Sub-to | otal. PERFORM H | AIR COLORING/BLEACHING SERVI | CES (L | eading to | 41 |
| | | ressing NC II) | | , | | |
| 42 | | | NG/STRAIGHTENING (Leading to Hai | rdressi | na NC II) | |
| | 1 | Hair | 220V, 60hz, adjustable heat control | 1 | PC | 41 |
| | | Straightening | , | | | |
| | | Iron | | | [| |
| | 2 | Hair | straightening solution and | 1 | SET | 41 |
| | _ | Straightening | neutralizing cream, at 500ml each | | | |
| | 1 | Product | | | | |
| | 3 | Mixing Bowl | Plastic, 6 cm height, diameter 13.5 | 1 | PC | 41 |
| | | J | cm, color black. | | | |
| | 4 | Hair Perming | cold wave lotion & neutralizer at 500 | 1 | SET | 41 |
| | | Product | ml each | · | 0 | • • |
| | 5 | Curling Rods | 4mm size | 2 | DOZ | 41 |
| | 6 | Curling Rods | 14mm size | 2 | DOZ | 41 |
| | 7 | Curling Rods | 16mm size | _ _ | DOZ | 41 |
| | 8 | Applicator Brush | Plastic, black, with comb and tail | 1 | PC | 41 |
| | 9 | Bottle Applicator | Plastic, transparent, 100 ml capacity | 1 | PC | 41 |
| | 10 | Shower Cap | Thick plastic, preferably black, free | 1 | PACK | 41 |
| | '0 | onower oup | size | • | | • • |
| _ | 11 | Protective Cape | Water proof, nylon, black | 1 | PC | 41 |
| | 12 | Face Mask | disposable earloop face mask, 50 | 1 | BOX | 41 |
| | '2 | 1 acc Mask | pcs per box | • | | • • |
| ., | 13 | Hand Gloves | washable, medium size, preferably | 1 | PAIR | 41 |
| | .0 | Tiana Cioves | black | • | , , , | |
| | Sub-to | tal, PERFORM | HAIR PERMING/STRAIGHTENING | (Lea | ding to | 41 |
| | | ressing NC II) | | (| 9 | |
| 43 | | | IG SERVICES (Leading to Hairdressin | a NC I | | |
| | 1 | Hair Blower | 220V, 1800W, 60 Hz, hot and cold | 1 | UNIT | 124 |
| | · | | blower function | · | | |
| | 2 | Cutting Scissors | 6" stainless steel with tight regulator | 1 | PC | 124 |
| İ | - | | screw | • | , • | . — . |
| | 3 | Thinning | 5" Single notched, 23 teeth, stainless | 1 | PC | 124 |
| | | Scissors | steel | | . • | , |
| | 4 | Apron | black with 3 pockets | 1 | PC | 124 |
| | 5 | Protective Cape | Water proof, nylon, black | - i | PC | 124 |
| | 6 | Neck brush | Wood handle, app. 10 cm x 6.7cm | 1 | PC | 124 |
| | 7 | Talcum Powder | 250g | 1 | BOTTLE | 124 |
| | | | | | | |

Jagger Ja

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | NING FOR | |
|------------|--------|------------------|---|---------|----------|------------------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | Sub-to | otal, PERFORM HA | NR CUTTING SERVICES (Leading to | Hairdre | ssing NC | 124 |
| 44 | BREA | D MAKING (Leadir | ng to Bread and Pastry Production N | IC II) | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 366 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 366 |
| | 3 | Measuring Urn | Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres | 1 | PC | 366 |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 366 |
| | | | NG (Leading to Bread and Pastry Pro | | n NC II) | 366 |
| 45 | PAST | | ng to Bread and Pastry Production I | VC II) | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 65 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 65 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 65 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 65 |
| | Sub-to | tal, PASTRY MAK | ING (Leading to Bread and Pastry Pi | oductio | n NC II) | 65 |
| 46 | | | to Bread and Pastry Production NC | | | |

Lygge

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | R |
|--------------|-------------|----------------|---|-------------|-------------|------------------|
| | | | on V – Regional Center, Rawis, Legas | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 393 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 393 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 393 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 393 |
| | | | G (Leading to Bread and Pastry Proc | | NC II) | 393 |
| 47 | | | OT MEALS (Leading to Cookery NC | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 211 |
| | 2, | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 211 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 211 |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 211 |
| - | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 211 |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 211 |
| | 7 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 211 |
| | 8 | Strainer | 8" diameter, single fine mesh, flat wooden handle | 1 | PC | 211 |
| | | | D COOK HOT MEALS (Leading to Co | okery N | IC II) | 211 |
| 48 | | | S (Leading to Cookery NC II) | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 45 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 45 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 45 |
| | 4 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 45 |
| | 5 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 45 |

1,1

J ja

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | | |
|-------------|--|--------------------------------------|--|----------|---------------|----------------|--|
| | | | on V – Regional Center, Rawis, Legas | | · | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO OF PA | |
| | 6 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 45 | |
| | 7 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) | 1 | SET | 45 | |
| | Sub-to | otal, PREPARE CO | LD MEALS (Leading to Cookery NC I | 1) | | 45 | |
| 49 | PROC NC II) | ESS FOOD BY SA | LTING, CURING AND SMOKING (Lead | ding to | Food Proc | essin | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 115 | |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 . | PC | 115 | |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 115 | |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 115 | |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 115 | |
| | 6 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 115 | |
| | | tal, PROCESS FO Processing NC II) | OD BY SALTING, CURING AND SMOK | (ING (L | eading to | 115 | |
| 50 | PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processin NC II) | | | | | | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 105 | |
| | 2 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 105 | |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 105 | |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 105 | |
| | 5 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 105 | |
| | 6 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 105 | |
| | 7 | Colander | 5 qts capacity, stainless steel, with two grip handles | 1 | PC | 105 | |
| | | tal, PROCESS FO Processing NC II) | ODS BY FERMENTATION AND PICKL | .ING (Le | eading to | 105 | |

roggle

| | PRO | EMPLO) | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 |)17 | | |
|----------|--------|---------------------|---|----------|-----------|--------|
| | | TESDA-Region | on V – Regional Center, Rawis, Lega | spi City | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| <u></u> | 55.55 | 500 50000 51/ 6 | | | <u></u> | PAX |
| 51 | PROC | ESS FOODS BY S | SUGAR CONCENTRATION (Leading | to Foo | d Process | ing NC |
| | 1 | Blender | 2 speed, 1.5 liter capacity, glass jar | 1 | unit | 46 |
| } |] | | with stainless steel blades | , | G i ii | } |
| | 2 | Candy | 8" long, measures temperatures | 1 | PC | 46 |
| \ | | Thermometer | from 100 to 400 degrees F; glass, | | | |
| į | | | pen-type adjustable clip secures | | | |
| | ł | | thermometer to pan | | | |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 46 |
| | | | 1/3 cup, 1/4 cup) |) ' | U | |
| | 4 | Measuring | Stainless steel, 1 set (1tbsp, 1 tsp, ½ | 1 | SET | 46 |
| } | 1 | Spoons | tsp, 1/4 tsp) | | U | |
| | 5 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 46 |
| | | , which is a second | capacity | ' | , , | |
| | 6 | Casserole | Stainless; 6L capacity; with two grip | 1 | PC | 46 |
| Ì | | | handle, with cover | | . • | |
| | 7 | Chef's Knife | 8", stainless steel blade with black | 1 | PC | 46 |
| | } | | polymer handle |] | | |
| | 8 | Rubber Scraper | Rubber head high heat resistant, | 1 | PC | 46 |
| | | ' | flexible, 12" long | | | |
| | 9 | Weighing Scale | Manual Weighing Scale; maximum | 1 | UNIT | 46 |
| | | | weight capacity; 2 kg, graduated by | | ļ | |
| | | | grams; removable and washable tray | | | |
| | Sub-to | otal, PROCESS FO | ODS BY SUGAR CONCENTRATION (| Leading | to Food | 46 |
| | Proce. | ssing NC II) | | | | |
| 52 | SERVI | CE CONSUMER I | ELECTRONIC PRODUCTS AND SYS | STEMS | (ASSEMBI | LY OF |
| | | R NIGHTLIGHT AN | | | ···· | |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 25 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | } | | |
| | | | Internal Battery: R6 (IEC) or UM-3 | | | |
| | | | 1.5V x 2 Internal Fuse: | | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | [| | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | | j | |
| | | | X1 to X1k | | | |
| | 2 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 25 |
| } | | | Knife Length: 5/8" | | } | [|
| | | | Material: Carbon Steel Handle | | Į. | - |
| | | | Finish: plastic dipped | | | |
| | 3 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 25 |
| | ١ | _ | , | . 1 | FC | 25 |
| | | Plier | plastic dipped, Carbon Steel | } | } | ļ |
| | 4 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip | 1 | PC | 25 |
| | 7 | Cold Ching Ir On | 60Hz | • | . • | |
| | | | 33 | 1 | 1 | |
| | ليحسسا | | | | | |

July in

| | PROC | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | NING FOR | |
|------------|--|--------------|--|---------|----------|------------------|
| | | TESDA-Region | on V – Regional Center, Rawis, Legas | pi City | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 5 | | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 25 |
| | Sub-total, SERVICE CONSUMER ELECTRONIC PRODUCTS AND SYSTEMS (ASSEMBLY OF SOLAR NIGHTLIGHT AND POST LAMP) | | | | | |
| | TOTAL | | | | | 6,146 |

Ngyden 10

| | PRO | | ARTER TOOLKITS FOR THE SPECIA | | NING FOR | |
|-------------|--------------|------------------------------|---|-------------|-----------|------|
| | | | MENT PROGRAM (STEP) FOR FY 20 | | | |
| LOT | | | TESDA Regional Office Zamora Stre | | | 1 |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| INU. | NO. | | | ĺ | | OF |
| 7 | PERF | ORM DIESEL ENG | INE TUNE UP (Leading to Automotive | Service | ing NC I | PAX |
| - | 1 | Feeler gauge | 26 tempered steel leaves/blade | 1 | PC | 145 |
| | • | i color gaage | ranging from 0.015 in to 0.025 inches | ' | ' | 143 |
| İ | } | | and 0.038 to 0.635 mm | | | į |
| | ļ | | mm sizes: .038, .051, .064, .076, | | | |
| | <u> </u> | | .102, .127, .152, .178, .203, .229, | | | |
| | , | | .254, .279, .305, .330, .356, .381, | | | |
| ĺ | } | | .406, .432, .483, .457, .508, | | | |
| | | | .533, .559, .584, .610 and .635mm. | | | |
| | | | Inch sizes: .0015, .002, .0025, .004, | | | |
| | | | .005, .006, .007, .008, .009, .010, | | | |
| | | | .011, .012, .013, .014, .0.15, .016, | | | |
| | | | .017, .018, .019, .020, .021, | | | |
| | | O a a b i a a 4 i a a | .022, .023, .024, and .025. | | CET | 1.45 |
| | 2 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 145 |
| 1 | | Wrench (Open And Box End) | (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | 3 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 145 |
| | 3 | Socket virench | Ratchet Wrench, 10 pcs Socket 6 | ſ | OLI | 140 |
| | | | side/point (10mm, 11mm, 12mm, | | | |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| | | | 22mm, 24mm), 1 pc Extension Rod | | | |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) | 1 | PC | 145 |
| | | | plastic handle, tip: 1/4" / 6.5mm | | | |
| | 5 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 145 |
| | | Driver | plastic handle, tip: 2 X 6mm | | | |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 145 |
| | | | detachable tip (combination) internal | | | |
| | 0-1-4- | AL DEDECRM D | and external | 40 11 | to motivo | 145 |
| | | ing NC I) | IESEL ENGINE TUNE UP (Leading | to Au | itomotive | 145 |
| 8 | | | TUNE UP (Leading to Automotive Se | ervicino | NC I) | |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade | 1 | PC | 40 |
| | | J | ranging from 0.015 in to 0.025 inches | . | | |
| | | | and 0.038 to 0.635 mm mm sizes: | | | ŀ |
| | ľ | | .038, .051, .064, .076, .102, .127, | | | } |
| | | | .152, .178, .203, .229, .254, .279, | | | 1 |
| | į | | .305, .330, .356, .381, .406, .432, | | | ĺ |
| | | | .483, .457, .508, .533, .559, .584, .610 | | | |
| | | | and .635mm.lnch sizes: .0015, .002, | | | 1 |
| [[| | | .0025, .004, .005, .006, .007, .008, . .009, .010, .011, .012, .013, .014, | | | 1 |
| | | | .0.15, .016, .017, .018, .019, .020, | | | |
| | | | .021,.022, .023, .024, and .025. | | | |
| | 2 | Spark Plug | 1pc T-Handle Universal Joint Spark | 1 | SET | 40 |
| | | Wrench | Plug, Socket Wrench 21mm | | | |

rypu ja

| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | L TRA | INING FOR | |
|-----|-------|---|---|----------|-----------|------------------|
| | | EMPLOY | MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
| LOT | ITEM | ITEM | TESDA Regional Office Zamora Stre | ~ | | |
| NO. | NO. | | | QTY | UNIT | NO. OF PAX |
| | 3 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 40 |
| | 4 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 40 |
| | 5 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 40 |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 40 |
| | 7 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 40 |
| · | | otal,PERFORM(ing NC I) | GAS ENGINE TUNE UP (Leading | to A | utomotive | 40 |
| 9 | | | IS COMPONENTS (Leading to Auton | notive S | | |
| , | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 25 |
| | 2 | Coil Spring Compressor | 12" Coil Spring Compressor (Silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks | 1 | SET | 25 |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 25 |
| | 4 | Vise Grip | 10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw | 1 | PC | 25 |
| | | otal, SERVICE UND ing NC II) | PERCHASSIS COMPONENTS (Leadin | g to Au | utomotive | 25 |
| 10 | SERVI | CE ENGINE COMP | ONENTS (Leading to Automotive Se | rvicing | NC II) | |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SÉT | 170 |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 170 |
| | 3 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 170 |

7 spyles

| | PRO | CUREMENT OF ST EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | L TRAI | NING FOR | |
|------------|--------|---|---|-----------|------------|------------------|
| | ר | ESDA-Region VI - | TESDA Regional Office Zamora Stre | et, Iloil | o City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 170 |
| | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 170 |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 170 |
| | 7 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 170 |
| | NC II) | | INE COMPONENTS (Leading to Auto | | | 170 |
| 11 | | CE AUTOMOTIVE ing NCII) | ELECTRICAL COMPONENTS (L | eading | to Autor | notive |
| | 1 | Battery Load Tester | 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. | 1 | PC | 73 |
| | 2 | Electricians/ Electrical Plier | Overall length: 8", Steel Alloy, Handle finish: plastic-dipped | 1 | PC | 73 |
| | 3 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 73 |
| | 4 | | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 73 |
| | | otal, SERVICE AUT | OMOTIVE ELECTRICAL COMPONE | NTS (Le | eading to | 73 |
| 12 | | | COMPONENTS (Leading to Automo | tive Se | rvicing NC | : 11) |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SEŤ | 75 |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 75 |
| | 3 | Vise Grip | 10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw | 1 | PC | 75 |
| | 4 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 75 |

my jo

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|------------------|---|--|-----------|-----------|-----------|
| | T | ESDA-Region VI - | TESDA Regional Office Zamora Stre | et, Iloil | o City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF PAX |
| | 5 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 75 |
| | 6 | Torque Wrench | Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive | 1 | PC | 75 |
| | 7 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 75 |
| | 8 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 75 |
| | l | otal, SERVICE PO ing NCII) | WER TRAIN COMPONENTS (Leadin | g to Au | ıtomotive | 75 |
| 13 | | e Motorcycle/Sma ing NC II) | all Engine System (Leading to M | otorcyc | | Engine |
| | 1 | Manual Impact Driver | mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit | 1 | SET | 150 |
| | 2 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 150 |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 150 |
| | 4 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | 1 | SET | 150 |
| | 5 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 150 |
| | 6 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 150 |
| | 7 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 150 |
| | Sub-to Motore | otal, Service M cycle/Small Engine | lotorcycle/Small Engine System e Servicing NC II) | (Lead | ding to | 150 |



| | | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
|-----|-----------------|---|--|-----------|-----------|------------------|
| | | ESDA-Region VI - | TESDA Regional Office Zamora Stre | et, lloil | o City | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 15 | Overh NC II) | - | nall Engine (Leading to Motorcycle/ | Small E | Engine Se | rvicing |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 70 |
| | 2 | Manual Impact Driver | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder,1 pc 36 mm long, 8 mm slotted bit,1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit,1 pc 36 mm long, PH3 bit | 1 | SET | 70 |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 70 |
| | 4 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | 1 | PC | 70 |
| | 5 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | 1 | SET | 70 |
| | 6 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 70 |
| | 7 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 70 |
| | 8 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 70 |
| | 9 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 70 |
| | | otal, Overhaul Mot e Servicing NC II) | forcycle/Small Engine (Leading to I | /lotorcy | cle/Small | 70 |

7 ju

| | PRO | CUREMENT OF STEMPLO | TARTER TOOLKITS FOR THE SPECIA YMENT PROGRAM (STEP) FOR FY 20 | AL TRAI | INING FOI | R |
|------------|---------|----------------------|--|----------|-------------|------------------|
| | | TESDA-Region VI | - TESDA Regional Office Zamora Stre | eet Iloi | lo City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 16 | CARF | PENTRY NC II | | <u></u> | | |
| | 1 | Cross Cut Saw | Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle | 1 | PC | 210 |
| | 2 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 210 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 210 |
| | 4 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 210 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 210 |
| | 6 | Sledge Hammer | Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle | 1 | PC | 210 |
| | 7 | Chalk Line Reel | Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle | 1 | PC | 210 |
| | 8 | Wood Chisel | Forged steel blade; 3/4: blade width; plastic handle | 1 | PC | 210 |
| | 9 | Try Square | Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations | 1 | PC | 210 |
| | 10 | Ripping Bar | Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow | 1 | PC | 210 |
| | 11 | Plumb Bob | Hexagonal/Conical shape, Machined Steel, 8 ounce | 1 | PC | 210 |
| | Sub-to | tal, CARPENTRY | NC II | L | | 210 |
| 17 | Electri | cal Installation an | d Maintenance NC II | | | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 335 |

1 rayle

| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | L TRAI | NING FOR | 3 |
|-----|--------|-------------------------------------|---|--------|----------|------------------|
| - | - | TESDA-Region VI - | MENT PROGRAM (STEP) FOR FY 20 TESDA Regional Office Zamora Stre |)17 | - Cl6: | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO |
| NO. | NO. | | ACENOT OF EGG | QII | UNIT | NO. OF PAX |
| | 2 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 335 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 335 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 335 |
| | 5 | Electricians/ Electrical Plier | Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped | 1 | PC | 335 |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 335 |
| | | | allation and Maintenance NC II | | | 335 |
| 21 | | ITTING NC II | | | | |
| | 1 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 90 |
| | 2 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 90 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 90 |
| ±. | 4 | File | Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant | 1 | PC | 90 |
| | 5 | Adjustable Wrench | 12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm | 1 | PC | 90 |
| | 6 | Adjustable Combination Square | stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade | 1 | PC | 90 |
| | 7 | C - Clamp | Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening | 1 | PC | 90 |
| | 8 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 90 |
| | Sub-to | tal, PIPEFITTING N | | | | 90 |

Marja

| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | L TRAI | NING FOR | <u> </u> |
|-----|--------|------------------------------------|--|--------|----------|------------------|
| | 7 | EMPLO) | MENT PROGRAM (STEP) FOR FY 20 | 17 | | <u></u> |
| LOT | ITEM | ITEM | - TESDA Regional Office Zamora Stre | | | 7 |
| NO. | NO. | I I EIWI | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 22 | PERF | ORM MULTIPLE (S (Leading to Plu | PLUMBING INSTALLATION AND F | REPAIR | MAINTE | NANCE |
| | 1 | Pipe Wrench | 14" Straight cast iron handle; max jaw opening: 65mm (2.55") | 1 | PC | 100 |
| | 2 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 100 |
| | 3 | PVC Pipe Cutter | PVC pipe cutter; steel handle 1/2"- 2" | 1 | PC | 100 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 100 |
| | 5 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 100 |
| | | | ULTIPLE PLUMBING INSTALLATIO (LEADING TO PLUMBING NC II) | N AND | REPAIR | 100 |
| 24 | TILE S | ETTING NC II | | | | |
| | 1 | Tile Cutter | Pen type, carbide tip, manual 8" length | 1 | PC | 75 |
| | 2 | Nipper, End Cutter | End nipper Plier 8" | 1 | PC | 75 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 75 |
| | 4 | Rubber Mallet | 16 oz, Wooden Handle | 1 | PC | 75 |
| | 5 | Notched Trowel | Notched Trowel; carbon steel; Wooden/ Plastic handle | 1 | PC | 75 |
| | 6 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 75 |
| | 7 | Plier | Forged carbon steel, length 8 inches, machined jaws | 1 | PC | 75 |
| | 8 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 75 |
| | | tal, TILE SETTING | | | | 75 |
| 26 | | | WELDING (SMAW) NC I | | | |
| | 1 | Portable Welding Machine | Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | 1 | PC | 794 |
| | 2 | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 794 |
| | Sub-to | tal, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | | | 794 |

Mayer Ja

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-------------|------------|--|--|-----------|-------------|------------|
| | Ĭ | | TESDA Regional Office Zamora Stre | | o City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF PAX |
| 27 | | nble Electronics cing NC II) | Products (Leading to Electronic P | roducts | Assemb | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 65 |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 65 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 6 5 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 65 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 65 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 65 |
| | | otal, Assemble Ele | ectronics Products (Leading to Elec | tronic | Products | 65 |
| | | nbly and Servicing | | . 4 | -1 | |
| 28 | | e Consumer Electi ably and Serv <u>ici</u> ng | ronic Products and Systems (Leading | g to Elec | ctronic Pro | oducts |
| | ASSEM 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 75 |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 75 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 75 |

white

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|---------------|--------|---------------------------------------|---|-------------|-----------|-----|
| | 1 | ESDA-Region VI - | TESDA Regional Office Zamora Stre | et. Iloil | o Citv | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | | | PAX |
| | 4 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 75 |
| | | Plier | plastic dipped, Carbon Steel | | | |
| | 5 | Screw Driver Set | 4 pieces per set | 1 | SET | 75 |
| | | | Flat Blade Tip: 6.5X150mm, | | | ļ |
| | | | 5X100mm | | | |
| | | | Phillips Blade tip: 1X100mm, | | | |
| | | | 2X150mm | | | |
| | | | Plastic and rubberized handle, | | | |
| | | | Chrome Vanadium, Shank 6" | | | |
| | 6 | Desoldering | Anodized aluminum housing, high | 1 | PC | 75 |
| | , | Pump/Solder | suction, strong and light weight. | | | |
| | 0.7.4 | Sucker | Electric Destruction 1 0 and | | | |
| | | | umer Electronic Products and Syst | ems (Le | eading to | 75 |
| 30 | | ITURE MAKING (FI | embly and Servicing NC II) | | | |
| 30 | 1 | · · · · · · · · · · · · · · · · · · · | Air Compressor (1/4 hp, standard | 1 | PC | 100 |
|]] | 1 | Air Compressor | operating pressure: 5kg/cm, 36 liters. | ' } | PC | 100 |
| | | | tank capacity, single piston, 220v, | | | |
| | | | 60hz, single phase/ belt-drive) | ĺ | | |
| | 2 | Air Hose | HVLP air hose, 1/4" dia. X 6 meters | 1 | SET | 100 |
| | 2 | All 11036 | length, 150 psi | ' { | OLI | 100 |
| - | 3 | Spray Gun, | HVLP spray gun with a 1.5 mm fluid | 1 | PC | 100 |
| | | Gravity Feed | tip, 400 ml Aluminum cup; air inlet | . | | |
| | | Type | 1/4" | 1 | | |
| | Sub-to | | IAKING (FINISHING) NC II | | | 100 |
| 31 | | SMAKING NC II | | | | |
| | 1 | Ordinary Sewing | operated by foot pedal with mini | 1 | UNIT | 190 |
| | | machine | electric motor (50/60 HZ;70-150Watt; | Ì | | ŀ |
| | | | 220 V) automatic bobbin winder, | | | |
| | | | variable stitch length control, | | | |
| | | | numbered tension dial with drop feed, | | | |
| | | | wooden table with drawers and cast | | | 1 |
| | : | | iron stand | | | |
| | | | | | | |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 | 1 | SET | 190 |
| | 1 | | 1/2" W, L-shape ruler, Hip curve, | | | |
| f | | | aluminum 24" L x 1 1/2 " W curve | | İ | Ì |
| , | | | ruler | | | ļ |
| | 3 | Cutting Chapte | 8" length stainless steel suffine | 1 | PC | 190 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting | ' | PC | 190 |
| | | | fabrics | | | |
| | | | Tabiles | | | |
| - | 4 | French Curve | made of aluminum curve ruler 1 1/2 " | 1 | PC | 190 |
| | · | , , 5, , 6, , 7 | W for shaping sharp curve edges | ' | | |
| | | | 1 0 | | | |
| 1 | | | | | | |

I myle

| | PRO | CUREMENT OF ST | TARTER TOOLKITS FOR THE SPECIA YMENT PROGRAM (STEP) FOR FY 20 | L TRA | INING FOR | ? |
|-----|--------|-----------------------------|--|---------|-----------|------------------|
| | • | TESDA-Region VI | - TESDA Regional Office Zamora Stre | et llai | lo City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | | NO |
| NO. | NO. | | | | UNIT | NO. OF PAX |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | | PC | 190 |
| | Sub-to | otal, DRESSMAKIN | IG NC II | | | 190 |
| 33 | HILOT | (WELLNESS MAS | SSAGE) NC II | | | · |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 589 |
| | _2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 589 |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | вох | 589 |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 589 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 589 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 589 |
| - | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 589 |
| | 8. | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 589 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 589 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 589 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 589 |
| | | | NESS MASSAGE) NC II | | | 589 |
| 34 | PERF(| | ND PEDICURE (Leading to Beauty C | are NC | II) | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 11 | PC | 614 |
| | 2 | Cuticle Pusher | stainless steel, 5" | 1 | PCPC | 614 |
| | 3 | Foot Nail Cutter | stainless steel, 3" long | 1 | PC | 614 |
| | 4 | Hand Nail Cutter | stainless steel, 2.5" long | 1 | PC | 614 |
| | 5 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 614 |
| | 6 | Nail Brush | Plastic, soft bristle | 1 | PC | 614 |
| | 7 | Emery Board | 80/100 coarse, 8" Long | 1 | PC | 614 |
| | 8 | Orange Woodstick | 1.77mm, smooth woodstick | 3 | PCS | 614 |
| | 9 | Cotton Balls | 150 balls | 1 | PACK | 614 |
| | 10 | Cuticle Remover | 120 ml bottle | 1 | BOTTLE | 614 |
| | 11 | Nail Polish Remover | 120 ml bottle | 1 | BOTTLE | 614 |
| | 12 | Antiseptic (Merthiolate) | 25 ml bottle | 1 | BOTTLE | 614 |
| | 13 | Colored Nail Polish | 15ml bottle, preferably touch of tan | 1 | BOTTLE | 614 |

1 ranger

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | INING FOR | <u> </u> |
|------------|------------|--------------------------|---|-------------|-----------|------------------|
| | 1 | ESDA-Region VI - | - TESDA Regional Office Zamora Stre | et, Iloil | lo City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 14 | Colored Nail Polish | 15ml bottle, white | 1 | BOTTLE | 614 |
| | 15 | Colorless Nail Polish | 15ml bottle, with glitters | 1 | BOTTLE | 614 |
| | 16 | Colorless Nail Polish | 15ml bottle | 1 | BOTTLE | 614 |
| | 17 | Low Stool | hard plastic, round | 1 | PC | 614 |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 614 |
| | <i>II)</i> | | NICURE AND PEDICURE (Leading to | Beauty | y Care NC | 614 |
| 36 | PERF | | AGE (Leading to Beauty Care NC II) | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 165 |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 165 |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 165 |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 165 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 165 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 165 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 165 |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 165 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 165 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 165 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 165 |
| | | | DY MASSAGE (Leading to Beauty Co | are NC | II) | 165 |
| 39 | PERF | | eading to Beauty Care NC II) | | | |
| | 1 | Footspa Machine | 220V 1800-2000W 60Hz, with bubbles and vibrator | 1 | UNIT | 75 |
| | 2 | Callus Remover | Stainless Steel, 7" | 1 | PC | 75 |
| | 3 | Scrubbing Gloves | Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) | 1 | PAIR | 75 |
| | 4 | Foot File | Wooden, 9.5" | 1 | PC | 75 |
| | 5 | Foot Blush | 100ml, spray type | 1 | BOTTLE | 75 |
| | 6 | Foot Soak | 150ml, Liquid | 1 | BOTTLE | 75 |
| | 7 | Foot Scrub | 150ml, cream | 1 | TUBE | 75 |
| | 8 | Foot Lotion | 150ml, scented | 1 | BOTTLE | 75 |
| | 9 | Foot Brush | plastic handle, plastic bristle | 1] | PC | 75 |
| - 40 | | | OT SPA (Leading to Beauty Care NC | 11) | | 75 |
| 40 | PERFO 1 | Astringent | E-UP (Leading to Beauty Care NC II) 125 ml, deep cleansing, hypoallergenic | 1 | BOTTLE | 20 |



| | | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | | |
|--------------|--------|---|--|-------------|-----------|-----------|--|
| | 7 | ESDA-Region VI - | - TESDA Regional Office Zamora Stre | et, Iloil | o City | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. | |
| NO. | NO. | | | | | OF PAX | |
| | 2 | Blusher | pink and bronze shade, 4grams each | 2 | PC | 20 | |
| | 3 | Eye Brow Pencil | black, 4" | 1 | PC | 20 | |
| | 4 | Eye Brow Pencil | brown, 4" | 1 | PC | 20 | |
| | 5 | Eye Liner Pencil | black, 4" | 1 | PC | 20 | |
| | 6 | Eye Liner Pencil | brown, 4" | 1 | PC | 20 | |
| | 7 | Eye Shadow | 8 palette, earth colors, matte finish | 1 | PC | 20 | |
| | 8 | Eyebrow | stainless steel, scissor type | 1 | PC | 20 | |
| | 0 | Tweezer | stairless steer, scissor type | | PC | 20 | |
| | 9 | Eyelash Curler | stainless steel, scissor type | 1 | PC | 20 | |
| | 10 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 20 | |
| | 11 | Make-Up Sponge | round, powder puff sponge | 1 | PC | 20 | |
| | 12 | Foundation | Liquid, 30 ml, natural shade | | BOTTLE | 20 | |
| | 13 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 20 | |
| | 14 | Lipstick | matte finish, red | 1 | PC | 20 | |
| | 15 | Lipstick | matte finish, coral pink | 1 | PC | 20 | |
| | 16 | Make Up Brush | | 1 | SET | 20 | |
| | | Set | 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush) | | | | |
| | 17 | Mascara | black, water proof, 7g | 1 | PC | 20 | |
| | 18 | Pressed Powder | natural shade, matte finish | 1 | PC | 20 | |
| | 19 | Cotton Balls | 150 balls | 1 | PACK | 20 | |
| | 20 | Concealer | 20ml with UVA/UVB protection | 1 | PC | 20 | |
| | Sub-to | tal, PERFORM FA | CIAL MAKE-UP (Leading to Beauty C | are NC | 11) | 20 | |
| 41 | | PERFORM HAIR COLORING/BLEACHING SERVICES (Leading to Hairdressing N | | | | | |
| | 1 | Colorants | Paste form, brown (light, medium and dark) at 100 grams each | 3 | TUBE | 75 | |
| | 2 | Colorants | Paste form, blonde (light, medium and dark) at 100 grams each | 3 | TUBE | 75 | |
| : | 3 | Mixing Bowl | Plastic, 6 cm height, diameter 13.5 cm, color black. | 1 | PC | 75 | |
| | 4 | Applicator Brush | Plastic, black, with comb and tail | 1 | PC | 75 | |
| | 5 | Frosting Cap with Hook | Reusable hair color highlighting cap hat with metal hook | 1 | PC | 75 | |
| | 6 | Bleaching Powder | 30g (sachet) | 3 | PC | 75 | |
| | 7 | Hand Gloves | washable, medium size, preferably black | 1 | PAIR | 75 | |
| | 8 | Protective Cape | Water proof, nylon, black | 1 | PC | 75 | |
| | 9 | Oxidizing Solution | set of 3, 6%, 9% and 12%, at 100 ml each bottle | 1 | SET | 75 | |
| | 10 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | вох | 75 | |
| | | tal, PERFORM HA | AIR COLORING/BLEACHING SERVICE | ES (Le | eading to | 75 | |



| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|--------|----------------------------------|--|---------|-----------|------------------|
| | 7 | | TESDA Regional Office Zamora Stre | | o Citv | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 42 | PERF | ORM HAIR PERMI | NG/STRAIGHTENING (Leading to Hai | rdressi | ng NC II) | |
| | 1 | Hair Straightening Iron | 220V, 60hz, adjustable heat control | 1 | PC | 75 |
| | 2 | Hair Straightening Product | straightening solution and neutralizing cream, at 500ml each | 1 | SET | 75 |
| | 3 | Mixing Bowl | Plastic, 6 cm height, diameter 13.5 cm, color black. | 1 | PC | 75 |
| | 4 | Hair Perming Product | cold wave lotion & neutralizer at 500 ml each | 1 | SET | 75 |
| | 5_ | Curling Rods | 4mm size | 2 | DOZ | 75 |
| | 6 | Curling Rods | 14mm size | 2 | DOZ | 75 |
| | 7 | Curling Rods | 16mm size | 2 | DOZ | 75 |
| | 8 | Applicator Brush | Plastic, black, with comb and tail | 1 | PC | 75 |
| | 9 | Bottle Applicator | Plastic, transparent, 100 ml capacity | 1 | PC | 75 |
| | 10 | Shower Cap | Thick plastic, preferably black, free size | 1 | PACK | 75 |
| | 11 | Protective Cape | Water proof, nylon, black | 1 | PC | 75 |
| | 12 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | вох | 75 |
| | 13 | Hand Gloves | washable, medium size, preferably black | 1 | PAIR | 75 |
| | | essing NC II) | HAIR PERMING/STRAIGHTENING | | ding to | 75 |
| 43 | PERF | ORM HAIR CUTTIN | IG SERVICES (Leading to Hairdressin | ng NC I | | |
| | 1 | Hair Blower | 220V, 1800W, 60 Hz, hot and cold blower function | 1 | UNIT | 75 |
| | 2 | Cutting Scissors | 6" stainless steel with tight regulator screw | 1 | PC | 75 |
| | 3 | Thinning Scissors | 5" Single notched, 23 teeth, stainless steel | 1 | PC | 75 |
| | 4 | Apron | black with 3 pockets | 1 | PC | 75 |
| | 5 | Protective Cape | Water proof, nylon, black | 1 | PC | 75 |
| | 6 | Neck brush | Wood handle, app. 10 cm x 6.7cm | 1 | PC | 75 |
| | 7 | Talcum Powder | 250g | 1 | BOTTLE | 75 |
| | Sub-to | otal, PERFORM HA | IR CUTTING SERVICES (Leading to | Hairdre | ssing NC | 75 |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ? |
|----------|--------|------------------|--|-------------|-------------|-----|
| - | 7 | ESDA-Region VI - | TESDA Regional Office Zamora Stro | et lloil | o City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | 1 | | 01411 | OF. |
| | | | | | | PAX |
| 44 | BREA | D MAKING (Leadii | ng to Bread and Pastry Production N | IC II) | | 1 |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins | 1 | PC | 308 |
| | } | | with bell alarm, Temperature Control | | | |
| | 1 | | (100-250C) 4 Stainless Steel Heating | İ | | |
| İ | | | Element, Indicator Light, Removable | | | |
| | | | Tray for easy Cleaning (Crumb Tray) | | | |
|] | | | Tempered Glass, 4 Stage Heating | | |) [|
| | | | Selection Accessories: Enamel Bake | | | 1 |
| | | | Tray, Wire Rack, Tray Handle, 220V, | | | |
| | | | 60hz | 1 | | |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 308 |
| | | 1 | 1/3 cup, ½ cup) | | • | |
| | 3 | Measuring Urn | Transparent glass, 1 cup capacity, | 1 | PC | 308 |
| , | | | measurements are clearly mark in | | | |
| | | | ounce, quarts and millilitres | | | |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 308 |
| | | | capacity | | | |
| | Sub-to | tal, BREAD MAKII | NG (Leading to Bread and Pastry Pro | oductio | n NC II) | 308 |
| 46 | CAKE | MAKING (Leading | to Bread and Pastry Production NC | : II) | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins | 1 | PC | 264 |
| | | | with bell alarm, Temperature Control | | | |
| | | | (100-250C) 4 Stainless Steel Heating | | |] |
| | | | Element, Indicator Light, Removable | | | |
| | | | Tray for easy Cleaning (Crumb Tray) | | | |
| | | | Tempered Glass, 4 Stage Heating | | |] |
| | | | Selection Accessories: Enamel Bake | | | |
| | | | Tray, Wire Rack, Tray Handle, 220V, | | | |
| | | | 60hz | | | |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 264 |
| | | | 1/3 cup, ¼ cup) | | | |
|] | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 264 |
| | | | capacity | | | |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- | 1 | PC | 264 |
| | | | stick | <u> </u> | 110 17 | |
| | | | G (Leading to Bread and Pastry Proc | | NC II) | 264 |
| 47 | PREP | | OT MEALS (Leading to Cookery NC | | | |
| 1 | 1 | Frying Pan | 10" diameter by 2" high teflon, non- | 1 | PC | 413 |
| | | | stick, riveted handle | | | 110 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 413 |
| | | | capacity | | | 440 |
| | 3 | Chef's Knife | 8", stainless steel blade with black | 1 | PC | 413 |
| | | | polymer handle | | | 440 |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 413 |
| | | | 1/3 cup, ½ cup) | | <u> </u> | 440 |
| | 5 | Chopping Board | ½" x 12" x 18"; made of polyethylene | 1 | PC | 413 |
| <u> </u> | | | material | l | | |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | 2 |
|--------------|--|---------------------|--|---------|-----------|------------------|
| ~ | 7 | | - TESDA Regional Office Zamora Stre | | o City | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 413 |
| | 7 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 413 |
| | 8 | Strainer | 8" diameter, single fine mesh, flat wooden handle | 1 | PC | 413 |
| | | | D COOK HOT MEALS (Leading to Co | okery I | VC II) | 413 |
| 48 | PREP | ARE COLD MEAL | S (Leading to Cookery NC II) | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 150 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 150 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 150 |
| | 4 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 150 |
| | 5 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 150 |
| | 6 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 150 |
| | 7 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 150 |
| | Sub-to | tal, PREPARE CO | LD MEALS (Leading to Cookery NC I | 1) | | 150 |
| 49 | PROCESS FOOD BY SALTING, CURING AND SMOKING (Leading to Food Proce | | | | | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 148 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 148 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 148 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 148 |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 148 |
| | 6 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 148 |
| | | tal, PROCESS FO | OD BY SALTING, CURING AND SMOK | (ING (L | eading to | 148 |

Labor

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | 2 |
|-----|--|----------------------|--|---------------------------------------|-----------|-----------|
| - | 1 | | TESDA Regional Office Zamora Stre | | o City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF PAX |
| 50 | PROC | ESS FOODS BY F | ERMENTATION AND PICKLING (Lead | ling to | Food Prod | essing |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 151 |
| | 2 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 151 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 151 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 151 |
| | 5 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 151 |
| | 6 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 151 |
| | 7 | Colander | 5 qts capacity, stainless steel, with two grip handles | 1 | PC | 151 |
| | Food | Processing NC II) | ODS BY FERMENTATION AND PICKL | | | 151 |
| 51 | PROCESS FOODS BY SUGAR CONCENTRATION (Leading to Food Processi | | | | | |
| | 1 | Blender | 2 speed, 1.5 liter capacity, glass jar with stainless steel blades | 1 | unit | 75 |
| | 2 | Candy Thermometer | 8" long, measures temperatures from 100 to 400 degrees F; glass, pen- type adjustable clip secures thermometer to pan | 1 | PC | 75 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 75 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 75 |
| | 5 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC . | 75 |
| | 6 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 75 |
| | 7 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 75 |
| | 8 | Rubber Scraper | Rubber head high heat resistant, flexible, 12" long | 1 | PC | 75 |
| | 9 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 75 |
| | Proces | ssing NC II) | ODS BY SUGAR CONCENTRATION (I | _eading | to Food | 75 |
| | TOTAL | | | · · · · · · · · · · · · · · · · · · · | | 5,979 |

| | PRO | CUREMENT OF S | TARTER TOOLKITS FOR THE SPECIA YMENT PROGRAM (STEP) FOR FY 20 | L TRAI | NING FOR | ? |
|------------|--------------|---|---|-------------|----------|------------------|
| | | TESDA-Regio | on VII – Archbishop Reyes Avenue, Ce | hu Cit | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| _1_ | | | (Poultry-Chicken) NC II | , | | |
| | 1 | Galloner | Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic | 3 | PC | 45 |
| | 2 | Tubular Feeder | 3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height | 5 | PC | 45 |
| | 3 | Brooder/Heater Lamp | 45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug | 1 | SET | 45 |
| | 4 | Infrared Lamp | 250 Watts Bulb, clear colour emitted light | 1 | PC | 45 |
| | | | DUCTION (Poultry-Chicken) NC II | | | 45 |
| 2 | | AL PRODUCTION | | | | 1 |
| | 1 | Ear Notcher | Small V-shape blade; stainless | 1 | PC | 25 |
| | 2 | Tooth Nipper | Diagonal cutting blade, stainless steel | 1 | PC | 25 |
| | 3 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity | 1 | PC | 25 |
| | 4 | Veterinary Injection Needle | Gauge # 20 X 1/2" long hypodermic needle, 12pcs/box, stainless and sterilizable | 1 | вох | 25 |
| | 5 | Veterinary Injection Needle | Gauge # 18 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable | 1 | вох | 25 |
| | 6 | Veterinary Injection Needle | Gauge # 16 X 1" long hypodermic needle, 12pcs/box, stainless and sterilizable | 1 | BOX | 25 |
| | 7 | Reusable Artificial Insemination Catheter | Pig spiral tip Artificial Insemination (A.l.) Catheter; reusable and sterilizable | 1 | PC | 25 |
| | 8 | Forcep | Stainless 5.5" long, straight kelly forcep | 1 | PC | 25 |
| | Sub-to | tal, ANIMAL PROL | DUCTION (Swine) NC II | | | 25 |

y Agree

| | PRO | CUREMENT OF ST EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | L TRA | INING FOR | |
|-----|------|---|--|----------|------------|------------------|
| | | TESDA-Regio | n VII – Archbishop Reyes Avenue, Co | | у | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 7 | PERF | ORM DIESEL ENG | INE TUNE UP (Leading to Automotive | e Servi | cing NC I) | · |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | 1 | PC | 20 |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 20 |
| | 3 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 20 |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 20 |
| | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 20 |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 20 |
| | | otal, PERFORM Di ing NC I) | IESEL ENGINE TUNE UP (Leading | to Au | ıtomotive | 20 |
| 10 | | | ONENTS (Leading to Automotive Se | ervicing | NC II) | |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 25 |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 25 |
| | 3 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 25 |

1 Myse

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
|-----|--------|---------------------------|---|---------|-----------|------------------|
| | | TESDA-Regio | n VII – Archbishop Reyes Avenue, Co | ebu Cit | У | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 25 |
| | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 25 |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 25 |
| | 7 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 25 |
| -16 | Servic | ing NC II) | NGINE COMPONENTS (Leading | to A | utomotive | 25 |
| 16 | 1 | ENTRY NC II Cross Cut Saw | Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle | 1 | PC | 92 |
| | 2 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 92 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 92 |
| | 4 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 92 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 92 |
| | 6 | Sledge Hammer | Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle | 1 | PC | 92 |
| | 7 | Chalk Line Reel | Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle | 1 | PC | 92 |
| | 8 | Wood Chisel | Forged steel blade; 3/4: blade width; plastic handle | 1 | PC | 92 |
| | 9 | Try Square | Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations | 1 | PC | 92 |
| | 10 | Ripping Bar | Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow | 1 | PC | 92 |

ryger

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ₹ |
|-------------|--------|------------------|--|-------------|---|-----------------|
| | | | n VII - Archbishop Reyes Avenue, Ce | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | • | OF |
| | | | | | | PAX |
| | 11 | Plumb Bob | Hexagonal/Conical shape, Machined | 1 | PC | 92 |
| | | | Steel, 8 ounce | ' | , • | |
| | Sub-to | otal, CARPENTRY | | · | | 92 |
| 17 | | | d Maintenance NC II | | | <u> </u> |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 166 |
| | ' | (Multitester) | V to 1000V ACV Range: 10 to 750V | ' | 0.411 | 100 |
| | | (Wattiester) | Internal Battery: R6 (IEC) or UM-3 | | | 1 1 |
| İ | | | 1.5V x 2 Internal Fuse: | | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | | | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | · | | | |
| | | | x 41.5 mm/approx. 320g Resistance: X1 to X1k | | | |
| | 2 | Screw Driver Set | 4 pieces per set | 1 | SET | 166 |
| | | OUEW DIIVELOEL | Flat Blade Tip: 6.5X150mm, | 1 | SEI | 100 |
| | | | 5X100mm | | | |
| | | | Phillips Blade tip: 1X100mm, | | | |
| | | | 2X150mm | | | |
| | | | | | | |
| | | | Plastic and rubberized handle, | | | |
| | | L N Di' | Chrome Vanadium, Shank 6" | | | 100 |
| | 3 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 166 |
| | | | Knife Length: 5/8" | | | |
| | | | Material: Carbon Steel | | | |
| | | | Handle Finish: plastic dipped | | | 100 |
| l | 4 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 166 |
| <u> </u> | | Plier | plastic dipped, Carbon Steel | | | 100 |
| | 5 | Electricians/ | Overall Length: 8", Steel Alloy, | 1 | PC | 166 |
| | | Electrical Plier | Handle finish: plastic-dipped | | | 100 |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 166 |
| | | | High impact ABS case with durable | ļ | | |
| | | | rubber Corrosion resistant tru-zero | | | |
| | | | end | | | |
| | | | allation and Maintenance NC II | | | 166 |
| 18 | | NRY NC I | Charl Oll v. 711 | | | - |
| | 1 | Pointing Trowel | Steel 3" x 7", wooden handle | 1 | PC PC | 25 |
| | 2 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 25 |
| | | | High impact ABS case with durable | | | |
| | | | rubber Corrosion resistant tru-zero | | | [|
| | | | end | | | 0- |
| | 3 | Claw Hammer | Forged High-Carbon Steel Head; | 1 | PC | 25 |
| | | | Smooth Face; 16 Oz; Wood Handle | | | |
| | 4 | Spirit Level Bar | Aluminum, top-read center vial; 3 | 1 | PC | 25 |
| | | | vials; Length: 24" | | | - <u></u> - |
| | 5 | Shovel | Round point steel blade; fiber glass | 1 | PC | 25 |
| | | | D-grip handle, blade length 11.5" | | | |
| | | | width 8.25" wooden handle length | | | |
| LJ | | | 20" | | | |

rgyler

| | | TERDA Porto | MENT PROGRAM (STEP) FOR FY 20 | 1 / | | |
|-----|-------------|-------------------------------------|--|----------|------|----------------|
| LOT | ITEM | ITEM | n VII – Archbishop Reyes Avenue, Ce | | | |
| NO. | NO. | | AGENCY SPECS | QTY | UNIT | NO OF PA |
| | 6 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 25 |
| | 7 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 25 |
| | | otal, MASONRY NO | | | | 25 |
| 21 | PIPEF | ITTING NC II | | | | |
| | 1 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 35 |
| | 2 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 35 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 35 |
| | 4 | File | Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant | 1 | PC | 35 |
| | 5 | Adjustable Wrench | 12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm | 1 | PC | 35 |
| | 6 | Adjustable Combination Square | stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade | 1 | PC | 35 |
| | 7 | C - Clamp | Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening | 1 | PC | 35 |
| | 8 | Hacksaw With Blade | Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 35 |
| | Sub-to | tal, PIPEFITTING I | VC II | <u>L</u> | | 35 |
| 26 | SHIEL | DED METAL ARC | WELDING (SMAW) NC I | | | |
| | 1 | Portable Welding Machine | Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | 1 | PC | 791 |
| | 2 | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 791 |

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | 2 |
|---------------|---------------------------------------|-------------------------|---|-------------|-------------|------------------|
| | · · · · · · · · · · · · · · · · · · · | ,- <u></u> | n VII – Archbishop Reyes Avenue, Ce | | | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | Sub-to | otal, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | | | 791 |
| 31 | DRES | SMAKING NC II | | , | | |
| 7 6 887 7 7 1 | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | 1 | UNIT | 105 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler | 1 | SET | 105 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC | 105 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 105 |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | 1 | PC | 105 |
| | Sub-to | tal, DRESSMAKIN | | | | 105 |
| 32 | | RING NC II | | | | |
| | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | 1 | UNIT | 50 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler | 1 | SET | 50 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC | 50 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 50 |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | 1 | PC | 50 |

7 mayer

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | INING FOR | |
|-----|--|--|---|--------------------------------------|--|--|
| | | | on VII – Archbishop Reyes Avenue, Ce | | v | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | İ | | PAX |
| | Sub-to | otal, TAILORING N | IC II | /, | | 50 |
| 33 | | (WELLNESS MAS | | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 607 |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 607 |
| | 3 | Face Mask | disposable earloop face mask, 50 | 1 | BOX | 607 |
| | | | pcs per box | | | |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck | 1 | PAIR | 607 |
| | | | top with 2 lower front pockets), | | ľ | |
| | | | garterized pants with adjustable draw | | | |
| | | | string and back pocket, free size, | | | |
| | | | blue color. | | , | 1 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 607 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 607 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 607 |
| | 8 | Virgin Coconut | 250 ml. | 1 | BOTTLE | 607 |
| 1 | 1 | Oil | | | 1 | |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 607 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 607 |
| | 11 | Storage Box | Plastic, clear storage box with lid | 1 | PC | 607 |
| | | | lock, carry handle, 14" x 10" x 8" | | | |
| | Sub-to | tal, HILOT (WELL | NESS MASSAGE) NC II | | | 607 |
| 34 | | | AND PEDICURE (Leading to Beauty C | are NC | 11) | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 1 | PC | 100 |
| | 2 | | | | : | 108 |
| | | Cuticle Pusher | stainless steel, 5" | 1 | PC | 108 |
| | З | Cuticle Pusher Foot Nail Cutter | | 1 | | |
| 1 | 3 | | stainless steel, 3" long | | PC | 108 |
| | | Foot Nail Cutter Hand Nail Cutter | stainless steel, 3" long stainless steel, 2.5" long | 1 | PC PC | 108 108 |
| | 4 | Foot Nail Cutter | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid | 1 1 | PC PC PC | 108 108 108 |
| | 4 | Foot Nail Cutter Hand Nail Cutter | stainless steel, 3" long stainless steel, 2.5" long | 1 1 | PC PC PC | 108 108 108 |
| | 5 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle | 1 1 | PC PC PC PC | 108 108 108 108 |
| | 4 5 6 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 1 1 | PC PC PC PC | 108 108 108 108 108 |
| | 4 5 6 7 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long | 1 1 1 1 1 | PC PC PC PC PC | 108 108 108 108 108 108 |
| | 4 5 6 7 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long | 1 1 1 1 1 | PC PC PC PC PC | 108 108 108 108 108 108 |
| | 4 5 6 7 8 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick | 1 1 1 3 | PC PC PC PC PC PC PC | 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick | 1 1 1 3 3 1 | PC PC PC PC PC PC PCS | 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle | 1 1 1 1 3 | PC PC PC PC PC PC PC BOTTLE | 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle | 1 1 1 1 3 | PC PC PC PC PC PC PC BOTTLE | 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle | 1 1 1 3 1 1 1 1 | PC PC PC PC PC PCS PACK BOTTLE | 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle | 1 1 1 3 1 1 1 1 | PC PC PC PC PC PCS PACK BOTTLE | 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 25 ml bottle | 1 1 1 3 1 1 1 1 | PC PC PC PC PC PC PC BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) Colored Nail | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 25 ml bottle | 1 1 1 3 1 1 1 1 | PC PC PC PC PC PC PC BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 12 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) Colored Nail Polish Colored Nail Polish | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle 15ml bottle 15ml bottle, preferably touch of tan 15ml bottle, white | 1 1 1 1 3 1 1 1 | PC PC PC PC PC PC PCS PACK BOTTLE BOTTLE BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 12 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) Colored Nail Polish Colored Nail Polish Colorless Nail | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle 25 ml bottle 15ml bottle, preferably touch of tan | 1 1 3 1 1 1 1 1 | PC PC PC PC PC PCS PACK BOTTLE BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 12 13 14 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) Colored Nail Polish Colored Nail Polish Colorless Nail Polish | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle 25 ml bottle 15ml bottle, preferably touch of tan 15ml bottle, white | 1 1 1 1 3 1 1 1 | PC PC PC PC PC PCS PACK BOTTLE BOTTLE BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |
| | 4 5 6 7 8 9 10 11 12 | Foot Nail Cutter Hand Nail Cutter Storage Box Nail Brush Emery Board Orange Woodstick Cotton Balls Cuticle Remover Nail Polish Remover Antiseptic (Merthiolate) Colored Nail Polish Colored Nail Polish Colorless Nail | stainless steel, 3" long stainless steel, 2.5" long Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle 80/100 coarse, 8" Long 1.77mm, smooth woodstick 150 balls 120 ml bottle 120 ml bottle 15ml bottle 15ml bottle, preferably touch of tan 15ml bottle, white | 1 1 1 1 3 1 1 1 | PC PC PC PC PC PC PCS PACK BOTTLE BOTTLE BOTTLE BOTTLE | 108 108 108 108 108 108 108 108 108 108 |

7 rayen

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|------------|------------------|---|--------|------------|-----|
| | | | n VII – Archbishop Reyes Avenue, C | | v | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | • |) Oiti i | OF |
| | | | <u></u> | | | PAX |
| | 17 | Low Stool | hard plastic, round | 1 | PC | 108 |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 108 |
| | Sub-to | | ANICURE AND PEDICURE (Leading to | Beaut | | 108 |
| | <i>II)</i> | , | , | | , | |
| 36 | | ORM BODY MASS | AGE (Leading to Beauty Care NC II) | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 125 |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 125 |
| | 3 | Face Mask | disposable earloop face mask, 50 | 1 | BOX | 125 |
| | | | pcs per box | ļ | | |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck | 1 | PAIR | 125 |
| | | | top with 2 lower front pockets), | | | |
| | | | garterized pants with adjustable draw | | | |
| | | | string and back pocket, free size, | | | |
| | | | blue color. | | | |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 11 | PC | 125 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 125 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 125 |
| | 8 | Virgin Coconut | 250 ml. | 1 | BOTTLE | 125 |
| | | Oil | | | | |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 125 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 125 |
| | 11 | Storage Box | Plastic, clear storage box with lid | 1 | PC | 125 |
| | | | lock, carry handle, 14" x 10" x 8" | | | |
| | Sub-to | tal, PERFORM BC | DDY MASSAGE (Leading to Beauty Co | are NC | <i>II)</i> | 125 |
| 39 | PERF | ORM FOOT SPA (L | eading to Beauty Care NC II) | | | |
| | 1 | Footspa Machine | 220V 1800-2000W 60Hz, with | 1 | UNIT | 68 |
| | | | bubbles and vibrator | | | |
| | 2 | Callus Remover | Stainless Steel, 7" | 1 | PC | 68 |
| | 3 | Scrubbing | Exfoliating bath and shower gloves, | 1 | PAIR | 68 |
| | | Gloves | elasticized wrist (regular size, nylon) | | | |
| | 4 | Foot File | Wooden, 9.5" | 1 | PC | 68 |
| | 5 | Foot Blush | 100ml, spray type | 1 | BOTTLE | 68 |
| | 6 | Foot Soak | 150ml, Liquid | 1 | BOTTLE | 68 |
| | 7 | Foot Scrub | 150ml, cream | 1 | TUBE | 68 |
| | 8 | Foot Lotion | 150ml, scented | 1 | BOTTLE | 68 |
| | 9 | Foot Brush | plastic handle, plastic bristle | 1 | PC | 68 |
| | | | OT SPA (Leading to Beauty Care NC | II) | | 68 |
| 40 | PERF | | E-UP (Leading to Beauty Care NC II) | | |] |
| | 1 | Astringent | 125 ml, deep cleansing, | 1 | BOTTLE | 25 |
| | | | hypoallergenic | | | |
| | 2 | Blusher | pink and bronze shade, 4grams each | 2 | PC | 25 |
| | 3 | Eye Brow Pencil | black, 4" | 1 | PC | 25 |
| | 4 | Eye Brow Pencil | brown, 4" | 1 | PC | 25 |
| | 5 | Eye Liner Pencil | black, 4" | 1 | PC | 25 |
| | 6 | Eye Liner Pencil | brown, 4" | 1 | PC | 25 |
| | 7 | Eye Shadow | 8 palette, earth colors, matte finish | 1 | PC | 25 |

7 roppe

| | PRO | CUREMENT OF ST EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | L TRAI | NING FOR | |
|------------|--------|--------------------------|---|----------|----------|------------------|
| | | TESDA-Regio | n VII – Archbishop Reyes Avenue, C | ehu Cit | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 8 | Eyebrow Tweezer | stainless steel, scissor type | 1 | PC | 25 |
| | 9 | Eyelash Curler | stainless steel, scissor type | 1 | PC | 25 |
| | 10 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 25 |
| | 11 | Make-Up Sponge | round, powder puff sponge | 1 | PC | 25 |
| | 12 | Foundation | Liquid, 30 ml, natural shade | 1 | BOTTLE | 25 |
| | 13 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 25 |
| | 14 | Lipstick | matte finish, red | 1 | PC | 25 |
| | 15 | Lipstick | matte finish, coral pink | 1 | PC | 25 |
| | 16 | Make Up Brush Set | wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush) | 1 | SET | 25 |
| | 17 | Mascara | black, water proof, 7g | 1 | PC | 25 |
| | 18 | Pressed Powder | natural shade, matte finish | 1 | PC | 25 |
| | 19 | Cotton Balls | 150 balls | 1 | PACK | 25 |
| | 20 | Concealer | 20ml with UVA/UVB protection | 1 | PC | 25 |
| | Sub-to | tal. PERFORM FA | CIAL MAKE-UP (Leading to Beauty C | are NC | | 25 |
| 43 | PERF | ORM HAIR CUTTIN | G SERVICES (Leading to Hairdressin | na NC II | 1) | |
| | 1 - | Hair Blower | 220V, 1800W, 60 Hz, hot and cold blower function | 1 | UNIT | 118 |
| | 2 | Cutting Scissors | 6" stainless steel with tight regulator screw | 1 | PC | 118 |
| | 3 | Thinning Scissors | 5" Single notched, 23 teeth, stainless steel | 1 | PC | 118 |
| | 4 | Apron | black with 3 pockets | 1 | PC | 118 |
| | 5 | Protective Cape | Water proof, nylon, black | 1 | PC | 118 |
| | 6 | Neck brush | Wood handle, app. 10 cm x 6.7cm | 1 | PC | 118 |
| | 7 | Talcum Powder | 250g | 1 | BOTTLE | 118 |
| | Sub-to | | IR CUTTING SERVICES (Leading to | Hairdre | | 118 |
| 44 | BREA | MAKING (Leadin | g to Bread and Pastry Production N | C II) | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 301 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 301 |

July

| , | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ₹ |
|---------------|--------|------------------|---|---------|-----------|------------------|
| | | TESDA-Regio | n VII – Archbishop Reyes Avenue, Ce | bu City | / | - |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 3 | Measuring Urn | Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres | 1 | PC | 301 |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 301 |
| | Sub-to | otal, BREAD MAKI | NG (Leading to Bread and Pastry Pro | oductio | n NC II) | 301 |
| 45 | | | ing to Bread and Pastry Production | | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 219 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 219 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 219 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 219 |
| | | | ING (Leading to Bread and Pastry Pr | | on NC II) | 219 |
| 46 | CAKE | | to Bread and Pastry Production NC | | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 189 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 189 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 189 |
| - | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 189 |
| | Sub-to | tal, CAKE MAKING | G (Leading to Bread and Pastry Prod | uction | NC II) | 189 |
| 47 | | | OT MEALS (Leading to Cookery NC I | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 397 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 397 |

rayen

| | PRO | | ARTER TOOLKITS FOR THE SPECIA | | NING FOR | र |
|------------|-------------|---------------------|--|---------|----------|------------------|
| | | | MENT PROGRAM (STEP) FOR FY 20 n VII – Archbishop Reyes Avenue, Co | | | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 397 |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 397 |
| | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 397 |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 397 |
| | 7 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 397 |
| | 8 | Strainer | 8" diameter, single fine mesh, flat wooden handle | 1 | PC | 397 |
| | Sub-to | otal, PREPARE AN | D COOK HOT MEALS (Leading to Co | okery l | VC II) | 397 |
| 48 | PREP | ARE COLD MEAL | S (Leading to Cookery NC II) | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 78 |
| | 2 | Mixing Bowl | Stainless steel, 8 " diameter, 5 quart capacity | 1 | PC | 78 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 78 |
| | 4 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | . 1 | PC | 78 |
| | 5 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 78 |
| | 6 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 78 |
| | 7 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 78 |
| | Sub-to | tal, PREPARE CO | LD MEALS (Leading to Cookery NC I |) | | 78 |
| 50 | | | ERMENTATION AND PICKLING (Lead | | ood Proc | essing |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 56 |
| | 2 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 56 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 56 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 56 |
| | 5 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 56 |
| | 6 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 56 |

J range

| PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | | | |
|--|--|----------|--|---|----|--------|--|--|
| LOT NO. | | | | | | | | |
| | 7 | Colander | 5 qts capacity, stainless steel, with two grip handles | 1 | PC | 56 | | |
| | Sub-total, PROCESS FOODS BY FERMENTATION AND PICKLING (Leading to Food Processing NC II) | | | | | | | |
| | TOTAL | | | | | 3,670_ | | |

Myroller

/

| OT | ITEM | ITEM | /III – TESDA Compound, Abucay, Tac AGENCY SPECS | QTY | UNIT | NO. |
|-------------|------|---|---|--------------|------------------|-----------------|
| NO. | NO. | | | | | OF PAX |
| 5 | PROD | | GETABLE (Leading to Organic Agric | ulture f | Production | NC II) |
| | 1 | Steel Rake | 14 tine made of steel; hardwood handle | 1 | PC | 25 |
| | 2 | Sprayer | Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles | 1 | UNIT | 25 |
| | 3 | Shovel | Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" | 1 | PC | 25 |
| | 4 | Garden Hoe | Carbon Steel head, goose neck type, hardwood handle, 6" blade | 1 | PC | 25 |
| | | Sprinkler otal, PRODUCE OF ction NC II) | 2 gallon capacity, heavy duty plastic RGANIC VEGETABLE (Leading to Org | 1 anic Ag | PC priculture | 25 25 |
| 7 | | | INE TUNE UP (Leading to Automotive | Servic | ing NC I) | |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade | 1 | PC PC | 57 |
| | 2 | Combination | ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. chrome vanadium steel, set of 8 sizes | 1 | SET | 57 |
| , | . 2 | Wrench (Open And Box End) | (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | | SEI | 57 |
| į | 3 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 57 |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 57 |
| _ | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 57 |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 57 |
| | | ital, PERFORM D ing NC I) | IESEL ENGINE TUNE UP (Leading | to Au | tomotive | 57 /\^- |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | 2 |
|-----|--------|-------------------|--|----------|-------------|--------|
| | | TESDA-Region V | /III – TESDA Compound, Abucay, Tac | lohan | City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | | | PAX |
| 8 | PERF | ORM GAS ENGINE | TUNE UP (Leading to Automotive S | ervicin | n NC I) | |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade | 1 | PC | 26 |
| | | · | ranging from 0.015 in to 0.025 inches | | | |
| | | | and 0.038 to 0.635 mm | | | |
| | | | mm sizes: .038, .051, .064, .076, | | | |
| | | | .102, .127, .152, .178, .203, .229, | ļ | ! | |
| | | | .254, .279, .305, .330, .356, .381, | | <u> </u> | |
| | | | .406, .432, .483, .457, .508, | | | |
| | | | .533, .559, .584, .610 and .635mm. | | | |
| | | | Inch sizes: .0015, .002, .0025, .004, | | | [|
| | | | .005, .006, .007, .008, .009, .010, | | | |
| | | | .011, .012, .013, .014, .0.15, .016, | | | |
| | | | .017, .018, .019, .020, .021, | | | |
| | 2 | Spark Plug | .022, .023, .024, and .025. 1pc T-Handle Universal Joint Spark | 1 | SET | 26 |
| | _ | Wrench | Plug, Socket Wrench 21mm | • | SET | 20 |
| | 3 | Spark Plug | 1pc T-Handle Universal Joint Spark | 1 | SET | 26 |
| | | Wrench | Plug, Socket Wrench 16mm | · · | | |
| | 4 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 26 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | | | |
| | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | 5 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 26 |
| | | | Ratchet Wrench, 10 pcs Socket 6 | | | |
| | | | side/point (10mm, 11mm, 12mm, | | | |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| | 6 | Flat Screw Driver | 22mm, 24mm), 1 pc Extension Rod 8" shank length (chrome plated) | 1 | PC | 26 |
| | 0 | Flat Sciew Driver | plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 20 |
| | 7 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 26 |
| | ' | Driver | plastic handle, tip: 2 X 6mm | ' | 10 | 20 |
| | Sub-to | | GAS ENGINE TUNE UP (Leading | to AL | tomotive | 26 |
| | | ring NC I | | | | |
| 9 | | | IS COMPONENTS (Leading to Auton | notive S | Servicing N | IC II) |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 15 |
| | | | Ratchet Wrench, 10 pcs Socket 6 | | | |
| | | | side/point (10mm, 11mm, 12mm, | | | |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| | | 0.11.0 | 22mm, 24mm), 1 pc Extension Rod | | | |
| | 2 | Coil Spring | 12" Coil Spring Compressor (Silver). | 1 | SET | 15 |
| | | Compressor | For all vehicles equipped with | | | |
| | | | Macpherson Struts or any other coil | | | İ |
| | | | spring brand, double ended jaws with safety hooks | | | |
| | 3 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 15 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | • | 0_1 | 10 |
| | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | | | —————————————————————————————————————— | | | |

7 Mayen

| , | | | /III – TESDA Compound, Abucay, Tac | | 15055 |
|------------------|------------|--|---|---|------------------|
| NO. OF PAX | UNIT | QTY | AGENCY SPECS | ITEM | NO. |
| 15 | PC | 1 | 10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw | Vise Grip | 4 |
| 15 | | | DERCHASSIS COMPONENTS (Leadin | ing NC II) | Servic |
| notive | to Auto | eading | E ELECTRICAL COMPONENTS (L | ICE AUTOMOTIVE | |
| 128 | PC | 1 | 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. | Battery Load Tester | 1 |
| 128 | PC | 1 | Overall length: 8", Steel Alloy, Handle finish: plastic-dipped | Electricians/ Electrical Plier | 2 |
| 128 | PC | 1 | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | Philips Screw Driver | 3 |
| 128 | PC | 1 | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | Flat Screw Driver | 4 |
| 128 | ading to | NTS (Le | TOMOTIVE ELECTRICAL COMPONE | | |
| ngine | le/Small I | -1 | | notive Servicing NO | |
| 90 | ie/Oman i | otorcyc | all Engine System (Leading to M | | |
| 107 | SET | 1 | | ing NC II) | |
| | | ······································ | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 | | Servic |
| | | ······································ | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, | ing NC II) Manual Impact | Servic |
| 107 | SET | 1 | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, | ing NC II) Manual Impact Driver Socket Wrench Combination Wrench (Open | Servic 1 |
| 107 | SET | 1 | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1pc T-Handle Universal Joint Spark | Ing NC II) Manual Impact Driver Socket Wrench Combination Wrench (Open And Box End) Spark Plug | Servic 1 |
| 107 | SET | 1 | 1 pc 1/2" Drive Impact Driver,1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | Ing NC II) Manual Impact Driver Socket Wrench Combination Wrench (Open And Box End) | Servic 1 2 |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|-----------------|-----------------------------------|---|---------|-----------|--------------------------|
| | | | III – TESDA Compound, Abucay, Tac | | Citv | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 7 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 107 |
| | | cycle/Small Engin | | • | ding to | 107 |
| 14 | | | m (Leading to Motorcycle/Small Engi | | | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 14 |
| | 2 | Electricians/ Electrical Plier | Overall length: 8", Steel Alloy, Handle finish: plastic-dipped | 1 | PC | 14 |
| | 3 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 14 |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 14 |
| | 5 | Battery Load Tester | 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch. | 1 | PC | 14 |
| | ž. | otal, Service Electring NC II) | rical System (Leading to Motorcyc | le/Sma | II Engine | 14 |
| 15 | Overh NC II) | aul Motorcycle/Sn | nall Engine (Leading to Motorcycle/ | Small E | ngine Ser | vicing |
| | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 78 |
| | 2 | Manual Impact Driver | 1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit | 1 | SET | 78 <i>\(\zeta \)</i> |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|-------|---|--|---------|-----------|------------------|
| | | | /III – TESDA Compound, Abucay, Tac | | Citv | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 78 |
| | 4 | Feeler gauge | 26 tempered steel leaves/blade ranging from 0.015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | 1 | PC | 78 |
| | 5 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | | | |
| | 6 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 78 |
| | 7 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 78 |
| | 8 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 78 |
| - | 9 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 78 |
| | Engin | e Servicing NC II) | torcycle/Small Engine (Leading to M | lotorcy | cle/Small | 78 |
| 16 | | ENTRY NC II | | | | |
| | 1 | Cross Cut Saw | Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle | 1 | PC | 84 |
| | 2 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 84 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 84 |
| | 4 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 84 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 84 |

1 mayeller

| LOT NO. | ITEM NO. | | MENT PROGRAM (STEP) FOR FY 20 III – TESDA Compound, Abucay, Tac AGENCY SPECS | loban C | | |
|---------|-------------|---|---|-------------|------|------------------|
| | NO. | , , , , , , , , , , , , , , , , , , , | | | | |
| | 6 | | | QTY | UNIT | NO. OF PAX |
| 1 1 | _ | Sledge Hammer | Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle | 1 | PC | 84 |
| | 7 | Chalk Line Reel | Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle | 1 | PC | 84 |
| | 8 | Wood Chisel | Forged steel blade; 3/4: blade width; plastic handle | 1 | PC | 84 |
| | 9 | Try Square | Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations | 1 | PC | 84 |
| | 10 | Ripping Bar | Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow | 1 | PC | 84 |
| | 11 | Plumb Bob | Hexagonal/Conical shape, Machined Steel, 8 ounce | 1 | PC | 84 |
| | Sub-to | tal, CARPENTRY | | | | 84 |
| 17 I | Electri | cal Installation and | d Maintenance NC II | | | , |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 54 |
| | 2 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 54 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 54 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 54 |
| | 5 | Electricians/ Electrical Plier | Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped | 1 | PC | 54 |

1 hope

| | PRO | CUREMENT OF ST EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | AL TRAI | NING FOR | |
|------------|----------------|-------------------------------------|--|----------|----------|---------------|
| | | TESDA-Region V | III - TESDA Compound, Abucay, Tao | cloban (| City | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | PAX 54 |
| | Sub-to | otal Flectrical Inst | allation and Maintenance NC II | L | · | 54 |
| 19 | | | IASONRY SURFACE (Leading to Mas | conny Ni | C 11/ | 54 |
| | 1 | Pointing Trowel | Steel 3" x 7", wooden handle | 1 | PC | 61 |
| | 2 | Concrete/cement Finishing Trowel | Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle | 1 | PC | 61 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 61 |
| | 4 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 61 |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 61 |
| | 6 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 61 |
| · | 7 | Shovel | Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" | 1 | PC | 61 |
| | 8 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 61 |
| _ | Sub-to MASO | tal, PLASTER (NRY NC II) | CONCRETE/MASONRY SURFACE | (LEAD | ING TO | 61 |
| 21 | PIPEF | ITTING NC II | | | | |
| | 1 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 35 |
| | 2 | Spirit Level Bar | Áluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 35 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 35 |
| | 4 | File | Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant | 1 | PC | 35 |
| | 5 | Adjustable Wrench | 12"/304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm | 1 | PC | 35 |

r grysler

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|------|-------------------------------------|---|---------|-------------|------------------|
| | | | 'III – TESDA Compound, Abucay, Tac | loban (| City | |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 6 | Adjustable Combination Square | stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade | 1 | PC | 35 |
| | 7 | C - Clamp | Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening | 1 | PC | 35 |
| | 8 | Hacksaw With Blade | Adjustable hacksaw frame with bimetal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 35 |
| | | otal, PIPEFITTING | | EDAID | MANINTEN | 35 IANGE |
| 22 | | ORM MULTIPLE (S (Leading to Plu | PLUMBING INSTALLATION AND F | CPAIK | IVIAIN I EN | IANCE |
| | 1 | Pipe Wrench | 14" Straight cast iron handle; max jaw opening: 65mm (2.55") | 1 | PC | 22 |
| | 2 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 22 |
| | 3 | PVC Pipe Cutter | PVC pipe cutter; steel handle 1/2"- 2" | 1 | PC | 22 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 22 |
| | 5 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 22 |
| | MAIN | TENANCE WORKS | ULTIPLE PLUMBING INSTALLATIO (LEADING TO PLUMBING NC II) | N AND | REPAIR | 22 |
| 24 | | ETTING NC II | | | DC I | |
| | 1 | Tile Cutter | Pen type, carbide tip, manual 8" length | 1 | PC | 84 |
| | 2 | Nipper, End Cutter | End nipper Plier 8" | 1 | PC | 84 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 84 |
| | 4 | Rubber Mallet | 16 oz, Wooden Handle | 1 | PC | 84 |
| | 5 | Notched Trowel | Notched Trowel; carbon steel; Wooden/ Plastic handle | 1 | PC | 84 |
| - | 6 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 84 |

Ludden Walter

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | ₹ |
|------------|--------------|-------------------------------------|---|-------------|------|------------------|
| | | | III – TESDA Compound, Abucay, Tac | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 7 | Plier | Forged carbon steel, length 8 inches, machined jaws | 1 | PC | 84 |
| | 8 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 84 |
| 25 | } | otal, TILE SETTING | | | | 84 |
| 25 | | ERVICING (Dom/F | , | | | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 46 |
| | 2 | Mechanical Manifold Gauge Set | 2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst. | 1 | SET | 46 |
| | 3 | Flaring tool set | Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D. | 1 | SET | 46 |
| | Sub-to | tal. RAC SERVICII | NG (Dom/RAC) NC II | | | 46 |
| 26 | | | WELDING (SMAW) NC I | | | |
| | 1 | | Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | 1 | PC | 188 |
| | 2 | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 188 |
| | Sub-to | tal, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | | | 188 |

Jugarden

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | | |
|------------|--|--------------------------------------|--|-----------|------------|------------------|--|
| | | TESDA-Region V | III – TESDA Compound, Abucay, Tac | cloban C | ity | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX | |
| 27 | | nble Electronics cing NC II) | Products (Leading to Electronic P | roducts | Assemb | ly and | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 45 | |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 45 | |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 45 | |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 45 | |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 45 | |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 45 | |
| | Sub-total, Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II) | | | | | | |
| 28 | Servic | e Consumer Elect | ronic Products and Systems (Leading | g to Elec | tronic Pro | oducts | |
| | 1 | nbly and Servicing VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | 1 | UNIT | 43 | |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 43 | |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 43 | |

Myen

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|--------------|--------------------------------------|---|--------|-----------|------------------|
| | | | III – TESDA Compound, Abucay, Tac | | City | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 43 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm,5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 43 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 43 |
| | Electr | onic Products Ass | umer Electronic Products and Syst embly and Servicing NC II) | ems (L | eading to | 43 |
| 31 | | SMAKING NC II | anarated by fact model with mini | 1 | UNIT | 15 |
| | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | • | UNII | 15 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2 " W curve ruler | 1 | SET | 15 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC | 15 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 15 |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | 1 | PC | 15 |
| | | tal, DRESSMAKIN | | | | 15 |
| 33 | | (WELLNESS MAS | | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 307 |
| | 2 3 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 307 307 |
| | S | Face Mask | disposable earloop face mask, 50 pcs per box | ı | вох | 301 |

 \mathcal{S}

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
|-----|---------------|-----------------------------|---|--------|---------|-----------|
| | , | TESDA-Region \ | /III – TESDA Compound, Abucay, Tac | loban | City | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO |
| NO. | NO. | | | | | OF PAX |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 307 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 307 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 307 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 307 |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 307 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 307 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 307 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 307 |
| | Sub-to | otal, HILOT (WELL) | NESS MASSAGE) NC II | | , | 307 |
| 34 | PERF | ORM MANICURE A | ND PEDICURE (Leading to Beauty C | are NC | 11) | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 1 | PC | 16 |
| | 2 | Cuticle Pusher | stainless steel, 5" | 1 | PC | 16 |
| | 3 | Foot Nail Cutter | stainless steel, 3" long | 1 | PC | 16 |
| | 4 | Hand Nail Cutter | stainless steel, 2.5" long | 1 | PC | 16 |
| | 5 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 16 |
| | 6 | Nail Brush | Plastic, soft bristle | 1 | PC | 16 |
| | 7 | Emery Board | 80/100 coarse, 8" Long | 1 | PC | 16 |
| | 8 | Orange Woodstick | 1.77mm, smooth woodstick | 3 | PCS | 16 |
| | 9 | Cotton Balls | 150 balls | 1 | PACK | 16 |
| | 10 | Cuticle Remover | 120 ml bottle | 1 | BOTTLE | 16 |
| | 11 | Nail Polish Remover | 120 ml bottle | 1 | BOTTLE | 16 |
| | 12 | Antiseptic (Merthiolate) | 25 ml bottle | 1 | BOTTLE | 16 |
| | 13 | Colored Nail Polish | 15ml bottle, preferably touch of tan | 1 | BOTTLE | 16 |
| | 14 | Colored Nail Polish | 15ml bottle, white | 1 | BOTTLE | 16 |
| | 15 | Colorless Nail Polish | 15ml bottle, with glitters | 1 | BOTTLE | 16 |
| | 16 | Colorless Nail Polish | 15ml bottle | 1 | BOTTLE | 16 |
| | 17 | Low Stool | hard plastic, round | 1 | PC | 16 |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 16 |
| | Sub-to II) | tal, PERFORM MÅ | NICURE AND PEDICURE (Leading to | Beauty | Care NC | 16 |

Videlin

| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | L TRA | INING FOR | |
|------------|------------|--------------------------------|---|---------|-------------|------------------|
| | | TESDA-Region \ | /III – TESDA Compound, Abucay, Tac | lohan | City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 35 | PERF | ORM HAND SPA (| Leading to Beauty Care NC II) | L | | 1 7 7 7 |
| | 1 | Handspa Machine | Thermostatically-controlled heating unit, 220v, 60hz | 1 | PC | 15 |
| | 2 | Paraffin Wax | Scented, 500g | 1 | ВОХ | 15 |
| | 3 | Clingwrap | clear, transparent, 150 sq. ft (36.6m x 38 cm) | 1 | ROLL | 15 |
| | Sub-to | otal, PERFORM HA | ND SPA (Leading to Beauty Care NC | : //) | | 15 |
| 36 | | | AGE (Leading to Beauty Care NC II) | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 33 |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 33 |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 33 |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 33 |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 33 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 33 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 33 |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 33 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 33 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 33 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 33 |
| | Sub-to | otal, PERFORM BO | DY MASSAGE (Leading to Beauty Ca | re NC | II) | 33 |
| 39 | PERF | | eading to Beauty Care NC II) | | | |
| | 1 | Footspa Machine | 220V 1800-2000W 60Hz, with bubbles and vibrator | 1 | UNIT | 15 |
| | 2 | Callus Remover | Stainless Steel, 7" | 1 | PC | 15 |
| | 3 | Scrubbing Gloves | Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) | 1 | PAIR | 15 |
| | 4 | Foot File | Wooden, 9.5" | 1 | PC | 15 |
| | 5 | Foot Blush | 100ml, spray type | 1 | BOTTLE | 15 |
| | 6 | Foot Soak | 150ml, Liquid | 1 | BOTTLE | 15 |
| | 7 | Foot Scrub | 150ml, cream | 1 | TUBE | 15 |
| | 8 | Foot Lotion | 150ml, scented | 1 | BOTTLE | 15 |
| - | 9 | Foot Brush | plastic handle, plastic bristle | 1 | PC | 15 |
| | | | OT SPA (Leading to Beauty Care NC | | | 15 |
| 43 | PERFC 1 | DRM HAIR CUTTIN Hair Blower | G SERVICES (Leading to Hairdressin 220V, 1800W, 60 Hz, hot and cold blower function | g NC II | UNIT | 57 |

ngyen

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|------------|----------------------|---|---------|-----------|------------------|
| | | | /III – TESDA Compound, Abucay, Tac | | City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 2 | Cutting Scissors | 6" stainless steel with tight regulator screw | 1 | PC | 57 |
| | 3 | Thinning Scissors | 5" Single notched, 23 teeth, stainless steel | 1 | PC | 57 |
| | 4 | Apron | black with 3 pockets | 1 | PC | 57 |
| | 5 | Protective Cape | Water proof, nylon, black | 1 | PC | 57 |
| | 6 | Neck brush | Wood handle, app. 10 cm x 6.7cm | 1 | PC | 57 |
| | 7 | Talcum Powder | 250g | 1 | BOTTLE | 57 |
| | <i>II)</i> | | IR CUTTING SERVICES (Leading to | | essing NC | 57 |
| 44 | BREA | D MAKING (Leadir | ng to Bread and Pastry Production N 18L Stainless Housing, Timer 60mins | CII) | PC | 259 |
| | | · . | with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | | | |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 259 |
| | 3 | Measuring Urn | Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres | 1 | PC | 259 |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 259 |
| | Sub-to | tal, BREAD MAKI | NG (Leading to Bread and Pastry Pro | oductio | n NC II) | 259 |
| 45 | PAST | RY MAKING (Lead | ing to Bread and Pastry Production | NC II) | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 97 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 97 |

John

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | | 2 |
|------------|--------|------------------|---|---------|-----------|------------------|
| | | TESDA-Region V | 'III – TESDA Compound, Abucay, Tac | loban (| City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 97 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 97 |
| | Sub-to | otal, PASTRY MAK | ING (Leading to Bread and Pastry P | roducti | on NC II) | 97 |
| 46 | | | to Bread and Pastry Production NC | | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 136 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 136 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 136 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- stick | 1 | PC | 136 |
| - | Sub-to | otal, CAKE MAKIN | G (Leading to Bread and Pastry Proc | luction | NC II) | 136 |
| 47 | PREP | ARE AND COOK H | OT MEALS (Leading to Cookery NC | (1) | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 331 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 331 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 331 |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 331 |
| | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 331 |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 331 |
| : | 7 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 331 |
| | 8 | Strainer | 8" diameter, single fine mesh, flat wooden handle | 1 | PC | 331 |
| | | | D COOK HOT MEALS (Leading to Co | okery N | IC II) | 331 |
| 48 | PREP | ARE COLD MEAL | S (Leading to Cookery NC II) | | | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 54 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 54 |

John

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|----------------|---------------------------------------|--|-----------|-----------|---------------|
| | | | /III – TESDA Compound, Abucay, Tac | | Citv | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | PAX 54 |
| | 4 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 54 |
| | 5 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 54 |
| | 6 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 54 |
| | 7 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 54 |
| | | | LD MEALS (Leading to Cookery NC I | | | 54 |
| 49 | PROC NC II) | | LTING, CURING AND SMOKING (Lead | ding to | | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 64 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 64 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 64 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 64 |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 64 |
| | 6 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 64 |
| | l . | otal, PROCESS FO Processing NC II) | OD BY SALTING, CURING AND SMOR | KING (L | eading to | 64 |
| 50 | PROC NC II) | ESS FOODS BY F | ERMENTATION AND PICKLING (Lead | ling to I | Food Proc | essing |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 33 |
| _ | 2 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 33 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 33 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 33 |
| | 5 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 33 |
| | 6 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 33 |

1 maria

| | PROC | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|---------------------------------------|---------------------------------|---|-------------|-----------|------------------|
| | · · · · · · · · · · · · · · · · · · · | | /III – TESDA Compound, Abucay, Tac | | City | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 7 | Colander | 5 qts capacity, stainless steel, with two grip handles | 1 | PC | 33 |
| | Food | Processing NC II) | ODS BY FERMENTATION AND PICK | • | | 33 |
| 51 | PROC | ESS FOODS BY S | UGAR CONCENTRATION (Leading | to Foo | d Process | ing NC |
| | 1 | Blender | 2 speed, 1.5liter capacity, glass jar with stainless steel blades | 1 | unit | 18 |
| | 2 | Candy Thermometer | 8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan | 1 | PC | 18 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 18 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 18 |
| | 5 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 18 |
| | 6 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 18 |
| | 7 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 18 |
| | 8 | Rubber Scraper | Rubber head high heat resistant, flexible, 12" long | 1 | PC | 18 |
| | 9 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 18 |
| | | tal, PROCESS FO ssing NC II) | ODS BY SUGAR CONCENTRATION (| Leadin | g to Food | 18 |
| | TOTAL | | | | | 2,562 |

Myller

| | PROC | EMPLOY | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | 17 | NING FOR | |
|------------|-------|---|---|---------|------------|------------------|
| | | TESDA-R | egion IX – San Roque, Zamboanga C | | · | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 5 | PROD | UCE ORGANIC VE | GETABLE (Leading to Organic Agric | ulture | Production | |
| | 1 | Steel Rake | 14 tine made of steel; hardwood | 1 | PC | 50 |
| | | | handle | | | |
| | 2 | Sprayer | Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles | 1 | UNIT | 50 |
| | 3 | Shovel | Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" | 1 | PC | 50 |
| | 4 | Garden Hoe | Carbon Steel head, goose neck type, hardwood handle, 6" blade | 1 | PC | 50 |
| | 5 | Sprinkler | 2 gallon capacity, heavy duty plastic | 1 | PC | 50 |
| | | tal, PRODUCE OF | GANIC VEGETABLE (Leading to Org | janic A | griculture | 50 |
| | Produ | ction NC II) | | | | |
| 7 | PERF | ORM DIESEL ENGI | NE TUNE UP (Leading to Automotive 26 tempered steel leaves/blade | Service | ing NC I) | 25 |
| | | | and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .0.15, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. | | | |
| | 2 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 25 |
| | 3 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 25 |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | PC | 25 |
| | 5 | Philips Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 2 X 6mm | 1 | PC | 25 |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 25 |
| | | otal, PERFORM D cing NC I) | IESEL ENGINE TUNE UP (Leading | to Au | utomotive | 25 |

marke

| | PRO | | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | · |
|-------------|--------|---------------------------------------|---|---------|--------------|---|
| | | | Region IX – San Roque, Zamboanga | | | · , · · · · · · · · · · · · · · · · · · |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO |
| NO. | NO. | 11 7-141 | AGENC! SPECS | QII | UNIT | NO. |
| NO. | NO. | | | ĺ | | OF |
| | CEDY | CE ALITORACTIV | F FLECTRICAL COMPONENTS (| | | PAX |
| 11 | | | E ELECTRICAL COMPONENTS (L | -eading | to Auto | motive |
| | Servic | ing NCII) | 100 0 01/ 1 101/ 1 1/ : | | | |
| | 1 | Battery Load | 100-Amp, 6V and 12V batteries. | 1 | PC | 114 |
| | | Tester | shock-resistant meter, sturdy steel | | | |
| | j | | case that has a durable baked | | | |
| | | | enamel finish, rubber insulated carry | | | ' |
| | | | handle, equipped with super-grip | | | |
| | 1 | | battery clamps and a top-mounted | | | |
| | | | rocker switch. | | | |
| | 2 | Electricians/ | Overall length: 8", Steel Alloy, Handle | 1 | PC | 114 |
| | 1 | Electrical Plier | finish: plastic-dipped | | | |
| | 3 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 114 |
| | | Driver | plastic handle, tip: 2 X 6mm | | | |
| | 4 | Flat Screw Driver | | 1 | PC | 114 |
| | - | Tial Colew Billor | plastic handle, tip: 1/4" / 6.5mm | ' | . 0 | ''' |
| | Cub to | tol SERVICE ALL | TOMOTIVE ELECTRICAL COMPONE | NTC (L | anding to | 114 |
| | | | | 1413 (L | eading to | 114 |
| | | notive Servicing N | | -4 | Ja/Constl. F | |
| 13 | | | all Engine System (Leading to M | otorcyc | ile/Smail E | ngine |
| | | ing NC II) | | | | |
| | 1 | Manual Impact | 1 pc 1/2" Drive Impact Driver,1 pc 8 | 1 | SET | 90 |
| | | Driver | mm long bit holder,1 pc 36 mm long, | | | |
| | | | 8 mm slotted bit,1 pc 36 mm long, 10 | | | |
| | | | mm slotted bit,1 pc 36 mm long, PH2 | | | |
| | | <u> </u> | bit, 1 pc 36 mm long, PH3 bit | | | |
| | 2 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 90 |
| | | | Ratchet Wrench, 10 pcs Socket 6 | | j | |
| | | | side/point (10mm, 11mm, 12mm, | | į | |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | į | |
| | | | 22mm, 24mm), 1 pc Extension Rod | | | |
| | 3 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 90 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | • | | |
| | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | Ī | 1 |
| | 4 | Spark Plug | 1pc T-Handle Universal Joint Spark | 1 | SET | 90 |
| | 7 | Wrench | Plug, Socket Wrench 21mm | ' | 521 | 30 |
| | | | | 1 | SET | 90 |
| | 5 | Spark Plug | 1pc T-Handle Universal Joint Spark | ' | SEI | 90 |
| | | Wrench | Plug, Socket Wrench 16mm | | 057 | |
| | 6 | Allen Wrench | Hex Key Set, Number of Pieces 9, | 1 | SET | 90 |
| | | Set | Arm Length 2.80 to 6.80 In., Sizes | ĺ | | |
| | | | Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, | | | |
| | | | 10mm, Blade Material Alloy steel, | | | |
| | | | Handle Type L-Shaped, Includes | | | |
| | | | Molded Plastic Holder | | | |
| _ | 7 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 90 |
| | | ' | detachable tip (combination) internal | | | |
| | | | and external | | | |
| | Sub-to | tal. Service M | Notorcycle/Small Engine System | (Lead | ding to | 90 |
| | | cycle/Small Engine | | , | | |
| | | , , , , , , , , , , , , , , , , , , , | 342 | | | |

7 mayer

| | PRO | EMPLO) | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | 17 | NING FOR | ? |
|--------|--------|------------------------|---|----------|----------|----------------|
| | | | Region IX – San Roque, Zamboanga (| | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | | | PAX |
| 17 | Electr | ical Installation an | d Maintenance NC II | | | |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 47 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | | | |
| | | İ | Internal Battery: R6 (IEC) or UM-3 | | | 1 |
| | | | 1.5V x 2 Internal Fuse: | [| | |
| | ļ | | 0.5Ano/250V/5.2mm dia. X 20mm | <u> </u> | | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | | | |
| | ļ | | X1 to X1k | | | |
| | 2 | Screw Driver Set | 4 pieces per set | 1 | SET | 47 |
| ļ | į | | Flat Blade Tip: 6.5X150mm, | | | |
| | [| | 5X100mm | | | |
| | | | Phillips Blade tip: 1X100mm, | | | |
| l | | | 2X150mm | | | |
| | | | Plastic and rubberized handle, | | | |
| ļ | 3 | Lang Naga Diago | Chrome Vanadium, Shank 6" | 1 | | 47 |
| | 3 | Long Nose Pliers | Overall Length: 8" | | PC | 47 |
| | | | Knife Length: 5/8" Material: Carbon Steel | | | |
|] } | | | 1 | | | |
| | 4 | Diagonal Cutting | Handle Finish: plastic dipped Overall length 8", Handle finish | 1 | PC | 47 |
| | 4 | Diagonal Cutting Plier | plastic dipped, Carbon Steel | ' . | PC | 4/ |
| | 5 | Electricians/ | Overall Length: 8", Steel Alloy, | 1 | PC | 47 |
| | | Electrical Plier | Handle finish: plastic-dipped | ' | 10 | 7' |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 47 |
| | | T dilla doi i t dio | High impact ABS case with durable | • | . • | 7' |
| | | | rubber Corrosion resistant tru-zero | | | |
| | | | end | | | |
| | Sub-to | tal. Electrical Inst | allation and Maintenance NC II | | | 47 |
| | | | UMBING INSTALLATION AND REPA | IR MAIN | TENANC | |
| 22 | | S (Leading to Plui | | | | _ - |
| | 1 | Pipe Wrench | 14" Straight cast iron handle; max jaw | 1 | PC | 65 |
| | - | • | opening: 65mm (2.55") | | | |
| | 2 | Hacksaw With | Adjustable hacksaw frame with bi- | 1 | PC | 65 |
| | | Blade | metal hacksaw blade, 24 TPI, | | | |
| | | | aluminum alloy frame and handle | | | |
| | 3 | PVC Pipe Cutter | PVC pipe cutter; steel handle 1/2"- 2" | 1 | PC | 65 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 65 |
| | | | High impact ABS case with durable | | | |
| | | ! ! | rubber Corrosion resistant tru-zero | | | |
| | | | end | | | |
| | 5 | Ball Peen | Forged hard steel; jacketed graphite | 1 | PC | 65 |
| | | Hammer | ballpeen hammer, 16 oz./ 1 lb | | | |
| | | | ILTIPLE PLUMBING INSTALLATION A | AND RE | PAIR | 65 |
| | MAINT | ENANCE WORKS | (LEADING TO PLUMBING NC II) | | | |
| | | | | | | |
| | | | | | · · · | L |

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | ? |
|------------|-------------|-----------------------------|---|-------------|-------------|------------------|
| - | | | egion IX – San Roque, Zamboanga (| | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 24 | | SETTING NC II | | | | |
| | 1 | Tile Cutter | Pen type, carbide tip, manual 8" length | 1 | PC | 44 |
| | 2 | Nipper, End Cutter | End nipper Plier 8" | 1 | PC | 44 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 44 |
| | 4 | Rubber Mallet | 16 oz, Wooden Handle | 1_ | PC | 44 |
| | 5 | Notched Trowel | Notched Trowel; carbon steel; Wooden/ Plastic handle | 1 | PC | 44 |
| | 6 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 44 |
| | 7 | Plier | Forged carbon steel, length 8 inches, machined jaws | 1 | PC | 44 |
| | 8 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 44 |
| | Sub-to | tal, TILE SETTING | | | | 44 |
| 26 | SHIEL | DED METAL ARC | WELDING (SMAW) NC I | | | |
| | 1 | Portable Welding Machine | Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | 1 | PC | 266 |
| | 2 | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 266 |
| | Sub-to | otal, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | | | 266 |
| 31 | DRES | SMAKING NC II | | | | |
| | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | 1 | UNIT | 145 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler | 1 | SET | 145 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC | 145 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 145 |

Mayde

| PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | | |
|--|--------|-----------------------|---|----------|---------------------------------------|-----|--|
| | | | egion IX – San Roque, Zamboanga (| | · · · · · · · · · · · · · · · · · · · | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. | |
| NO. | NO. | <u> </u> | 7.02.00 . 0. 200 | — | 0 | OF. | |
| | | | | | | PAX | |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper | 1 | PC | 145 | |
| | | | closing containing items for sewing | | | | |
| | | | such as tape measure 60" (150cm) L, | | | | |
| | | | 4 to 5" L paper scissors (plastic | | | | |
| | | | handle), spools of asstd. colors of | | | | |
| | | | sewing threads and other notions | | | | |
| | Sub-to | otal, DRESSMAKIN | IG NC II | · | | 145 | |
| 32 | TAILO | RING NC II | | | | | |
| | 1 | Ordinary Sewing | operated by foot pedal with mini | 1 | UNIT | } | |
| | | machine | electric motor (50/60 HZ;70-150Watt; | | | | |
| | | | 220 V) automatic bobbin winder, | | | | |
| 1 | | | variable stitch length control, | | | 97 | |
| | | | numbered tension dial with drop feed, | | | | |
| | | | wooden table with drawers and cast | | | | |
| | | | iron stand | | | | |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 | 1 | SET | 07 | |
| | | | 1/2" W, L-shape ruler; Hip curve, | | | 97 | |
| | | | aluminum 24" L x 1 1/2" W curve ruler | | | | |
| | 3 | Cutting Shears | 8" length, stainless steel cutting | 1 | PC | | |
| | | | blade, plastic handle used for cutting | | | 97 | |
| | | | fabrics | | 00 | | |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" | 1 | PC | 97 | |
| | - | Cavina Kit | W for shaping sharp curve edges a PVC plastic clear pouch with zipper | 1 | PC | | |
| | 5 | Sewing Kit | closing containing items for sewing | 1 | | ' | |
| | | | such as tape measure 60" (150cm) L, | | | | |
| | | | 4 to 5" L paper scissors (plastic | | | 97 | |
| | | | handle), spools of asstd. colors of | | | | |
| | | | sewing threads and other notions | | | | |
| | Sub-to | tal, TAILORING N | <u></u> | | | 97 | |
| 33 | | (WELLNESS MAS | | | | | |
| - 55 | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 356 | |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 356 | |
| | 3 | Face Mask | disposable earloop face mask, 50 | 1 | BOX | 356 | |
| | | | pcs per box | - | = | | |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V- | 1 | PAIR | 356 | |
| | ' | | neck top with 2 lower front pockets), | | | i | |
| | | | garterized pants with adjustable | | | | |
| . | | | draw string and back pocket, free | | | | |
| | | | size, blue color. | | | | |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 356 | |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 356 | |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 356 | |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 356 | |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 356 | |
| L | | 1 OWAGE | Dan, potraci, 200 g | |) | | |

1 regular

| PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR | | | | | | | |
|---|-------------|--|--|--|-----------|----------|--|
| EMPLOYMENT PROGRAM (STEP) FOR FY 2017 TESDA-Region IX – San Roque, Zamboanga City | | | | | | | |
| LOT | 177.4 | ITEM | AGENCY SPECS | QTY | UNIT | NO. | |
| LOT NO. | ITEM NO. | I I EIVI | AGENCY SPECS | QII | UNIT | OF | |
| NO. | NO. | | | | | PAX | |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 356 | |
| | 11 | Storage Box | Plastic, clear storage box with lid | 1 | PC | 356 | |
| | 11 | Otorage Dox | lock, carry handle, 14" x 10" x 8" | | ' | 555 | |
| | Sub-to | otal HII OT (WELL | NESS MASSAGE) NC II | | l | 356 | |
| 34 | | | AND PEDICURE (Leading to Beauty C | are NC | II) | | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 1 | PC | 161 | |
| | 2 | Cuticle Pusher | stainless steel, 5" | 1 | PC | 161 | |
| | 3 | Foot Nail Cutter | stainless steel, 3" long | 1 | PC | 161 | |
| <u> </u> | 4 | Hand Nail Cutter | stainless steel, 2.5" long | 1 | PC | 161 | |
| | 5 | Storage Box | Plastic, clear storage box with lid | | 50 | | |
| | | Otorago Dox | lock, carry handle, 14" x 10" x 8" | 1 | PC | 161 | |
| | 6 | Nail Brush | Plastic, soft bristle | 1 | PC | 161 | |
| | 7 | Emery Board | 80/100 coarse, 8" Long | 1 | PC | 161 | |
| | 8 | Orange | 1.77mm, smooth woodstick | | | | |
| | | Woodstick | , | 3 | PCS | 161 | |
| | 9 | Cotton Balls | 150 balls | 1 | PACK | 161 | |
| | 10 | Cuticle Remover | 120 ml bottle | 1 | BOTTLE | 161 | |
| | 11 | Nail Polish | 120 ml bottle | 4 | BOTTLE | 161 | |
| | , , | Remover | | 1 | BOLILE | 101 | |
| | 12 | Antiseptic | 25 ml bottle | 1 | BOTTLE | 161 | |
| | | (Merthiolate) | | <u> </u> | BOTTLE | 101 | |
| | 13 | Colored Nail | 15ml bottle, preferably touch of tan | 1 | BOTTLE | 161 | |
| | | Polish | | <u>'</u> | DOTTEE | | |
| | 14 | Colored Nail | 15ml bottle, white | 1 | BOTTLE | 161 | |
| | | Polish | | <u> </u> | 2022 | | |
| | 15 | Colorless Nail | 15ml bottle, with glitters | 1 | BOTTLE | 161 | |
| | | Polish | | | | | |
| | 16 | Colorless Nail | 15ml bottle | 1 | BOTTLE | 161 | |
| | , | Polish | | <u> </u> | | | |
| | 17 | Low Stool | hard plastic, round | 1 | PC | 161 | |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 1 | PC | 161 | |
| | 1 | otal, PERFORM MA | NICURE AND PEDICURE (Leading to | Beauty | / Care NC | 161 | |
| | <i>II)</i> | | | N 11V | | | |
| 38 | | | ATMENT (Leading to Beauty Care NO | | PC | 70 | |
| | 1 | Acne Gel | plastic tube, 25ml | 1 1 | BOTTLE | 70 70 | |
| | 2 | Astringent | 125 ml, deep cleansing, | 1 | DOTTLE | 70 | |
| <u> </u> | | Dia a alaina a Oras a | hypoallergenic | 1 | TUBE | 70 | |
| ļ | 3 | Bleaching Cream | 50 grams, tube, hypoallergenic | 1 1 | BOTTLE | 70 | |
| | 4 | Cream | 60 ml., hypoallergenic | 1 | DOTTLE | 10 | |
| - | 5 | Cream Face Mask | disposable earloop face mask, 50 | 1 | BOX | 70 | |
| | ٥ | I act iviask | pcs per box | ' | | , 5 | |
| | 6 | Facial Brush | wooden handle, soft bristle | 1 | PC | 70 | |
| | 7 | Facial Cream | 50 ml, dermatologically tested | | PC | 70 | |
| <u> </u> | 8 | Facial Scrub | 50ml, dermatologically tested | 1 | TUBE | 70 | |
| | | Cream | l compaction of the contract o | , | | <u></u> | |
| L | L | J. J. J. J. J. J. J. J. J. J. J. J. J. J | <u></u> | | · | | |

1 vyra

| | PRO | | TARTER TOOLKITS FOR THE SPECIA YMENT PROGRAM (STEP) FOR FY 2 | | INING FOR | |
|------------|--------|----------------------|--|----------|-----------|------------------|
| | | | Region IX – San Roque, Zamboanga | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 9 | Moisturizer | 50 ml, plastic container, hypoallergenic | 1 | PC | 70 |
| | 10 | Pricking Tools | stainless steel, dual end, pointed and round | 1 | PC | 70 |
| | 11 | Skin Toner | 100 ml, dermatologically tested | 1 | BOTTLE | 70 |
| | 12 | Sun Block Cream | 50 ml. SPF 40 (hypoallergenic) | 1 | TUBE | 70 |
| | 13 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 70 |
| | 14 | Cotton Balls | 150 balls | 1 | PACK | 70 |
| | Sub-to | otal, PERFORM FA | ACIAL TREATMENT (Leading to Beau | ity Care | NC II) | 70 |
| 40 | PERF | ORM FACIAL MAP | (E-UP (Leading to Beauty Care NC II) | | | |
| | 1 | Astringent | 125 ml, deep cleansing, hypoallergenic | 1 | BOTTLE | 55 |
| | 2 | Blusher | pink and bronze shade, 4grams each | 2 | PC | 55 |
| | 3 | Eye Brow Pencil | black, 4" | 1 | PC | 55 |
| | 4 | Eye Brow Pencil | brown, 4" | 1 | PC | 55 |
| | 5 | Eye Liner Pencil | black, 4" | 1 | PC | 55 |
| | 6 | Eye Liner Pencil | brown, 4" | 1 | PC | 55 |
| | 7 | Eye Shadow | 8 palette, earth colors, matte finish | 1 | PC | 55 |
| | 8 . | Eyebrow Tweezer | stainless steel, scissor type | 1 | PC · | 55 |
| | 9 | Eyelash Curler | stainless steel, scissor type | 1 | PC | 55 |
| | 10 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 55 |
| | 11 | Make-Up Sponge | round, powder puff sponge | 1 | PC | 55 |
| | 12 | Foundation | Liquid, 30 ml, natural shade | 1 | BOTTLE | 55 |
| | 13 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 55 |
| | 14 | Lipstick | matte finish, red | 1 | PC | 55 |
| | 15 | Lipstick | matte finish, coral pink | 1 | PC | 55 |
| | 16 | Make Up Brush Set | wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush) | 1 | SET | 55 |
| | 17 | Mascara | black, water proof, 7g | 1 | PC | 55 |
| | 18 | Pressed Powder | natural shade, matte finish | 1 | PC | 55 |
| | 19 | Cotton Balls | 150 balls | 1 | PACK | 55 |
| | 20 | Concealer | 20ml with UVA/UVB protection | 1 | PC | 55 |
| | Sub-to | tal, PERFORM FA | CIAL MAKE-UP (Leading to Beauty C | Care NC | | 55 |
| 43 | PERF | ORM HAIR CUTTIN | IG SERVICES (Leading to Hairdressi | na NC II | <u>.</u> | |
| | 1 | Hair Blower | 220V, 1800W, 60 Hz, hot and cold blower function | 1 | UNIT | 20 |
| | | | | | | |

, Nagola

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|--------|-------------------|---|---------|--|------------------|
| | | | legion IX – San Roque, Zamboanga (| | · · · · · · · · · · · · · · · · · · · | • |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | TINU | NO. OF PAX |
| | 2 | Cutting Scissors | 6" stainless steel with tight regulator screw | 1 | PC | 20 |
| | 3 | Thinning Scissors | 5" Single notched, 23 teeth, stainless steel | 1 | PC | 20 |
| | 4 | Apron | black with 3 pockets | 1 | PC | 20 |
| | 5 | Protective Cape | Water proof, nylon, black | 1 | PC | 20 |
| | 6 | Neck brush | Wood handle, app. 10 cm x 6.7cm | 1 | PC | 20 |
| | 7 | Talcum Powder | 250g | 1 | BOTTLE | 20 |
| | II) | | AIR CUTTING SERVICES (Leading to | | | 20 |
| 44 | | | ng to Bread and Pastry Production N | | · = = · · | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 39 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 39 |
| | 3 | Measuring Urn | Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres | 1 | PC | 39 |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 39 |
| | Sub-to | tal, BREAD MAKII | NG (Leading to Bread and Pastry Pro | ductio | n NC II) | 39 |
| 46 | | | to Bread and Pastry Production NC | | ······································ | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 110 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 110 |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 110 |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non-stick | 1 | PC | 110 |
| | Sub-to | tal, CAKE MAKING | G (Leading to Bread and Pastry Prod | luction | NC II) | 110 |

| | PRO | EMPLOY | ARTER TOOLKITS FOR THE SPECIA (MENT PROGRAM (STEP) FOR FY 20 | 017 | NING FOR | ₹ |
|-----|-------------|----------------------|--|-----------|-------------|------------------|
| | | TESDA-R | Region IX – San Roque, Zamboanga | City | | 11 |
| NO. | NO. | | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| 47 | PREP | ARE AND COOK H | OT MEALS (Leading to Cookery NC | II) | <u> </u> | , L |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- stick, riveted handle | 1 | PC | 153 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 153 |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 153 |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 153 |
| | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 153 |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 153 |
| | 7 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 153 |
| | 8 | Strainer | 8" diameter, single fine mesh, flat wooden handle | 1 | PC | 153 |
| | Sub-to | otal, PREPARE AN | D COOK HOT MEALS (Leading to Co | okerv N | IC II) | 153 |
| 49 | PROC | ESS FOOD BY SAI | TING, CURING AND SMOKING (Lead | ling to F | ood Proc | |
| 45 | NC II) | | · | | | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 105 |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 105 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 105 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 105 |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 105 |
| | 6 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 105 |
| | Food I | Processing NC II) | DD BY SALTING, CURING AND SMOR | • | | 105 |
| 51 | PROC II) | ESS FOODS BY SI | JGAR CONCENTRATION (Leading t | o Food | Processi | ng NC |
| | 1 | Blender | 2 speed, 1.5 liter capacity, glass jar with stainless steel blades | 1 | unit | 80 |
| | 2 | Candy Thermometer | 8 " long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan | 1 | PC | 80 |

Myen

| | PRO | | ARTER TOOLKITS FOR THE SPECIA | | NING FOR | |
|------------|-------------|---------------------|---|---------|-----------|------------------|
| | | | <u>/MENT PROGRAM (STEP) FOR FY 20</u> Legion IX – San Roque, Zamboanga (| | | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 80 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 80 |
| | 5 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 80 |
| | 6 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 80 |
| , | 7 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 80 |
| | 8 | Rubber Scraper | Rubber head high heat resistant, flexible, 12" long | 1 | PC | 80 |
| | 9 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 80 |
| | | = | ODS BY SUGAR CONCENTRATION (| Leading | g to Food | 80 |
| | | ssing NC II) | | | | 2 002 |
| | TOTA | L | | | | 2,092 |

Myran

| PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | | |
|--|---------|--------------------|---------------------------------------|---------|-------------|----------|--|
| | TESD | A-Region X - P-CI | navez Jupiter Street, Macasandig, Ca | gayan d | de Oro City | / | |
| LOT | ITEM | | AGENCY SPECS | QTY | UNIT | NO. | |
| NO. | NO. | | | | | OF | |
| | | | | | 1 | PAX | |
| 5 | PROD | LICE ORGANIC VI | GETABLE (Leading to Organic Agric | rultura | Production | NC III | |
| | 1 | Steel Rake | 14 tine made of steel; hardwood | 1 | PC | 55 | |
| | | | handle | | | <u> </u> | |
| ŀ | 2 | Sprayer | Knapsack type (16 litres cap) | 1 | UNIT | 55 | |
| - | | | stainless tank and steel lance manual | | | | |
| | ĺ | | type with cone nozzles and fan | | | | |
| | | | nozzles | | | } | |
| | 3 | Shovel | Round point steel blade; fiber glass | 1 | PC | 55 | |
| | | | D-grip handle, blade length 11.5" | • | . 0 | | |
| | | | width 8.25" wooden handle length | | | | |
| | | | 20" | | | | |
| · · · · · · · · · | 1 | Cordon Llos | | | 50 | | |
| | 4 | Garden Hoe | Carbon Steel head, goose neck type, | 1 | PC | 55 | |
| ļ | | | hardwood handle, 6" blade | | | | |
| | 5 | Sprinkler | 2 gallon capacity, heavy duty plastic | 1 | PC | 55 | |
| | | | RGANIC VEGETABLE (Leading to Org | anic Ag | griculture | 55 | |
| | | ction NC II) | | | | | |
| 7 | PERF | ORM DIESEL ENG | INE TUNE UP (Leading to Automotive | Servic | ing NC I) | | |
| | 1 | Feeler gauge | 26 tempered steel leaves/blade | 1 | PC | 61 | |
| | | | ranging from 0.015 in to 0.025 inches | | | } | |
| | | | and 0.038 to 0.635 mm | | | | |
| | | | mm sizes: .038, .051, .064, .076, | i | | | |
| | | - | | 1 | | | |
| | | | .102, .127, .152, .178, .203, .229, | ł | | | |
| | | | .254, .279, .305, .330, .356, .381, | | | | |
| | | | .406, .432, .483, .457, .508, | | | | |
| | | • | .533, .559, .584, .610 and .635mm. | | | | |
| | | | Inch sizes: .0015, .002, .0025, .004, | 1 | | | |
| | | | .005, .006, .007, .008, .009, .010, | | ŀ | | |
| | | | .011, .012, .013, .014, .0.15, .016, | | | | |
| | | • | .017, .018, .019, .020, .021, | | | | |
| | | | .022, .023, .024, and .025. | | | | |
| | 2 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 61 | |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | ı | SEI | 01 | |
| | | And Box End) | | | İ | | |
| | 3 | Socket Wrench | 17mm, 19mm, 22mm) 7.5 deg offset | | CET | | |
| l | ٥ | Socket AMELICII | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 61 | |
| | | | Ratchet Wrench, 10 pcs Socket 6 | | | | |
| - | ļ | | side/point (10mm, 11mm, 12mm, | 1 | | į | |
| - | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | İ | ĺ | |
| | | | 22mm, 24mm), 1 pc Extension Rod | | | | |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) | 1 | PC | 61 | |
| ŀ | | | plastic handle, tip: 1/4" / 6.5mm | | | | |
| | 5 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 61 | |
| | | Driver | plastic handle, tip: 2 X 6mm | - | | - 1 | |
| | 6 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 61 | |
| | • | J., J., P. 1 11010 | detachable tip (combination) internal | ' | OL I | 01 | |
| | | | and external | | | | |
| | Sub to | tal DEDECIMA D | | 40 4 | in madica | | |
| | | | ESEL ENGINE TUNE UP (Leading | to Au | tomotive | 61 | |
| | Servici | ing NC I) | | | | | |

1 more

| | PROC | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|------------------|--|---|----------|-------------|-----------|
| | TESD | | avez Jupiter Street, Macasandig, Ca | | le Oro City | , |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | <u> </u> | | PAX |
| 10 | SERV | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | PONENTS (Leading to Automotive Se | ervicing | | |
| 1 | 1 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" | 1 | SET | 25 |
| | 1 | | Ratchet Wrench, 10 pcs Socket 6 | | | |
| | | | side/point (10mm, 11mm, 12mm, | | | ļ |
| | | | 13mm, 14mm, 15mm, 17mm, 19mm, | | | |
| - | | O bi bi | 22mm, 24mm), 1 pc Extension Rod | | OFT | 0.5 |
| | 2 | Combination | chrome vanadium steel, set of 8 sizes | 1 | SET | 25 |
| | | Wrench (Open | (8mm, 9mm, 10mm, 12mm, 14mm, | | | |
| | | And Box End) | 17mm, 19mm, 22mm) 7.5 deg offset | | | |
| | 3 | Circlip Pliers | 6 in carbon steel insulated handle | 1 | SET | 25 |
| | | | detachable tip (combination) internal and external | | | |
| | 4 | Allen Wrench Set | | 1 | SET | 25 |
| | | | Arm Length 2.80 to 6.80 In., Sizes | | | |
| | | | Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, | | | |
| | | | 10mm, Blade Material Alloy steel, | | | |
| | | | Handle Type L-Shaped, Includes | | | |
| | | | Molded Plastic Holder | | | |
| | 5 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 25 |
| | | Driver | plastic handle, tip: 2 X 6mm | | | |
| | 6 | Flat Screw Driver | 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm | 1 | . PC | 25 |
| | 7 | Ball Peen | Forged hard steel; jacketed graphite | 1 | PC | 25 |
| | | Hammer | ballpeen hammer, 16 oz./ 1 lb | | | <u></u> |
| | Sub-to NC II) | otal, SERVICE ENG | INE COMPONENTS (Leading to Auto | motive S | Servicing | 25 |
| 11 | t | CE AUTOMOTIVE ing NCII) | E ELECTRICAL COMPONENTS (L | eading | to Auto | motive |
| | 1 | Battery Load | 100-Amp, 6V and 12V batteries. | 1 | PC | 67 |
| | | Tester | shock-resistant meter, sturdy steel | | | |
| | | | case that has a durable baked | | | |
| | | | enamel finish, rubber insulated carry | | | |
| | | | handle, equipped with super-grip | | | |
| | | | battery clamps and a top-mounted | | | |
| | | | rocker switch. | | | |
| | 2 | Electricians/ | Overall length: 8", Steel Alloy, Handle | 1 | PC | 67 |
| | | Electrical Plier | finish: plastic-dipped | | | |
| | 3 | Philips Screw | 8" shank length (chrome plated) | 1 | PC | 67 |
| | 1 | Driver | plastic handle, tip: 2 X 6mm | | | |
| | 4 | Flat Screw Driver | 8" shank length (chrome plated) | 1 | PC | 67 |
| | | | plastic handle, tip: 1/4" / 6.5mm | : | | |
| | Sub-to | otal, SERVICE AUT | OMOTIVE ELECTRICAL COMPONE | NTS (I e | ading to | 67 |
| | | notive Servicing N | | 1-0 | | |
| | | | , | | | |



| | PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | | | |
|------------|--|---|--|--------|-------------|------------------|--|--|--|
| | TESD | | avez Jupiter Street, Macasandig, Ca | | de Oro City | y | | | |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX | | | |
| 13 | | ce Motorcycle/Sm cing NC II) | all Engine System (Leading to M | otorcy | cle/Small | Engine | | | |
| | 1 | Manual Impact Driver | 1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit | 1 | SET | 150 | | | |
| | 2 | Socket Wrench | socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod | 1 | SET | 150 | | | |
| | 3 | Combination Wrench (Open And Box End) | chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset | 1 | SET | 150 | | | |
| | 4 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm | 1 | SET | 150 | | | |
| | 5 | Spark Plug Wrench | 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm | 1 | SET | 150 | | | |
| | 6 | Allen Wrench Set | Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 ln., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder | 1 | SET | 150 | | | |
| | 7 | Circlip Pliers | 6 in carbon steel insulated handle detachable tip (combination) internal and external | 1 | SET | 150 | | | |
| | | cycle/Small Engine | lotorcycle/Small Engine System e Servicing NC II) | (Lea | ding to | 150 | | | |
| 16 | | ENTRY NC II | Creaming Commission of Commiss | 1 | DC | 115 | | | |
| | 1 | Cross Cut Saw | Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle | | PC | 115 | | | |
| | 2 | Claw Hammer | Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle | 1 | PC | 115 | | | |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 115 | | | |
| | 4 | Steel Square | Carpenters framing square; 2x16x24", Steel | 1 | PC | 115 | | | |
| | 5 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 115 | | | |
| | 6 | Sledge Hammer | Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle | 1 | PC | 115 | | | |



| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|---------|---------|----------------------|--|--------------|---------------------|----------|
| | TESD | | avez Jupiter Street, Macasandig, Ca | | e Oro City | , |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF. |
| | | | | | | PAX |
| | 7 | Chalk Line Reel | Includes Chalk Reel and 4 Oz. Bottle | 1 | PC | 115 |
| | | | Blue Chalk; High Impact Abs Case | | | |
| | | | On-Board Hook Storage, Stainless- | | | |
| | | | Steel Hook, Sliding Door For Easy | | | |
| | | | Filling, Folding Crank Handle | | | |
| | 8 | Wood Chisel | Forged steel blade; 3/4: blade width; | 1 | PC | 115 |
| | | | plastic handle | | | |
| | 9 | Try Square | Size: 8"x12", Thickness 1.8-2mm, | 1 | PC | 115 |
| | | | Material: Spring Steel, Handle | | | |
| | | | Material: Aluminum Alloy, Metric & | | | |
| | | | English Graduations | | | |
| | 10 | Ripping Bar | Overall Length: 17", Overall Width: | 1 | PC | 115 |
| | | | 5/8", Thickness: 5/8", Dia.: 5/8", | | | |
| | | | Material: High Carbon Steel, Color: | | | |
| | | | Black and Yellow | | <u></u> | |
| | 11 | Plumb Bob | Hexagonal/Conical shape, Machined | 1 | PC | 115 |
| | | | Steel, 8 ounce | | | |
| | | otal, CARPENTRY | | | | 115 |
| 17 | | | d Maintenance NC II | | | · |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 338 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | | | |
| | | | Internal Battery: R6 (IEC) or UM-3 | | | |
| | | | 1.5V x 2 Internal Fuse: | | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | | | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | | | |
| ļ | | Caratte Driver Cat | X1 to X1k | 1 | SET | 338 |
| | 2 | Screw Driver Set | 4 pieces per set | ı | SEI | 330 |
| | | | Flat Blade Tip: 6.5X150mm, 5X100mm | | | |
| | | | Phillips Blade tip: 1X100mm, | | | |
| | | | 2X150mm | | | |
| | | | Plastic and rubberized handle, | | | |
| | | | Chrome Vanadium, Shank 6" | | | |
| | 3 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 338 |
| | , , | Long Hose I liers | Knife Length: 5/8" | • | , , | 555 |
| | | | Material: Carbon Steel | | | |
| | | | Handle Finish: plastic dipped | | | |
| | 4 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 338 |
| | • | Plier | plastic dipped, Carbon Steel | . | | - |
| | 5 | Electricians/ | Overall Length: 8", Steel Alloy, | 1 | PC | 338 |
| | | Electrical Plier | Handle finish: plastic-dipped | · | | |
| | 6 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" | 1 | PC | 338 |
| | | | High impact ABS case with durable | | | · - |
| | | | rubber Corrosion resistant tru-zero | | | |
| | | | end | | | |
| | Sub-to | tal, Electrical Inst | allation and Maintenance NC II | | | 338 |



| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|-------------|-------------------------------------|--|-------|-------------|------------------|
| | TESD | | navez Jupiter Street, Macasandig, Ca | | le Oro City | , |
| NO. | NO. | ITEM | AGENCY SPECS | QΤΥ | UNIT | NO. OF PAX |
| 21 | | ITTING NC II | Translated to the control of the con | | 50 | 445 |
| | 1 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 115 |
| | 2 | Spirit Level Bar | Aluminum, top-read center vial; 3 vials; Length: 24" | 1 | PC | 115 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 115 |
| | 4 | File | Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant | 1 | PC | 115 |
| | 5 | Adjustable Wrench | 12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm | 1 | PC | 115 |
| | 6 | Adjustable Combination Square | stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade | 1 | PC | 115 |
| | | C - Clamp | Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening | 1 | PC | 115 |
| | 8 | Hacksaw with Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 115 |
| | Sub-to | tal, PIPEFITTING | | | | 115 |
| 22 | | ORM MULTIPLE (S (Leading to Plui | PLUMBING INSTALLATION AND R | EPAIR | MAINTEN | IANCE |
| | 1 | Pipe Wrench | 14" Straight cast iron handle; max jaw opening: 65mm (2.55") | 1 | PC | 50 |
| | 2 | Hacksaw With Blade | Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle | 1 | PC | 50 |
| | 3 | PVC Pipe Cutter | PVC pipe cutter; steel handle 1/2"- 2" | 1 | PC | 50 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | PC | 50 |
| | 5 | Ball Peen Hammer | Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb | 1 | PC | 50 |
| | | • | ULTIPLE PLUMBING INSTALLATION (LEADING TO PLUMBING NC II) | N AND | REPAIR | 50 |

12 H

| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | <u> </u> |
|-----|--------|--|---|--|--------------|-----------|
| | TESD | | navez Jupiter Street, Macasandig, Ca | | de Oro City | / |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF PAX |
| 26 | SHIEL | DED METAL ARC | WELDING (SMAW) NC I | ' | ' | -l |
| | 1 | Portable Welding | Portable welding machine, 220 V, 60 | 1 | PC | 572 |
| | 1 | Machine | hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. | | | |
| | 2 | Welding Mask | Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 41/2" x 2" view area with lens | 1 | PC | 572 |
| | Sub-to | otal, SHIELDED ME | TAL ARC WELDING (SMAW) NC I | \ | | 572 |
| 27 | Assen | | Products (Leading to Electronic P | roducts | Assemb | |
| | 1 | VOM (Multitester) | Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: | 1 | UNIT | 10 |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k | | | |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip 60Hz | 1 | PC | 10 |
| | 3 | Long Nose Pliers | Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | PC | 10 |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 10 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 10 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 10 |
| | | ital, Assemble Ele ably and Servicing | ectronics Products (Leading to Elec NC II) | tronic | Products | 10 |

1 Marie

| | PROC | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|-----|--------|---|--|----------|-------------|--------------|
| | TESD | | avez Jupiter Street, Macasandig, Ca | | le Oro City | , |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. |
| NO. | NO. | | | | | OF |
| | | | | | | PAX |
| 28 | Servic | e Consumer Elect | ronic Products and Systems (Leadin | a to Ele | ctronic Pr | oducts |
| | | nbly and Servicing | | | | |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 50 |
| | | (Multitester) | V to 1000V ACV Range: 10 to 750V | | | |
| | | | Internal Battery: R6 (IEC) or UM-3 | | | |
| | | | 1.5V x 2 Internal Fuse: | | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | | | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | 1 | | |
| | | | X1 to X1k | | | |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip | 1 | PC | 50 |
| | | | 60Hz | | | |
| | 3 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 50 |
| | | | Knife Length: 5/8" | | | |
| | | | Material: Carbon Steel | | | |
| | | | Handle Finish: plastic dipped | | | |
| | 4 | Diagonal Cutting | Overall length 8", Handle finish | 1 | PC | 50 |
| | | Plier | plastic dipped, Carbon Steel | | | |
| | 5 | Screw Driver Set | 4 pieces per set | 1 | SET | 50 |
| | | | Flat Blade Tip: 6.5X150mm, | | | |
| | | | 5X100mm | | | |
| | • | | Phillips Blade tip: 1X100mm, | | | |
| | | | 2X150mm | | | |
| | | | Plastic and rubberized handle, | | | |
| | | | Chrome Vanadium, Shank 6" | | | |
| | 6 | Desoldering | Anodized aluminum housing, high | 1 | PC | 50 |
| | | Pump/Solder | suction, strong and light weight. | | | |
| | | Sucker | | | | |
| | | • | umer Electronic Products and Syst | ems (Le | eading to | 50 |
| | | | embly and Servicing NC II) | | | |
| 29 | | e Industrial Electrocts cts Assembly and | onic Modules, Products and System Servicing NC II) | s (Lead | ing to Elec | ctronic |
| | 1 | VOM | Multi-tester Analog DCV Range: 0.1 | 1 | UNIT | 10 |
| • | | (Multitester) | V to 1000V ACV Range: 10 to 750V | - | | · |
| | | (**** | Internal Battery: R6 (IEC) or UM-3 | | | |
| | | | 1.5V x 2 Internal Fuse: | | | |
| | | | 0.5Ano/250V/5.2mm dia. X 20mm | | | |
| | | | Dimension and Weight: 159.5 x 129 | | | |
| | | | x 41.5 mm/approx. 320g Resistance: | | | |
| | | | X1 to X1k | | | |
| | 2 | Soldering Iron | 30 watts, 220 Volts, Heat pencil tip | 1 | PC | 10 |
| | | | 60Hz | | | |
| | 3 | Long Nose Pliers | Overall Length: 8" | 1 | PC | 10 |
| | | - | Knife Length: 5/8" | | | |
| | | | Material: Carbon Steel | | | |
| | | | Handle Finish: plastic dipped | | | |

7 H

| | PROC | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | L TRAI | NING FOR | ·· |
|-----|-------------|--------------------------------------|---|-------------|--------------|------------------|
| | | | MENT PROGRAM (STEP) FOR FY 20 | | | |
| | | , | avez Jupiter Street, Macasandig, Ca | | , | , |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Diagonal Cutting Plier | Overall length 8", Handle finish plastic dipped, Carbon Steel | 1 | PC | 10 |
| | 5 | Screw Driver Set | 4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" | 1 | SET | 10 |
| | 6 | Desoldering Pump/Solder Sucker | Anodized aluminum housing, high suction, strong and light weight. | 1 | PC | 10 |
| | | | strial Electronic Modules, Product roducts Assembly and Servicing NC | | Systems | 10 |
| 31 | | SMAKING NC II | | | | |
| | 1 | Ordinary Sewing machine | operated by foot pedal with mini electric motor (50/60 HZ;70-150Watt; 220 V) automatic bobbin winder, variable stitch length control, numbered tension dial with drop feed, wooden table with drawers and cast iron stand | 1 | UNIT | 195 |
| | 2 | Drafting Tools | Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler | 1 | SET | 195 |
| | 3 | Cutting Shears | 8" length, stainless steel cutting blade, plastic handle used for cutting fabrics | 1 | PC . | 195 |
| | 4 | French Curve | made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges | 1 | PC | 195 |
| | 5 | Sewing Kit | a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions | 1 | PC | 195 |
| | | tal, DRESSMAKIN | | · | | 195 |
| 33 | | (WELLNESS MAS | | | | 070 |
| - | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 376 |
| ļ | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 1 | PC | 376 |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | - | BOX | 376 |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 376 |

1 July

| PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | | |
|--|--------|-----------------------------|--|----------|-----------|-----|--|
| TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City | | | | | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. | |
| NO. | NO. | | | | | OF | |
| | | | | <u> </u> | | PAX | |
| | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 376 | |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 376 | |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 376 | |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 376 | |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 376 | |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 376 | |
| | 11 | Storage Box | Plastic, clear storage box with lid | 1 | PC | 376 | |
| | | Ŭ | lock, carry handle, 14" x 10" x 8" | | | | |
| | Sub-to | otal, HILOT (WELL | NESS MASSAGE) NC II | | | 376 | |
| 34 | | | ND PEDICURE (Leading to Beauty C | are NC | | | |
| | 1 | Cuticle Nipper | Stainless steel, 3.5" | 1 | PC | 495 | |
| | 2 | Cuticle Pusher | stainless steel, 5" | 1 | PC | 495 | |
| | 3 | Foot Nail Cutter | stainless steel, 3" long | 1 | PC | 495 | |
| | 4 | Hand Nail Cutter | stainless steel, 2.5" long | 1 | PC | 495 | |
| | 5 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 495 | |
| | 6 | Nail Brush | Plastic, soft bristle | 1 | PC | 495 | |
| | 7 | Emery Board | 80/100 coarse, 8" Long | 1 | PC | 495 | |
| | 8 | Orange Woodstick | 1.77mm, smooth woodstick | 3 | PCS | 495 | |
| | 9 | Cotton Balls | 150 balls | 1 | PACK | 495 | |
| | 10 | Cuticle Remover | 120 ml bottle | 1 | BOTTLE | 495 | |
| | 11 | Nail Polish Remover | 120 ml bottle | 1 | BOTTLE | 495 | |
| | 12 | Antiseptic (Merthiolate) | 25 ml bottle | 1 | BOTTLE | 495 | |
| | 13 | Colored Nail Polish | 15ml bottle, preferably touch of tan | 1 | BOTTLE | 495 | |
| | 14 | Colored Nail Polish | 15ml bottle, white | 1 | BOTTLE | 495 | |
| | 15 | Colorless Nail Polish | 15ml bottle, with glitters | 1 | BOTTLE | 495 | |
| | 16 | Colorless Nail Polish | 15ml bottle | 1 | BOTTLE | 495 | |
| | 17 | Low Stool | hard plastic, round | 1 | PC | 495 | |
| | 18 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 495 | |
| | 1 | | NICURE AND PEDICURE (Leading to | Beauty | / Care NC | 495 | |
| 36 | PERF | ORM BODY MASS | AGE (Leading to Beauty Care NC II) | | | | |
| | 1 | Face Towel | 100 % cotton, 12" X 12", white | 1 | PC | 340 | |
| | 2 | Bath Towel | 100 % cotton, 27" X 54", white | 1 | PC | 340 | |
| | 3 | Face Mask | disposable earloop face mask, 50 pcs per box | 1 | BOX | 340 | |
| 1 | 1 | i | | | | | |




| | PRO | CUREMENT OF ST | ARTER TOOLKITS FOR THE SPECIA | L TRAI | NING FOR | |
|---------|--------|-----------------------|--|---------|-------------|------------------|
| | | EMPLO) | MENT PROGRAM (STEP) FOR FY 20 | 17 | | |
| | | | navez Jupiter Street, Macasandig, Ca | gayan d | de Oro City | <u>'</u> |
| NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 4 | Scrub Suit | Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. | 1 | PAIR | 340 |
| <u></u> | 5 | Head Band | 3"x 23" cotton fabric with snap tape | 1 | PC | 340 |
| | 6 | Body Lotion | 200 ml., Hypoallergenic | 1 | BOTTLE | 340 |
| | 7 | Aromatic Oil | 100 ml. | 1 | BOTTLE | 340 |
| | 8 | Virgin Coconut Oil | 250 ml. | 1 | BOTTLE | 340 |
| | 9 | Powder | Baby powder, 200 g | 1 | BOTTLE | 340 |
| | 10 | Mentholated Oil | 100 ml. | 1 | BOTTLE | 340 |
| | 11 | Storage Box | Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" | 1 | PC | 340 |
| | Sub-to | otal, PERFORM BO | DDY MASSAGE (Leading to Beauty C | are NC | II) | 340 |
| 44 | BREA | D MAKING (Leadii | ng to Bread and Pastry Production No | C II) | | |
| | 2 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | PC SET | 514 |
| · | 3 | Measuring Urn | Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres | 1 | PC | 514 |
| | 4 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 514 |
| | | | NG (Leading to Bread and Pastry Pro | | n NC II) | 514 |
| 45 | | | ing to Bread and Pastry Production N | | | |
| | 1 | Electric Oven | 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz | 1 | PC | 170 |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) | 1 | SET | 170 |

1 St

| | PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR FY 2017 | | | | | | |
|---|--|---------------------------------------|--|------------|---------------------------------------|------|--|
| TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City | | | | | | | |
| LOT | ITEM | ITEM | AGENCY SPECS | QTY | UNIT | NO. | |
| NO. | NO. | | | ~ | | OF | |
| | | | | | | PAX | |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 170 | |
| | |] | capacity | | ' • | | |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- | 1 | PC | 170 | |
| | _ | Manner an | stick | ' | ' | 170 | |
| | Sub-t | Otal PASTRY MAK | (ING (Leading to Bread and Pastry Pr | oductio | DO NO III | 170 | |
| 46 | | | to Bread and Pastry Production NC | | ni NC II) | 170 | |
| 40 | 1 | Electric Oven | | 1 | PC | 225 | |
| } | 1 | Electric Over | 18L Stainless Housing, Timer 60mins | ' I | PC | 225 | |
| İ | | | with bell alarm, Temperature Control | | | | |
| | Ì | | (100-250C) 4 Stainless Steel Heating | | | | |
| | | | Element, Indicator Light, Removable | | | | |
| | Ì | | Tray for easy Cleaning (Crumb Tray) | | | | |
| | | | Tempered Glass, 4 Stage Heating | | | | |
| | ļ | | Selection Accessories: Enamel Bake | | | | |
| | | | Tray, Wire Rack, Tray Handle, 220V, | | | | |
| | | | 60hz | | | | |
| | 2 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 225 | |
| | | | 1/3 cup, 1/4 cup) | | | | |
| | 3 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 225 | |
| | | | capacity | • | , 0 | | |
| | 4 | Muffin Pan | 6 holes, 3oz capacity per holes, non- | 1 | PC | 225 | |
| | 7 | Walling all | stick | ' | 10 | 223 | |
| | Cub to | TOL CAKE MAKINI | · · · · · · · · · · · · · · · · · · · | tion | NC II) | 225 | |
| 47 | DDED | ADE AND COOK H | G (Leading to Bread and Pastry Prod | ucuon i | VC II) | 225 | |
| 4/ | | | OT MEALS (Leading to Cookery NC I | | | 40.5 | |
| | 1 | Frying Pan | 10" diameter by 2" high teflon, non- | 1 | PC | 435 | |
| | | | stick, riveted handle | | | | |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 435 | |
| | | | capacity | | | | |
| | 3 | Chef's Knife | 8", stainless steel blade with black | 1 | PC | 435 | |
| | | | polymer handle | | | | |
| | 4 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, | 1 | SET | 435 | |
| | | • | 1/3 cup, 1/4 cup) | | - | _ | |
| | 5 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene | 1 | PC | 435 | |
| | | | material | • | . • | .50 | |
| | 6 | Wooden Spoon | 12" long, biodegradable, solid | 1 | PC | 435 | |
| | | TTOOGOTT OPOOT | birchwood | ' | 10 | 700 | |
| | 7 | Caucanan | 6" diameter stainless with lid. non | 1 | DC | 125 | |
| | ′ | Saucepan | , , | ' | PC | 435 | |
| | | Chraine | riveted black handle | | | 405 | |
| | 8 | Strainer | 8" diameter, single fine mesh, flat | 1 | PC | 435 | |
| | | | wooden handle | | | | |
| | | | D COOK HOT MEALS (Leading to Co | okery N | IC II) | 435 | |
| 48 | | | (Leading to Cookery NC II) | | | | |
| - | 1 | Frying Pan | 10" diameter by 2" high teflon, non- | 1 | PC | 45 | |
| [| | | stick, riveted handle | | | İ | |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart | 1 | PC | 45 | |
| } | | - | capacity | | | | |
| · | | · · · · · · · · · · · · · · · · · · · | | | · · · · · · · · · · · · · · · · · · · | | |



| | PRO | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | | |
|---|----------------|---------------------|--|------------|-----------|------------------|--|
| TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City | | | | | | | |
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX | |
| | 3 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 45 | |
| | 4 | Chopping Board | 1/2" x 12" x 18"; made of polyethylene material | 1 | PC | 45 | |
| | 5 | Wooden Spoon | 12" long, biodegradable, solid birchwood | 1 | PC | 45 | |
| | 6 | Saucepan | 6" diameter stainless with lid, non riveted black handle | 1 | PC | 45 | |
| | 7 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 45 | |
| | Sub-to | otal, PREPARE CO | LD MEALS (Leading to Cookery NC I | <u>'I)</u> | | 45 | |
| 49 | PROC NC II) | | LTING, CURING AND SMOKING (Lead | | | | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 70 | |
| | 2 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 70 | |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 70 | |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 70 | |
| | 5 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 70 | |
| | 6 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | TINU | 70 | |
| | Sub-to | tal. PROCESS FO | OD BY SALTING, CURING AND SMOR | KING (L | eading to | 70 | |
| | 1 | Processing NC II) | , | , - | _ | | |
| 50 | | | ERMENTATION AND PICKLING (Lead | ling to I | Food Proc | essing | |
| | 1 | Food Processor | 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments | 1 | unit | 48 | |
| | 2 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 48 | |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 48 | |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 48 | |
| | 5 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 48 | |
| | 6 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 48 | |



| | PROC | | ARTER TOOLKITS FOR THE SPECIA MENT PROGRAM (STEP) FOR FY 20 | | NING FOR | |
|------------|------|----------------------------------|--|--------|-------------|------------------|
| | TESD | | avez Jupiter Street, Macasandig, Ca | | le Oro City | <u>'</u> |
| LOT NO. | NO. | ITEM | AGENCY SPECS | QTY | UNIT | NO. OF PAX |
| | 7 | Colander | 5 qts capacity, stainless steel, with two grip handles | 1 | PC | 48 |
| | Food | Processing NC II) | ODS BY FERMENTATION AND PICK | | | 48 |
| 51 | PROC | ESS FOODS BY S | UGAR CONCENTRATION (Leading to | Food | | NC II) |
| | 1 | Blender | 2 speed, 1.5 liter capacity, glass jar with stainless steel blades | 1 | unit | 7 |
| | 2 | Candy Thermometer | 8" long, measures temperatures from 100 to 400 degrees F; glass, pen- type adjustable clip secures thermometer to pan | 1 | PC | 7 |
| | 3 | Measuring Cups | Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) | 1 | SET | 7 |
| | 4 | Measuring Spoons | Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) | 1 | SET | 7 |
| | 5 | Mixing Bowl | Stainless steel, 8" diameter, 5 quart capacity | 1 | PC | 7 |
| | 6 | Casserole | Stainless; 6L capacity; with two grip handle, with cover | 1 | PC | 7 |
| | 7 | Chef's Knife | 8", stainless steel blade with black polymer handle | 1 | PC | 7 |
| | 8 | Rubber Scraper | Rubber head high heat resistant, flexible, 12" long | 1 | PC | 7 |
| | 9 | Weighing Scale | Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray | 1 | UNIT | 7 |
| | | otal, PROCESS FO ssing NC II) | ODS BY SUGAR CONCENTRATION (| Leadin | g to Food | 7 |
| | TOTA | | | | | 4,538 |

My