TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
5	Anima	l Production (Poultry-	Chicken) NC II			
	1	Pail	<ul><li>10 liters capacity</li><li>Plastic</li><li>320 mm Height</li><li>350 mm Diameter</li><li>677 grams weight</li></ul>	1	рс	75
	2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	3	Semen Storage Box	<ul><li>plastic cooler/jug</li><li>handy grip design</li><li>1.9L capacity</li><li>wide mouth top</li></ul>	1	рс	75
	4 .	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	pc	75
	5	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	set	75
5			(Poultry-Chicken) NC II			75
8	Aquad	ulture NC II				
	1	pH meter	<ul> <li>Ph range from 0-14</li> <li>large multi-level LCD which displays both pH and temperature readings simultaneously</li> <li>An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements</li> <li>Temperature can be set to display in °C or °F</li> <li>The LCD screen has stability and calibration tag indicators</li> <li>The battery percent level is displayed at start up alerting the user to the remaining battery power that is available.</li> </ul>	1	unit	50

TESI	DA-Regi		al Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Scoop net	<ul> <li>net material: nylon</li> <li>size detail: <ul> <li>handle length: 2.7 cm/10.63 inch</li> <li>net size: 20 x 18 cm / 7.87 x 7.07 inch</li> <li>net depth: 20 cm / 7.87 inch</li> <li>total length: 47 cm / 18.50 inch</li> </ul> </li> </ul>	1	рс	50
	3	Drawing instruments	<ul> <li>compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry</li> <li>geometry tools, special suitable for school teaching use</li> <li>size 11.5 cm x 2 cm x 0.6 cm</li> <li>package included: transparent box + silver metal compass stand tall + lead refill</li> </ul>	1	set	50
	4	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	50
8 10		tal, Aquaculture NC II				50
10	1	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	25
	2	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	25

man of

TESI	DA-Regi		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pruning Saw	<ul> <li>13 inches curved steel</li> <li>turbo cut pull action blade</li> <li>rugged razor tooth blade</li> <li>Non-slip pistol grip handle</li> <li>12 feet overall length</li> </ul>	1	рс	25
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	25
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	25
	6	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	рс	25
10	Subto	tal, Horticulture NC III				25
12	Organ	ic Agriculture Produc			1	50
	7	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	50
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	50
	3	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	50

481 1 ar W

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	50
12 20		tal, Organic Agricultu	re Production NC II			50
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	1,250
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	1,250
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	1,250
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	1,250
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	1,250

r of of

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITFM **AGENCY SPECIFICATIONS** QTY UNIT OF NO. NO. PAX 6 Screwdriver Set Philips & Standard 1 1,250 set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 7 Ball Peen Hammer • jacketed graphite head, 1 1,250 рС polished face • 12 ounce (340 grams), wooden handle 20 Subtotal, Automotive Servicing NC I 1,250 21 **Automotive Servicing NC II Battery Tester** • Suitable for 6 V & 12 V 1 450 **Batteries** • Up to 1000 CCA (SAE) • 12 V Charging/Start System Shock-resistant ventilated cover • Color-coded copper-plated clamps 2 Soldering Gun • Power: 130W 1 450 рС • Two optional pre-heat (High/Low) • Tips: 4 mm x 65 mm Voltage: AC 220V • Pre-heat time: 5-10 minutes • Power cable: 1 meter • Plug type: Type A · Material: ABS Plastic

> 483 A. A.

TESI	DA-Regi	· · · · · · · · · · · · · · · · · · ·	nal Office V, Regional Center Site,	Rawis	. Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	450
21		tal, Automotive Servic				450
22	Auton	notive Servicing NC III		<del>,,</del>		
	1	Piston Ring Compressor	<ul> <li>Material: Strong Spring Steel</li> <li>Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm)</li> <li>Height: (3 Inch.) 76.2 mm</li> <li>Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet</li> <li>1/4 In. Square Drive Adjuster</li> </ul>	1	set	25
	2	Valve Lifter / Spring Compressor	<ul> <li>Length: 11"</li> <li>All steel sturdy construction with hardened jaws</li> <li>Light weight C-type lifter works as a one hand tool</li> </ul>	1	set	25
	3	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses</li> <li>high side gauge pressure: 0-500 psig</li> <li>low side gauge pressure: 30 in Hg vacuum-250 psig</li> <li>For refrigerants R-22 and R134-a</li> <li>1/4 in vacuum port</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	25

7 gs.

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Oil Filter Remover (Filter Wrench)	<ul> <li>Handle Material: Aluminum</li> <li>Wrench Shaft Length: 14.6 cm/5.7"</li> <li>Chain Total Length: 44.5 cm/17.5"</li> <li>Maximum Usable Length: 38.5 cm</li> <li>For removing all oil filters up to 60-120 mm diameter</li> </ul>	1	рс	25
22	Subto	tal, Automotive Service		1	1	25
24		g NC II				
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	1,725
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	1,725
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	1,725
24		tal, Driving NC II				1,725
26		cycle/Small Engine Se			· · · · · · · · · · · · · · · · · · ·	
	1	T-Wrench	<ul> <li>4 pcs forged steel with sizes 8- 10-12 and 14 mm</li> </ul>	1	set	200
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	.1	set	200
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	200



TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City LOT ITEM **ITEM** AGENCY SPECIFICATIONS QTY UNIT OF NO. NO. PAX 4 Allen Wrench 200 1 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel 5 200 Socket wrench • 1 x 1/4-lnch (6.3 mm) Ratchet 1 set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod Subtotal, Motorcycle/Small Engine Servicing NC II 26 200 27 Carpentry NC II Crow Bar 1 • 914.4 mm (36") long 1 175 рс forged high steel carbon 2 Pull-Push Rule • Blade length 8m/26ft 1 175 рс • Blade width 1" · High impact ABS case with durable rubber Corrosion resistant tru-zero 3 Steel Square 175 • Carpenter's framing square; 2" DQ x 16" x 24" Steel Double graduation inches/cm 4 Try Square • Size: 8" x 12" 1 175 рс • Thickness: 1.8-2 mm · Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations 5 Spirit Level Bar 1 175 High impact plastic рс Magnetic • 3 vials, 24" length



TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM QTY UNIT **AGENCY SPECIFICATIONS** OF NO. NO. PAX 6 Cross Cut Saw 175 • 60 cm (24 inches) long рс • Hard Plastic Handle • 8 points per inch • Hard steel blade 7 Drill 1 175 unit Hand Drill Voltage: 220 V/60 Hz • Continuous power input: 350 Watts • No load speed: 0-3,000 rpm • Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm 8 Chalk Line Reel • 100 ft. heavy duty die cast 1 175 рС body 27 Subtotal, Carpentry NC II 175 Construction Painting NC II 28 Handsaw 175 • 20"/500mm Cross Cut Hand рС Saw • Machine set teeth resharpenable with traditional hardwood handle for comfort 2 Dust Masks/ 175 1 • Half face reusable respirator рС Respirator Gas mask • Head harness cradle suspension Lightweight elastomeric material Twin filter, Bayonet fitting connection filter system 3 175 Safety Goggles • Clear polycarbonate рс Woven elastic strap Adjustable 4 Pull-Push Rule 1 175 • Blade length 8m/26ft рс • Blade width 1" · High impact ABS case with durable rubber · Corrosion resistant tru-zero end

r of of

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm,</li> <li>5 x 100 mm</li> </ul>	1	set	175	
			<ul> <li>Philips Blade Tip: 1 x 100 mm,</li> <li>2 x 150 mm</li> </ul>				
			<ul><li>Plastic and Rubberized handle</li><li>Chrome Vanadium</li><li>Shank: 6"</li></ul>				
	6	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	175	
	7	Spray Gun	<ul> <li>Low Pressure</li> <li>Material: Stainless steel</li> <li>Fluid nozzle: 1 mm</li> <li>Air Pressure Required: 3.0 bar</li> <li>with complete set of wrenches</li> </ul>	1	рс	175	
28	Subto	tal, Construction Pain	ting NC II	l	L	175	
29	Heavy	<b>Equipment Operation</b>	[HEO] (Backhoe Loader) NC II	,	,		
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75	

7 of g

TESI	TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	75	
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	75	
	4	Mechanical plier	8 inches length     insulated handle	1	рс	75	
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	75	
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	75	
29	Subto NC II	tal, Heavy Equipment	Operation [HEO] (Backhoe Loade	r)		75	

m de gy

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
30	Heavy	<b>Equipment Operation</b>	[HEO] (Bulldozer) NC II					
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75		
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	75		
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	75		
	4	Mechanical plier	8 inches length     insulated handle	1	рс	75		
	5	Vise Grip	7" straight jaw     Hard steel	1	рс	75		
	6	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75		

n of gr

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM OF **ITEM AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 7 Grease Gun 75 • Capacity: 80 cc рс • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use Subtotal, Heavy Equipment Operation [HEO] (Bulldozer) NC II 75 30 33 Heavy Equipment Operation [HEO] (Motor Grader) NC II Combination Wrench 1 75 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design 75 2 Screwdriver Set • Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 75 1 3 Pipe Wrench • 355.6 mm (14") рС Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads • With replaceable hook and heel jaw



TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM QTY UNIT OF **AGENCY SPECIFICATIONS** NO. NO. PAX 4 75 Mechanical plier 1 • 8 inches length рС insulated handle 5 Grease Gun 75 • Capacity: 80 cc 1 рс • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use 75 6 Tire Gauge 1 Heavy Duty Condor type рС • 160 psi. pressure capacity Subtotal, Heavy Equipment Operation [HEO] (Motor Grader) NC II 33 75 Heavy Equipment Operation [HEO] (Road Roller [Compactor]) NC II Combination Wrench | • 16 pcs 75 set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction • Lobular box end design 75 2 Screwdriver Set Philips & Standard 1 set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)

> 492 A 7 AL 98

TESI	DA-Regi		al Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	рс	75
	4	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	75
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	75
	6	Long Nose Plier	<ul> <li>Dyna Grip</li> <li>152 mm/ 6 inches</li> <li>carbon steel</li> </ul>	1	рс	75
35	Subto	tal, Heavy Equipment	Operation [HEO] (Road Roller [Co	mpacto	or]) NC	75
37	Heavy		[HEO] (Wheel Loader) NC II	·····		
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75

493 of 98

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT OF NO. NO. PAX 2 Screwdriver Set • Philips & Standard 1 set 75 • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 3 Pipe Wrench 1 75 • 355.6 mm (14") рс Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook iaw • featuring self-cleaning threads · With replaceable hook and heel jaw 1 75 4 Mechanical plier • 8 inches length рС • insulated handle 5 Grease Gun • Capacity: 80 cc 1 75 рС • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use 6 Tire Gauge Heavy Duty Condor type 1 рс 75 • 160 psi, pressure capacity 37 Subtotal, Heavy Equipment Operation [HEO] (Wheel Loader) NC II 75 38 Masonry NC I Chalk Line Reel 475 1 • 100 ft. heavy duty die cast 1 рс body 475 2 Claw Bar 1 • 19 mm diameter x 90 cm long рс Forged high-carbon tempered steel

1 1 m

494

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM **ITFM** AGENCY SPECIFICATIONS QTY **UNIT** OF NO. NO. PAX 475 3 Claw Hammer рс • 453.6 grams (16 oz.) Forged steel • Hardened and tempered steel Smooth face • Fiberglass handle 475 4 Handsaw • 20"/500mm Cross Cut Hand 1 pc Saw • Machine set teeth resharpenable with traditional hardwood handle for comfort 1 475 5 Pull-Push Rule • Blade length 8m/26ft рс • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 475 1 Shovel Heavy gauge рс · tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip Hardwood handle 475 Sledge Hammer • 4 lbs. forged steel head sledge рс • 15 inches long • fiberglass handle 1 475 Spirit Level Bar · High impact plastic рс Magnetic • 3 vials, 24" length 475 9 Straight Edge • 6 mm thick x 54 mm wide x рС 900 mm long • aluminum 475 Try Square • 12" length 1 10 рС Hard alloy steel • With Metric/English system graduation 475 Subtotal, Masonry NC I 38 39 Masonry NC II 400 Claw Bar • 19 mm minimum diameter x 90 pc cm long Forged high-carbon tempered

Tap W;

495

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. ITEM LOT ITEM AGENCY SPECIFICATIONS QTY UNIT OF NO. NO. PAX 2 Claw Hammer 400 • 453.6 grams (16 oz.) рс Forged steel • Hardened and tempered steel head Smooth face • Fiberglass handle 3 Hacksaw Heavy duty hacksaw with 12" 1 400 рС bi-metal hacksaw blade • High Speed 24 TPI • Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame 4 Hacksaw Blade 400 • High Speed 24 TPI 1 рс • 304.8 mm (12") long bi-metal · Heavy duty steel hacksaw blade Handsaw 20"/500mm Cross Cut Hand 400 1 рС Saw · Machine set teeth resharpenable with traditional hardwood handle for comfort 6 Paint Brush 400 • 50.8 mm (2") 1 рс • Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments 7 Paint Brush • 101.6 mm (4") 1 400 рс • Pure bristle with comfort grip • Made of Solid Round Tapered (SRT) polyester filaments Pull-Push Rule • Blade length 8m/26ft 1 400 рС • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 9 Shovel 400 1 Heavy gauge рС • tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip • Hardwood handle

in Tay

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT OF NO. NO. PAX 10 Spirit Level Bar 1 400 • High impact plastic рС Magnetic • 3 vials, 24" length 11 Steel (Bucket/ • 10" solid forged steel blade 1 400 рс Bricklaying) Pointing Precision tapered Trowel Soft duragrip and hard end handle Steel Float/ 12 400 • 0.7 mm min. thick x 280 mm x 1 рС Plastering Trowel 125 mm High carbon Steel • Solid forged steel with soft handle 13 Steel Square • Carpenter's framing square; 2" 400 рс x 16" x 24" Steel • Double graduation inches/cm Subtotal, Masonry NC II 400 39 42 Plumbing NC I Pipe Wrench 175 • 10" length рс · drop forged alloy steel • capacity 2" or 50 mm • 1.2 kg cast iron housing and I beam handle 2 Pipe Wrench 1 175 • 12" length рс • Drop forged Alloy Steel • capacity 2" or 50 mm • 1.6 kg cast iron housing and I beam handle Pipe Cutter 175 Heavy duty 1 рС • max. cap. 1/8" to 2" steel handle Pull-Push Rule 175 4 1 • Blade length 8m/26ft рС • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT OF NO. NO. PAX Pipe Vise 175 capacity 2" 1 рс • material: steel • swivel base with dual locking nuts • 360 degrees turn 42 Subtotal, Plumbing NC I 175 47 Reinforcing Steel Works NC II Pull-Push Rule • Blade length 8m/26ft 25 DC • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero 2 Bench Vise 1 25 • Jaw width: 5" рс Heavy duty Adjustable/swivel steel 3 Chalk Line Reel • 100 ft. heavy duty die cast 1 25 рс body 4 Hacksaw Heavy duty hacksaw with 12" 25 1 рс bi-metal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame 5 Spirit Level Bar 1 High impact plastic 25 рс Magnetic • 3 vials, 24" length 6 Combination Plier 1 25 • 200 mm #55 drop forged high рс carbon steel • Induction hardened jaws • Bi-material handle and finger guards 7 Level Hose 1 25 • 6 mm dia. X 20 m long roll • transparent green/clear • High Flexibility Plastic PVC level hose 8 Hacksaw Blade High Speed 24 TPI 1 25 рс • 304.8 mm (12") long bi-metal · Heavy duty steel hacksaw blade 47 Subtotal, Reinforcing Steel Works NC II 25

1 gr 983

TESI	DA-Reg	ion V – TESDA Regior	nal Office V, Regional Center Site,	Rawis	, Legazı	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
48	Scaffo	old Erection NC II		1		
	1	Wrench	<ul> <li>17 X 19 mm Double Spud Ratchet Wrench</li> <li>Drop Forged metal Steel</li> </ul>	1	рс	25
	2	Combination Wrench	<ul><li>17mm x 17mm (box &amp; open)</li><li>drop forged metal steel</li><li>6 inches long</li></ul>	1	рс	25
	3	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	25
and the state of t	4	Safety Vest	<ul> <li>high visibility mesh safety vest with silver stripe</li> </ul>	1	рс	25
	5	Safety Harness	Double lanyard with shock absorber	1	рс	25
	6	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	25
	7	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	25
	8	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	25
48		tal, Scaffold Erection I	NC II			25
49		ical Drafting NC II				
	1	Drawing Board	<ul><li>wooden laminated</li><li>size: 18 inches x 24 inches</li></ul>	1	рс	50
	2	Compass Set	<ul> <li>divider: 14 cm length</li> <li>pencil compass: 14 cm length</li> <li>adjustable compass: 10 cm length</li> <li>compass extender: 9 cm length</li> </ul>	1	set	50
	3	Triangular Scale	<ul> <li>12" Plastic Architectural Scale</li> <li>Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500</li> </ul>	1	рс	50

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM **ITEM** AGENCY SPECIFICATIONS QTY | UNIT OF NO. NO. PAX 4 Technical Pen Set 1 50 • 3 Rapidograph pens (0.2 mm, set 0.3 mm, 0.5 mm) • 12 hi-polymer HB leads • 1 mechanical pencil • 1 ink cartridge • 1 eraser 50 5 T - Square • Wooden Drafting T-square 1 рс • 24" length • clear plastic edges Measuring Tools Set 1 50 6 • Ruler: 30 cm long set • Triangle: 30 x 60 degrees, 13cm long • Triangle: 45 X 45 degrees, 13 cm long • Protractor: 12 cm long 49 Subtotal, Technical Drafting NC II 50 50 Tile Setting NC II 550 1 Angle Grinder 1 unit Portable • 4" capacity • 220 Volts/60 Hz 2 Spirit Level Bar • High impact plastic 1 550 рс Magnetic • 3 vials, 24" length 3 Mechanical plier 1 550 • 8 inches length рс insulated handle Pull-Push Rule 550 4 • Blade length 8m/26ft 1 рс • Blade width 1" • High impact ABS case with durable rubber Corrosion resistant tru-zero end 550 Steel Square • Carpenter's framing square; 2" рс x 16" x 24" Steel Double graduation inches/cm

on The

500

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>		рс	550	
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	рс	550	
	8	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	550	
50		tal, Tile Setting NC II				550	
51		uter Systems Servicin	···	T			
	1	Crimping Tool	Suitable for:  RJ 45  RJ 11  4P  6P  8P	1	pc	850	
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	850	
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	850	
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	850	

501 1 an W

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set	850
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	850
51	Subto	tal, Computer System	s Servicing NC II	1	in a constant of the constant	850
53	Electr	ical Installation and M	aintenance NC II			
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	1,125
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	1,125
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	1,125

502 an 9/

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legazp	i City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Pipe Bender Manual	• 1/2-3/4 inch bending radius	1	рс	1,125
	-		<ul> <li>ductile high strength iron</li> </ul>	1		
53			ion and Maintenance NC II			1,125
55			nbly and Servicing NC II	<del></del>		
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	825
	2	Electrician Plier	<ul> <li>Overall Length: 238 mm</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	825
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	825
	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	825
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	825
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	825
	7	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	825

TESDA-Region V – TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	pc	825
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	825
55			cts Assembly and Servicing NC II			825
60	Dress	making NC II			i	205
		Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	625
	2	Meter stick/Yardstick	<ul><li>1 meter (metric and English)</li><li>yellow plastic</li></ul>	1	рс	625
	3	Scissors	6" length     plastic handle for paper	1	рс	625
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	625
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	625
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	625
	7	Tracing Wheel	serrated metal wheel     plastic handle	1	рс	625
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	625

504 7 ap gv

TESI	DA-Reg	ion V – TESDA Regio	nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	625
	10	Hip Curve	24" length     aluminum	1	рс	625
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	625
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> </ul>	1	set	625
	13	Flat iron	<ul> <li>Chrome Vanadium</li> <li>Shank: 6"</li> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> </ul>	1	unit	625
	14	Calculator	<ul> <li>aluminum sole plate</li> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	625
60	+	tal, Dressmaking NC	11			625
61	Tailor 1	ing NC II Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	100

505 A 9

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT OF NO. NO. PAX Pinking Shears • 8" length 100 рс • stainless steel blade • plastic handle 3 Ruler with Grid 100 • 18" length pg transparent • red lines with arid 4 French Curve • 12" length 1 100 рс aluminum • for neckline and armhole drawing 5 Hip Curve 1 100 24" length pc aluminum Tailor's L Square • 24" x 14" length 100 6 рс aluminum 7 Steam Flat Iron 100 1 unit • Electric flat iron with spray • 220 V/60 Hz • 1.100 - 1.310 watts with 5 selector 61 Subtotal, Tailoring NC II 100 62 RAC Servicing (PACU/CRE) NC III 100 Gauge Manifold • 2 valves 1 set • Three (3) hoses gauge • High side gauge pressure: 0-750 psig • Low side gauge pressure: 30 in Hg vacuum-500 psig • For refrigerant R-410a/R-404a • 1/4 in, vacuum port size • Hose length: 36 inches • 2,500 psig burst

Lan J

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM **AGENCY SPECIFICATIONS** OF QTY UNIT NO. NO. PAX 2 Multi-Tester 100 1 unit Analog • DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 62 Subtotal, RAC Servicing (PACU/CRE) NC III 100 63 RAC Servicing (DOMRAC) NC II Flaring Tool 125 • Flaring with swaging tools set set Screw type feed • Two bars cover 9 sizes • Swivel type swaging adapters and Flaring cone hardened steel, chromed finished Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD • Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD **Tube Cutter** 125 Heavy duty 1 pc • For 1/8 inch to 1 1/8 inches • Weight: 0.16 ounces. • Dimension: 6.8 x 3.3 x 1.3 inches Materials: High strength zinc • with spare cutter wheel on the 3 Long Nose Plier • Overall Length: 8" 1 125 рс • Steel Alloy · Handle finish: plastic-dipped



TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	125
63		tal, RAC Servicing (DC	OMRAC) NC II			125
67	Hilot (	Wellness Massage) No	<u> </u>	,	,	
	2	Stethoscope	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	550
67	Subto	tal, Hilot (Wellness Ma				550
86		ning NC II			<del></del>	
	1	Outside Micrometer Caliper	<ul><li>Satin-chrome finished frame</li><li>Range: 0-25 mm</li><li>Least Count=0.01 mm</li></ul>	1	рс	50
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	50

the grant of


TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	50
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	50
86		tal, Machining NC II				50
88		led Metal Arc Welding	·	1	,	, ,
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	1,150
	2	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	1,150
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	1,150
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	1,150
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	1,150
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	1,150

gr T pl

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legazi	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	pc	1,150
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	1,150
88			c Welding (SMAW) NC I			1,150
89	Snield	led Metal Arc Welding Welding Jacket		4		1 105
	1		<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	1,125
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	1,125
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	1,125
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	1,125
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	1,125
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	1,125
89			c Welding (SMAW) NC II			1,125
91		Processing NC II	T		1	
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	250
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	pc	250

510 Tap gy


TESI	OA-Reg		al Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	250
	4	Measuring Spoon	<ul><li>stainless steel</li><li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li></ul>	1	set	250
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	250
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	250
	7 .	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	250
	8	Honing Bar	stainless steel     10-inch length	1	рс	250
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	250
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	250
91	Subto	tal, Food Processing	NC II			250
93	Beaut	y Care Services (Nail (	Care) NC II			
	1	Cuticle Nail Pusher	<ul> <li>Material: Stainless steel</li> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>	1	рс	125
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	pc	125
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	125



TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	125
	5	Nail File	<ul> <li>plastic handle</li> <li>double sided abrasive</li> <li>Dimension: 1 cm x 5 cm x 0.8 cm</li> </ul>	1	рс	125
	6	Nail Buffer	<ul> <li>Durable sand paper, soft sponge</li> <li>Dimension: 9 cm x 3.6 cm x 2.6 cm</li> </ul>	1	рс	125
	7	Foot File	<ul> <li>Hard skin remover</li> <li>Wooden handle with double sided foot rasp</li> <li>Dimension: 26.0 cm x 6.0 cm x 1.4 cm</li> </ul>	1	рс	125
	8	Cuticle Scissor	<ul> <li>Stainless Steel</li> <li>Extra fine point</li> <li>Dimension: 1.7 cm x 7.62 cm x 0.89 cm</li> </ul>	1	рс	125
	9	Callous Remover	<ul> <li>Plastic handle</li> <li>Stainless blade</li> <li>Extra blade</li> <li>Dimension: 14.9 cm x 2.6 cm</li> </ul>	1	pc	125
	10	Pumice Stone	<ul> <li>100% volcanic stone</li> <li>excellent for scrubbing dry</li> <li>Anti- bacterial for removing dead skin</li> <li>Dimension: 10 cm x 7 cm x 2 cm</li> </ul>	1	рс	125
	11	Manicure Nail brush	<ul> <li>plastic nail brush</li> <li>soft nylon brush</li> <li>Dimension: 6.35 cm x 3.93 cm x 1.57 cm</li> </ul>	1	рс	125
	12	Foot spa Machine	<ul> <li>foot detox machine</li> <li>With heater adjustment, bubble massage</li> <li>depth: 14 cm</li> <li>width: 38 cm</li> <li>length: 40 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	125

of Tops


TESI	DA-Regi		nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	13	Hand spa Machine	<ul> <li>Thermostatically - controlled heating unit</li> <li>length: 24 cm</li> <li>width: 17.5 cm</li> <li>depth: 9 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	125
93		tal, Beauty Care Servi	ces (Nail Care) NC II		İ	125
94	Bookk	ceeping NC III	0: 1:5 0 1 1 1 1	1 4	it	75
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 inches x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	pc	75
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	75
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	75
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	75
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	рс	75



TESI	DA-Reg	ion V – TESDA Region	nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	75
94		tal, Bookkeeping NC I	<u>                                     </u>			75
99	<del></del>	a NC II	050	1		100
	1	French Press/Coffee Plunger	<ul> <li>350 ml capacity</li> <li>6.8 x 17 cm glass French press</li> <li>plastic black handle</li> </ul>	1	рс	100
	2	Whip Cream Dispenser	<ul><li>500 ml capacity dispenser with nozzles and brush</li><li>aluminum body</li></ul>	1	рс	100
	3	Steaming Pitcher	<ul> <li>350 ml capacity</li> <li>approximate size: 9 x 6.5 x 9 cm</li> <li>stainless steel</li> <li>approximate weight: 178 g</li> </ul>	1	pc	10.0
	4	Coffee Thermometer	<ul> <li>Stainless steel dial pointer thermometer with a measuring range of 10°C - 110°C</li> <li>Measures 12.5 L x 4.2 D cm, color silver</li> </ul>	1	pc	100
	5	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	100
99	+	tal, Barista NC II				100
100	Barter	nding NC II Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	pc	200
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	200
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	200



TES	DA-Reg		al Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	200
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	pc	200
	6	Ice Pick	<ul><li>measures: 21.5 cm long</li><li>stainless steel pick with wooden handle 9 cm long</li></ul>	1	рс	200
100		tal, Bartending NC II	- NO II		THE MANAGE	200
101	1	and Pastry Productio Spatula	<ul> <li>NC II</li> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	рс	1,975
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>		set	1,975
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	1,975
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	1,975
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	1,975



TESE	A-Reg	ion V – TESDA Region	al Office V, Regional Center Site	, Rawis	, Legaz	
LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			PAX
	6	Piping bags	• 12 inches	1	рс	1,975
			lightweight			
			• reusable			
	and the second s		flexible polyester			
			<ul> <li>coated, can be boiled</li> </ul>			
			dishwasher safe			
	7	Wire whisk	Stainless steel	1	рс	1,975
			• 12 inches			
			balloon style			
			handle length: 4 cm			
	8	Bread knife	Length: 8"	1	pc	1,975
	Ì		serrated edge			
			stain-free			
	-		high-carbon steel blade			
			<ul> <li>polypropylene</li> </ul>			
			straight handle			4.075
	9	Digital Weighing	LCD display	1	unit	1,975
		Scale	Measure in pounds (lbs),			
			ounces (oz) and grams (g)			
			Battery operated			
	10	Muffin non	Capacity: 5 kilograms	1	200	1,975
	10	Muffin pan	• 12 holes	1	pc	1,975
			3 oz. capacity per hole			1
	11	Cheese Grater	aluminum     Stainless steel	1	nc	1,975
	11	Cheese Grater		1	рс	1,975
			<ul><li>Box grater with handle</li><li>20.9 x 8.5 x 6.1 cm</li></ul>			
	12	Chef's Knife	<ul><li>Small and large holes</li><li>high-carbon stainless steel</li></ul>	1	рс	1,975
	12	OHEI S KIIIIE	<ul> <li>nigh-carbon stainless steel</li> <li>sharp cutting edge</li> </ul>	1	pc	1,373
			<ul> <li>starp cutting edge</li> <li>size: 8-inches blade length</li> </ul>			
			riveted handle			
101	Subto	tal, Bread and Pastry			1	1,975
102		nercial Cooking NC III	1.044000111011			.,,
	1	Carving Knife	high carbon stainless steel	1	рс	50
			sharp cutting edge			
			8-inch blade length			
			<ul> <li>with riveted handle</li> </ul>			
	2	Chef's Knife	high carbon stainless steel	1	рс	50
			sharp cutting edge			
			10-inch blade length			


TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legazi	oi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Knife Bag	<ul><li>8-knife pockets</li><li>Nylon fabric</li><li>with zipper</li><li>PVC backing</li></ul>	1	рс	50
	4	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	50
102		tal, Commercial Cook	ing NC III			50
103		ery NC II		· ·	T	
	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	600
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	600
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	600
	4	Honing Bar	stainless steel     10-inch length	1	рс	600
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	600
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	600
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	600
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	600

TESI	DA-Reg	ion V – TESDA Regior	nal Office V, Regional Center Site,	Rawis	, Legaz	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
103		tal, Cookery NC II				600
104	Food	and Beverage Service	s NC II	,		
	1	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	950
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	950
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	950
104		tal, Food and Beverag				950
105	1	and Beverage Service		· · · · · · · · · · · · · · · · · · ·	.,	
	1	Knives	<ul> <li>Set of 6 (stainless steel blade with plastic black handle)</li> <li>Set includes: <ul> <li>8" long, chef knife</li> <li>8" long, serrated knife</li> <li>8" long, slicing knife</li> <li>5" long, utility knife</li> <li>3.5" long, paring knife</li> <li>stainless steel block box</li> </ul> </li> </ul>	1	set	150
	2	Frying Pan	<ul> <li>26 cm non-stick pan with bakelite handle</li> <li>aluminum body</li> </ul>	1	рс	150
	3	Portable Gas Stove	<ul> <li>Portable indoor/outdoor gas stove</li> <li>ceramic enamel-coated drip pan</li> </ul>	1	рс	150
	4	Serving Spoon	<ul><li>stainless steel serving spoon</li><li>8 inches in length</li></ul>	1	рс	150
	5	Serving Fork	<ul> <li>4 prong stainless steel serving fork</li> <li>8 inches in length</li> </ul>	1	рс	150
	6	Carving Knife	<ul> <li>high carbon</li> <li>stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	рс	150

TESI	DA-Reg		nal Office V, Regional Center Site,	Rawis	, Legaz <sub>i</sub>	pi City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	150
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	150
105		tal, Food and Beverag				150
106	Front 1	Office Services NC II Calculator	40 digita diaplay	1	unit	225
			<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	225
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	225
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	225

rap Toy,

TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM AGENCY SPECIFICATIONS QTY OF UNIT NO. NO. PAX 4 Fake Bills Detector 1 225 • Voltage: 220V 50Hz-60Hz unit • Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" • Fluorescent UV blue lamp 4w On/Off Button 5 Stapler 1 225 • with built-in staple wire рс remover #35 weight: 0.085 kg • dimension: 11 cm x 3 cm x 5 cm • Staples 24 sheets 6 A4 Paper Pockets Material: Paper board 1 225 рс File Folder • Stainless Steel Clip • Size: 22.5 x 31 cm 7 Accordion File Polypropylene 1 рс 225 Organizer • Expandable pockets with tab flap and cord closure • Long size, 8.5 x 13 inches 106 Subtotal, Front Office Services NC II 225 107 Housekeeping NC II 350 Flashlight • 6000 Lumen 5 modes (high, рС low, red safety flasher, rescue beacon and OFF) Led Flashlight · With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case • With stun gun 2 Steam Flat Iron 350 1 • Electric flat iron with spray unit • 220 V/60 Hz • 1.100 - 1.310 watts • with 5 selector 3 Vacuum Cleaner 350 1 unit Wet and dry vacuum cleaner • 220 volts, 50-60Hz, 1,100 watts • Tank size: 4 liters With complete accessories 107 Subtotal, Housekeeping NC II 350




TESDA-Region V - TESDA Regional Office V, Regional Center Site, Rawis, Legazpi City NO. LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT OF NO. NO. PAX 108 Housekeeping NC III 75 Long Nose Plier • Overall Length: 8" 1 рс • Steel Alloy • Handle finish: plastic-dipped Electrician Plier 75 • Overall Length: 238 mm рс • Steel Alloy • Handle finish: plastic-dipped Pull-Push Rule 75 • Blade length 8m/26ft • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero 1 75 Tablet • Processor: 1.3 gHz unit • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) With SIM slot 5 Screwdriver Set • 4 pieces per set 1 set 75 • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" Subtotal, Housekeeping NC III 108 75 Travel Services NC II 109 Tablet 50 • Processor: 1.3 gHz unit • OS: Android 6.0 Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) With SIM slot 2 • Capacity: 64 GB 1 50 Flash drive рс • Compatibility: USB 3.0 50 109 Subtotal, Travel Services NC II 18,075 TOTAL

Som 9

521


TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
1	Agricu	ıltural Crops Product	ion NC I			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75
	2	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	pc	75
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
	4	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
	5	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	75
	6	Pick Mattock	<ul><li>steel head</li><li>3.4 kg. weight</li><li>36 inches long</li><li>wooden handle</li></ul>	1	pc	75
1		tal, Agricultural Crop			*****	75
2	Agricu	Iltural Crops Product		<del></del>	1	
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	75




TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
	3	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	75
-	4	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	75
2		tal, Agricultural Crop				75
3	Agrici	ultural Crops Product		1		150
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	150
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	150
	3	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	150



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO. ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT  4 Hole Digger  • 6 inches length • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip • double bolt through head attachment  3 Subtotal, Agricultural Crops Production NC III  12 Organic Agriculture Production NC II  1 Knapsack Sprayer  • Semi-automatic sprayer • 16 liter capacity • Stainless Steel  2 Shovel  • Rectangular shovel • 1 m handle length • 170 mm blade tip width • 220 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip  3 Rake  • metal garden rake • 1 pc • 14 teeth • 1.06 meters long aluminum handle • 6 inches length • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip • double bolt through head attachment	NO. OF PAX 150
Subtotal, Agricultural Crops Production NC II  1 Organic Agriculture Production NC II  1 Knapsack Sprayer     Semi-automatic sprayer     1 fliter capacity     Stainless Steel  2 Shovel     Rectangular shovel     1 170 mm blade tip width     220 mm blade tip length     1,300 g     wooden handle Y grip  3 Rake     metal garden rake     1 pc     14 teeth     1.06 meters long aluminum handle     4 Hole Digger     4 Hole Digger     6 inches length     6 5 inches width     6 0 inches height     4 8 inches fiberglass handle     soft-cushion grip     double bolt through head	150
12 Organic Agriculture Production NC II  1 Knapsack Sprayer  • Semi-automatic sprayer  • 16 liter capacity  • Stainless Steel  2 Shovel  • Rectangular shovel  • 1 m handle length  • 170 mm blade tip width  • 220 mm blade tip length  • 1,300 g  • wooden handle Y grip  3 Rake  • metal garden rake  • 1 pc  • 14 teeth  • 1.06 meters long aluminum handle  4 Hole Digger  • 6 inches length  • 6.5 inches width  • 60 inches height  • 48 inches fiberglass handle  • soft-cushion grip  • double bolt through head	
1 Knapsack Sprayer	150
Shovel  2 Shovel  Rectangular shovel 1 pc 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip  3 Rake  metal garden rake 1 pc 14 teeth 1.06 meters long aluminum handle 6.5 inches length 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head	150
1 m handle length     170 mm blade tip width     220 mm blade tip length     1,300 g     wooden handle Y grip  3 Rake     metal garden rake     1 pc     14 teeth     1.06 meters long aluminum handle  4 Hole Digger     6 inches length     6.5 inches width     60 inches height     48 inches fiberglass handle     soft-cushion grip     double bolt through head	
<ul> <li>Rake</li> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> <li>Hole Digger</li> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head</li> </ul>	150
6.5 inches width     60 inches height     48 inches fiberglass handle     soft-cushion grip     double bolt through head	150
accomment	150
12 Subtotal, Organic Agriculture Production NC II	150
20 Automotive Servicing NC I	
1 Socket wrench  • 1 x 1/4-Inch (6.3 mm) Ratchet  Wrench  • 10 pcs 10 mm-24 mm  Common Sockets  • 1 pc Extension Rod	425
2 Spark Plug Wrench • 1 pc T-Handle Universal Joint • 2 pcs Spark Plug Socket Wrench (16 and 21 mm)	425



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	425
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	425
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	425
	6	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	425
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	425
20	Subto	tal, Automotive Servi	cing NC I	L		425

525 gy gr m

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
21	Auton	notive Servicing NC I	I			
	1	Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	рс	250
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	рс	250
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	250
21		tal, Automotive Serv	icing NC II			250
24		g NC II		T		
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	675

y gr

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	675
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	675
24		tal, Driving NC II				675
25	Heavy	Equipment Servicing	Y	т	· · · · ·	
	1	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	25
	3	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	5	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25

527

1

an projection

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	25
25			Servicing (Mechanical) NC II			25
26	Motor	cycle/Small Engine Se	ervicing NC II	,	,	
	1	T-Wrench	4 pcs forged steel with sizes 8- 10-12 and 14 mm	1	set	75
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	75
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> </ul>	1	set	75
			<ul> <li>Philips Blade Tip: 1 x 100 mm,</li> <li>2 x 150 mm</li> </ul>			
			<ul><li>Plastic and Rubberized handle</li><li>Chrome Vanadium</li><li>Shank: 6"</li></ul>			
	4	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	set	75
			1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm			
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	75
26	Subto	tal, Motorcycle/Small	Engine Servicing NC II			75
27	Carpe	ntry NC II				
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	925

1

528

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

	17516		olong, Sta. Barbara, Ilollo			NO.
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	OF PAX
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	925
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	925
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	925
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	925
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	925
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	925
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	925
27		tal, Carpentry NC II				925
28	Const	ruction Painting NC Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	225

 $\int$ 

gr "

4/

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Dust Masks/ Respirator	<ul> <li>Half face reusable respirator Gas mask</li> <li>Head harness cradle suspension</li> <li>Lightweight elastomeric material</li> <li>Twin filter, Bayonet fitting connection filter system</li> </ul>	1	рс	225
	3	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	225
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	225
	6	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	225
	7	Spray Gun	<ul> <li>Low Pressure</li> <li>Material: Stainless steel</li> <li>Fluid nozzle: 1 mm</li> <li>Air Pressure Required: 3.0 bar</li> <li>with complete set of wrenches</li> </ul>	1	рс	225
28	Subto	tal, Construction Pai				225

530

JL

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
29	Heavy	Equipment Operation	[HEO] (Backhoe Loader) NC II	<u> </u>	· · · · · · · · · · · · · · · · · · ·	
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	25

J gr

531

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	25
29			Operation [HEO] (Backhoe Loade	r) NC I		25
30			[HEO] (Bulldozer) NC II			~~
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25

532

91

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
	4	Mechanical plier	8 inches length     insulated handle	1	рс	25
	5	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	25
	6	Long Nose Plier	<ul> <li>Overall Length: 8"</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	25
	7	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
30 31			Operation [HEO] (Bulldozer) NC I			25
31	neavy 1	Combination Wrench	• 16 pcs	1	set	25
		Set	<ul> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>			

1

533

g

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul><li>Philips &amp; Standard</li><li>6 pcs. per set</li><li>plastic handle</li></ul>	1	set	25
			• Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)			
			• Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)			
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
-	4	Mechanical plier	8 inches length     insulated handle	1	рс	25
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Tire Gauge	Heavy Duty Condor type     160 psi. pressure capacity	1	рс	25
31	Subto	∐ tal, Heavy Equipme	nt Operation [HEO] (Forklift) NC II			25


1

534

gr r

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
32	Heavy	Equipment Operation	n [HEO] (Hydraulic Excavator) NC	11		
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	50
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	50
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	50



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Vise Grip	7" straight jaw     Hard steel	1	рс	50
	6	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	50
	7	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	50
32			Operation [HEO] (Hydraulic Exca	vator) l	NC II	50
33	Heavy 1	Combination Wrench	• 16 pcs	1	set	25
		Set	<ul> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>			
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
	4	Mechanical plier	8 inches length     insulated handle	1	рс	25
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	-1	рс	25
33			Operation [HEO] (Motor Grader)		T) NO 11	25
34	Heavy	Combination Wrench	n [HEO] (On-Highway Dump Truck  • 16 pcs	[Kigid	]) NC II set	25
		Set	<ul> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	•		

537

1 is

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul><li>Philips &amp; Standard</li><li>6 pcs. per set</li><li>plastic handle</li></ul>	1	set	25
			• Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)			
			<ul> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
	4	Mechanical plier	8 inches length     insulated handle	1	рс	25
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	25
34	Subto [Rigid	tal, Heavy Equipmo ]) NC II	ent Operation [HEO] (On-Highway	Dump	Truck	25

538

1

gr

94

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
35	Heavy	Equipment Operation	   [HEO] (Road Roller [Compactor]	NC II		PAX
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25
	3	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	рс	25
	4	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25

539

7 gr ~ gr

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Long Nose Plier	<ul><li>Dyna Grip</li><li>152 mm/ 6 inches</li><li>carbon steel</li></ul>	1	рс	25
35	NC II		Operation [HEO] (Road Roller [Co		or])	25
36	Heavy		n [HEO] (Truck Mounted Crane) No	,		-
		Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25

**1** 54

)

gr M gV

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	25
	4	Mechanical plier	8 inches length     insulated handle	1	рс	25
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	25
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	25
36 37			Operation [HEO] (Truck Mounted   [HEO] (Wheel Loader) NC II	Crane	NC II	25
31	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50


1

541

1

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul><li>Philips &amp; Standard</li><li>6 pcs. per set</li><li>plastic handle</li></ul>	1	set	50
			<ul> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
			<ul> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> </ul>	1	рс	50
			With replaceable hook and heel jaw			
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	50
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	pc	50
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	50
37 38			t Operation [HEO] (Wheel Loader)	NC II		50
30	1 1	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	50
	2	Claw Bar	<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	50



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	50
	4	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	50
	5	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	50
	6	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	50
	7	Sledge Hammer	<ul><li>4 lbs. forged steel head sledge</li><li>15 inches long</li><li>fiberglass handle</li></ul>	1	рс	50
	8	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	50
	9	Straight Edge	<ul><li>6 mm thick x 54 mm wide x 900 mm long</li><li>aluminum</li></ul>	1	рс	50
	10	Try Square	<ul><li>12" length</li><li>Hard alloy steel</li><li>With Metric/English system graduation</li></ul>	1	рс	50
38	Subto	tal, Masonry NC I			!	50

J gy ;

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
39	Masor	nry NC II		h	· · · · · · · · · · · · · · · · · · ·	
	1	Claw Bar	<ul> <li>19 mm minimum diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	600
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	pc	600
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	pc	600
	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	600
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	600
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	600
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	600
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	600

1 94

511

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	600
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	600
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	600
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	600
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	600
39		tal, Masonry NC II				600
41		tting NC II		T 4	1	7.5
	1	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	75
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	75
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	75
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	75

545 94 92 N

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	75
	6	Claw Hammer	<ul> <li>Forged high-carbon steel head</li> <li>Smooth face</li> <li>12 oz</li> <li>Wooden Handle</li> </ul>	1	рс	75
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	75
	8	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bi-metal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	75
	9	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	75
	10	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	рс	75

T & j

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo


LOT	17724		ong, Sta. Barbara, Ilollo			NO.
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	OF PAX
	11	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm,</li> </ul>	1	set	75
			<ul> <li>2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	The Control of the Co		
	12	Spirit Level Bar	<ul><li>High impact plastic, magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	75
	13	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	75
41		tal, Pipefitting NC II		1		75
48	Scaffo	old Erection NC II				
	1	Wrench	<ul><li>17 X 19 mm Double Spud Ratchet Wrench</li><li>Drop Forged metal Steel</li></ul>	1	рс	50
	2	Combination Wrench	<ul><li>17mm x 17mm (box &amp; open)</li><li>drop forged metal steel</li><li>6 inches long</li></ul>	. 1	рс	50
	3	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	50
	4	Safety Vest	<ul> <li>high visibility mesh safety vest with silver stripe</li> </ul>	1	рс	50
	5	Safety Harness	Double lanyard with shock absorber	1	рс	50
	6	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	50

1

W

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	50
	8	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	50
48	Subto	tal, Scaffold Erection	NC II			50
50	Tile Se	etting NC II				
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	50
	2	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	50
	3	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	50
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	50
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	50
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	50
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	pc	50



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	50
50		tal, Tile Setting NC II				50
51	Comp	uter Systems Servicin				7.5
	1	Crimping Tool	Suitable for:  RJ 45 RJ 11 4P 6P 8P	1	рс	75
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	75
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	75

J 549

9/ j

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

	T	20.	ong, Sta. Barbara, Iloilo	1		NO
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	75
51	Subto	tal, Computer System	s Servicing NC II			75
53	Electr	ical Installation and M	aintenance NC II			
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	650
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	650
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	650
	4	Pipe Bender Manual	<ul> <li>1/2-3/4 inch bending radius</li> <li>ductile high strength iron</li> </ul>	1	рс	650
53	Subto	tal, Electrical Installat	ion and Maintenance NC II		1	650

**1** 550

% j

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
55	Electr		nbly and Servicing NC II	-		
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	175
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	175
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	175
	4	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	175
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	175
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> </ul>	1	set	175
			Chrome Vanadium steel			
	7	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	175

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	175
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	. 1	set	175
55	Subto	tal. Electronics Produ	cts Assembly and Servicing NC II			175
60	Dressmaking NC II					
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	225
	2	Meter stick/Yardstick	1 meter (metric and English)     yellow plastic	1	рс	225
	3	Scissors	6" length     plastic handle for paper	1	рс	225
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	225
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	225
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	225
	7	Tracing Wheel	serrated metal wheel     plastic handle	1	рс	225
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	225

7 % 3 gr


TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	225
	10	Hip Curve	24" length     aluminum	1	рс	225
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	225
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	225
	13	Flat iron	<ul> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> <li>aluminum sole plate</li> </ul>	1	unit	225
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	225
60	Subto	tal, Dressmaking NO	3 II		1	225

1 or

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
61	Tailori	ing NC II			·	
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	225
	2	Pinking Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	225
	3	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	225
	4	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	225
	5	Hip Curve	<ul><li>24" length</li><li>aluminum</li></ul>	1	рс	225
	6	Tailor's L Square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	225
	7	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	225
61	Subto	tal, Tailoring NC II				225
63	RAC	Servicing (DOMRAC)	NC II			
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	100



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	100
	3	Long Nose Plier	<ul> <li>Overall Length: 8"</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	100
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
63		tal, RAC Servicing (DC	OMRAC) NC II			100
65	1	iving NC II Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	150

J 555

. .

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	150
65	Subto	tal, Caregiving NC II		İ		150
66	Health	Care Services NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	200
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	200
66	Subto	tal, Health Care Service	ces NC II	1		200

J 556 g/

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
68	Massa	ge Therapy NC II				
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	pc	125
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	125
68	Subto	tal, Massage Therapy	NC II	1		125
69		imation NC III				
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	150
69	Subto	tal, 2D Animation NC	İ	1	<u> </u>	150

557

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
71	Conta	ct Center Services NC	i II			
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>		unit	75
	2	Headphone with Mic	<ul> <li>with noise cancelling microphone</li> <li>connection: usb type</li> </ul>	1	unit	75
71	Subto	tal, Contact Center Se			i	75
73		al Transcription NC II				
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	75
	2	Headphone with Mic	<ul> <li>with noise cancelling microphone</li> <li>connection: usb type</li> </ul>	1	unit	75
73	Subto	tal, Medical Transcrip	tion NC II			75
74	Visual	Graphic Design NC II	I			
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	
74	Subto	tal, Visual Graphic De	sign NC III			75


TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
80	Gas M	letal Arc Welding (GN	/AW) NC I		,	
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	125
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	125
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	125
	4	Hacksaw Frame	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum alloy frame and handle</li></ul>	1	рс	125
	5	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	125
	6	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	125
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	125
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	125
80	<del></del>	tal, Gas Metal Arc W				125
81	Gas N	letal Arc Welding (GI		- <del></del>		T ===
	1	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	pc	50
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	50

J % gr

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	50
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	50
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	50
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50
	7	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	50
81		tal, Gas Metal Arc We		·		50
83	T .	ungsten Arc Welding		1 1		125
-	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	<b>,</b>	рс	125
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	125
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	125
	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	125
	5	Chipping Hammer	300 mm long     wood handle	1	рс	125



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	125
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	125
83			Welding (GTAW) NC II			125
85		ning NC I		1 .		
	1	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	рс	25
	2	Hacksaw Frame with Blade	<ul><li>Tubular metal frame</li><li>90° adjustable blade angle</li><li>12 inches fixed blade length</li></ul>	1	set	25
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	25
	4	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	25



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25
	6	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	25
	7	Combination Square	<ul><li>Stainless Steel</li><li>(12 inches) 300 mm</li><li>Combination Square Set (Blade and Handle)</li></ul>	1	set	25
85		tal, Machining NC I				25
86	Machi 1	ning NC II Outside Micrometer	Satin-chrome finished frame	1	рс	25
		Caliper	Range: 0-25 mm     Least Count=0.01 mm		ρc	20
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	25
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	25
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	25
86	Subto	tal, Machining NC II				25



/ب

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
88	Shield	ed Metal Arc Welding	(SMAW) NC I			
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	1,200
	2	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	1,200
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	1,200
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	1,200
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	1,200
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	1,200
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	1,200
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	1,200
88	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC I		<u> </u>	1,200
89		led Metal Arc Welding				
	1	Welding Jacket	leather     heat resistant	1	рс	1,050



~

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay
Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	1,050
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	1,050
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	1,050
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	1,050
	6	Auto-Darkening	Adjustable Shade	1	рс	1,050
89	Cubto	Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			1,050
91	Subtotal, Shielded Metal Arc Welding (SMAW) NC II Food Processing NC II					
31	1	Food Tongs	<ul> <li>stainless steel</li> <li>12 inches long</li> <li>with wide shell head with locking</li> </ul>	1	рс	100
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	100
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	100
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	100
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	100

J gr ;

564

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

NO.	7 8	ITEM  Mixing bowl  Colander	<ul> <li>AGENCY SPECIFICATIONS</li> <li>Stainless steel</li> <li>8" diameter</li> <li>5 quart capacity</li> </ul>	QTY 1	<b>UNIT</b> pc	NO. OF PAX 100
	7		<ul><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	100
		Colander				
	8		<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	100
		Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	100
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	100
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	100
400	Subto	otal, Food Processing	NC II			100
100	Barter	nding NC II				
	1	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	75
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	75
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	75
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	75
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> </ul>	1	рс	75

J of i

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT	ITEM		ong, Sta. Barbara, Ilolio			NO.
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	OF PAX
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	75
100		tal, Bartending NC II				75
101	Bread	and Pastry Productio	n NC II	.,		
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	рс	800
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	800
	3	Flour sifter	<ul> <li>Stainless steel mesh flour strainer</li> <li>12" diameter</li> </ul>	1	рс	800
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	800
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	800
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	800
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	800

J 4 5


٣

TESDA-Region VI - TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	800
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	800
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	800
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	800
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	800
101	Subtotal, Bread and Pastry Production NC II Cookery NC II					
103	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	625
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	625
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	625

TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	625
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	625
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	625
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	625
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	625
103		tal, Cookery NC II				625
104	-,	and Beverage Service			1	
	1	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	pc	575
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	575
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1.	unit	575
104		tal, Food and Bevera	ge Services NC II			575
107		ekeeping NC II		T 4	T	550
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	550



TESDA-Region VI – TESDA Center of Excellence for Construction Trades, Barangay Bolong, Sta. Barbara, Iloilo

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	550
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	550
107	Subto	tal, Housekeeping N	CII			550
	TOTA					11,775

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Animal Health Care and Management NC III 4 Knapsack Sprayer 75 Semi-automatic sprayer 1 pc • 16 liter capacity Stainless Steel 2 75 Shovel Rectangular shovel 1 рС • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip Semen Storage Box 75 plastic cooler/jug рС handy grip design • 1.9L capacity • wide mouth top 75 4 Forcep 1 • Stainless 5.5" long, straight DC kelly forcep 1 75 5 Ear Notcher • Small V-shape blade; рС stainless 75 6 Reusable Veterinary • Fiberglass hypodermic рС Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity Subtotal, Animal Health Care and Management NC III 75 4 5 Animal Production (Poultry-Chicken) NC II 125 1 Pail 1 • 10 liters capacity рС Plastic • 320 mm Height • 350 mm Diameter • 677 grams weight 125 2 Knapsack Sprayer 1 • Semi-automatic sprayer рС • 16 liter capacity • Stainless Steel 3 Semen Storage Box 1 125 • plastic cooler/jug pg handy grip design • 1.9L capacity • wide mouth top 125 4 Reusable Veterinary 1 • Fiberglass hypodermic pc Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity


TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX Brooder/ Heater 125 • 45 cm diameter aluminum set Lamp reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug Subtotal, Animal Production (Poultry-Chicken) NC II 125 Animal Production (Swine) NC II 100 Reusable Veterinary 1 • Fiberglass hypodermic рс Syringe adjustable syringe with engraved volume indication on barrel • 10 ml capacity 2 Ear Notcher • Small V-shape blade; 1 100 рс stainless 3 Forcep 100 • Stainless 5.5" long, straight 1 pc kelly forcep 4 Semen Storage Box 1 100 plastic cooler/jug рс handy grip design • 1.9L capacity • wide mouth top 100 5 Knapsack Sprayer • Semi-automatic sprayer 1 рс • 16 liter capacity Stainless Steel 1 100 Calculator • Scientific Calculator unit STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension Hard Slide Case 100 7 Subtotal, Animal Production (Swine) NC II 10 Horticulture NC III 75 Hedge Shear heavy duty hedge shear 1 рс • carbon steel blades · wooden handle · corrosion resistant coldforged steel blade premium edges • 8.5 inches blade length • 0.375 inches cutting capacity • 22 inches overall length • 0.82 kg weight

7 an j

ACT (UAQTEA) FOR CY 2018

	T		rchbishop Reyes Avenue, Lahu	g, Cebu	Lity	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	75
	3	Pruning Saw	<ul> <li>13 inches curved steel</li> <li>turbo cut pull action blade</li> <li>rugged razor tooth blade</li> <li>Non-slip pistol grip handle</li> <li>12 feet overall length</li> </ul>	1	рс	75
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	75
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	75
	6	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	рс	75
10		tal, Horticulture NC II				75
11	Lands	Rake	Maintenance (Softscape) NC II	1	рс	75
		Ivane	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	pc	
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75

572



ACT (UAQTEA) FOR CY 2018

	Т		rchbishop Reyes Avenue, Lahu	g, Cebı	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant coldforged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	75
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	75
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	75
	6	Pole Pruner	<ul> <li>Fiber Glass Pole</li> <li>3 kg weight</li> <li>16 ft long</li> <li>15 inches Saw length</li> </ul>	1	рс	75
11			lation and Maintenance (Softsca	ape) NO	CII	75
12	Organ	ic Agriculture Produ			1	405
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	125
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	125
	3	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	125

ACT (UAQTEA) FOR CY 2018

	Т		rchbishop Reyes Avenue, Lahu	g, Cebı	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	125
12		tal, Organic Agricultu				125
13	Pest N	Management (Vegetab	<del></del>	1 1		75
Andrew Property of the Propert	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	pc	75
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	75
	3	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	75
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	pc .	75
13		tal, Pest Managemen				75
14		Machinery Operations	<del></del>	T 4	<del></del>	7-
	1	Vise grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	75
	2	Pliers	<ul> <li>Nickel Plated Pliers</li> <li>Long nose combination</li> <li>Side cut pliers</li> <li>8 inches product size</li> <li>300 grams weight</li> </ul>	1	рс	75

	Т		chbishop Reyes Avenue, Lahug	g, Cebi	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	75
	4	Grinder	<ul> <li>Angle grinder</li> <li>Powerful 670 Watts input power</li> <li>Maximum safety - come with Burst Proof Guards and 2 motion switch</li> <li>220 Volts/60 Hz</li> </ul>	1	unit	75
14	<del></del>	tal, Rice Machinery O	perations NC II			75
20	<del> </del>	notive Servicing NC I	1 4 (4 la ala (6 2 anna)	1 1	act	200
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>		set	200
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	200
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	200
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	200

1

gr 's

	T		chbishop Reyes Avenue, Lahuç	g, Cebu	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	200
	6	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	200
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	200
20		tal, Automotive Service	ing NC I			200
21	1	Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	рс	200

576 J gr N

	T		chbishop Reyes Avenue, Lahu	g, Cebu	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	рс	200
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	200
21	Subto	tal, Automotive Servi				200
24	Drivin	g NC II			<del>,</del>	
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	450
	2	Vise Grip	7" straight jaw     Hard steel	1	рс	450
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	450
24		tal, Driving NC II				450
26	Motorcycle/Small Engine Servicing NC II					
	1	T-Wrench	• 4 pcs forged steel with sizes 8-10-12 and 14 mm	1	set	50
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	50

577

J gr pr

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY UNIT ITEM NO. NO. PAX 1 Screwdriver Set • 4 pieces per set set 50 • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" Allen Wrench • 22 pc Hex Key Set: 50 set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel Socket wrench • 1 x 1/4-lnch (6.3 mm) set 50 Ratchet Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 26 Subtotal, Motorcycle/Small Engine Servicing NC II 50 27 Carpentry NC II 25 Crow Bar • 914.4 mm (36") long рС forged high steel carbon 25 Pull-Push Rule • Blade length 8m/26ft pc • Blade width 1" High impact ABS case with durable rubber • Corrosion resistant tru-zero 25 3 Steel Square • Carpenter's framing square; рс 2" x 16" x 24" • Steel • Double graduation inches/cm

1

gi !"

578

	Т		chbishop Reyes Avenue, Lahu	g, Cebi	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	25
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	25
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	25
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	25
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	pc	25
27		tal, Carpentry NC II				25
38	Masor 1	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	25
	2	Claw Bar	<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	25
	3	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	25

579 1 21 N

TESDA-Region VII - Archbishop Reves Avenue, Lahug, Cebu City LOT ITEM NO. OF QTY UNIT ITEM AGENCY SPECIFICATIONS NO. NO. PAX 4 Handsaw 20"/500mm Cross Cut Hand 1 рс 25 Saw Machine set teeth resharpenable with traditional hardwood handle for comfort 5 Pull-Push Rule • Blade length 8m/26ft 25 рс • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 25 Shovel 1 6 Heavy gauge рс • tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip Hardwood handle 25 Sledge Hammer 1 • 4 lbs. forged steel head рс sledae • 15 inches long • fiberglass handle 8 Spirit Level Bar 1 25 • High impact plastic рс Magnetic • 3 vials, 24" length 9 Straight Edge • 6 mm thick x 54 mm wide x 1 25 pg 900 mm long aluminum Try Square 25 10 • 12" length рс Hard alloy steel • With Metric/English system graduation Subtotal, Masonry NC I 25 38 43 Plumbing NC II Combination Plier 125 1 • 7-Inch Dyna Grip рс forged carbon steel • heat treated Bi material soft grip ergonomically designed Dyna Grip handle with finger guards 2 Hacksaw Frame with Adjustable 1 125 рС Blade • 24 TPI • aluminum frame and handle

580

1 apr N

LOT	ITEM	ESDA-Region VII – A	rchbishop Reyes Avenue, Lahu	g, Cebi	City	NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	3	Manual Pressure Test	<ul><li>6 mpa</li><li>860 psi max. pressure</li><li>12L capacity</li><li>with brass pump valve</li></ul>	1	рс	125
	4	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>304.8 mm (12") in length</li> <li>alloy steel</li> </ul>	1	рс	125
43		tal, Plumbing NC II				125
50	Tile S	etting NC II		-,		·
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	75
	2	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	75
	3	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	pc	75
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	75
	5	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	75
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	75
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	рс	75

581

age in

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City NO. OF LOT ITEM QTY UNIT ITEM **AGENCY SPECIFICATIONS** NO. NO. PAX 8 Steel (Bucket/ • 10" solid forged steel blade 1 75 рс Bricklaying) Pointing Precision tapered Trowel • Soft duragrip and hard end handle Subtotal, Tile Setting NC II 75 50 51 Computer Systems Servicing NC II Crimping Tool 200 Suitable for: 1 рс • RJ 45 • RJ 11 4P • 6P • 8P 200 2 Electrician Plier • Overall Length: 238 mm рС Steel Alloy • Handle finish: plastic-dipped 200 3 Wire Stripper 1 рс automatic • cap. 1.5 mm to 3.5 mm Combination Wrench 200 4 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 Drop forged alloy steel construction Lobular box end design Allen Wrench 200 5 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel

7 gr gr

TESDA-Region VII – Archbishop Reyes Avenue, Lahug, Cebu City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	200
51	Subto	tal, Computer System	s Servicing NC II	<b></b>		200
53	Electr	ical Installation and M	aintenance NC II			
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	850
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	850
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	850
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	850
53	Subto	tal, Electrical Installat	ion and Maintenance NC II			850

1

583 Gr /\* gv

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 54 Electrical Installation and Maintenance NC III 75 1 Multi-Tester 1 unit Analog • DCV Range: 0.1 V to 1,000 ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k Allen Wrench 1 75 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel 75 3 Wire Stripper 1 • automatic рС • cap. 1.5 mm to 3.5 mm 75 Combination Wrench • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 Drop forged alloy steel construction • Lobular box end design 54 Subtotal, Electrical Installation and Maintenance NC III 75

T git gi

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Electronics Products Assembly and Servicing NC II 55 Multi-Tester 250 1 unit Analog • DCV Range: 0.1 V to 1,000 ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm · Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 2 Electrician Plier 250 1 • Overall Length: 238 mm pc Steel Alloy • Handle finish: plastic-dipped 3 Long Nose Plier 1 250 Overall Length: 8" рс Steel Alloy • Handle finish: plastic-dipped 4 Diagonal Cutting 1 250 • Overall Length: 8" рс Plier • Material: Carbon Steel • Handle Finish: plastic dipped 5 Soldering Iron 1 250 • 30 watts, 220 volts/60hz рс heat pencil tip 6 Allen Wrench 1 250 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel Wire Stripper 1 250 automatic рс • cap. 1.5 mm to 3.5 mm

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF AGENCY SPECIFICATIONS UNIT ITEM QTY NO. NO. PAX Vernier Caliper 8 Stainless steel рс 250 • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 250 9 Screwdriver Set • 4 pieces per set 1 set • Flat Blade Tip: 6.5 x 150 mm. 5 x 100 mm • Philips Blade Tip: 1 x 100 mm. 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" Subtotal, Electronics Products Assembly and Servicing NC II 250 55 Dressmaking NC II 60 1,150 **Cutting Shears** • 8" length рС • stainless steel blade • plastic handle 2 Meter stick/Yardstick 1,150 • 1 meter (metric and English) рС yellow plastic 3 1,150 Scissors 1 • 6" length рС • plastic handle for paper Screwdriver Set 1 1,150 • precision 6 pieces per set set plastic handle • 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm. 3.0 mm slotted Spray Bottle 1.150 5 1 spray plastic clear empty рС bottle • 500 ml hand trigger

586

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX 6 Tape Measure 1,150 plastic рс • 60" length (English and metric) 7 Tracing Wheel 1,150 serrated metal wheel рС plastic handle 8 Ruler with Grid 1 1,150 • 18" length рс transparent · red lines with grid 9 French Curve 1,150 • 12" length 1 рС • aluminum • for neckline and armhole drawing 10 Hip Curve • 24" length 1 рс 1,150 • aluminum 11 Tailor's L square • 24" x 14" length 1 1,150 рС aluminum 1,150 12 Screwdriver Set • 4 pieces per set 1 set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 13 Flat iron • electric flat iron unit 1,150 any color • dry iron • 220 volts aluminum sole plate

587

ap [r

ACT (UAQTEA) FOR CY 2018
TESDA-Region VII – Archbishop Reves Avenue, Lahug, Cebu City

LOT NO.	ITEM NO.	ITEM	rchbishop Reyes Avenue, Lahuç AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x</li> </ul>	1	unit	1,150
			147mm x 42mm			
60		tal, Dressmaking NC	11			1,150
61	1 allor	ing NC II Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	pc	175
	2	Pinking Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	175
	3	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	175
	4	French Curve	<ul> <li>12" length</li> <li>aluminum</li> <li>for neckline and armhole drawing</li> </ul>	1	рс	175
	5	Hip Curve	24" length     aluminum	1	рс	175
	6	Tailor's L Square	24" x 14" length     aluminum	1	рс	175
	7	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	175
61	Subto	tal, Tailoring NC II				175
						588

1 ayr of

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT **ITEM** NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX RAC Servicing (PACU/CRE) NC III 62 Gauge Manifold 100 1 • 2 valves set • Three (3) hoses gauge • High side gauge pressure: 0-750 psig • Low side gauge pressure: 30 in Hg vacuum-500 psig • For refrigerant R-410a/R-• 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst 100 2 Multi-Tester unit Analog • DCV Range: 0.1 V to 1,000 ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm · Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 62 Subtotal, RAC Servicing (PACU/CRE) NC III 100 63 RAC Servicing (DOMRAC) NC II 125 Flaring Tool Flaring with swaging tools set · Screw type feed • Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished • Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD • Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD

1 ap m

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 2 **Tube Cutter** 125 Heavy duty рс • For 1/8 inch to 1 1/8 inches pipe • Weight: 0.16 ounces. • Dimension: 6.8 x 3.3 x 1.3 inches • Materials: High strength zinc alloy · with spare cutter wheel on the knob 3 Long Nose Plier 125 • Overall Length: 8" 1 рс • Steel Alloy • Handle finish: plastic-dipped 1 125 4 Combination Wrench • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction • Lobular box end design Subtotal, RAC Servicing (DOMRAC) NC II 125 65 Caregiving NC II 75 Sphygmomanometer Aneroid Handheld • Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubina • Leatherette zippered carrying case

1 an gr

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF **AGENCY SPECIFICATIONS ITEM** QTY UNIT NO. NO. PAX 2 Stethoscope • Double diaphragm (Fetal/ рс 75 adult) • 44 mm membrane stainless steel • Soft sealing earpieces • Flexible resilient rubber tubing Non chill rim 65 Subtotal, Caregiving NC II 75 Health Care Services NC II 66 75 Sphygmomanometer Aneroid рс Handheld • Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubina • Leatherette zippered carrying case 2 75 Stethoscope • Double diaphragm (Fetal/ рс adult) • 44 mm membrane stainless steel • Soft sealing earpieces • Flexible resilient rubber tubina Non chill rim Subtotal, Health Care Services NC II 75 66

The same of the sa

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 67 Hilot (Wellness Massage) NC II Sphygmomanometer 50 1 Aneroid рС Handheld • Large gauge in metal casing, 0-300 mm Hg, antislip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubing • Leatherette zippered carrying case 2 Stethoscope • Double diaphragm (Fetal/ 1 50 рс adult) • 44 mm membrane stainless steel Soft sealing earpieces • Flexible resilient rubber tubing • Non chill rim 67 Subtotal, Hilot (Wellness Massage) NC II 50 CNC Lathe Machine Operation NC II 75 Outside Micrometer 50 • Satin-chrome finished frame рС Caliper • Range: 0-25 mm • Least Count=0.01 mm Allen Wrench Keys · Steel with black oxide 1 50 set coating • Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm Hardened Steel 50 3 Letter and Number 1 set Punch 36pcs • 4 mm height (letter and number) Digital Vernier 1 50 Digital Model рс Caliper LCD Display Parallax free Vernier scale type • (6 inches) 150 mm long

on of

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City ITEM NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX Combination Square Stainless Steel 50 set • (12 inches) 300 mm • Combination Square Set (Blade and Handle) Screw Pitch Gauge • 4 to 56 TPI (Teeth per inch) 1 set 50 • Range: 0.5 mm to 6 mm • 28 Leaves Subtotal, CNC Lathe Machine Operation NC II 50 75 **CNC Milling Machine Operation NC II** 76 Outside Micrometer · Satin-chrome finished frame 1 50 рС Caliper • Range: 0-25 mm Least Count=0.01 mm 2 Allen Wrench Keys 50 Steel with black oxide 1 set coating • Durable plastic molded holders Labeled holders • 9 pcs./Set 1.5 mm to 10 mm 3 Letter and Number Hardened Steel 1 set 50 Punch • 36pcs • 4 mm height (letter and number) Digital Vernier 1 50 4 Digital Model рс Caliper LCD Display • Parallax free Vernier scale type • (6 inches) 150 mm long 5 Combination Square 1 50 • Stainless Steel set • (12 inches) 300 mm Combination Square Set (Blade and Handle) 6 Screw Pitch Gauge 1 50 • 4 to 56 TPI (Teeth per inch) set • Range: 0.5 mm to 6 mm • 28 Leaves 76 Subtotal, CNC Milling Machine Operation NC II 50



or of

	TESDA-Region VII – Archbishop Reyes Avenue, Lahug, Cebu City					
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
81	Gas N	letal Arc Welding (GN	IAW) NC II		<del>,</del>	
	1	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	75
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	75
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	pc	75
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	75
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	75
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	75
	7	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	75
81		tal, Gas Metal Arc We				75
83	Gas T	ungsten Arc Welding	(GTAW) NC II		,	
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	75
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	75

7 / in ap ap

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 3 Angle Grinder Portable 1 unit 75 • 4" capacity • 220 Volts/60 Hz 1 Welding Gloves 75 leather pair heat resistant long 5 Chipping Hammer • 300 mm long 1 75 рс wood handle Vise Grip 1 75 6 • 10" рс • chrome plated insulated handle flat jaw • adjustment 0" to 1 5/8" 7 Welding Mask 1 75 • Flip Front Welding Helmet рС impact-resistant polypropylene material • adjustable fit • 4 1/2" x 2" view area with lens #11 Subtotal, Gas Tungsten Arc Welding (GTAW) NC II 75 83 Machining NC I 85 125 Adjustable wrench Alloy steel 1 рс • 0-2 inches (0-50.8 mm) jaw opening • 10 inches (254 mm) length 125 2 Hacksaw Frame with 1 • Tubular metal frame set Blade • 90° adjustable blade angle • 12 inches fixed blade length 125 3 Screwdriver Set 1 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle • Chrome Vanadium • Shank: 6"

595

on my

	Т	<del></del>	chbishop Reyes Avenue, Lahu	j, Cebi	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	125
	5	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	125
	6	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	125
	7	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	125
85		tal, Machining NC I				125
86		ning NC II			r	
	1	Outside Micrometer Caliper	<ul><li>Satin-chrome finished frame</li><li>Range: 0-25 mm</li><li>Least Count=0.01 mm</li></ul>	1	pc	50
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	50

J 596 yr 17

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 3 Letter and Number 1 50 Hardened Steel set Punch • 36pcs • 4 mm height (letter and number) Digital Vernier 4 1 50 • Digital Model рс Caliper LCD Display • Parallax free Vernier scale • (6 inches) 150 mm long 86 Subtotal, Machining NC II 50 Shielded Metal Arc Welding (SMAW) NC I 88 Welding Gloves 300 1 leather pair heat resistant long 2 1 300 Chipping Hammer • 300 mm long рс wood handle 3 1 Vise Grip 300 • 10" рс • chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" 4 Safety Goggles Plastic 1 300 рс Clear Elastic Strap 5 Oxy-acetylene 1 300 Swivel type рс Goggles • Rigid 50 mm dual cup • Elastic headband • Number-5 shade shields against brightness 6 Try Square 1 300 • Size: 8" x 12" рс • Thickness: 1.8-2 mm • Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations 7 Welding Mask • Flip Front Welding Helmet 300 1 рс • impact-resistant polypropylene material • adjustable fit • 4 1/2" x 2" view area with lens #11

7 ar gy

	Т		rchbishop Reyes Avenue, Lahu	g, Cebı	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	300
88	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC I			300
89	Shield	led Metal Arc Welding	(SMAW) NC II			
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	рс	1,775
	2	Ball Peen Hammer	<ul> <li>Forged hard steel</li> <li>jacketed graphite</li> <li>16 oz./ 1 lb</li> </ul>	1	pc	1,775
	3	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	1,775
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	1,775
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	1,775
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	1,775
89	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC II			1,775
91	Food	Processing NC II				
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	75
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	_1	рс	75
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	75

1 gr gr

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** NO. NO. PAX 4 Measuring Spoon 1 set 75 stainless steel • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) Measuring Cup 75 • Stainless steel set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) Mixing bowl 75 6 Stainless steel 1 рс • 8" diameter • 5 quart capacity 7 1 75 Colander Stainless steel рс Medium Size • 8 quarts capacity with base 75 8 Honing Bar 1 • stainless steel рс • 10-inch length 75 9 Saucepan 1 • material: stainless рс • capacity: 1.5 liter · with lid cover 75 10 Casserole • Stainless steel with lid cover 1 рс and handle both sides • Dimension: 20 cm 75 91 Subtotal, Food Processing NC II 93 Beauty Care Services (Nail Care) NC II Cuticle Nail Pusher Material: Stainless steel 1 75 рс • Two end with two different • Dimension: 10.6 cm x 0.63 75 2 Cuticle Nipper 1 • Material: stainless steel tip рс handed grip • ultra fine, surgical quality • size: 1/2 jaw single spring • Dimension: 10.16 cm x 0.94 cm x 0.07 cm 1 75 3 Finger Nail Bowl • 5-finger mold рс Plastic • Dimension: 17.5 cm x 12.4 cm x 4.8 cm


599

gr gr

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX 4 Hand Nail Cutter 1 Stainless Steel рс • double side swing out nail file • Ergonomic Design • Dimension: 5.08 cm x 0.6 75 5 Nail File 1 • plastic handle рс • double sided abrasive • Dimension: 1 cm x 5 cm x 0.8 cm 75 Nail Buffer • Durable sand paper, soft рс sponge • Dimension: 9 cm x 3.6 cm x 2.6 cm 75 Foot File • Hard skin remover рс • Wooden handle with double sided foot rasp • Dimension: 26.0 cm x 6.0 cm x 1.4 cm 75 8 Cuticle Scissor 1 Stainless Steel рс Extra fine point • Dimension: 1.7 cm x 7.62 cm x 0.89 cm 9 75 Callous Remover Plastic handle рс Stainless blade Extra blade • Dimension: 14.9 cm x 2.6 cm Pumice Stone 75 10 1 • 100% volcanic stone рс excellent for scrubbing dry • Anti- bacterial for removing dead skin • Dimension: 10 cm x 7 cm x 2 cm 75 1 11 Manicure Nail brush • plastic nail brush рс • soft nylon brush • Dimension: 6.35 cm x 3.93 cm x 1.57 cm

1 ar y

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 12 Foot spa Machine 1 75 unit · foot detox machine • With heater adjustment, bubble massage • depth: 14 cm • width: 38 cm • length: 40 cm • 220-240 V/50 Hz 1 75 13 Hand spa Machine • •Thermostatically unit controlled heating unit • length: 24 cm • width: 17.5 cm • depth: 9 cm • 220-240 V/50 Hz 93 Subtotal, Beauty Care Services (Nail Care) NC II 75 Domestic Work NC II 95 125 Knives • Set of 6 (stainless steel set blade with plastic black handle) Set includes: - 8" long, Chef's knife - 8" long, serrated knife - 8" long, slicing knife - 5" long, utility knife - 3.5" long, paring knife - stainless steel block box 125 Wet and dry vacuum Vacuum Cleaner unit cleaner • 220 volts, 50-60Hz, 1,100 watts • Tank size: 4 liters • With complete accessories Steam Flat Iron 3 • Electric flat iron with spray unit 125 • 220 V/60 Hz • 1,100 - 1,310 watts • with 5 selector 95 Subtotal, Domestic Work NC II 125 100 Bartending NC II Cocktail Shaker 225 • 350 ml capacity рс stainless steel • Size (cm): 25 in L x 5 in W x 16 in H



	T	<u></u>	chbishop Reyes Avenue, Lahu	g, Cebı	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	225
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	225
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	225
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	225
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	pc	225
100		tal, Bartending NC II		<u> </u>		225
101		and Pastry Production			,	
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	pc	700
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	700
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	700
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	700

602

gr

TESDA-Region VII - Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY UNIT NO. NO. PAX 5 Mixing bowl Stainless steel 1 700 рс • 8" diameter • 5 quart capacity 6 Piping bags • 12 inches 1 700 рС lightweight reusable flexible polyester • coated, can be boiled • dishwasher safe 7 Wire whisk Stainless steel 1 700 рс • 12 inches balloon style • handle length: 4 cm 8 700 Bread knife 1 • Length: 8" рС serrated edge • stain-free • high-carbon steel blade polypropylene • straight handle 1 700 9 Digital Weighing LCD display unit Scale Measure in pounds (lbs). ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms 700 10 Muffin pan 1 • 12 holes DC • 3 oz. capacity per hole aluminum 11 Cheese Grater 1 700 Stainless steel рС • Box grater with handle • 20.9 x 8.5 x 6.1 cm • Small and large holes 12 Chef's Knife • high-carbon stainless steel 1 700 рС sharp cutting edge • size: 8-inches blade length riveted handle 101 Subtotal, Bread and Pastry Production NC II 700 103 Cookery NC II Chef's Knife 275 1 high-carbon stainless steel рс • sharp cutting edge • size: 8-inches blade length riveted handle

7 or g

TESDA-Region VII – Archbishop Reyes Avenue, Lahug, Cebu City LOT ITEM NO. OF ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** NO. NO. PAX 2 Food Tongs 1 275 stainless steel рс • 12 inches long • with wide shell head with locking 275 3 Digital Weighing 1 • LCD display unit Scale • Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated • Capacity: 5 kilograms 275 4 Honing Bar stainless steel 1 рс • 10-inch length 5 Measuring Cup 1 275 Stainless steel set • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 6 1 275 Measuring Spoon stainless steel set • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) 7 275 Saucepan 1 • material: stainless рС • capacity: 1.5 liter with lid cover 8 275 Casserole Stainless steel with lid cover рс and handle both sides • Dimension: 20 cm 103 275 Subtotal, Cookery NC II 104 Food and Beverage Services NC II Corkscrew 1 250 measures 12 x 2.2 x 1.1 cm рс stainless steel metal corkscrew/bottle opener 2 Linen/Skirting Cloth 1 250 • 10 yards (double width) рс skirting cloth • satin (any color) 3 250 Tablet 1 • Processor: 1.3 gHz unit • OS: Android 6.0 Memory: 1GB RAM • Storage: 8GB ROM • Display: screen 7" (177.8 mm) • With SIM slot 104 Subtotal, Food and Beverage Services NC II 250

604

7 or gr

TESDA-Region VII - Archbishop Reves Avenue, Lahug, Cebu City LOT ITEM NO. OF UNIT ITEM **AGENCY SPECIFICATIONS** QTY PAX NO. NO. Front Office Services NCII 106 300 Calculator 1 unit • 12 digits display • front panel metal coating battery power • big display • memory functions up to 4 decimal support high quality plastic construction and keys off key • double zero with rounding function support • dimension: 192mm x 147mm x 42mm 2 Flash drive 1 300 • Capacity: 64 GB рС • Compatibility: USB 3.0 3 1 300 Portable Amplifier Power Output: 30 W unit Mode: USB/MP3/FM • Charger Voltage: 10V 450 mA • AC/DC • with headset and lapel microphone Fake Bills Detector 1 300 • Voltage: 220V 50Hz-60Hz unit • Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" Fluorescent UV blue lamp 4w On/Off Button 300 5 Stapler • with built-in staple wire рс remover #35 weight: 0.085 kg • dimension: 11 cm x 3 cm x 5 cm • Staples 24 sheets A4 Paper Pockets 1 300 6 Material: Paper board pc File Folder Stainless Steel Clip • Size: 22.5 cm x 31 cm

> 605 J gr gv

	Т	ESDA-Region VII – Ar	rchbishop Reyes Avenue, Lahuç	g, Cebu	ı City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	300
106	Subto	tal, Front Office Servi				300
107	House	keeping NC II				
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF)     Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650     4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	375
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	375
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	375
107	Subto	tal, Housekeeping NC	2			375
	TOTA	L				9,900

7 606 ap 9

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT	ITEM		Brgy. Abucay, Tacioban City			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
1	Agricu	ıltural Crops Producti	on NC I			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	225
	2	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	рс	225
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	225
	4	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	225
	5	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	225
	6	Pick Mattock	<ul><li>steel head</li><li>3.4 kg. weight</li><li>36 inches long</li><li>wooden handle</li></ul>	1	рс	225
1	Subto	tal, Agricultural Crops				225
3		ultural Crops Producti				
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	100
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	100

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII - Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. A	Abucay, ˈ	Taclob	oan City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	100
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	100
3		ultural Crops Produ	ction NC III			100
8	Aquad	culture NC II			· · · · · · · · · · · · · · · · · · ·	7.5
		pH meter	<ul> <li>Ph range from 0-14</li> <li>large multi-level LCD which displays both pH and temperature readings simultaneously</li> <li>An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements</li> <li>Temperature can be set to display in °C or °F</li> <li>The LCD screen has stability and calibration tag indicators</li> <li>The battery percent level is displayed at start up alerting the user to the remaining battery power that is available.</li> </ul>	1	unit	75
	2	Scoop net	<ul> <li>net material: nylon</li> <li>size detail: <ul> <li>handle length: 2.7 cm/10.63 inch</li> <li>net size: 20 x 18 cm / 7.87 x 7.07 inch</li> <li>net depth: 20 cm / 7.87 inch</li> <li>total length: 47 cm / 18.50 inch</li> </ul> </li> </ul>	1	рс	75

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Drawing instruments	<ul> <li>compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry</li> <li>geometry tools, special suitable for school teaching use</li> <li>size 11.5 cm x 2 cm x 0.6 cm</li> <li>package included: transparent box + silver metal compass stand tall + lead refill</li> </ul>	1	set	75
	4	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	75
8 10		tal, Aquaculture NC II ulture NC III				75
	1	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	pc	100
	2	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	100
	3	Pruning Saw	<ul> <li>13 inches curved steel</li> <li>turbo cut pull action blade</li> <li>rugged razor tooth blade</li> <li>Non-slip pistol grip handle</li> <li>12 feet overall length</li> </ul>	1	рс	100

609

of of

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII - Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. Abucay, Tacloban City LOT ITEM NO. OF QTY UNIT ITEM **AGENCY SPECIFICATIONS** NO. NO. PAX Hole Digger 100 1 • 6 inches length DC • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip · double bolt through head attachment Pruning Shear 100 • Chrome-plated blade finish straight рс • 80 mm cutting capacity • 8 inch user hand size 6 Sprinkler 100 • 7.6 liter plastic watering container рс • high-density polyethylene shock resistant material • 13 1/2 inches (342.9 mm) height 10 Subtotal, Horticulture NC III 100 12 Organic Agriculture Production NC II 125 Knapsack Sprayer • Semi-automatic sprayer рС • 16 liter capacity Stainless Steel 2 Shovel 125 Rectangular shovel рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip 125 3 Rake 1 • metal garden rake рС 14 teeth • 1.06 meters long aluminum handle

of y

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Broy, Abucay, Tacloban City

Brgy. Abucay, Tacloban City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	125
12		tal, Organic Agricultu	re Production NC II			125
20	Auton	notive Servicing NC I			,	
-	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	650
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	650
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	650
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	650
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	650

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII - Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. Abucay, Tacloban City LOT ITEM NO. OF **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX Screw Driver Set 650 Philips & Standard set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 7 Ball Peen Hammer 650 • jacketed graphite head, polished рс face • 12 ounce (340 grams), wooden handle 20 Subtotal, Automotive Servicing NC I 650 21 **Automotive Servicing NC II** 225 **Battery Tester** • Suitable for 6 V & 12 V Batteries Up to 1000 CCA (SAE) • 12 V Charging/Start System • Shock-resistant ventilated cover • Color-coded copper-plated clamps 225 2 Soldering Gun 1 Power: 130W рс • Two optional pre-heat (High/Low) • Tips: 4 mm x 65 mm Voltage: AC 220V • Pre-heat time: 5-10 minutes • Power cable: 1 meter • Plug type: Type A · Material: ABS Plastic

612

gr

j

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brov. Abucay. Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	<b>NO.</b> 3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	PAX 225
21		notive Servicing NC II				225
22	1	Piston Ring Compressor	<ul> <li>Material: Strong Spring Steel</li> <li>Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm)</li> <li>Height: (3 Inch.) 76.2 mm</li> <li>Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet</li> <li>1/4 In. Square Drive Adjuster</li> </ul>	1	set	50
	2	Valve Lifter / Spring Compressor	<ul> <li>Length: 11"</li> <li>All steel sturdy construction with hardened jaws</li> <li>Light weight C-type lifter works as a one hand tool</li> </ul>	1	set	50
	3	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses</li> <li>high side gauge pressure: 0-500 psig</li> <li>low side gauge pressure: 30 in Hg vacuum-250 psig</li> <li>For refrigerants R-22 and R134-a</li> <li>1/4 in vacuum port</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	50

7

ξ •

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Oil Filter Remover (Filter Wrench)	<ul> <li>Handle Material: Aluminum</li> <li>Wrench Shaft Length: 14.6 cm/5.7"</li> <li>Chain Total Length: 44.5 cm/17.5"</li> <li>Maximum Usable Length: 38.5 cm</li> <li>For removing all oil filters up to 60-120 mm diameter</li> </ul>	1	рс	50
22	Subto	tal, Automotive Servic	cing NC III	-		50
24	Drivin	g NC II				
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	1,375
	2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	1,375
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	1,375
24		tal, Driving NC II				1,375
26		cycle/Small Engine Se				
	1	T-Wrench	4 pcs forged steel with sizes 8-10- 12 and 14 mm	1	set	500
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	500
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	500

1 gr g

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

Brgy. Abucay, Tacloban City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	4	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	500	
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	500	
26	Subto	tal, Motorcycle/Small	Engine Servicing NC II			500	
27		ntry NC II					
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	625	
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	625	
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	625	
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	625	
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	625	

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. Abucay, Tacloban City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	625	
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	625	
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	625	
27	Subto	tal, Carpentry NC II			İ	625	
29			[HEO] (Backhoe Loader) NC II			020	
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100	
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	100	

1 in 3

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII - Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	100
	4	Mechanical plier	8 inches length     insulated handle	1	рс	100
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	100
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	100
29			nt Operation [HEO] (Backhoe Loader) NO			100
39	Maso	nry NC II				
_	1	Claw Bar	<ul><li>19 mm diameter x 90 cm long</li><li>Forged high-carbon tempered steel</li></ul>	1	рс	350
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	350
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bimetal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	350
	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	350
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	350

1

617

r J

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

Brgy. Abucay, Tacloban City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	350	
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	350	
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	350	
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	350	
	10	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	350	
	11	Steel (Bucket/Bricklaying) Pointing Trowel	<ul><li>10" solid forged steel blade</li><li>Precision tapered</li><li>Soft duragrip and hard end handle</li></ul>	1	рс	350	
	12	Steel Float/Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	350	
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	pc	350	
39		tal, Masonry NC II				350	
41	Pipefi 1	tting NC II Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	100	

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

ITEM LOT NO. OF ITEM QTY UNIT **AGENCY SPECIFICATIONS** NO. NO. PAX File half round рс 100 • 300 mm long • plastic handle 3 Welding Gloves 100 leather pair heat resistant long 4 Mechanical plier • 8 inches length 100 рС insulated handle 5 Steel Square • Carpenter's framing square; 2" x 1 100 рС 16" x 24" Steel • Double graduation inches/cm 6 Claw Hammer 100 • Forged high-carbon steel head рС Smooth face 12 oz Wooden Handle Ball Peen Hammer 7 100 • jacketed graphite head, polished рс • 12 ounce (340 grams), wooden handle 100 8 Hacksaw 1 • Heavy duty hacksaw with 12" biрС metal hacksaw blade • High Speed 24 TPI • Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame 9 Try Square • Size: 8" x 12" 1 100 рС • Thickness: 1.8-2 mm • Material: Spring Steel • Handle Material: Aluminum Alloy Metric and English Graduations

• 7-Inch Dyna Grip

forged carbon steelheat treated Bi-material

• soft grip ergonomically designed DynaGrip handle with finger guards

10

Combination Plier

619

1

рС

1

.j g√

ACT (UAQTEA) FOR CY 2018


TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	11	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> </ul>	1	set	100
			<ul> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> </ul>			
			Plastic and Rubberized handle			
			<ul><li>Chrome Vanadium</li><li>Shank: 6"</li></ul>			
	12	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	100
	13	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	100
41		tal, Pipefitting NC II		1		100
42	· .	oing NC I		T		
	1	Pipe Wrench	<ul> <li>10" length</li> <li>drop forged alloy steel</li> <li>capacity 2" or 50 mm</li> <li>1.2 kg cast iron housing and I beam handle</li> </ul>	1	pc	75
	2	Pipe Wrench	<ul> <li>12" length</li> <li>Drop forged Alloy Steel</li> <li>capacity 2" or 50 mm</li> <li>1.6 kg cast iron housing and I beam handle</li> </ul>	1	рс	75
	3	Pipe Cutter	<ul><li>Heavy duty</li><li>max. cap. 1/8" to 2"</li><li>steel handle</li></ul>	1	рс	75
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	75

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Pipe Vise	<ul> <li>capacity 2"</li> <li>material: steel</li> <li>swivel base with dual locking nuts</li> <li>360 degrees turn</li> </ul>	1	рс	75
42		tal, Plumbing NC I				75
43		oing NC II			·	
	1	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	pc	200
	2	Hacksaw Frame with Blade	<ul> <li>Adjustable</li> <li>24 TPI</li> <li>aluminum frame and handle</li> </ul>	1	рс	200
	3	Manual Pressure Test	<ul><li>6 mpa</li><li>860 psi max. pressure</li><li>12L capacity</li><li>with brass pump valve</li></ul>	1	рс	200
	4	Adjustable Wrench	<ul><li>0-50.8 mm (0-2") jaw opening</li><li>304.8 mm (12") in length</li><li>alloy steel</li></ul>	1	рс	200
43	Subto	tal, Plumbing NC II		-1		200
49	Techn	ical Drafting NC II				
	1	Drawing Board	<ul><li>wooden laminated</li><li>size: 18 inches x 24 inches</li></ul>	1	pc	175
	2	Compass Set	<ul> <li>divider: 14 cm length</li> <li>pencil compass: 14 cm length</li> <li>adjustable compass: 10 cm length</li> <li>compass extender: 9 cm length</li> </ul>	1	set	175
	3	Triangular Scale	<ul> <li>12" Plastic Architectural Scale</li> <li>Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500</li> </ul>	1	рс	175
	4	Technical Pen Set	<ul> <li>3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm)</li> <li>12 hi-polymer HB leads</li> <li>1 mechanical pencil</li> <li>1 ink cartridge</li> <li>1 eraser</li> </ul>	1	set	175



**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	T - Square	<ul><li>Wooden Drafting T-square</li><li>24" length</li><li>clear plastic edges</li></ul>	1	рс	175
	6	Measuring Tools Set	<ul> <li>Ruler: 30 cm long</li> <li>Triangle: 30 x 60 degrees, 13cm long</li> <li>Triangle: 45 X 45 degrees, 13 cm long</li> <li>Protractor: 12 cm long</li> </ul>	1	set	175
49	Subto	tal, Technical Drafting			·	175
50	Tile S	etting NC II				
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	300
	2	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	.1	рс	300
	3	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	300
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	300
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	300
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	300
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	рс	300

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

1.0=	Brgy. Abucay, Tacloban City							
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	8	Steel (Bucket/Bricklaying) Pointing Trowel	<ul><li>10" solid forged steel blade</li><li>Precision tapered</li><li>Soft duragrip and hard end handle</li></ul>	1	рс	300		
50	Subto	tal, Tile Setting NC II		L	1	300		
51		uter Systems Servicin	g NC II		<del></del>			
	1	Crimping Tool	Suitable for:  RJ 45  RJ 11  4P  6P  8P	1	рс	200		
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	200		
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	200		
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	200		
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	200		

623

i j ar

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> </ul>	1	set	200
			• Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm			
			<ul><li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li><li>Made of Chrome Vanadium</li></ul>			
			Soft TPL Handle			000
51		tal, Computer System				200
53	<del></del>	ical Installation and M		1		605
	1	Electrician Plier	Overall Length: 238 mm     Stand Alley	1	рс	625
			Steel Alloy     Handle finish: pleatic dinned.			
	2	Long Nose Plier	Handle finish: plastic-dipped     Overall Length: 8"	1	рс	625
		Long Nose I liel	Steel Alloy	1	pc	025
			Handle finish: plastic-dipped			
	3	Screwdriver Set	4 pieces per set	1	set	625
			• Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm			
			Philips Blade Tip: 1 x 100 mm, 2 x 150 mm			
			<ul><li>Plastic and Rubberized handle</li><li>Chrome Vanadium</li></ul>			
			Shank: 6"			
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	625
53	Subto	tal, Electrical Installat	ion and Maintenance NC II	1	<b></b>	625
54	Electr	ical Installation and M	aintenance NC III			
	1	Multi-Tester	Analog	1	unit	75
			<ul> <li>DCV Range: 0.1 V to 1,000 V</li> </ul>			
			ACV Range: 10 V to 750 V			
			<ul> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> </ul>			
			<ul> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> </ul>			
			Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g			
			<ul> <li>Resistance: X1 to X1k</li> </ul>		1	

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm,	1	set	75
			10.0 mm			
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			:
	3.	Wire Stripper	automatic	1	рс	75
	1	Combination Manah	• cap. 1.5 mm to 3.5 mm	1		75
	4	Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> </ul>	1	set	. 75
			Lobular box end design			
54	<del></del>		on and Maintenance NC III			75
55	Electr	I	bly and Servicing NC II	1		100
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	100
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	100
	3	Long Nose Plier	Overall Length: 8"    Steel Alloy    Handle finish: plastic-dipped	1	рс	100

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO. 4	Diagonal Cutting Plier	Overall Length: 8"     Material: Carbon Steel	1	рс	<b>PAX</b> 100
			Handle Finish: plastic dipped			
	5	Soldering Iron	30 watts, 220 volts/60hz     heat pencil tip	1	рс	100
	6	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm,	1	set	100
			<ul> <li>4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>			
	7	Wire Stripper	automatic	1	рс	100
			• cap. 1.5 mm to 3.5 mm			
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	100
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	100
55			cts Assembly and Servicing NC II			100
60	<del> </del>	making NC II			<del></del>	·
	1	Cutting Shears	<ul> <li>8" length</li> <li>stainless steel blade</li> <li>plastic handle</li> </ul>	1	pc	175

1 pr

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Meter stick/Yardstick	1 meter (metric and English)     yellow plastic	1	рс	175
	3	Scissors	6" length     plastic handle for paper	1	рс	175
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	175
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	175
	6	Tape Measure	plastic     60" length (English and metric)	1	рс	175
	7	Tracing Wheel	serrated metal wheel     plastic handle	1	рс	175
	.8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	175
	9	French Curve	<ul> <li>12" length</li> <li>aluminum</li> <li>for neckline and armhole drawing</li> </ul>	1	рс	175
	10	Hip Curve	24" length     aluminum	1	рс	175
	11	Tailor's L square	24" x 14" length     aluminum	1	рс	175
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> </ul>	1	set	175
			Chrome Vanadium     Shank: 6"			

627

1 of gr

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	<b>NO.</b> 13	Flat iron	N N	1	unit	<b>PAX</b> 175
	13	Flat II OII	<ul><li>electric flat iron</li><li>any color</li></ul>	1	unit	175
			• dry iron			
			• 220 volts			
			aluminum sole plate			
	14	Calculator	12 digits display	1	unit	175
			<ul> <li>front panel metal coating</li> </ul>			
			battery power			
			big display			
			memory functions up to 4 decimal			
			support	No.		
a de la constante de la consta			<ul> <li>high quality plastic construction and keys</li> </ul>	The state of the s		
			• off key			
			double zero with rounding function			
			support			
			• dimension: 192mm x 147mm x			
			42mm			
60		tal, Dressmaking NC		* ******		175
63		Servicing (DOMRAC) I		1	set	150
-	1	Flaring Tool	<ul><li>Flaring with swaging tools set</li><li>Screw type feed</li></ul>	'	361	100
			Two bars cover 9 sizes			
			Swivel type swaging adapters and			
			Flaring cone hardened steel,			
			chromed finished			
			Slip on forge steel yoke includes:			
			- Flares 1/8", 3/16", 1/4", 5/16", 3/8",			
			7/16", 1/2", 5/8" and 3/4" OD			
			• Five (5) swage adapter for tubes			
			sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD			
			112,010 and 014 0D			
	2	Tube Cutter	Heavy duty	1	рс	150
			• For 1/8 inch to 1 1/8 inches pipe			
			Weight: 0.16 ounces.			
			• Dimension: 6.8 x 3.3 x 1.3 inches			
			Materials: High strength zinc alloy			
			with spare cutter wheel on the knob			
	1	L			1	

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.					PAX
	3	Long Nose Plier	Overall Length: 8"     Start Allers	1	рс	150
			Steel Alloy     Handle finish: plastic dipped			
	4	Combination Wrench	Handle finish: plastic-dipped     16 pcs	1	set	150
		Set	<ul> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>		301	100
63		tal, RAC Servicing (DC	OMRAC) NC II			150
65	:	iving NC II		· · · · · · · · · · · · · · · · · · ·		
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	100
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	100
65		tal, Caregiving NC II				100
68		age Therapy NC II	1		T	200
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	pc	300

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

			Brgy. Abucay, Tacloban City	T		NO OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	pc	300
68	Subto	tal, Massage Therapy	NC II			300
70	3D An	imation NC III				
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic connector type: 4 pin usb</li> </ul>	1	set	50
70	Subto	tal, 3D Animation NC				50
81		letal Arc Welding (GM				
	1	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	75
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	75
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	75
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	75
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	75

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.	I I CIVI	AGENCT SPECIFICATIONS	QII		PAX
	6	File	• round	1	pc	75
			bastard cut			
			• 300 mm long			
			plastic handle			
	7	Auto-Darkening	Adjustable Shade	1	рс	75
		Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			
81		tal, Gas Metal Arc We				75
82	Gas M	letal Arc Welding (GM	AW) NC III			
	1	Oxy-acetylene	Swivel type	1	рс	50
		Goggles	Rigid 50 mm dual cup			
			Elastic headband			
			<ul> <li>Number-5 shade shields against</li> </ul>			
			brightness			
	2	Chipping Hammer	• 300 mm long	1	рс	50
			wood handle			
	3	Ball Peen Hammer	Forged hard steel	1	рс	50
			jacketed graphite			:
			• 16 oz./ 1 lb			
	4	Auto-Darkening	Adjustable Shade	1	рс	50
		Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			
	5	Diagonal Cutting	Overall Length: 8"	1	рс	50
		Plier	Material: Carbon Steel			
		-	Handle Finish: plastic dipped			
	6	Welding Jacket	leather	1	рс	50
			heat resistant			
82	Subto	tal, Gas Metal Arc We	elding (GMAW) NC III			50
83	Gas T	ungsten Arc Welding	(GTAW) NC II			
	1	Welding Jacket	leather	1	рс	150
			heat resistant			
	2	File	half round	1	рс	150
			• 300 mm long			
			plastic handle			
	3	Angle Grinder	Portable	1	unit	150
			4" capacity			
			• 220 Volts/60 Hz			
	4	Welding Gloves	• leather	1	pair	150
			heat resistant		'	
			• long			
	5	Chipping Hammer	• 300 mm long	1	рс	150
		2513 . 10	wood handle			
		<u> </u>	- WOOD HUHAIO			.1

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.	11 [14]	AGENCT OF ECHTOATIONS	411	Oitii	PAX
		Via a Orin	4.011	1	рс	150
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	μc	130
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	рс	150
83			Welding (GTAW) NC II			150
86	Machi	ning NC II				
	1	Outside Micrometer Caliper	<ul><li>Satin-chrome finished frame</li><li>Range: 0-25 mm</li><li>Least Count=0.01 mm</li></ul>	1	pc	75
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	75
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	75
	4	Digital Vernier Caliper	Digital Model     LCD Display     Parallax free Vernier scale type     (6 inches) 150 mm long	1	pc	75
86	Subto	tal, Machining NC II				75
88	Shield	ded Metal Arc Welding	(SMAW) NC I	_	,	
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	75
	2	Chipping Hammer	300 mm long     wood handle	1	рс	75
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	75

T ~

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.	Safety Goggles		1	nc	<b>PAX</b> 75
	4	Salety Goggles	Plastic     Clear	1	рс	7.5
			Elastic Strap			
	5	Oxy-acetylene	Swivel type	1	рс	75
		Goggles	Rigid 50 mm dual cup			
		0099.00	Elastic headband			
			Number-5 shade shields against			
			brightness	1	i	
	6	Try Square	• Size: 8" x 12"	1	рс	75
			Thickness: 1.8-2 mm		·	
			Material: Spring Steel			
			Handle Material: Aluminum Alloy		-	
			<ul> <li>Metric and English Graduations</li> </ul>			
	7	Welding Mask	Flip Front Welding Helmet	1	рс	75
			<ul> <li>impact-resistant polypropylene</li> </ul>			and management of the state of
		·	material			
			adjustable fit			
			• 4 1/2" x 2" view area with lens #11			
	8	Angle Grinder	Portable	1	unit	75
			• 4" capacity			
	0.77	( / 0/: / 1   144 / 14	• 220 Volts/60 Hz		<u> </u>	
88			Welding (SMAW) NC I			75
89	5nieic	led Metal Arc Welding	<del></del>	1	T	1.000
		Welding Jacket	• leather	1	рс	1,000
	2	Ball Peen Hammer	heat resistant	1	<u></u>	1,000
	2	Dali Peen Hammer	Forged hard steel     in all steel	1	pc	1,000
			• jacketed graphite			
-	3	Steel Square	• 16 oz./ 1 lb	1	no	1,000
		Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> </ul>	'	pc	1,000
			• Steel			
			Double graduation inches/cm			
	4	Chisel	• cold	1	рс	1,000
			• 3/4 in X 6-7/8 in			.,
			• forged steel			
	5	Hard Hat	yellow ball-cap style hard hat	1	рс	1,000
			6 point ratchet type headgear			,
			• 2 point chin strap and V-rib on top			
			polyethylene material			

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Auto-Darkening	Adjustable Shade	1	рс	1,000
		Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.			4 000
89			C Welding (SMAW) NC II			1,000
90		led Metal Arc Welding		1	unit	50
	1	Angle Grinder	Portable	'	uriit	30
			• 4" capacity			
	0	A. A. Davisanian	• 220 Volts/60 Hz	1	200	50
	2	Auto-Darkening	Adjustable Shade     Adjustable Shade	'	рс	
00	0-4-4-	Welding Helmet	• Lens size 3-7/8 in. x 1-1/2 in.	<u> </u>		50
90			rc Welding (SMAW) NC III			30
91	<del></del>	Processing NC II	atainta a ataut	1	nc	275
	1	Food Tongs	• stainless steel	1	рс	210
			• 12 inches long			
ļ		D : 14 :6	with wide shell head with locking	1	200	275
	2	Paring Knife	high carbon stainless steel	i i	рс	2/3
			size: 3.5-inch blade length			
			sharp cutting edge			
		01 5 16 16	full tang handled	1		275
	3	Chef's Knife	high-carbon stainless steel	1	pc	2/3
			sharp cutting edge			
			size: 8-inches blade length			
			riveted handle	1	1	275
	4	Measuring Spoon	• stainless steel	1	set	2/5
			• 4 pieces per set (1 tbsp, 1 tsp, 1/2			
			tsp and 1/4 tsp)	1		275
	5	Measuring Cup	Stainless steel	1	set	2/5
			• 4 pieces per set (1 cup, 1/2 cup, 1/3			
			cup, 1/4 cup)	1		275
	6	Mixing bowl	Stainless steel	1	pc	2/5
			8" diameter -			
			5 quart capacity	1		275
	7	Colander	Stainless steel	1	pc	275
			Medium Size			
	<del>  _</del>		8 quarts capacity with base			075
	8	Honing Bar	stainless steel	1	рс	275
			10-inch length	<del>                                     </del>	-	075
	9	Saucepan	material: stainless	1	рс	275
			capacity: 1.5 liter			
			with lid cover			

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	275
91	Subto	tal, Food Processing N	IC II			275
92	Beaut	y Care NC II				
	1	Hair Blower	<ul><li>Thermostat Adjustment</li><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>	1	unit	175
	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	175
	3	Protective Cape	<ul><li>Water Proof</li><li>Nylon</li><li>Black</li></ul>	1	рс	175
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	175
92	Subto	tal, Beauty Care NC I	1			175
93		y Care (Nail Care) NC I				
	1	Cuticle Nail Pusher	<ul> <li>Material: Stainless steel</li> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>	1	рс	250
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	рс	250
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	250
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	250

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

	Brgy. Abucay, Tacloban City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
1	5	Nail File	<ul> <li>plastic handle</li> <li>double sided abrasive</li> <li>Dimension: 1 cm x 5 cm x 0.8 cm</li> </ul>	1	рс	250		
	6	Nail Buffer	<ul><li>Durable sand paper, soft sponge</li><li>Dimension: 9 cm x 3.6 cm x 2.6 cm</li></ul>	1	рс	250		
	7	Foot File	<ul> <li>Hard skin remover</li> <li>Wooden handle with double sided foot rasp</li> <li>Dimension: 26.0 cm x 6.0 cm x 1.4 cm</li> </ul>	1	pc	250		
	8	Cuticle Scissor	<ul> <li>Stainless Steel</li> <li>Extra fine point</li> <li>Dimension: 1.7 cm x 7.62 cm x 0.89 cm</li> </ul>	1	рс	250		
	9	Callous Remover	<ul> <li>Plastic handle</li> <li>Stainless blade</li> <li>Extra blade</li> <li>Dimension: 14.9 cm x 2.6 cm</li> </ul>	1	рс	250		
	10	Pumice Stone	<ul> <li>100% volcanic stone</li> <li>excellent for scrubbing dry</li> <li>Anti- bacterial for removing dead skin</li> <li>Dimension: 10 cm x 7 cm x 2 cm</li> </ul>	1	рс	250		
	11	Manicure Nail brush	<ul> <li>plastic nail brush</li> <li>soft nylon brush</li> <li>Dimension: 6.35 cm x 3.93 cm x 1.57 cm</li> </ul>	1	рс	250		
	12	Foot spa Machine	<ul> <li>foot detox machine</li> <li>With heater adjustment, bubble massage</li> <li>depth: 14 cm</li> <li>width: 38 cm</li> <li>length: 40 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	250		

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	13	Hand spa Machine	<ul> <li>Thermostatically - controlled heating unit</li> <li>length: 24 cm</li> <li>width: 17.5 cm</li> <li>depth: 9 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	250
93		tal, Beauty Care (Nai			i	250
94	Bookk	ceeping NC III		,		
A CANADA AND A CAN	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	25
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	25
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	25
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	25
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	25
	6	A4 Paper Pockets File Folder	<ul><li>Material: Paper board</li><li>Stainless Steel Clip</li><li>Size: 22.5 cm x 31 cm</li></ul>	1	рс	25
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	pc	25

637 1 j 24 g

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	25
94	1	tal, Process Food by ssing NC II)	Salting, Curing and Smoking (Lead	ding to	Food	25
96	Haird	ressing NC II				
	1	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	100
	2	Hair Blower	<ul><li>Thermostat Adjustment</li><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>	1	unit	100
	3	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	100
96	Subto	tal, Hairdressing NC II				100
100	Barter	nding NC II				
	1	Cocktail Shaker	<ul><li> 350 ml capacity</li><li> stainless steel</li><li> Size (cm): 25 in L x 5 in W x 16 in H</li></ul>	1	рс	325
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	325
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	325
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	325
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter,</li> <li>7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	325

638

1 an

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Broy, Abucay, Tacloban City

	,		Brgy. Abucay, Tacloban City	<del></del>		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	325
100	Subto	tal, Bartending NC II				325
101	Bread	and Pastry Productio	n NC II			
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	pc	1,300
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	1,300
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	1,300
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	1,300
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	1,300
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	pc	1,300
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	1,300

639

on g

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Broy, Abucay, Tacloban City

LOT	ITEM	<u> </u>	Brgy. Abucay, Tacloban City			NO. OF
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	pc	1,300
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	1,300
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	1,300
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	1,300
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	1,300
101	Subto	tal, Bread and Pastry	Production NC II			1,300
102		nercial Cooking NC III				
	1	Carving Knife	<ul> <li>high carbon stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	рс	100
	2	Chef's Knife	<ul><li>high carbon stainless steel</li><li>sharp cutting edge</li><li>10-inch blade length</li></ul>	1	рс	100
	3	Knife Bag	<ul><li>8-knife pockets</li><li>Nylon fabric</li><li>with zipper</li><li>PVC backing</li></ul>	1	рс	100
	4	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	100
102	Subto	tal, Commercial Cook				100

J Mar Jo

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,
Brgy. Abucay, Tacloban City

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.		AGENOT OF EGIL TOWN ON			PAX
103	1	chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	725
	2	Food Tongs	<ul> <li>stainless steel</li> <li>12 inches long</li> <li>with wide shell head with locking</li> </ul>	1	рс	725
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	725
	4	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	725
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	725
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	725
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	pc	725
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	725
103		tal, Cookery NC II		1		725
104		and Beverage Servic		1	1	E7E
	1	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	pc	575

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision,

		E	Brgy. Abucay, Tacloban City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	575
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	575
104		tal, Food and Beverag			1	575
105	Food	and Beverage Service	s NC III	-,-·		
	1	Knives	<ul> <li>Set of 6 (stainless steel blade with plastic black handle)</li> <li>Set includes: <ul> <li>8" long, chef knife</li> <li>8" long, serrated knife</li> <li>8" long, slicing knife</li> <li>5" long, utility knife</li> <li>3.5" long, paring knife</li> <li>stainless steel block box</li> </ul> </li> </ul>	1	set	100
	2	Frying Pan	<ul><li>26 cm non-stick pan with bakelite handle</li><li>aluminum body</li></ul>	1	рс	100
	3	Portable Gas Stove	Portable indoor/outdoor gas stove     ceramic enamel-coated drip pan	1	рс	100
	4	Serving Spoon	<ul><li>stainless steel serving spoon</li><li>8 inches in length</li></ul>	1	рс	100
	5	Serving Fork	<ul><li>4 prong stainless steel serving fork</li><li>8 inches in length</li></ul>	1	рс	100
	6	Carving Knife	<ul> <li>high carbon</li> <li>stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	рс	100

642

1 j

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brav. Abucav. Tacloban City

		E	Brgy. Abucay, Tacloban City		:	NO OF
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	100
		Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	100
105	Subto	tal, Food and Beverag	e Services NC III		<u> </u>	100
106	Front	Office Services NC II				
	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	75
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	75

643

of A

ACT (UAQTEA) FOR CY 2018

TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	75
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	75
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	pc	75
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	pc	75
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	75
106	Subto	otal, Front Office Serv	ices NC II			75
107	House	ekeeping NC II			-γ	
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	pc	375
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	375

7 - 1 an W

ACT (UAQTEA) FOR CY 2018


TESDA-Region VIII – Regional Training Center (RTC)-Tacloban, San Gerardo Subdivision, Brgy. Abucay, Tacloban City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	375
107		tal, Housekeeping N	CII			375
108	House	ekeeping NC III				
	1	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	275
	2	Electrician Plier	<ul> <li>Overall Length: 238 mm</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	275
	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	275
	4	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	275
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	275
108	Subto	tal, Housekeeping N			-	275
	Total					13,275

TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM UNIT **AGENCY SPECIFICATIONS** QTY ITEM PAX NO. NO. Agricultural Crops Production NC I 75 1 Knapsack Sprayer рС • Semi-automatic sprayer • 16 liter capacity Stainless Steel 75 1 • 7.6 liter plastic watering container Sprinkler рс • high-density polyethylene shock resistant material • 13 1/2 inches (342.9 mm) height 75 unit Calculator Scientific Calculator • STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension Hard Slide Case 75 1 4 Shovel Rectangular shovel рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip 75 1 metal garden rake рс 5 Rake 14 teeth • 1.06 meters long aluminum handle 75 1 6 Pick Mattock • steel head рс • 3.4 kg. weight • 36 inches long wooden handle 75 Subtotal, Agricultural Crops Production NC I Agricultural Crops Production NC II 2 75 Knapsack Sprayer • Semi-automatic sprayer рС • 16 liter capacity Stainless Steel 75 1 2 Shovel Rectangular shovel рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip

1 gr ;

TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 75 Hole Digger рс • 6 inches length • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip · double bolt through head attachment Pruning Shear 75 • Chrome-plated blade finish straight рс • 80 mm cutting capacity • 8 inch user hand size Subtotal, Agricultural Crops Production NC II 75 Aquaculture NC II 125 pH meter. unit • Ph range from 0-14 • large multi-level LCD which displays both pH and temperature readings simultaneously • An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements • Temperature can be set to display in °C or °F The LCD screen has stability and calibration tag indicators • The battery percent level is displayed at start up alerting the user to the remaining battery power that is available. 2 Scoop net 1 125 net material: nylon рс size detail: - handle length: 2.7 cm/10.63 inch - net size: 20 x 18 cm / 7.87 x 7.07 - net depth: 20 cm / 7.87 inch - total length: 47 cm / 18.50 inch



TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM QTY UNIT ITEM AGENCY SPECIFICATIONS PAX NO. NO. Drawing instruments • compass with 0.5 mm pencil lead, set 125 used for drawing circle or circular. made from stainless steel, durable and easy to carry • geometry tools, special suitable for school teaching use • size 11.5 cm x 2 cm x 0.6 cm • package included: transparent box + silver metal compass stand tall + lead refill Calculator 125 Scientific Calculator unit STAT DATA Editor • 240 functions • 12 digit x two-line display • 3 x 5 inches dimension Hard Slide Case 8 Subtotal, Aquaculture NC II 125 Fish Capture NC II Spray gun 50 • 600 cc capacity gravity type unit Heavy duty Material: Alloy Steel 2 Grinder 1 50 • Angle grinder unit Powerful 670 Watts input power • Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz 3 Drill 1 50 Hand Drill unit Voltage: 220 V/60 Hz • Continuous power input: 350 Watts • No load speed: 0-3,000 rpm • Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm Subtotal, Fish Capture NC II 50 12 Organic Agriculture Production NC II Knapsack Sprayer 225 Semi-automatic sprayer рС • 16 liter capacity Stainless Steel

648

7 %

TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM AGENCY SPECIFICATIONS QTY UNIT ITEM PAX NO. NO. 225 1 рс Shovel Rectangular shovel • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip 225 рс 3 Rake • metal garden rake 14 teeth • 1.06 meters long aluminum handle 225 1 4 Hole Digger • 6 inches length рС • 6.5 inches width • 60 inches height • 48 inches fiberglass handle soft-cushion grip double bolt through head attachment 225 12 Subtotal, Organic Agriculture Production NC II Rubber Production NC II 15 150 Shovel Rectangular shovel рс • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g wooden handle Y grip 150 2 Knapsack Sprayer • Semi-automatic sprayer рС • 16 liter capacity Stainless Steel 150 3 Rake • metal garden rake рС • 14 teeth • 1.06 meters long aluminum handle 150 • 6 inches length Hole Digger рС • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip · double bolt through head attachment 150 15 Subtotal, Rubber Production NC II Automotive Body Repairing NC II 18 75 1 Tin Snip, Straight • 12" metal cutting рс Forged steel

J 4 1

gh

ACT (UAQTEA) FOR CY 2018 TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY **UNIT** ITEM PAX NO. NO. 75 Screwdriver Set set • 4 pieces per set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm · Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 75 3 Drill Hand Drill set Variable Speed • 220 volts With accessories 75 Riveter Heavy Duty Steel 1 set • 3 nose pieces for 1/8, 5/32 and 3/16 inch rivets

Subtotal, Automotive Body Repairing NC II

Automotive Electrical Assembly NC II

18 19

	1	Socket Wrench	<ul> <li>Drive: ½"</li> <li>Socket points: 6 points</li> <li>Socket diameter(s): 10 mm to 32 mm</li> <li>Ratchet handle length: 250 mm</li> <li>Sliding T bar length: 300 mm</li> <li>Extension bar length: 250 mm</li> <li>Universal joint length: 2-3/4"</li> </ul>	1	pc	/5
	2	Impact Driver	<ul> <li>8 pieces</li> <li>Material: Tempered Chrome Vanadium Steel</li> <li>Reversible (Clockwise &amp; Counterclockwise)</li> <li>Drive: 3/8"</li> <li>Overall length: 155 mm</li> </ul>	1	set	75
	3	T-Wrench	<ul> <li>7 Pieces per set</li> <li>Sizes from 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm and 14 mm</li> </ul>	1	set	75
	4	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	75
19	Subto	tal, Automotive Elec	ctrical Assembly NC II			75

J gv i

650

75

TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM UNIT **AGENCY SPECIFICATIONS** QTY ITEM NO. PAX NO. Automotive Servicing NC I 20 Socket wrench 1 575 • 1 x 1/4-Inch (6.3 mm) Ratchet set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 2 Spark Plug Wrench 1 575 • 1 pc T-Handle Universal Joint set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm) 1 575 3 Feeler Gauge • 25 tempered steel blades set • Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) • Blade length: 80 mm Chrome plated • Blade is laser etched with Inches and Millimeters 4 Hydrometer • Material: Glass and rubber 1 рс 575 • Testing range: 1.100 - 1.300 Specific Gravity (SG) • Based at 77 °F temperature 5 1 575 Vernier Caliper Stainless steel pg • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 575 6 Screwdriver Set • Philips & Standard 1 set • 6 pcs. per set • plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)

J gr j

**ACT (UAQTEA) FOR CY 2018** TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM UNIT AGENCY SPECIFICATIONS QTY ITEM PAX NO. NO. 575 Ball Peen Hammer • jacketed graphite head, polished рС • 12 ounce (340 grams), wooden handle 575 20 Subtotal, Automotive Servicing NC | **Automotive Servicing NC II** 21 Battery Tester 725 • Suitable for 6 V & 12 V Batteries рС • Up to 1000 CCA (SAE) • 12 V Charging/Start System • Shock-resistant ventilated cover Color-coded copper-plated clamps 725 1 2 Soldering Gun Power: 130W рС Two optional pre-heat (High/Low) • Tips: 4 mm x 65 mm Voltage: AC 220V • Pre-heat time: 5-10 minutes • Power cable: 1 meter • Plug type: Type A • Material: ABS Plastic 725 Multi-Tester Analog unit DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3  $1.5V \times 2$ • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 725 21 Subtotal, Automotive Servicing NC II **Automotive Servicing NC III** 22 100 Piston Ring • Material: Strong Spring Steel set Compressor • Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm) • Height: (3 Inch.) 76.2 mm • Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet • 1/4 In. Square Drive Adjuster


y 7 a

TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM **UNIT** QTY **AGENCY SPECIFICATIONS** ITEM PAX NO. NO. 1 100 Valve Lifter / Spring • Length: 11" set Compressor • All steel sturdy construction with hardened jaws • Light weight C-type lifter works as a one hand tool 1 100 set 3 Gauge Manifold • 2 valves • Three (3) hoses • high side gauge pressure: 0-500 • low side gauge pressure: 30 in Hg vacuum-250 psig • For refrigerants R-22 and R134-a • 1/4 in vacuum port • Hose length: 36 inches • 2,500 psig burst 100 Oil Filter Remover • Handle Material: Aluminum рС (Filter Wrench) • Wrench Shaft Length: 14.6 cm/5.7" • Chain Total Length: 44.5 cm/17.5" • Maximum Usable Length: 38.5 cm • For removing all oil filters up to 60-120 mm diameter 100 22 Subtotal, Automotive Servicing NC III Driving NC II 24 150 Socket wrench • 1 x 1/4-Inch (6.3 mm) Ratchet set Wrench • 10 pcs 10 mm-24 mm Common Sockets • 1 pc Extension Rod 150 • 7" straight jaw 2 Vise Grip рС Hard steel 150 3 Tire Inflator • 12 volts set • 300 psi 150 24 Subtotal, Driving NC II Motorcycle/Small Engine Servicing NC II 26 300 T-Wrench • 4 pcs forged steel with sizes 8-10-1 set 12 and 14 mm 300 1 Spark Plug Wrench • 1 pc T-Handle Universal Joint set • 2 pcs Spark Plug Socket Wrench (16 and 21 mm)


Jyan ~

ACT (UAQTEA) FOR CY 2018

		TESDA-Reg	ion IX – San Roque, Zamboanga City		,	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	300
	4	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	300
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	300
26	Subto	tal, Motorcycle/Small	Engine Servicing NC II			300
_ 27	Carpentry NC II					
	1	Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	pc	475
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	475
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	475



TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM UNIT QTY **AGENCY SPECIFICATIONS** ITEM PAX NO. NO. 475 Try Square • Size: 8" x 12" рс • Thickness: 1.8-2 mm · Material: Spring Steel • Handle Material: Aluminum Alloy • Metric and English Graduations 475 1 5 Spirit Level Bar • High impact plastic рс • Magnetic • 3 vials, 24" length 475 Cross Cut Saw • 60 cm (24 inches) long рС • Hard Plastic Handle • 8 points per inch · Hard steel blade 475 7 1 unit Drill Hand Drill Voltage: 220 V/60 Hz • Continuous power input: 350 Watts • No load speed: 0-3,000 rpm • Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm 475 8 Chalk Line Reel 1 • 100 ft. heavy duty die cast body рс 475 27 Subtotal, Carpentry NC II **Construction Painting NC II** 28 25 Handsaw • 20"/500mm Cross Cut Hand Saw рс Machine set teeth resharpenable with traditional hardwood handle for comfort 25 2 Dust Masks/ • Half face reusable respirator Gas 1 рс Respirator mask • Head harness cradle suspension Lightweight elastomeric material • Twin filter, Bayonet fitting connection filter system 25 Safety Goggles Clear polycarbonate 1 рс Woven elastic strap Adjustable




TESDA-Region IX - San Roque, Zamboanga City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	25
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	25
	6	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	25
	7	Spray Gun	<ul> <li>Low Pressure</li> <li>Material: Stainless steel</li> <li>Fluid nozzle: 1 mm</li> <li>Air Pressure Required: 3.0 bar</li> <li>with complete set of wrenches</li> </ul>	1	рс	25
28	Subtotal, Construction Painting NC II				25	
30			[HEO] (Bulldozer) NC II	1	0.54	25
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>		set	25



TESDA-Region IX - San Roque, Zamboanga City NO. OF ITEM LOT UNIT **AGENCY SPECIFICATIONS** QTY ITEM PAX NO. NO. 1 25 set Screwdriver Set • Philips & Standard • 6 pcs. per set plastic handle • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in  $\times 4.3$  in  $(5 \text{ mm } \times 1.3)$ 100 mm), 1/4 in x 5 in (6 mm x 150 mm) • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) 25 1 3 Pipe Wrench • 355.6 mm (14") рс • Heavy duty forged alloy steel • Pipe capacity: 2 inches • Cast-iron housing and I-beam handle with full floating forged hook iaw • featuring self-cleaning threads With replaceable hook and heel jaw 1 25 Mechanical plier • 8 inches length рс • insulated handle 1 25 Vise Grip • 7" straight jaw рс Hard steel 1 25 Long Nose Plier • Overall Length: 8" рс Steel Alloy • Handle finish: plastic-dipped 25 1 7 Grease Gun • Capacity: 80 cc рС • Loading way: 80 cc • Working pressure: 1,400 psi • Burst pressure: 4,000 psi • Short stroke "lever action" for easy use 25 Subtotal, Heavy Equipment Operation [HEO] (Bulldozer) NC II 30 Masonry NC I 38 200 Chalk Line Reel 100 ft. heavy duty die cast body 1 1 рС 200 1 рс 2 Claw Bar • 19 mm diameter x 90 cm long • Forged high-carbon tempered steel



	TESDA-Region IX – San Roque, Zamboanga City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	3	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	200	
	4	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	200	
	5	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	200	
	6	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	200	
	7	Sledge Hammer	<ul><li>4 lbs. forged steel head sledge</li><li>15 inches long</li><li>fiberglass handle</li></ul>	1	рс	200	
	8	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	200	
	9	Straight Edge	6 mm thick x 54 mm wide x 900 mm long     aluminum	1	рс	200	
	10	Try Square	<ul> <li>12" length</li> <li>Hard alloy steel</li> <li>With Metric/English system graduation</li> </ul>	1	рс	200	
38		tal, Masonry NC I				200	
39		nry NC II	10 diat 20 l	1		EQE.	
	1	Claw Bar	<ul><li>19 mm diameter x 90 cm long</li><li>Forged high-carbon tempered steel</li></ul>	1	pc	525	
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	pc	525	

Top is


TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM PAX NO. NO. 525 3 • Heavy duty hacksaw with 12" bi-Hacksaw рс metal hacksaw blade • High Speed 24 TPI • Strong box section steel, rugged, professional industrial hacksaw • Rubberized handle frame 1 525 4 Hacksaw Blade High Speed 24 TPI pc • 304.8 mm (12") long bi-metal Heavy duty steel hacksaw blade 525 1 5 Handsaw • 20"/500mm Cross Cut Hand Saw рс • Machine set teeth resharpenable with traditional hardwood handle for comfort 525 6 Paint Brush • 50.8 mm (2") 1 рс • Pure bristle with comfort grip • Made of Solid Round Tapered (SRT) polyester filaments Paint Brush 1 525 • 101.6 mm (4") рс • Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments 525 8 Pull-Push Rule 1 • Blade length 8m/26ft рс • Blade width 1" • High impact ABS case with durable rubber • Corrosion resistant tru-zero end 9 525 Shovel Heavy gauge рс tempered steel blade digging shovel • 39.5" long With strong Poly D-grip Hardwood handle Spirit Level Bar 1 525 • High impact plastic рс Magnetic • 3 vials, 24" length 525 1 11 Steel (Bucket/ • 10" solid forged steel blade рС Bricklaying) Pointing Precision tapered Trowel • Soft duragrip and hard end handle



			ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	525
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	525
39		tal, Masonry NC II				525
40	Masoi 1	nry NC III Level Hose	<ul> <li>6 mm dia. X 20 m long</li> <li>transparent green/clear</li> <li>High Flexibility Plastic PVC level hose</li> </ul>	1	roll	125
	2	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bimetal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	125
	3	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	125
	4	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	pc	125
	5	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	125
	6	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	125
	7	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	125



		TESDA-Reg	gion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	125
	9	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	125
	10	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	125
	11	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	125
	12	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	125
	13	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	125
40		tal, Masonry NC III				125
42		oing NC I				
	1	Pipe Wrench	<ul> <li>10" length</li> <li>drop forged alloy steel</li> <li>capacity 2" or 50 mm</li> <li>1.2 kg cast iron housing and I beam handle</li> </ul>	1	pc	225
	2	Pipe Wrench	<ul> <li>12" length</li> <li>Drop forged Alloy Steel</li> <li>capacity 2" or 50 mm</li> <li>1.6 kg cast iron housing and I beam handle</li> </ul>	1	рс	225
	3	Pipe Cutter	<ul><li>Heavy duty</li><li>max. cap. 1/8" to 2"</li><li>steel handle</li></ul>	1	рс	225
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225




ACT (UAQTEA) FOR CY 2018

		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Pipe Vise	<ul> <li>capacity 2"</li> <li>material: steel</li> <li>swivel base with dual locking nuts</li> <li>360 degrees turn</li> </ul>	1	рс	225
42		tal, Plumbing NC!				225
43		ing NC II				<del></del>
	1	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	pc	475
	2	Hacksaw Frame with Blade	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum frame and handle</li></ul>	1	рс	475
	3	Manual Pressure Test	<ul><li>6 mpa</li><li>860 psi max. pressure</li><li>12L capacity</li><li>with brass pump valve</li></ul>	1	рс	475
	4	Adjustable Wrench	<ul><li>0-50.8 mm (0-2") jaw opening</li><li>304.8 mm (12") in length</li><li>alloy steel</li></ul>	1	рс	475
43		tal, Plumbing NC II				475
44	ļ	oing NC III	T			100
	1	Socket Fusion Machine	<ul> <li>20 mm - 32 mm cap</li> <li>3/4", 1", 1 1/4" and 1 1/2"</li> <li>220 volts</li> <li>1,600 watts</li> </ul>	1	pc	100
	2	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	100
	3	Flat Screwdriver	<ul><li>10" long</li><li>magnetic tip</li><li>chrome vanadium</li><li>plastic handle</li></ul>	1	pc	100
	4	Philip Screwdriver	<ul> <li>10" long</li> <li>magnetic tip</li> <li>chrome vanadium</li> <li>plastic handle</li> </ul>	1	рс	100

662

TESDA-Region IX - San Roque, Zamboanga City LOT ITEM NO. OF **AGENCY SPECIFICATIONS UNIT** ITEM QTY NO. NO. PAX 5 Mechanical Plier 100 • plastic dip insulated handle рс • 6" long rush resistant chrome finish • two position adjustable joint pliers 100 6 Adjustable Wrench • 0-50.8 mm (0-2") jaw opening 1 рс • 304.8 mm (12") in length alloy steel • Forged high-carbon steel head 7 Claw Hammer 100 рС • Smooth face • 12 oz Wooden Handle 100 8 Spirit Level Bar • High impact plastic рС Magnetic • 3 vials, 24" length 100 9 Electrician Plier Overall Length: 238 mm рс Steel Alloy • Handle finish: plastic-dipped Subtotal, Plumbing NC III 100 44 Technical Drafting NC II 49 50 Drawing Board wooden laminated рс • size: 18 inches x 24 inches 50 Compass Set • divider: 14 cm length set • pencil compass: 14 cm length • adjustable compass: 10 cm length • compass extender: 9 cm length 3 Triangular Scale • 12" Plastic Architectural Scale 1 50 рс • Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500 50 4 Technical Pen Set • 3 Rapidograph pens (0.2 mm, 0.3 set mm, 0.5 mm) • 12 hi-polymer HB leads • 1 mechanical pencil • 1 ink cartridge • 1 eraser 50 5 T - Square • Wooden Drafting T-square рс • 24" length • clear plastic edges



ACT (UAQTEA) FOR CY 2018
TESDA-Region IX – San Roque, Zamboanga City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
	6	Measuring Tools Set	<ul> <li>Ruler: 30 cm long</li> <li>Triangle: 30 x 60 degrees, 13cm long</li> <li>Triangle: 45 X 45 degrees, 13 cm long</li> <li>Protractor: 12 cm long</li> </ul>	1	set	50
49		tal, Technical Drafting				50
50		etting NC II	Ţ		<del> </del>	100
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	100
	2	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	pc	100
	3	Mechanical plier	8 inches length     insulated handle	1	рс	100
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	100
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	100
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	100
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	pc	100
	8	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	100
50	Subto	tal, Tile Setting NC II				100

1 4

, A

ACT (UAQTEA) FOR CY 2018

		TESDA-Reg	ion IX – San Roque, Zamboanga City	,		
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
51	Comp	uter Systems Servicing	g NC II			
	1	Crimping Tool	Suitable for:  RJ 45  RJ 11  4P  6P  8P	1	рс	275
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	275
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	275
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	275
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	275
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	275
51	Subto	tal, Computer System				275




#### PROCUREMENT OF STARTER TOOLKITS FOR THE IMPLEMENTATION OF REPUBLIC ACT 10931 OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IX – San Roque, Zamboanga City

TESDA-Region IX – San Roque, Zamboanga City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
53	Electri	cal Installation and Ma	aintenance NC II			:	
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	200	
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	200	
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	200	
	4	Pipe Bender Manual	<ul> <li>1/2-3/4 inch bending radius</li> <li>ductile high strength iron</li> </ul>	1	рс	200	
53	Subto	tal, Electrical Installati	on and Maintenance NC II			200	
54	Electr	ical Installation and M	aintenance NC III				
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	125	
	2	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	125	



TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX 3 Wire Stripper 125 automatic рС • cap. 1.5 mm to 3.5 mm 125 Combination Wrench set • 16 pcs • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction Lobular box end design 125 54 Subtotal, Electrical Installation and Maintenance NC III Electronics Products Assembly and Servicing NC II 55 50 Multi-Tester Analog unit • DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 50 Electrician Plier • Overall Length: 238 mm рс Steel Alloy · Handle finish: plastic-dipped 50 Long Nose Plier • Overall Length: 8" 1 рс Steel Alloy • Handle finish: plastic-dipped Diagonal Cutting 1 50 4 • Overall Length: 8" рс Plier • Material: Carbon Steel · Handle Finish: plastic dipped Soldering Iron 50 5 30 watts, 220 volts/60hz pc heat pencil tip



		TESDA-Reg	ion IX – San Roque, Zamboanga City	,	,	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> </ul>	1	set	50
		110	Chrome Vanadium steel			
	7	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	50
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	50
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	50
55			cts Assembly and Servicing NC II			50
60		making NC II	0" 10	1		450
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>		pc	450
	2	Meter stick/ Yardstick	1 meter (metric and English)     yellow plastic	1	рс	450
	3	Scissors	6" length     plastic handle for paper	1	рс	450

ACT (UAQTEA) FOR CY 2018

OA-Region IX — San Regue, Zamboanga City

TESDA-Region IX – San Roque, Zamboanga City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	450		
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	450		
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	450		
	7	Tracing Wheel	<ul><li>serrated metal wheel</li><li>plastic handle</li></ul>	1	рс	450		
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	450		
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1 .	pc	450		
	10	Hip Curve	24" length     aluminum	1	рс	450		
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	450		
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	450		
	13	Flat iron	<ul> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> <li>aluminum sole plate</li> </ul>	1	unit	450		



ACT (UAQTEA) FOR CY 2018

		TESDA-Re	gion IX – San Roque, Zamboanga City		·	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	450
60		tal, Dressmaking NC	II			450
61	Tailori	ing NC II	0" 1	1		225
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	pc	325
	2	Pinking Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	325
	3	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	325
	4	French Curve	<ul> <li>12" length</li> <li>aluminum</li> <li>for neckline and armhole drawing</li> </ul>	1	рс	325
	5	Hip Curve	<ul><li>24" length</li><li>aluminum</li></ul>	1	рс	325
	6	Tailor's L Square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	325
	7	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	325
61	Subto	tal, Tailoring NC II				325

ACT (UAQTEA) FOR CY 2018

			ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
62	RACS	Servicing (PACU/CRE)	NC III		,	
	1	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses gauge</li> <li>High side gauge pressure: 0-750 psig</li> <li>Low side gauge pressure: 30 in Hg vacuum-500 psig</li> <li>For refrigerant R-410a/R-404a</li> <li>1/4 in. vacuum port size</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	25
	2	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	25
62	Subto	tal, RAC Servicing (PA				25
63		Servicing (DOMRAC) N				
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	250
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	250

J gives

TESDA-Region IX - San Rogue, Zamboanga City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX Long Nose Plier 250 • Overall Length: 8" рс • Steel Alloy · Handle finish: plastic-dipped 250 Combination Wrench • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction Lobular box end design 250 63 Subtotal, RAC Servicing (DOMRAC) NC II Transport RAC Servicing NC II 64 25 Gauge Manifold 2 valves set • Three (3) hoses gauge • High side gauge pressure: 0-500 psia • Low side gauge pressure: 30 in Hg vacuum-250 psig • For refrigerant R-410a/R-404a • 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst 2 Combination Wrench • 116 pcs 1 set 25 Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design Subtotal, Transport RAC Servicing NC II 25 64 66 Health Care Services NC II 75 Sphygmomanometer Aneroid рс Handheld • Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubing • Leatherette zippered carrying case


Top of

ACT (UAQTEA) FOR CY 2018


		TESDA-Reg	ion IX – San Roque, Zamboanga City		,	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75
66	<del></del>	<i>tal,</i> Health Care Servic	es NC II			75
68	Massa	ige Therapy NC II		1	T	
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	25
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	25
68	Subto	tal, Massage Therapy	NC II	<u> </u>	1	25
69		imation NC III				-
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	25
69	Subto	otal, 2D Animation NC				25

ACT (UAQTEA) FOR CY 2018

		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
74	Visual	Graphic Design NC III				
	1	Digitizing Pen and Tablet	<ul> <li>connectivity: wired</li> <li>orientation: left and right handed</li> <li>Interface: USB</li> <li>movement resolution: 2540 lpi</li> <li>performance: 133 points per second</li> <li>active area: 6" x 3.7"</li> <li>compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8</li> <li>movement detection technology: electromagnetic</li> <li>connector type: 4 pin usb</li> </ul>	1	set	25
74		tal, Visual Graphic De		<u> </u>		25
81	Gas IVI	letal Arc Welding (GM/ Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	50
	2	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	50
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	50
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	50
	5	Chisel	<ul> <li>cold</li> <li>3/4 in X 6-7/8 in</li> <li>forged steel</li> </ul>	1	pc	50
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	50



TESDA-Region IX - San Roque, Zamboanga City LOT ITEM NO. OF **UNIT** ITEM **AGENCY SPECIFICATIONS** QTY PAX NO. NO. Auto-Darkening 50 7 Adjustable Shade рс Welding Helmet • Lens size 3-7/8 in. x 1-1/2 in. Subtotal, Gas Metal Arc Welding (GMAW) NC II 50 81 84 Gas Welding NC II 150 File half round рс • 300 mm long plastic handle 150 2 Angle Grinder 1 Portable unit • 4" capacity • 220 Volts/60 Hz 3 Oxv-acetylene 150 Swivel type рс Goggles • Rigid 50 mm dual cup • Elastic headband • Number-5 shade shields against brightness 150 1 4 Chipping Hammer • 300 mm long рс wood handle 150 5 Vise Grip • 10" рс · chrome plated insulated handle • flat jaw • adjustment 0" to 1 5/8" 150 6 Steel Brush Stainless steel рс • wooden handle • 10 inches long 150 7 Steel Square • Carpenter's framing square; 2" x рс 16" x 24" Steel • Double graduation inches/cm 150 Diagonal Cutting 8 • Overall Length: 8" рс Plier • Material: Carbon Steel • Handle Finish: plastic dipped 150 Welding Gloves leather pair heat resistant long 150 84 Subtotal, Gas Welding NC II Machining NC I 85 75 Adjustable wrench Alloy steel рс • 0-2 inches (0-50.8 mm) jaw opening • 10 inches (254 mm) length



TESDA-Region IX - San Roque, Zamboanga City NO. OF LOT ITEM ITEM AGENCY SPECIFICATIONS QTY UNIT PAX NO. NO. 2 Hacksaw Frame with • Tubular metal frame set 75 Blade • 90° adjustable blade angle • 12 inches fixed blade length 3 Screwdriver Set 4 pieces per set 1 set 75 • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 75 Vernier Caliper 1 Stainless steel pc • Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type • (6 inches) 150 mm • Least Count = 0.05 mm 5 Combination Wrench 1 75 • 16 pcs set Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design 75 Allen Wrench Keys Steel with black oxide coating set • Durable plastic molded holders · Labeled holders • 9 pcs./Set 1.5 mm to 10 mm 75 7 Combination Square Stainless Steel set • (12 inches) 300 mm • Combination Square Set (Blade and Handle) Subtotal, Machining NC | 75 85 86 Machining NC II Outside Micrometer 300 · Satin-chrome finished frame 1 pc Caliper • Range: 0-25 mm • Least Count=0.01 mm

> 676 94 01

		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	300
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	300
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	рс	300
86	Subto	tal, Machining NC II				300
87	<del></del>	ning NC III		,		100
	1	Outside Micrometer Caliper	<ul><li>LCD Digimatic</li><li>Resolution: 0.001mm</li><li>Range: 0-25 mm</li></ul>	1	pc	100
	2	Tap and Die	<ul> <li>Alloy Steel</li> <li>Metric 20 pcs Threads</li> <li>Sizes: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.5, M12 x 1.75</li> </ul>	1	set	100
	3	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	100
	4	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	100
87		otal, Machining NC III				100
88		ded Metal Arc Welding	7	1	noir	175
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	175

#### PROCUREMENT OF STARTER TOOLKITS FOR THE IMPLEMENTATION OF REPUBLIC ACT 10931 OR UNIVERSAL ACCESS TO QUALITY TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018 TESDA-Region IX – San Roque, Zamboanga City

	150000	TESDA-Reg	ion IX – San Roque, Zamboanga City	<u> </u>		NO OF
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	175
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	175
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	pc	175
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	175
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	175
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	pc	175
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	175
88	Subto	tal. Shielded Metal Are	c Welding (SMAW) NC I	_!	<u> </u>	175
89		led Metal Arc Welding				-4
	1	Welding Jacket	leather     heat resistant	1	рс	525
	2	Ball Peen Hammer	<ul> <li>Forged hard steel</li> <li>jacketed graphite</li> <li>16 oz./ 1 lb</li> </ul>	1	рс	525
	3.	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	pc	525

ACT (UAQTEA) FOR CY 2018

		TESDA-Reg	gion IX – San Roque, Zamboanga City				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	525	
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	525	
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	525	
89	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC II			525	
90	Shield	led Metal Arc Welding	\_\\	,		<u> </u>	
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	25	
	2	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	25	
90	Subto	tal, Shielded Metal Ar	c Welding (SMAW) NC III			25	
91	Food Processing NC II						
	1	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	375	
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	375	
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	375	
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	375	
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	375	
	6	Mixing bowl	<ul> <li>Stainless steel</li> <li>8" diameter</li> <li>5 quart capacity</li> </ul>	1	рс	375	



		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	375
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	375
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	375
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	pc	375
91		tal, Food Processing N	IC II			375
92		y Care NC II		<del></del>	,	100
	1	Hair Blower	<ul><li>Thermostat Adjustment</li><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>	1	unit	100
-	2	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	рс	100
	3	Protective Cape	<ul><li>Water Proof</li><li>Nylon</li><li>Black</li></ul>	1	рс	100
	4	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	100
92	<del></del>	tal, Beauty Care NC II				100
96	+	ressing NC II				
	1	Haircutting Scissor	<ul><li>Materials: Stainless steel</li><li>Sharp cutting edge</li><li>Size: 19.05 cm long</li></ul>	1	pc	50
	2	Hair Blower	<ul><li>Thermostat Adjustment</li><li>Wattage: 1,800 watts</li><li>Folding handle</li><li>Voltage: 220 V 60 Hz</li></ul>	1	unit	50

		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hair Straightener Flat Iron	<ul> <li>Material: Ceramics</li> <li>Temperature setting High (220°C) Low (180°C)</li> <li>Voltage: 220 V 50 Hz</li> <li>Dimension: 37 x 16 x 6 cm</li> </ul>	1	unit	50
96		tal, Hairdressing NC II				50
100	Barter	nding NC II			<del></del>	
	1	Cocktail Shaker	<ul><li>350 ml capacity</li><li>stainless steel</li><li>Size (cm): 25 in L x 5 in W x 16 in H</li></ul>	1	рс	275
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	pc	275
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	275
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	275
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter,</li> <li>7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	275
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	275
100		tal, Bartending NC II				275
101		and Pastry Productio				1
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	pc	300

681

ACT (UAQTEA) FOR CY 2018

		TESDA-Re	egion IX – San Roque, Zamboanga City			
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	300
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	300
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	300
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	300
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	рс	300
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	300
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	300
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	300
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	pc	300

J ~

			gion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	300
	12	Chef's Knife	<ul><li>2. high-carbon stainless steel</li><li>3. sharp cutting edge</li><li>4. size: 8-inches blade length</li><li>5. riveted handle</li></ul>	1	рс	300
101	<del></del>	tal, Bread and Pastry	Production NC II			300
103	Cooke	ery NC II				150
	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	150
	2	Food Tongs	<ul><li> stainless steel</li><li> 12 inches long</li><li> with wide shell head with locking</li></ul>	1	рс	150
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	150
	4	Honing Bar	stainless steel     10-inch length	1	рс	150
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	150
	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	150
	7	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	150
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	150
103		otal, Cookery NC II				150
104	Food	and Beverage Servic			<del></del>	<del></del>
	1	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	500



ACT (UAQTEA) FOR CY 2018


		TESDA-Reg	ion IX – San Roque, Zamboanga City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Linen/Skirting Cloth	<ul> <li>10 yards (double width) skirting cloth</li> <li>satin (any color)</li> </ul>	1	рс	500
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	500
104		tal, Food and Beverag	e Services NC II			500
106	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	375
	2	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	375
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	375
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	375
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	pc	375
L	<del></del>	<del></del>	<u> </u>		<del></del>	691

		TESDA-Re	gion IX – San Roque, Zamboanga City	/	·		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	375	
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	375 375	
106							
107	Housekeeping NC II						
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	pc	275	
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	275	
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	275	
107		tal, Housekeeping NO	CII			275	
	TOTA	L				10,700	

### TERTIARY EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental


			Misamis Oriental	<del></del>	1	110 05
LOT NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
1	Agricu	Itural Crops Producti	on NC I			
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	350
	2	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	pc	350
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	350
	4	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	pc	350
	5	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	350
	6	Pick Mattock	<ul><li>steel head</li><li>3.4 kg. weight</li><li>36 inches long</li><li>wooden handle</li></ul>	1	рс	350
1	Subto	tal, Agricultural Crop	s Production NC I			350
3		Iltural Crops Product				
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	pc	300
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	pc	300



#### ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	300
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	300
<u>3</u>		tal, Agricultural Crops				300
5	Anima	I Production (Poultry-	Ţ	1	200	200
		Pail	<ul> <li>10 liters capacity</li> <li>Plastic</li> <li>320 mm Height</li> <li>350 mm Diameter</li> <li>677 grams weight</li> </ul>	<b>!</b>	pc	200
	2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	200
	3	Semen Storage Box	<ul><li>plastic cooler/jug</li><li>handy grip design</li><li>1.9L capacity</li><li>wide mouth top</li></ul>	1	рс	200
	4	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	рс	200
	5	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	set	200
5	Subto	tal Animal Production	(Poultry-Chicken) NC II	1		200



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
6	Anima	Production Ruminan	ts NC II				
	1	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	рс	100	
	2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	100	
	3	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	100	
	4	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	100	
	5	Ear Notcher	Small V-shape blade; stainless	1	рс	100	
6	Subto	tal, Animal Production	Ruminants NC II			100	
7	Animal Production (Swine) NC II						
	1	Reusable Veterinary Syringe	<ul> <li>Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel</li> <li>10 ml capacity</li> </ul>	1	pc	175	
	2	Ear Notcher	Small V-shape blade; stainless	1	рс	175	
	3	Forcep	Stainless 5.5" long, straight kelly forcep	1	рс	175	
	4	Semen Storage Box	<ul> <li>plastic cooler/jug</li> <li>handy grip design</li> <li>1.9L capacity</li> <li>wide mouth top</li> </ul>	1	рс	175	


688 W j

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,

Misamis Oriental

			Misamis Oriental	1		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	175
	6	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	175
7		<i>tal,</i> Animal Production	ı (Swine) NC II			175
10	Hortic	ulture NC III			<del>,</del>	
	1	Hedge Shear	<ul> <li>heavy duty hedge shear</li> <li>carbon steel blades</li> <li>wooden handle</li> <li>corrosion resistant cold-forged steel blade premium edges</li> <li>8.5 inches blade length</li> <li>0.375 inches cutting capacity</li> <li>22 inches overall length</li> <li>0.82 kg weight</li> </ul>	1	рс	25
	2	Rake	<ul><li>metal garden rake</li><li>14 teeth</li><li>1.06 meters long aluminum handle</li></ul>	1	рс	25
	3	Pruning Saw	<ul> <li>13 inches curved steel</li> <li>turbo cut pull action blade</li> <li>rugged razor tooth blade</li> <li>Non-slip pistol grip handle</li> <li>12 feet overall length</li> </ul>	1	рс	25
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	25
	5	Pruning Shear	<ul> <li>Chrome-plated blade finish straight blade</li> <li>80 mm cutting capacity</li> <li>8 inch user hand size</li> </ul>	1	рс	25



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Sprinkler	<ul> <li>7.6 liter plastic watering container</li> <li>high-density polyethylene shock resistant material</li> <li>13 1/2 inches (342.9 mm) height</li> </ul>	1	рс	25
10		al, Horticulture NC III				25
12	Organi	c Agriculture Produc			1	
	1	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	175
	2	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	рс	175
	3	Rake	<ul> <li>metal garden rake</li> <li>14 teeth</li> <li>1.06 meters long aluminum handle</li> </ul>	1	рс	175
	4	Hole Digger	<ul> <li>6 inches length</li> <li>6.5 inches width</li> <li>60 inches height</li> <li>48 inches fiberglass handle</li> <li>soft-cushion grip</li> <li>double bolt through head attachment</li> </ul>	1	рс	175
12	Subto	tal, Organic Agricultu	re Production NC II			175
15		r Production NC II				
	1	Shovel	<ul> <li>Rectangular shovel</li> <li>1 m handle length</li> <li>170 mm blade tip width</li> <li>220 mm blade tip length</li> <li>1,300 g</li> <li>wooden handle Y grip</li> </ul>	1	pc	50
	2	Knapsack Sprayer	<ul><li>Semi-automatic sprayer</li><li>16 liter capacity</li><li>Stainless Steel</li></ul>	1	рс	50

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	NO.		AGENCY SPECIFICATIONS		CIVIT	PAX
	3	Rake	metal garden rake	1	рс	50
			• 14 teeth			
		 	1.06 meters long aluminum handle			
	4	Hole Digger	• 6 inches length	1	рс	50
			6.5 inches width			
			60 inches height		1	
			48 inches fiberglass handle			
			soft-cushion grip			
			double bolt through head			
15	Cubto	∐ tal, Rubber Productio	attachment	<u> </u>	1	50
19		otive Electrical Asser				30
13	1	Socket Wrench	• Drive: ½"	1	рс	75
	1	COCKET ALCHELL	Socket points: 6 points	1	PC	, 0
			Socket points: 6 points     Socket diameter(s): 10 mm to 32			
			mm			
·			Ratchet handle length: 250 mm			
	The state of the s		Sliding T bar length: 300 mm			
			• Extension bar length: 250 mm			
			Universal joint length: 2-3/4"			
	2	Impact Driver	8 pieces	1 1	set	75
			Material: Tempered Chrome			
			Vanadium Steel			
			Reversible (Clockwise &			
			Counterclockwise)			
			• Drive: 3/8"			
			Overall length: 155 mm			
	3	T-Wrench	• 7 Pieces per set	1	set	75
			• Sizes from 8 mm, 9 mm, 10 mm, 11			
			mm, 12 mm, 13 mm and 14 mm			
	4	Vise Grip	• 7" straight jaw	1	рс	75
			Hard steel			
19	Subto	tal. Automotive Electr	rical Assembly NC II			75
20	Subtotal, Automotive Electrical Assembly NC II Automotive Servicing NC I					
	1	Socket wrench	• 1 x 1/4-Inch (6.3 mm) Ratchet	1	set	725
			Wrench			
			• 10 pcs 10 mm-24 mm Common			
			Sockets			
			1 pc Extension Rod			

J gr r

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	725
	3	Feeler Gauge	<ul> <li>25 tempered steel blades</li> <li>Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm)</li> <li>Blade length: 80 mm</li> <li>Chrome plated</li> <li>Blade is laser etched with Inches and Millimeters</li> </ul>	1	set	725
	4	Hydrometer	<ul> <li>Material: Glass and rubber</li> <li>Testing range: 1.100 - 1.300</li> <li>Specific Gravity (SG)</li> <li>Based at 77 °F temperature</li> </ul>	1	рс	725
	5	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	725
	6	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	725
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	725
20	Subto	tal, Automotive Service	cing NC I			725

TH i

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT	ITEM		wisamis Orientai	ĺ		NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
21	Autom	otive Servicing NC II				
	1	Battery Tester	<ul> <li>Suitable for 6 V &amp; 12 V Batteries</li> <li>Up to 1000 CCA (SAE)</li> <li>12 V Charging/Start System</li> <li>Shock-resistant ventilated cover</li> <li>Color-coded copper-plated clamps</li> </ul>	1	рс	550
	2	Soldering Gun	<ul> <li>Power: 130W</li> <li>Two optional pre-heat (High/Low)</li> <li>Tips: 4 mm x 65 mm</li> <li>Voltage: AC 220V</li> <li>Pre-heat time: 5-10 minutes</li> <li>Power cable: 1 meter</li> <li>Plug type: Type A</li> <li>Material: ABS Plastic</li> </ul>	1	рс	550
	3	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	550
21	Subto	tal, Automotive Servic				550
22	Autom	otive Servicing NC III		·•		,
	1	Piston Ring Compressor	<ul> <li>Material: Strong Spring Steel</li> <li>Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm)</li> <li>Height: (3 Inch.) 76.2 mm</li> <li>Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet</li> <li>1/4 In. Square Drive Adjuster</li> </ul>	1	set	100
	2	Valve Lifter / Spring Compressor	<ul> <li>Length: 11"</li> <li>All steel sturdy construction with hardened jaws</li> <li>Light weight C-type lifter works as a one hand tool</li> </ul>	1	set	100

J g/

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses</li> <li>high side gauge pressure: 0-500 psig</li> <li>low side gauge pressure: 30 in Hg vacuum-250 psig</li> <li>For refrigerants R-22 and R134-a</li> <li>1/4 in vacuum port</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	100
	4	Oil Filter Remover (Filter Wrench)	<ul> <li>Handle Material: Aluminum</li> <li>Wrench Shaft Length: 14.6 cm/5.7"</li> <li>Chain Total Length: 44.5 cm/17.5"</li> <li>Maximum Usable Length: 38.5 cm</li> <li>For removing all oil filters up to 60-120 mm diameter</li> </ul>	1	рс	100
22		<i>tal,</i> Automotive Servic	cing NC III			100
24		g NC II				1105
	1	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	1125
	. 2	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	1125
	3	Tire Inflator	<ul><li>12 volts</li><li>300 psi</li></ul>	1	set	1125
24	Subto	tal, Driving NC II				1125
26	Motor	cycle/Small Engine S				
	1	T-Wrench	<ul> <li>4 pcs forged steel with sizes 8-10- 12 and 14 mm</li> </ul>	1	set	125
	2	Spark Plug Wrench	<ul> <li>1 pc T-Handle Universal Joint</li> <li>2 pcs Spark Plug Socket Wrench (16 and 21 mm)</li> </ul>	1	set	125
		<u> </u>	<del></del>		<u> </u>	

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> </ul>	1	set	125
			<ul><li>Plastic and Rubberized handle</li><li>Chrome Vanadium</li><li>Shank: 6"</li></ul>			
	4	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set	125
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	5	Socket wrench	<ul> <li>1 x 1/4-Inch (6.3 mm) Ratchet Wrench</li> <li>10 pcs 10 mm-24 mm Common Sockets</li> <li>1 pc Extension Rod</li> </ul>	1	set	125
26	<del></del>		Engine Servicing NC II			125
27	1	ntry NC II Crow Bar	<ul><li>914.4 mm (36") long</li><li>forged high steel carbon</li></ul>	1	рс	600
	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	600
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	600

7 % ;

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	pc	600
	5	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	600
	6	Cross Cut Saw	<ul> <li>60 cm (24 inches) long</li> <li>Hard Plastic Handle</li> <li>8 points per inch</li> <li>Hard steel blade</li> </ul>	1	рс	600
	7	Drill	<ul> <li>Hand Drill</li> <li>Voltage: 220 V/60 Hz</li> <li>Continuous power input: 350 Watts</li> <li>No load speed: 0-3,000 rpm</li> <li>Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm</li> </ul>	1	unit	600
	8	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	600
27		tal, Carpentry NC II				600
28	1	ruction Painting NC II Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	pc	225
	2	Dust Masks/ Respirator	<ul> <li>Half face reusable respirator Gas mask</li> <li>Head harness cradle suspension</li> <li>Lightweight elastomeric material</li> <li>Twin filter, Bayonet fitting connection filter system</li> </ul>	1	pc	225

J gr i

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	225
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	225
	6	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	225
	7	Spray Gun	<ul> <li>Low Pressure</li> <li>Material: Stainless steel</li> <li>Fluid nozzle: 1 mm</li> <li>Air Pressure Required: 3.0 bar</li> <li>with complete set of wrenches</li> </ul>	1	pc	225
28		tal, Construction Pain				225
29	Heavy	Combination Wrench	[HEO] (Backhoe Loader) NC II	1 1	set	50
		Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>		361	

. a/

1 9V i

697

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul><li>Philips &amp; Standard</li><li>6 pcs. per set</li><li>plastic handle</li></ul>	1	set	50
			<ul> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
			<ul> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>			
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	50
	4	Mechanical plier	8 inches length     insulated handle	1	рс	50
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	50
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	50
29			Operation [HEO] (Backhoe Loader) NO	11		50
30	Heavy		[HEO] (Bulldozer) NC II	1 4	T	05
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	25

7 gr s

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	25
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	. 25
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	25
	5	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	25
	6	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	25
	7	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	pc	25
30	Subto	tal, Heavy Equipment	Operation [HEO] (Bulldozer) NC II			25



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT	ITEM		Misamis Orientai			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
31	Heavy	<b>Equipment Operation</b>	[HEO] (Forklift) NC II			
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	50
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	50
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	50
	4	Mechanical plier	8 inches length     insulated handle	1	рс	50
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	50

7 g/

700

**ACT (UAQTEA) FOR CY 2018** 

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Tire Gauge	Heavy Duty Condor type     160 psi proscure conscitu	1	рс	50
31	Subtot	al Heavy Equipment	160 psi. pressure capacity  Operation [HEO] (Forklift) NC II			50
32			[HEO] (Hydraulic Excavator) NC II			
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	150
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	150
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	150
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	150

701; or P gd

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Vise Grip	<ul><li>7" straight jaw</li><li>Hard steel</li></ul>	1	рс	150
	6	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	150
	7	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	150
32			Operation [HEO] (Hydraulic Excavator	) NC II		150
33			[HEO] (Motor Grader) NC II	T		100
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	100

702

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	100
	4	Mechanical plier	8 inches length     insulated handle	1	рс	100
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	100
	6	Tire Gauge	Heavy Duty Condor type     160 psi, prossure capacity	1	рс	100
33	Subto	tal, Heavy Equipment	160 psi. pressure capacity  Operation [HEO] (Motor Grader) NC II			100
34		<b>Equipment Operation</b>	[HEO] (On-Highway Dump Truck [Rig	id]) NC	H	
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	150
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> <li>Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)</li> </ul>	1	set	150



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Pipe Wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	150
	4	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	150
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	pc	150
	6	Tire Gauge	Heavy Duty Condor type     160 psi. pressure capacity	1	рс	150
34	NC II		Operation [HEO] (On-Highway Dump	ruck [	Rigid])	150
37	Heavy 1	Equipment Operation Combination Wrench	• 16 pcs	1 1	set	100
		Set	<ul> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>			

J of r

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Screwdriver Set	<ul> <li>Philips &amp; Standard</li> <li>6 pcs. per set</li> <li>plastic handle</li> <li>Flat Blade Tip: 1/8 in x 3 in (3 mm x</li> </ul>	1	set	100
			75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm)  • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm			
	3	Pipe Wrench	<ul> <li>x 150 mm)</li> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	1	рс	100
	4	Mechanical plier	8 inches length     insulated handle	1	рс	100
	5	Grease Gun	<ul> <li>Capacity: 80 cc</li> <li>Loading way: 80 cc</li> <li>Working pressure: 1,400 psi</li> <li>Burst pressure: 4,000 psi</li> <li>Short stroke "lever action" for easy use</li> </ul>	1	рс	100
	6	Tire Gauge	<ul><li>Heavy Duty Condor type</li><li>160 psi. pressure capacity</li></ul>	1	рс	100
37			Operation [HEO] (Wheel Loader) NC II			100
38	iviasor 1	Chalk Line Reel	100 ft. heavy duty die cast body	1	рс	200
	2	Claw Bar	<ul> <li>19 mm diameter x 90 cm long</li> <li>Forged high-carbon tempered steel</li> </ul>	1	рс	200




ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	200
	4	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	200
	5	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	200
	6	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	рс	200
	7	Sledge Hammer	<ul><li>4 lbs. forged steel head sledge</li><li>15 inches long</li><li>fiberglass handle</li></ul>	1	рс	200
	8	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	200
	9	Straight Edge	6 mm thick x 54 mm wide x 900 mm long     aluminum	1	рс	200
	10	Try Square	<ul><li>12" length</li><li>Hard alloy steel</li><li>With Metric/English system graduation</li></ul>	1	рс	200
38		tal, Masonry NC I				200
39	Masor 1	nry NC II Claw Bar	10 mm diameter :: 00 cm long	1	no	575
	Liver on the second of the sec	Claw Dal	<ul><li>19 mm diameter x 90 cm long</li><li>Forged high-carbon tempered steel</li></ul>	1	рс	375

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Claw Hammer	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle</li> </ul>	1	рс	575
	3	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bimetal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	рс	575
	4	Hacksaw Blade	<ul> <li>High Speed 24 TPI</li> <li>304.8 mm (12") long bi-metal</li> <li>Heavy duty steel hacksaw blade</li> </ul>	1	рс	575
	5	Handsaw	<ul> <li>20"/500mm Cross Cut Hand Saw</li> <li>Machine set teeth</li> <li>resharpenable with traditional hardwood handle for comfort</li> </ul>	1	рс	575
	6	Paint Brush	<ul> <li>50.8 mm (2")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	575
	7	Paint Brush	<ul> <li>101.6 mm (4")</li> <li>Pure bristle with comfort grip</li> <li>Made of Solid Round Tapered (SRT) polyester filaments</li> </ul>	1	рс	575
	8	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	575
	9	Shovel	<ul> <li>Heavy gauge</li> <li>tempered steel blade digging shovel</li> <li>39.5" long</li> <li>With strong Poly D-grip</li> <li>Hardwood handle</li> </ul>	1	pc	575
	10	Spirit Level Bar	<ul> <li>High impact plastic</li> <li>Magnetic</li> <li>3 vials, 24" length</li> </ul>	1	рс	575



**ACT (UAQTEA) FOR CY 2018** 

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	11	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul><li>10" solid forged steel blade</li><li>Precision tapered</li><li>Soft duragrip and hard end handle</li></ul>	1	рс	575
	12	Steel Float/ Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with soft handle</li> </ul>	1	рс	575
	13	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	575
39		tal, Masonry NC II				575
41	1 1	ting NC II Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	pc	250
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	250
	3	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	250
	4	Mechanical plier	8 inches length     insulated handle	1	рс	250
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	250
	6	Claw Hammer	<ul> <li>Forged high-carbon steel head</li> <li>Smooth face</li> <li>12 oz</li> <li>Wooden Handle</li> </ul>	1	рс	250
	7	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	250

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	8	Hacksaw	<ul> <li>Heavy duty hacksaw with 12" bimetal hacksaw blade</li> <li>High Speed 24 TPI</li> <li>Strong box section steel, rugged, professional industrial hacksaw</li> <li>Rubberized handle frame</li> </ul>	1	pc	250
	9	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	250
	10	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	рс	250
	11	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	250
	12	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	250
	13	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	250
41 42		tal, Pipefitting NC II				250
74	1	Pipe Wrench	<ul> <li>10" length</li> <li>drop forged alloy steel</li> <li>capacity 2" or 50 mm</li> <li>1.2 kg cast iron housing and I beam handle</li> </ul>	1	pc	225

709 J

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Pipe Wrench	<ul> <li>12" length</li> <li>Drop forged Alloy Steel</li> <li>capacity 2" or 50 mm</li> <li>1.6 kg cast iron housing and I beam handle</li> </ul>	1	рс	225
	3	Pipe Cutter	<ul><li>Heavy duty</li><li>max. cap. 1/8" to 2"</li><li>steel handle</li></ul>	1	рс	225
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	225
	5	Pipe Vise	<ul> <li>capacity 2"</li> <li>material: steel</li> <li>swivel base with dual locking nuts</li> <li>360 degrees turn</li> </ul>	1	pc	225
42		tal, Plumbing NC I				225
43	Plumb	ing NC II			,	
	1	Combination Plier	<ul> <li>7-Inch Dyna Grip</li> <li>forged carbon steel</li> <li>heat treated Bi-material</li> <li>soft grip ergonomically designed DynaGrip handle with finger guards</li> </ul>	1	pc	200
	2	Hacksaw Frame with Blade	<ul><li>Adjustable</li><li>24 TPI</li><li>aluminum frame and handle</li></ul>	1	рс	200
	3	Manual Pressure Test	<ul><li>6 mpa</li><li>860 psi max. pressure</li><li>12L capacity</li><li>with brass pump valve</li></ul>	1	рс	200
	4	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>304.8 mm (12") in length</li> <li>alloy steel</li> </ul>	1	рс	200
43		tal, Plumbing NC II				200
48	<del> </del>	old Erection NC II				450
	1	Wrench	<ul> <li>17 X 19 mm Double Spud Ratchet Wrench</li> <li>Drop Forged metal Steel</li> </ul>	1	pc	150

1 5 gd

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental


LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Combination Wrench	<ul><li>17mm x 17mm (box &amp; open)</li><li>drop forged metal steel</li><li>6 inches long</li></ul>	1	set	150
	3	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	150
	4	Safety Vest	<ul> <li>high visibility mesh safety vest with silver stripe</li> </ul>	1	рс	150
	5	Safety Harness	Double lanyard with shock absorber	1	рс	150
	6	Hard Hat	<ul> <li>V-rib, yellow cap styles hard hat</li> <li>6 point ratchet headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	pc	150
	7	Safety Goggles	<ul><li>Clear polycarbonate</li><li>Woven elastic strap</li><li>Adjustable</li></ul>	1	рс	150
	8	Ball Peen Hammer	<ul> <li>jacketed graphite head, polished face</li> <li>12 ounce (340 grams), wooden handle</li> </ul>	1	рс	150
48	+	tal, Scaffold Erection I	NC II			150
49	Techn	ical Drafting NC II	7		T	
	1	Drawing Board	<ul><li>wooden laminated</li><li>size: 18 inches x 24 inches</li></ul>	1	рс	200
	2	Compass Set	<ul> <li>divider: 14 cm length</li> <li>pencil compass: 14 cm length</li> <li>adjustable compass: 10 cm length</li> <li>compass extender: 9 cm length</li> </ul>	1	set	200
	3	Triangular Scale	<ul> <li>12" Plastic Architectural Scale</li> <li>Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500</li> </ul>	1	рс	200
	4	Technical Pen Set	<ul> <li>3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm)</li> <li>12 hi-polymer HB leads</li> <li>1 mechanical pencil</li> <li>1 ink cartridge</li> <li>1 eraser</li> </ul>	1	set	200
	5	T - Square	<ul><li>Wooden Drafting T-square</li><li>24" length</li><li>clear plastic edges</li></ul>	1	рс	200

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	6	Measuring Tools Set	<ul> <li>Ruler: 30 cm long</li> <li>Triangle: 30 x 60 degrees, 13cm long</li> <li>Triangle: 45 X 45 degrees, 13 cm long</li> <li>Protractor: 12 cm long</li> </ul>	1	set	200		
49	Subto	tal, Technical Drafting		·	J	200		
50	Tile Se	Tile Setting NC II						
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	275		
	2	Spirit Level Bar	<ul><li>High impact plastic</li><li>Magnetic</li><li>3 vials, 24" length</li></ul>	1	рс	275		
	3	Mechanical plier	<ul><li>8 inches length</li><li>insulated handle</li></ul>	1	рс	275		
	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	275		
	5	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	275		
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	275		
	7	Rubber Mallet	<ul><li>16 oz (453.6 grams)</li><li>Wooden Handle</li></ul>	1	рс	275		
	8	Steel (Bucket/ Bricklaying) Pointing Trowel	<ul> <li>10" solid forged steel blade</li> <li>Precision tapered</li> <li>Soft duragrip and hard end handle</li> </ul>	1	рс	275		
50	Subto	tal, Prepare and Cook	Hot Meals (Leading to Cookery NC II)		1	275		

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
51	<del> </del>	uter Systems Servicing	nC II	<u> </u>	i	1 8/
	1	Crimping Tool	Suitable for:  RJ 45 RJ 11 4P 6P 8P	1	рс	525
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	525
	3	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	525
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	525
	5	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	525
	6	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	525
51	Subto	tal, Computer Systems	s Servicing NC II			525



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Öriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
53	Electri	cal Installation and Ma	aintenance NC II			
	1	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	1125
	2	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	1125
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	1125
	4	Pipe Bender Manual	<ul><li>1/2-3/4 inch bending radius</li><li>ductile high strength iron</li></ul>	1	рс	1125
53	Subto	tal, Electrical Installati	on and Maintenance NC II		1	1125
54	Electri	cal Installation and Ma	aintenance NC III			
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	575

**ACT (UAQTEA) FOR CY 2018** 

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Allen Wrench	• 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"  1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set	575
			<ul><li>Long arm series</li><li>Chrome Vanadium steel</li></ul>			
	3	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	575
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	575
54	Subto	tal, Electrical Installati	on and Maintenance NC III			575
55	Electro	<del></del>	bly and Servicing NC II	,		
	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	500
	2	Electrician Plier	<ul> <li>Overall Length: 238 mm</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	500
	3	Long Nose Plier	<ul> <li>Overall Length: 8"</li> <li>Steel Alloy</li> <li>Handle finish: plastic-dipped</li> </ul>	1	рс	500
	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	500



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	500
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	500
	7	Wire Stripper	<ul><li>automatic</li><li>cap. 1.5 mm to 3.5 mm</li></ul>	1	рс	500
	8	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	500
	9	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	500
55			cts Assembly and Servicing NC II			500
56		mentation and Contro	· · · · · · · · · · · · · · · · · · ·	T 4		75
	1	Crimping Tool	<ul><li>Heavy duty ratchet with heavy plastic handles</li><li>Hardened steel jaws</li></ul>	1	рс	75
	2	Diagonal Cutting Plier	<ul> <li>Overall Length: 8"</li> <li>Material: Carbon Steel</li> <li>Handle Finish: plastic dipped</li> </ul>	1	рс	75

7 h is an ex

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Öriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	3	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	75
	5	Soldering Iron	30 watts, 220 volts/60hz     heat pencil tip	1	рс	75
	6	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	75
	7	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	75
	8	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>Alloy steel</li> </ul>	1	рс	75
56			nd Control Servicing NC II			75
57	Mecha	tronics Servicing NC		<del></del>	<del></del>	T
	1	Crimping Tool	<ul><li>Heavy duty ratchet with heavy plastic handles</li><li>Hardened steel jaws</li></ul>	1	рс	75
	2	Diagonal Cutting Plier	<ul><li>Overall Length: 8"</li><li>Material: Carbon Steel</li><li>Handle Finish: plastic dipped</li></ul>	1	рс	75
	3	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,

Misamis Oriental

LOT NO.	ITEM NO.	ITEM	Misamis Oriental  AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	75
	5	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	75
	6	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	75
	7	Adjustable Wrench	<ul> <li>0-50.8 mm (0-2") jaw opening</li> <li>203.2 mm (8") in length</li> <li>Alloy steel</li> </ul>	1	рс	75
57	Subto	│ <i>tal,</i> Mechatronics Ser	vicing NC II			75

1 718 f 3 an gr

#### ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
58	Mecha	tronics Servicing NC	111			
	1	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	75
	2	Screwdrivers Set	<ul> <li>30 in 1 Screwdriver</li> <li>Philips (+) PH00, PH0, PH1, PH2</li> <li>Torx T4, T5, T6, T7, T8, T10, T15, T20</li> <li>Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm</li> <li>Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0</li> <li>Made of Chrome Vanadium</li> <li>Soft TPL Handle</li> </ul>	1	set	75
	3	Soldering Iron	<ul><li>30 watts, 220 volts/60hz</li><li>heat pencil tip</li></ul>	1	рс	75
	4	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	75
	5	Wire Stripper	automatic     cap. 1.5 mm to 3.5 mm	1	рс	75
	6	Desoldering Pump/Solder Sucker	<ul><li>anodized aluminum housing</li><li>high suction</li><li>strong and lightweight</li></ul>	1	рс	75
	7	Allen Wrench	<ul> <li>22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"</li> <li>1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm</li> <li>Long arm series</li> <li>Chrome Vanadium steel</li> </ul>	1	set	75
58	Subto	tal, Mechatronics Serv	vicing NC III	<b></b>	1	75

7 × 5

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Öriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
60	Dressn	naking NC II				
	1	Cutting Shears	<ul><li>8" length</li><li>stainless steel blade</li><li>plastic handle</li></ul>	1	рс	375
	2	Meter stick/ Yardstick	<ul><li>1 meter (metric and English)</li><li>yellow plastic</li></ul>	1	рс	375
	3	Scissors	<ul><li>6" length</li><li>plastic handle for paper</li></ul>	1	рс	375
	4	Screwdriver Set	<ul> <li>precision 6 pieces per set</li> <li>plastic handle</li> <li>0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted</li> </ul>	1	set	375
	5	Spray Bottle	<ul><li>spray plastic clear empty bottle</li><li>500 ml</li><li>hand trigger</li></ul>	1	рс	375
	6	Tape Measure	<ul><li>plastic</li><li>60" length (English and metric)</li></ul>	1	рс	375
	7	Tracing Wheel	<ul><li>serrated metal wheel</li><li>plastic handle</li></ul>	1	рс	375
	8	Ruler with Grid	<ul><li>18" length</li><li>transparent</li><li>red lines with grid</li></ul>	1	рс	375
	9	French Curve	<ul><li>12" length</li><li>aluminum</li><li>for neckline and armhole drawing</li></ul>	1	рс	375
	10	Hip Curve	24" length     aluminum	1	рс	375
	11	Tailor's L square	<ul><li>24" x 14" length</li><li>aluminum</li></ul>	1	рс	375
	12	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	375

ACT (UAQTEA) FOR CY 2018


TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	13	Flat iron	<ul> <li>electric flat iron</li> <li>any color</li> <li>dry iron</li> <li>220 volts</li> <li>aluminum sole plate</li> </ul>	1	unit	375
	14	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> </ul>	1	unit	375
			<ul> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>			
60 62		tal, Dressmaking NC ervicing (PACU/CRE				375
	1	Gauge Manifold	<ul> <li>2 valves</li> <li>Three (3) hoses gauge</li> <li>High side gauge pressure: 0-750 psig</li> <li>Low side gauge pressure: 30 in Hg vacuum-500 psig</li> <li>For refrigerant R-410a/R-404a</li> <li>1/4 in. vacuum port size</li> <li>Hose length: 36 inches</li> <li>2,500 psig burst</li> </ul>	1	set	175
	2	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1 V to 1,000 V</li> <li>ACV Range: 10 V to 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g</li> <li>Resistance: X1 to X1k</li> </ul>	1	unit	175
62	Subto	tal, RAC Servicing (P				175

1 gr gr

ACT (UAQTEA) FOR CY 2018

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
63		ervicing (DOMRAC) N	IC II	i	L	
	1	Flaring Tool	<ul> <li>Flaring with swaging tools set</li> <li>Screw type feed</li> <li>Two bars cover 9 sizes</li> <li>Swivel type swaging adapters and Flaring cone hardened steel, chromed finished</li> <li>Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> <li>Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD</li> </ul>	1	set	225
	2	Tube Cutter	<ul> <li>Heavy duty</li> <li>For 1/8 inch to 1 1/8 inches pipe</li> <li>Weight: 0.16 ounces.</li> <li>Dimension: 6.8 x 3.3 x 1.3 inches</li> <li>Materials: High strength zinc alloy</li> <li>with spare cutter wheel on the knob</li> </ul>	1	рс	225
	3	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	225
	4	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	225
63	<del></del>	tal, RAC Servicing (DC				225
65	·	ving NC II	<b>Y</b>	· · · · · · · · · · · · · · · · · · ·	<del>,</del>	<del>,</del>
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	150



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	150	
65	Subto	tal, Caregiving NC II			i	150	
66	Health	Care Services NC II					
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	75	
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	75	
66	Subto	tal, Health Care Servic	The state of the s	-	<u> </u>	75	
68	Massage Therapy NC II						
	1	Sphygmomanometer	<ul> <li>Aneroid</li> <li>Handheld</li> <li>Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>Thick rubber bladder</li> <li>Durable flexible rubber tubing</li> <li>Leatherette zippered carrying case</li> </ul>	1	рс	300	
	2	Stethoscope	<ul> <li>Double diaphragm (Fetal/ adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>Soft sealing earpieces</li> <li>Flexible resilient rubber tubing</li> <li>Non chill rim</li> </ul>	1	рс	300	
68	Subto	tal, Massage Therapy	NC II			300	

#### ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT	ITEM		Wisaitiis Offeritai			NO. OF
NO.	NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	PAX
73	Medica	al Transcription NC II				
	1	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	75
	2	Headphone with Mic	<ul><li>with noise cancelling microphone</li><li>connection: usb type</li></ul>	1	unit	75
73	Subtot	tal, Medical Transcript	ion NC II			75
81	Gas M	etal Arc Welding (GM/	AW) NC II			
	1	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	25
	2	Safety Goggles	Plastic     Clear     Elastic Strap	1	рс	25
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	pc	25
	4	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	25
	5	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	25
	6	File	<ul><li>round</li><li>bastard cut</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	25
	7	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	25
81	Subto	tal, Gas Metal Arc Wel		L	1	25
83		ingsten Arc Welding (				
	1	Welding Jacket	leather     heat resistant	1	рс	250

1 in g

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	File	<ul><li>half round</li><li>300 mm long</li><li>plastic handle</li></ul>	1	рс	250
	3	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	250
	4	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	250
	5	Chipping Hammer	300 mm long     wood handle	1	рс	250
	6	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	рс	250
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	pc	250
83	Subto	tal, Gas Tungsten Arc	Welding (GTAW) NC II			250
85		ning NC I			,	,
	1	Adjustable wrench	<ul> <li>Alloy steel</li> <li>0-2 inches (0-50.8 mm) jaw opening</li> <li>10 inches (254 mm) length</li> </ul>	1	pc	100
	2	Hacksaw Frame with Blade	<ul> <li>Tubular metal frame</li> <li>90° adjustable blade angle</li> <li>12 inches fixed blade length</li> </ul>	1	set	100
	3	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	100

725

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.05 mm</li> </ul>	1	рс	100
	5	Combination Wrench Set	<ul> <li>16 pcs</li> <li>sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm</li> <li>Drop forged alloy steel construction</li> <li>Lobular box end design</li> </ul>	1	set	100
	6	Allen Wrench Keys	<ul> <li>Steel with black oxide coating</li> <li>Durable plastic molded holders</li> <li>Labeled holders</li> <li>9 pcs./Set 1.5 mm to 10 mm</li> </ul>	1	set	100
	7	Combination Square	<ul> <li>Stainless Steel</li> <li>(12 inches) 300 mm</li> <li>Combination Square Set (Blade and Handle)</li> </ul>	1	set	100
85		tal, Machining NC I				100
86	Machii	ning NC II Outside Micrometer	Cating about a finish ad function	1		175
		Caliper	<ul> <li>Satin-chrome finished frame</li> <li>Range: 0-25 mm</li> <li>Least Count=0.01 mm</li> </ul>		pc	175
	2	Vernier Caliper	<ul> <li>Stainless steel</li> <li>Dual reading scales on Vernier (English reading on top and Metric reading at bottom)</li> <li>Carbide tipped jaw type</li> <li>(6 inches) 150 mm</li> <li>Least Count = 0.02 mm</li> </ul>	1	рс	175
	3	Letter and Number Punch	<ul><li>Hardened Steel</li><li>36pcs</li><li>4 mm height (letter and number)</li></ul>	1	set	175

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	4	Digital Vernier Caliper	<ul> <li>Digital Model</li> <li>LCD Display</li> <li>Parallax free Vernier scale type</li> <li>(6 inches) 150 mm long</li> </ul>	1	pc	175
86	Subto	tal, Machining NC II	(**************************************	<del></del>	<del>!</del>	175
88	Shield	ed Metal Arc Welding	g (SMAW) NC I			
	1	Welding Gloves	<ul><li>leather</li><li>heat resistant</li><li>long</li></ul>	1	pair	600
	2	Chipping Hammer	<ul><li>300 mm long</li><li>wood handle</li></ul>	1	рс	600
	3	Vise Grip	<ul> <li>10"</li> <li>chrome plated insulated handle</li> <li>flat jaw</li> <li>adjustment 0" to 1 5/8"</li> </ul>	1	pc	600
	4	Safety Goggles	<ul><li>Plastic</li><li>Clear</li><li>Elastic Strap</li></ul>	1	рс	600
	5	Oxy-acetylene Goggles	<ul> <li>Swivel type</li> <li>Rigid 50 mm dual cup</li> <li>Elastic headband</li> <li>Number-5 shade shields against brightness</li> </ul>	1	рс	600
	6	Try Square	<ul> <li>Size: 8" x 12"</li> <li>Thickness: 1.8-2 mm</li> <li>Material: Spring Steel</li> <li>Handle Material: Aluminum Alloy</li> <li>Metric and English Graduations</li> </ul>	1	рс	600
	7	Welding Mask	<ul> <li>Flip Front Welding Helmet</li> <li>impact-resistant polypropylene material</li> <li>adjustable fit</li> <li>4 1/2" x 2" view area with lens #11</li> </ul>	1	pc	600
	8	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	600
88			rc Welding (SMAW) NC I			600
89		ed Metal Arc Welding	<del></del>			1575
	1	Welding Jacket	<ul><li>leather</li><li>heat resistant</li></ul>	1	pc	1575

727

#### ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX		
	2	Ball Peen Hammer	<ul><li>Forged hard steel</li><li>jacketed graphite</li><li>16 oz./ 1 lb</li></ul>	1	рс	1575		
	3	Steel Square	<ul> <li>Carpenter's framing square; 2" x 16" x 24"</li> <li>Steel</li> <li>Double graduation inches/cm</li> </ul>	1	рс	1575		
	4	Chisel	<ul><li>cold</li><li>3/4 in X 6-7/8 in</li><li>forged steel</li></ul>	1	рс	1575		
	5	Hard Hat	<ul> <li>yellow ball-cap style hard hat</li> <li>6 point ratchet type headgear</li> <li>2 point chin strap and V-rib on top</li> <li>polyethylene material</li> </ul>	1	рс	1575		
	6	Auto-Darkening Welding Helmet	<ul><li>Adjustable Shade</li><li>Lens size 3-7/8 in. x 1-1/2 in.</li></ul>	1	рс	1575		
89	Subto	tal, Shielded Metal Ard	: Welding (SMAW) NC II			1575		
90								
	1	Angle Grinder	<ul><li>Portable</li><li>4" capacity</li><li>220 Volts/60 Hz</li></ul>	1	unit	450		
	2	Auto-Darkening Welding Helmet	<ul> <li>Adjustable Shade</li> <li>Lens size 3-7/8 in. x 1-1/2 in.</li> </ul>	1	рс	450		
90	1		Salting, Curing and Smoking (Lea	ding to	Food	450		
91		Processing NC II						
	1	Food Tongs	<ul> <li>stainless steel</li> <li>12 inches long</li> <li>with wide shell head with locking</li> </ul>	1	рс	175		
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	175		
	3	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	175		
	4	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	175		

1 or gr

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	175
	6	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	175
	7	Colander	<ul><li>Stainless steel</li><li>Medium Size</li><li>8 quarts capacity with base</li></ul>	1	рс	175
	8	Honing Bar	<ul><li>stainless steel</li><li>10-inch length</li></ul>	1	рс	175
	9	Saucepan	<ul><li>material: stainless</li><li>capacity: 1.5 liter</li><li>with lid cover</li></ul>	1	рс	175
	10	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	175
91	Subto	tal, Food Processing I	<u> </u>		1	175
93	Beauty	Care Services (Nail (	Care) NC II			
	1	Cuticle Nail Pusher	<ul> <li>Material: Stainless steel</li> <li>Two end with two different tools</li> <li>Dimension: 10.6 cm x 0.63 cm</li> </ul>	1	рс	225
	2	Cuticle Nipper	<ul> <li>Material: stainless steel tip</li> <li>handed grip</li> <li>ultra fine, surgical quality</li> <li>size: 1/2 jaw single spring</li> <li>Dimension: 10.16 cm x 0.94 cm x 0.07 cm</li> </ul>	1	рс	225
	3	Finger Nail Bowl	<ul> <li>5-finger mold</li> <li>Plastic</li> <li>Dimension: 17.5 cm x 12.4 cm x 4.8 cm</li> </ul>	1	рс	225
	4	Hand Nail Cutter	<ul> <li>Stainless Steel</li> <li>double side swing out nail file</li> <li>Ergonomic Design</li> <li>Dimension: 5.08 cm x 0.6 cm</li> </ul>	1	рс	225
	5	Nail File	<ul> <li>plastic handle</li> <li>double sided abrasive</li> <li>Dimension: 1 cm x 5 cm x 0.8 cm</li> </ul>	1	pc	225

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	6	Nail Buffer	<ul><li>Durable sand paper, soft sponge</li><li>Dimension: 9 cm x 3.6 cm x 2.6 cm</li></ul>	1	рс	225
	7	Foot File	<ul> <li>Hard skin remover</li> <li>Wooden handle with double sided foot rasp</li> <li>Dimension: 26.0 cm x 6.0 cm x 1.4 cm</li> </ul>	1	рс	225
	8	Cuticle Scissor	<ul> <li>Stainless Steel</li> <li>Extra fine point</li> <li>Dimension: 1.7 cm x 7.62 cm x 0.89 cm</li> </ul>	1	рс	225
	9	Callous Remover	<ul> <li>Plastic handle</li> <li>Stainless blade</li> <li>Extra blade</li> <li>Dimension: 14.9 cm x 2.6 cm</li> </ul>	1	рс	225
	10	Pumice Stone	<ul> <li>100% volcanic stone</li> <li>excellent for scrubbing dry</li> <li>Anti- bacterial for removing dead skin</li> <li>Dimension: 10 cm x 7 cm x 2 cm</li> </ul>	1	рс	225
	11	Manicure Nail brush	<ul> <li>plastic nail brush</li> <li>soft nylon brush</li> <li>Dimension: 6.35 cm x 3.93 cm x 1.57 cm</li> </ul>	1	рс	225
	12	Foot spa Machine	<ul> <li>foot detox machine</li> <li>With heater adjustment, bubble massage</li> <li>depth: 14 cm</li> <li>width: 38 cm</li> <li>length: 40 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	225
	13	Hand spa Machine	<ul> <li>Thermostatically - controlled heating unit</li> <li>length: 24 cm</li> <li>width: 17.5 cm</li> <li>depth: 9 cm</li> <li>220-240 V/50 Hz</li> </ul>	1	unit	225
93	Subto	tal, Beauty Care Servi	······································		<del></del>	225

/30



ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
94	Bookk	eeping NC III				
	1	Calculator	<ul> <li>Scientific Calculator</li> <li>STAT DATA Editor</li> <li>240 functions</li> <li>12 digit x two-line display</li> <li>3 x 5 inches dimension</li> <li>Hard Slide Case</li> </ul>	1	unit	175
	2	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	175
	3	Pencil Sharpener	<ul> <li>table mounted</li> <li>manually operated</li> <li>with pen crumbs visible container</li> <li>pencil lock hole</li> </ul>	1	unit	175
	4	Stainless Ruler	<ul> <li>Stainless Steel</li> <li>Double sided ruler cm/inches</li> <li>Conversion table on the back side</li> <li>laser engraved lines</li> <li>30 cm</li> </ul>	1	рс	175
	5	Flash drive	<ul><li>Capacity: 64 GB</li><li>Compatibility: USB 3.0</li></ul>	1	рс	175
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	175
	7	Puncher	<ul> <li>two hole punch</li> <li>Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H)</li> <li>punches up to 20 sheets</li> <li>with sliding ruler</li> </ul>	1	pc	175
	8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	pc	175
94		tal, Bookkeeping NC				175
99	Barista	<del></del>	050	T 4	T = -	105
	1	French Press/Coffee Plunger	<ul> <li>350 ml capacity</li> <li>6.8 x 17 cm glass French press</li> <li>plastic black handle</li> </ul>	1	pc	125

731

7 or 3

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX	
	2	Whip Cream Dispenser	<ul> <li>500 ml capacity dispenser with nozzles and brush</li> <li>aluminum body</li> </ul>	1	рс	125	
	3	Steaming Pitcher	<ul> <li>350 ml capacity</li> <li>approximate size: 9 x 6.5 x 9 cm</li> <li>stainless steel</li> <li>approximate weight: 178 g</li> </ul>	1	рс	125	
	4	Coffee Thermometer	<ul> <li>Stainless steel dial pointer thermometer with a measuring range of 10°C - 110°C</li> <li>Measures 12.5 L x 4.2 D cm, color silver</li> </ul>	1	pc	125	
	5	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	рс	125	
99	Subtotal, Barista NC II						
100		ding NC II	050 1		1	105	
	1	Cocktail Shaker	<ul> <li>350 ml capacity</li> <li>stainless steel</li> <li>Size (cm): 25 in L x 5 in W x 16 in H</li> </ul>	1	pc	125	
	2	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	pc	125	
	3	Corkscrew	<ul> <li>measures 12 x 2.2 x 1.1 cm</li> <li>stainless steel metal corkscrew/bottle opener</li> </ul>	1	рс	125	
	4	Blender/Osterizer	<ul> <li>8 speed with pulse</li> <li>500 watts, 220 volts, 60 hertz</li> <li>stainless steel, ice crusher blade</li> <li>glass jar with cover</li> </ul>	1	unit	125	
	5	Flair Bottle	<ul> <li>measures: 29 cm bottom diameter,</li> <li>7.5 cm diameter, 3.2 cm</li> <li>yellow color</li> <li>hard plastic</li> </ul>	1	рс	125	
	6	Ice Pick	<ul> <li>measures: 21.5 cm long</li> <li>stainless steel pick with wooden handle 9 cm long</li> </ul>	1	рс	125	
100	Subto	tal, Bartending NC II	<del></del>	<del></del>	1	125	

732

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
101	Bread	and Pastry Production	on NC II			
	1	Spatula	<ul> <li>Stainless steel straight blade</li> <li>Plastic handle</li> <li>3 cm blade width</li> <li>25.4 cm blade length</li> <li>12.7 cm handle length</li> <li>Round edges</li> </ul>	1	pc	575
	2	Decorating tips	<ul> <li>Stainless steel</li> <li>7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal)</li> <li>3 cm height</li> <li>Opening range: 1.27 cm</li> </ul>	1	set	575
	3	Flour sifter	<ul><li>Stainless steel mesh flour strainer</li><li>12" diameter</li></ul>	1	рс	575
	4	Measuring cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	575
	5	Mixing bowl	<ul><li>Stainless steel</li><li>8" diameter</li><li>5 quart capacity</li></ul>	1	рс	575
	6	Piping bags	<ul> <li>12 inches</li> <li>lightweight</li> <li>reusable</li> <li>flexible polyester</li> <li>coated, can be boiled</li> <li>dishwasher safe</li> </ul>	1	pc	575
	7	Wire whisk	<ul> <li>Stainless steel</li> <li>12 inches</li> <li>balloon style</li> <li>handle length: 4 cm</li> </ul>	1	рс	575
	8	Bread knife	<ul> <li>Length: 8"</li> <li>serrated edge</li> <li>stain-free</li> <li>high-carbon steel blade</li> <li>polypropylene</li> <li>straight handle</li> </ul>	1	рс	575

733

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	9	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	575
	10	Muffin pan	<ul><li>12 holes</li><li>3 oz. capacity per hole</li><li>aluminum</li></ul>	1	рс	575
	11	Cheese Grater	<ul> <li>Stainless steel</li> <li>Box grater with handle</li> <li>20.9 x 8.5 x 6.1 cm</li> <li>Small and large holes</li> </ul>	1	рс	575
	12	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	рс	575
101		tal, Bread and Pastry F	Production NC II			575
102	Comm	ercial Cooking NC III		1 4		50
		Carving Knife	<ul> <li>high carbon stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	pc	50
	2	Chef's Knife	<ul><li>high carbon stainless steel</li><li>sharp cutting edge</li><li>10-inch blade length</li></ul>	1	рс	50
	3	Knife Bag	<ul><li>8-knife pockets</li><li>Nylon fabric</li><li>with zipper</li><li>PVC backing</li></ul>	1	рс	50
	4	Paring Knife	<ul> <li>high carbon stainless steel</li> <li>size: 3.5-inch blade length</li> <li>sharp cutting edge</li> <li>full tang handled</li> </ul>	1	рс	50
102		<i>tal,</i> Commercial Cooki	ng NC III			50
103	Cooke	ry NC II				550
	1	Chef's Knife	<ul> <li>high-carbon stainless steel</li> <li>sharp cutting edge</li> <li>size: 8-inches blade length</li> <li>riveted handle</li> </ul>	1	pc	550

734

1 on gr

#### ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	2	Food Tongs	<ul><li>stainless steel</li><li>12 inches long</li><li>with wide shell head with locking</li></ul>	1	рс	550
	3	Digital Weighing Scale	<ul> <li>LCD display</li> <li>Measure in pounds (lbs), ounces (oz) and grams (g)</li> <li>Battery operated</li> <li>Capacity: 5 kilograms</li> </ul>	1	unit	550
	4	Honing Bar	stainless steel     10-inch length	1	рс	550
	5	Measuring Cup	<ul> <li>Stainless steel</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	1	set	550
	. 6	Measuring Spoon	<ul> <li>stainless steel</li> <li>4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)</li> </ul>	1	set	550
	7	Saucepan	<ul> <li>material: stainless</li> <li>capacity: 1.5-liter</li> <li>with lid cover</li> </ul>	1	рс	550
	8	Casserole	<ul> <li>Stainless steel with lid cover and handle both sides</li> <li>Dimension: 20 cm</li> </ul>	1	рс	550
103		tal, Cookery NC II				550
104	Food a	Corkscrew	measures 12 x 2.2 x 1.1 cm     stainless steel metal corkscrew/bottle opener	1	рс	575
	2	Linen/Skirting Cloth	<ul><li>10 yards (double width) skirting cloth</li><li>satin (any color)</li></ul>	1	рс	575
	3	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	575
104	Subto	tal, Food and Beverag	Je Services NC II	1		575

735

1 pr y

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
105	Food a	ind Beverage Services	NC III	<del></del>		
	1	Knives	<ul> <li>Set of 6 (stainless steel blade with plastic black handle)</li> <li>Set includes: <ul> <li>8" long, chef knife</li> <li>8" long, serrated knife</li> <li>8" long, slicing knife</li> <li>5" long, utility knife</li> <li>3.5" long, paring knife</li> <li>stainless steel block box</li> </ul> </li> </ul>	1	set	175
	2	Frying Pan	<ul><li>26 cm non-stick pan with bakelite handle</li><li>aluminum body</li></ul>	1	pc	175
	3	Portable Gas Stove	<ul> <li>Portable indoor/outdoor gas stove</li> <li>ceramic enamel-coated drip pan</li> </ul>	1	рс	175
	4	Serving Spoon	<ul><li>stainless steel serving spoon</li><li>8 inches in length</li></ul>	.1	рс	175
	5	Serving Fork	<ul><li>4 prong stainless steel serving fork</li><li>8 inches in length</li></ul>	1	рс	175
	6	Carving Knife	<ul> <li>high carbon</li> <li>stainless steel</li> <li>sharp cutting edge</li> <li>8-inch blade length</li> <li>with riveted handle</li> </ul>	1	рс	175
	7	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	175

of or of

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT	ITEM	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF
NO.	<b>NO.</b> 8	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	<b>PAX</b> 175
105	Subtot	tal, Food and Beverag		1		175
106		Office Services NC II				
	1	Calculator	<ul> <li>12 digits display</li> <li>front panel metal coating</li> <li>battery power</li> <li>big display</li> <li>memory functions up to 4 decimal support</li> <li>high quality plastic construction and keys</li> <li>off key</li> <li>double zero with rounding function support</li> <li>dimension: 192mm x 147mm x 42mm</li> </ul>	1	unit	25
	2	Flash drive	Capacity: 64 GB     Compatibility: USB 3.0	1	рс	25
	3	Portable Amplifier	<ul> <li>Power Output: 30 W</li> <li>Mode: USB/MP3/FM</li> <li>Charger Voltage: 10V 450 mA</li> <li>AC/DC</li> <li>with headset and lapel microphone</li> </ul>	1	unit	25
	4	Fake Bills Detector	<ul> <li>Voltage: 220V 50Hz-60Hz</li> <li>Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54"</li> <li>Fluorescent UV blue lamp 4w</li> <li>On/Off Button</li> </ul>	1	unit	25
	5	Stapler	<ul> <li>with built-in staple wire remover #35</li> <li>weight: 0.085 kg</li> <li>dimension: 11 cm x 3 cm x 5 cm</li> <li>Staples 24 sheets</li> </ul>	1	рс	25
	6	A4 Paper Pockets File Folder	<ul> <li>Material: Paper board</li> <li>Stainless Steel Clip</li> <li>Size: 22.5 cm x 31 cm</li> </ul>	1	рс	25

737 /~

je

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan, Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	7	Accordion File Organizer	<ul> <li>Polypropylene</li> <li>Expandable pockets with tab flap and cord closure</li> <li>Long size, 8.5 x 13 inches</li> </ul>	1	рс	25
106		tal, Front Office Servi				25
107	House	keeping NC II				205
	1	Flashlight	<ul> <li>6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight</li> <li>With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case</li> <li>With stun gun</li> </ul>	1	рс	. 225
	2	Steam Flat Iron	<ul> <li>Electric flat iron with spray</li> <li>220 V/60 Hz</li> <li>1,100 - 1,310 watts</li> <li>with 5 selector</li> </ul>	1	unit	225
	3	Vacuum Cleaner	<ul> <li>Wet and dry vacuum cleaner</li> <li>220 volts, 50-60Hz, 1,100 watts</li> <li>Tank size: 4 liters</li> <li>With complete accessories</li> </ul>	1	unit	225
107		<i>tal,</i> Housekeeping NC	II .			225
108	House	keeping NC III				
	1	Long Nose Plier	<ul><li>Overall Length: 8"</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	pc	425
	2	Electrician Plier	<ul><li>Overall Length: 238 mm</li><li>Steel Alloy</li><li>Handle finish: plastic-dipped</li></ul>	1	рс	425
	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	1	рс	425
	4	Tablet	<ul> <li>Processor: 1.3 gHz</li> <li>OS: Android 6.0</li> <li>Memory: 1GB RAM</li> <li>Storage: 8GB ROM</li> <li>Display: screen 7" (177.8 mm)</li> <li>With SIM slot</li> </ul>	1	unit	425

738

J gr gr

ACT (UAQTEA) FOR CY 2018

TESDA-Region X – Regional Training Center- Tagoloan - PHIVIDEC Industrial Estate, Tagoloan,
Misamis Oriental

LOT NO.	ITEM NO.	ITEM	AGENCY SPECIFICATIONS	QTY	UNIT	NO. OF PAX
	5	Screwdriver Set	<ul> <li>4 pieces per set</li> <li>Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm</li> <li>Philips Blade Tip: 1 x 100 mm, 2 x 150 mm</li> <li>Plastic and Rubberized handle</li> <li>Chrome Vanadium</li> <li>Shank: 6"</li> </ul>	1	set	425
108	Subtot	tal, Housekeeping N	CIII			425
	TOTAL					18,525

1 h is