TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|------------------------|--|-----|------|---------------|
| 1 | Agricu | Itural Crops Producti | on NC I | | | |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 175 |
| | 2 | Sprinkler | 7.6 liter plastic watering container high-density polyethylene shock resistant material 13 1/2 inches (342.9 mm) height | 1 | рс | 175 |
| | 3 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | 1 | unit | 175 |
| | 4 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | pc | 175 |
| | 5 | Rake | metal garden rake14 teeth1.06 meters long aluminum handle | 1 | рс | 175 |
| | 6 | Pick Mattock | steel head3.4 kg. weight36 inches longwooden handle | 1 | рс | 175 |
| 1 | Subto | tal, Agricultural Crop | s Production NC I | | | 175 |
| 2 | Agricu | iltural Crops Product | | | | - |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | pc | 50 |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | pc | 50 |

J on of

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----|--------|-------------------------------|---|-----|------|--------|
| NO. | NO. | | | | | PAX |
| | 3 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | рс | 50 |
| | 4 | Pruning Shear | Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size | 1 | pc | 50 |
| 2 | | tal, Agricultural Crops | | | | 50 |
| 3 | Agricu | Itural Crops Product | | T 4 | T | F0 |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 50 |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | pc | 50 |
| | 3 | Hedge Shear | heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight | 1 | pc | 50 |
| | 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | рс | 50 |
| 3 | Subto | <i>tal,</i> Agricultural Crop | s Production NC III | | | 50 |

1 in gr

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | |
|------------|-----------------------------------|--------------------------------|--|-----|------|---------------|--|
| 5 | Anima | Production (Poultry- | Chicken) NC II | | | | |
| | 1 | Pail | 10 liters capacityPlastic320 mm Height350 mm Diameter677 grams weight | 1 | pc | 50 | |
| | 2 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 50 | |
| | 3 | Semen Storage Box | plastic cooler/jughandy grip design1.9L capacitywide mouth top | 1 | рс | 50 | |
| | 4 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | 1 | рс | 50 | |
| | 5 | Brooder/ Heater Lamp | 45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug | 1 | set | 50 | |
| 5 | | | (Poultry-Chicken) NC II | | | 50 | |
| 6 | Animal Production Ruminants NC II | | | | | | |
| | 1 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | 1 | pc | 25 | |
| | 2 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | pc | 25 | |
| | 3 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | 1 | unit | 25 | |
| | 4 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | pc | 25 | |

1 on of

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|--------------------------------|--|----------|------|---------------|
| | 5 | Ear Notcher | Small V-shape blade; stainless | 1 | рс | 25 |
| 6 | Subtot | tal, Animal Production | Ruminants NC II | <u> </u> | | 25 |
| 7 | | I Production (Swine) I | | | | |
| | 1 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | 1 | рc | 25 |
| | 2 | Ear Notcher | Small V-shape blade; stainless | 1 | рс | 25 |
| | 3 | Forcep | Stainless 5.5" long, straight kelly forcep | 1 | рс | 25 |
| | 4 | Semen Storage Box | plastic cooler/jug handy grip design 1.9L capacity wide mouth top | 1 | рс | 25 |
| | 5 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1. | рс | 25 |
| | 6 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | 1 | unit | 25 |
| 7 | Subto | tal, Animal Production | n (Swine) NC II | | | 25 |
| 8 | Aquac | ulture NC II | | | | |
| | 1 | pH meter | Ph range from 0-14 large multi-level LCD which displays both pH and temperature readings simultaneously An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements Temperature can be set to display in °C or °F The LCD screen has stability and calibration tag indicators The battery percent level is displayed at start up alerting the user to the remaining battery power that is available. | 1 | unit | 100 |

J ap M

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----|-------|------------------------|---|-----|------|--------|
| NO. | NO. | | | · | | PAX |
| | 2 | Scoop net | net material: nylon size detail: handle length: 2.7 cm/10.63 inch net size: 20 x 18 cm / 7.87 x 7.07 inch net depth: 20 cm / 7.87 inch total length: 47 cm / 18.50 inch | 1 | pc | 100 |
| | 3 | Drawing instruments | compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry geometry tools, special suitable for school teaching use size 11.5 cm x 2 cm x 0.6 cm package included: transparent box + silver metal compass stand tall + lead refill | 1 | set | 100 |
| | 4 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | 1 | unit | 100 |
| 8 | Subto | tal, Aquaculture NC II | | | | 100 |
| 14 | | Machinery Operations | NC II | | , | |
| | 1 | Vise grip | 7" straight jawHard steel | 1 | pc | 50 |
| | 2 | Pliers | Nickel Plated Pliers Long nose combination Side cut pliers 8 inches product size 300 grams weight | 1 | рс | 50 |
| | 3 | Drill | Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm | 1 | unit | 50 |

j an pr

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | enter, Buhisan, Tibungco, Davao City AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----|-------|------------------------------------|--|-----|------|---------------|
| NO. | NO. 4 | Grinder | Angle grinder Powerful 670 Watts input power Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz | 1 | unit | PAX 50 |
| 14 | | tal, Rice Machinery Op | perations NC II | | | 50 |
| 20 | Autom | otive Servicing NC I Socket wrench | 1 v 1/4 lpsh (6.2 mm) Databat | 1 | set | 275 |
| | 1 | Socket Wielich | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | 1 | 561 | 210 |
| | 2 | Spark Plug Wrench | 1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm) | 1 | set | 275 |
| | 3 | Feeler Gauge | 25 tempered steel blades Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) Blade length: 80 mm Chrome plated Blade is laser etched with Inches and Millimeters | 1 | set | 275 |
| | 4 | Hydrometer | Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature | 1 | pc · | 275 |
| | 5 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | 1 | рс | 275 |

is of

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----|-------------|--------------------------------|--|-----|------------------------|----------------|
| NO. | NO . | Screwdriver Set | Philips & Standard | 1 | set | PAX 275 |
| | Ü | Our warry or oct | 6 pcs. per set | • | 301 | 210 |
| | | | plastic handle | | | |
| | | | | | | |
| | | | • Flat Blade Tip: 1/8 in x 3 in (3 mm x | | | |
| | | | 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 | | | |
| | | | mm) | | A STREET OF THE STREET | : |
| | | | | | | |
| | | | • Philips Blade Tip: 1/8 in x 3 in (3 | | | |
| | | | mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm | | | |
| | | | x 150 mm) | | | |
| | 7 | Ball Peen Hammer | jacketed graphite head, polished | 1 | рс | 275 |
| | | | face | | | |
| | | | • 12 ounce (340 grams), wooden handle | | | |
| 20 | Subto | tal, Automotive Servic | <u> </u> | | | 275 |
| 21 | Autom | otive Servicing NC II | | | , | |
| | 1 | Battery Tester | Suitable for 6 V & 12 V Batteries | 1 | pc | 250 |
| | | | • Up to 1000 CCA (SAE) | | | |
| | | | 12 V Charging/Start SystemShock-resistant ventilated cover | | | |
| | | | Color-coded copper-plated clamps | | | |
| | 2 | Soldering Gun | Power: 130W | 1 | рс | 250 |
| | | | Two optional pre-heat (High/Low) | | | |
| | | | • Tips: 4 mm x 65 mm | | | |
| | | | Voltage: AC 220V Pre-heat time: 5-10 minutes | | | |
| | | | Power cable: 1 meter | | | |
| | | | Plug type: Type A | | | |
| | | | Material: ABS Plastic | | | |
| | 3 | Multi-Tester | Analog | 1 | unit | 250 |
| | | | • DCV Range: 0.1 V to 1,000 V | | | |
| | | | ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 | | | |
| | | | 1.5V x 2 | | | |
| | | | • Internal Fuse: 0.5 Ano/250 V/5.2 | | | |
| | | | mm dia. X 20 mm | | | |
| | | | • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g | | | |
| | | | • Resistance: X1 to X1k | | | |
| 21 | Subto | <i>tal,</i> Automotive Service | <u> </u> | | | 250 |

J on go

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-----------------------|--|----------|------|---------------|
| 24 | Driving | NC II | | <u>!</u> | | |
| | 1 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | 1 | set | 275 |
| | 2 | Vise Grip | 7" straight jawHard steel | 1 | рс | 275 |
| | 3 | Tire Inflator | 12 volts300 psi | 1 | set | 275 |
| 24 | | tal, Driving NC II | | | | 275 |
| 26 | | cycle/Small Engine Se | | | T | |
| | 1 | T-Wrench | 4 pcs forged steel with sizes 8-10- 12 and 14 mm | 1 | set | 50 |
| | 2 | Spark Plug Wrench | 1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm) | 1 | set | 50 |
| | 3 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 50 |
| | 4 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | 1 | set | 50 |

1 m g

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-----------------------|--|-----|------|---------------|
| | 5 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | 1 | set | 50 |
| 26 | Subto | tal, Motorcycle/Small | Engine Servicing NC II | | | 50 |
| 27 | Carpe | ntry NC II | | ., | , | , |
| | 1 | Crow Bar | 914.4 mm (36") longforged high steel carbon | 1 | рс | 200 |
| | 2 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | рс | 200 |
| | 3 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 200 |
| | 4 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | рс | 200 |
| | 5 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 200 |
| | 6 | Cross Cut Saw | 60 cm (24 inches) long Hard Plastic Handle 8 points per inch Hard steel blade | 1 | рс | 200 |
| | 7 | Drill | Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm | 1 | unit | 200 |
| | 8 | Chalk Line Reel | 100 ft. heavy duty die cast body | 1 | рс | 200 |
| 27 | Subto | tal, Carpentry NC II | | | | 200 |

748 j A gy

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-----------------------------------|--|-----|------|---------------|
| 28 | Constr | uction Painting NC II | | , | | |
| | 1 | Handsaw | 20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort | 1 | рс | 25 |
| | 2 | Dust Masks/ Respirator | Half face reusable respirator Gas mask Head harness cradle suspension Lightweight elastomeric material Twin filter, Bayonet fitting connection filter system | 1 | рс | 25 |
| | 3 | Safety Goggles | Clear polycarbonateWoven elastic strapAdjustable | 1 | рс | 25 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | pc | 25 |
| | 5 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 25 |
| | 6 | Steel Float/ Plastering Trowel | 0.7 mm min. thick x 280 mm x 125 mm High carbon Steel Solid forged steel with soft handle | 1 | рс | 25 |
| | 7 | Spray Gun | Low Pressure Material: Stainless steel Fluid nozzle: 1 mm Air Pressure Required: 3.0 bar with complete set of wrenches | 1 | рс | 25 |
| 28 | Subto | tal, Construction Pai | ntina NC II | | | 25 |

7 ~ gd

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----------|--------------|------------------------|---|------|-------|--------|
| NO. 30 | NO. Heavy | | [HEO] (Bulldozer) NC II | Q.11 | Oitii | PAX |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 75 |
| | 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 75 |
| | 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | 1 | рс | 75 |
| | 4 | Mechanical plier | 8 inches lengthinsulated handle | 1 | рс | 75 |
| | 5 | Vise Grip | 7" straight jawHard steel | 1 | рс | 75 |
| | 6 | Long Nose Plier | Overall Length: 8" Steel Alloy Handle finish: plastic-dipped | 1 | pc | 75 |

7 gr p/

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | | enter, Bunisan, Tibungco, Davao City | Γ | | NO. OF |
|-----|-------|----------------------------|---|----------|------|--------|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 7 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | 1 | рс | 75 |
| 30 | Subto | tal. Heavy Equipment | Operation [HEO] (Bulldozer) NC II | <u> </u> | | 75 |
| 31 | | Equipment Operation | | | | |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 50 |
| | 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 50 |
| | 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | 1 | рс | 50 |
| | 4 | Mechanical plier | 8 inches lengthinsulated handle | 1 | рс | 50 |

1 gr gd

PROCUREMENT OF STARTER TOOLKITS FOR THE IMPLEMENTATION OF REPUBLIC ACT 10931 OR UNIVERSAL ACCESS TO QUALITY TERTIARY

EDUCATION ACT (UAQTEA) FOR CY 2018


TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | Training Center, Buhisan, Tibungco, Davao City | | | | | | | | |
|------------|--|---------------------------|---|-----|------|---------------|--|--|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | | | |
| | 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | 1 | рс | 50 | | | |
| | 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | 1 | рс | 50 | | | |
| 31 | | | Operation [HEO] (Forklift) NC II | | | 50 | | | |
| 32 | Heavy | | [HEO] (Hydraulic Excavator) NC II | | | | | | |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 75 | | | |
| | 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 75 | | | |
| | 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | 1 | рс | 75 | | | |

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | |
|------------|---|---------------------------|---|-----|------|---------------|--|
| NO. | 4 | Mechanical plier | 8 inches lengthinsulated handle | 1 | pc | 75 | |
| | 5 | Vise Grip | 7" straight jawHard steel | 1 | рс | 75 | |
| | 6 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | рс | 75 | |
| | 7 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | 1 | рс | 75 | |
| 32 | Subtotal, Heavy Equipment Operation [HEO] (Hydraulic Excavator) NC II | | | | | | |
| 33 | Heavy Equipment Operation [HEO] (Motor Grader) NC II | | | | | | |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 75 | |
| | 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 75 | |




TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|---|-----|------|---------------|
| | 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | 1 | рс | 75 |
| | 4 | Mechanical plier | 8 inches length insulated handle | 1 | рс | 75 |
| | 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | 1 | рс | 75 |
| | 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | 1 | рс | 75 |
| 33 | | | Operation [HEO] (Motor Grader) NC II | | | 75 |
| 37 | Heavy | | [HEO] (Wheel Loader) NC II | | , | 7.5 |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 75 |
| | 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 75 |

7 m 3

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|---------------------------------------|-------------|------------------|---|-----|------|---------------|
| | 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | 1 | рс | 75 |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 4 | Mechanical plier | 8 inches length insulated handle | 1 | рс | 75 |
| | 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | 1 | рс | 75 |
| | 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | 1 | рс | 75 |
| 37 | | | t Operation [HEO] (Wheel Loader) NC II | | | 75 |
| 39 | Masor | nry NC II | | | | 400 |
| | 1 | Claw Bar | 19 mm diameter x 90 cm longForged high-carbon tempered steel | 1 | pc | 100 |
| | 2 | Claw Hammer | 453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle | 1 | рс | 100 |
| | 3 | Hacksaw | Heavy duty hacksaw with 12" bimetal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | 1 | рс | 100 |
| | 4 | Hacksaw Blade | High Speed 24 TPI 304.8 mm (12") long bi-metal Heavy duty steel hacksaw blade | 1 | рс | 100 |
| | 5 | Handsaw | 20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort | 1 | рс | 100 |



TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City


| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|--|-------------|---|--|-----|------|---------------|
| | 6 | Paint Brush | 50.8 mm (2") Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments | 1 | рс | 100 |
| | 7 | Paint Brush | 101.6 mm (4") Pure bristle with comfort grip Made of Solid Round Tapered (SRT) polyester filaments | 1 | рс | 100 |
| The second state of the se | 8 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | рс | 100 |
| | 9 | Shovel | Heavy gauge tempered steel blade digging shovel 39.5" long With strong Poly D-grip Hardwood handle | 1 | рс | 100 |
| | 10 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 100 |
| | 11 | Steel (Bucket/ Bricklaying) Pointing Trowel | 10" solid forged steel blade Precision tapered Soft duragrip and hard end handle | 1 | рс | 100 |
| | 12 | Steel Float/ Plastering Trowel | 0.7 mm min. thick x 280 mm x 125 mm High carbon Steel Solid forged steel with soft handle | 1 | pc | 100 |
| | 13 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 100 |
| 39 | | tal, Masonry NC II | | | | 100 |
| 41 | 1 | tting NC II Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | рс | 25 |

1 or g

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-------------------|--|-----|------|---------------|
| | 2 | File | half round300 mm longplastic handle | 1 | рс | 25 |
| | 3 | Welding Gloves | leatherheat resistantlong | 1 | pair | 25 |
| | 4 | Mechanical plier | 8 inches lengthinsulated handle | 1 | рс | 25 |
| | 5 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 25 |
| | 6 | Claw Hammer | Forged high-carbon steel head Smooth face 12 oz Wooden Handle | 1 | рс | 25 |
| | 7 | Ball Peen Hammer | jacketed graphite head, polished face 12 ounce (340 grams), wooden handle | 1 | рс | 25 |
| | 8 | Hacksaw | Heavy duty hacksaw with 12" bimetal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | 1 | рс | 25 |
| | 9 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | рс | 25 |
| | 10 | Combination Plier | 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards | 1 | рс | 25 |



TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|--------------------------|--|-------------|------|---------------|
| | 11 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 25 |
| | 12 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 25 |
| | 13 | Hard Hat | V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material | 1 | рс | 25 |
| 41 | | tal, Pipefitting NC II | | | | 25 |
| 43 | | oing NC II | | T | | |
| | 1 | Combination Plier | 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards | 1 | pc | 50 |
| | 2 | Hacksaw Frame with Blade | Adjustable24 TPIaluminum frame and handle | 1 | рс | 50 |
| | 3 | Manual Pressure Test | 6 mpa860 psi max. pressure12L capacitywith brass pump valve | 1 | pc | 50 |
| | 4 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening304.8 mm (12") in lengthalloy steel | 1 | рс | 50 |
| 43 | | tal, Plumbing NC II | | | | 50 |
| 49 | T | ical Drafting NC II | | | | T ==== |
| | 1 | Drawing Board | wooden laminatedsize: 18 inches x 24 inches | 1 | рс | 75 |

T / i

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | | enter, Bunisan, Tibungco, Davao City | 0.77/ | | NO. OF |
|--|---------|-------------------------|---|-------|------|--------|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 2 | Compass Set | divider: 14 cm length pencil compass: 14 cm length adjustable compass: 10 cm length compass extender: 9 cm length | 1 | set | 75 |
| | 3 | Triangular Scale | 12" Plastic Architectural Scale Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500 | 1 | рс | 75 |
| | 4 | Technical Pen Set | 3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm) 12 hi-polymer HB leads 1 mechanical pencil 1 ink cartridge 1 eraser | 1 | set | 75 |
| | 5 | T - Square | Wooden Drafting T-square24" lengthclear plastic edges | 1 | рс | 75 |
| | 6 | Measuring Tools Set | Ruler: 30 cm long Triangle: 30 x 60 degrees, 13cm long Triangle: 45 X 45 degrees, 13 cm long Protractor: 12 cm long | 1 | set | 75 |
| 49 | Subto | tal, Technical Drafting | | | | 75 |
| 50 | Tile Se | etting NC II | | | | · |
| | 1 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | 1 | unit | 75 |
| | 2 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 75 |
| | 3 | Mechanical plier | 8 inches lengthinsulated handle | 1 | рс | 75 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | pc | 75 |
| And Andrews Control of the Control o | 5 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 75 |

1

759

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | Training Ce | i | | NO. OF | |
|-----|-------|---|--|--------------|--------|-----|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 6 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | рс | 75 |
| | 7 | Rubber Mallet | 16 oz (453.6 grams)Wooden Handle | 1 | рс | 75 |
| | 8 | Steel (Bucket/ Bricklaying) Pointing Trowel | 10" solid forged steel bladePrecision taperedSoft duragrip and hard end handle | 1 | рс | 75 |
| 50 | Subto | tal, Tile Setting NC II | | ! | | 75 |
| 51 | Comp | uter Systems Servicing | g NC II | | | |
| | 1 | Crimping Tool | Suitable for: RJ 45 RJ 11 4P 6P 8P | 1 | pc | 75 |
| | 2 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | рс | 75 |
| | 3 | Wire Stripper | automaticcap. 1.5 mm to 3.5 mm | 1 | рс | 75 |
| | 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 75 |
| | 5 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | 1 | set | 75 |

760

1 " is an an

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| | | i raining Ce | enter, Buhisan, Tibungco, Davao City | 1 | | NO 05 |
|------------|-------------|-----------------------------------|--|-----|--------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 6 | Screwdrivers Set | 30 in 1 Screwdriver Philips (+) PH00, PH0, PH1, PH2 Torx T4, T5, T6, T7, T8, T10, T15, T20 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Made of Chrome Vanadium Soft TPL Handle | 1 | set | 75 |
| 51 | Subto | tal, Computer Systems | Servicing NC II | | | 75 |
| 53 | Electri | cal Installation and Ma | aintenance NC II | | | |
| | 1 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | pc | 275 |
| | 2 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | рс | 275 |
| | 3 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 275 |
| | 4 | Pipe Bender Manual | 1/2-3/4 inch bending radiusductile high strength iron | 1 | рс | 275 |
| 53 | Subto | <i>tal,</i> Electrical Installati | on and Maintenance NC II | | | 275 |
| 55 | Electr | | bly and Servicing NC II | | , | |
| | 1 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | 1 | unit | 150 |

Top of

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|---|-----|------|---------------|
| | 2 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | рс | 150 |
| | 3 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | рс | 150 |
| | 4 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | 1 | рс | 150 |
| | 5 | Soldering Iron | 30 watts, 220 volts/60hz heat pencil tip | 1 | рс | 150 |
| | 6 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series | 1 | set | 150 |
| | | | Chrome Vanadium steel | | | |
| | 7 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | 1 | рс | 150 |
| | 8 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | 1 | рс | 150 |
| | 9 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 150 |
| 55 | Subto | tal. Electronics Prod | ucts Assembly and Servicing NC II | | | 150 |

7 mg/

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | | Center, Burnsan, Tibungco, Davao City | OT)/ | | NO. OF |
|--|-------|---------------------------|--|------|------|--------|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| 57 | Mecha | tronics Servicing NC | | | , | |
| | 1 | Crimping Tool | Heavy duty ratchet with heavy plastic handlesHardened steel jaws | 1 | рс | 50 |
| The state of the s | 2 | Diagonal Cutting Plier | Overall Length: 8"Material: Carbon SteelHandle Finish: plastic dipped | 1 | рс | 50 |
| | 3 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | pc | 50 |
| | 4 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium | 1 | set | 50 |
| | | | Shank: 6" | | | |
| | 5 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | 1 | unit | 50 |
| | 6 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | 1 | set | 50 |

1

763

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-----------------------------------|--|-----|------|---------------|
| | 7 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening203.2 mm (8") in lengthAlloy steel | 1 | рс | 50 |
| 57 | Subto | tal, Mechatronics Serv | icing NC II | | | 50 |
| 58 | Mecha | tronics Servicing NC | | | | |
| | 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 50 |
| | 2 | Screwdrivers Set | 30 in 1 Screwdriver Philips (+) PH00, PH0, PH1, PH2 Torx T4, T5, T6, T7, T8, T10, T15, T20 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Made of Chrome Vanadium Soft TPL Handle | 1 | set | 50 |
| | 3 | Soldering Iron | 30 watts, 220 volts/60hzheat pencil tip | 1 | рс | 50 |
| | 4 | Long Nose Plier | Overall Length: 8" Steel Alloy Handle finish: plastic-dipped | 1 | рс | 50 |
| | 5 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | 1 | рс | 50 |
| | 6 | Desoldering Pump/Solder Sucker | anodized aluminum housinghigh suctionstrong and lightweight | 1 | рс | 50 |
| | 7 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | 1 | set | 50 |
| 58 | Subto | tal, Mechatronics Serv | | J | | 50 |

T of go

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|--|-----|------|---------------|
| 60 | | making NC II | | - | 1 | |
| | 1 | Cutting Shears | 8" lengthstainless steel bladeplastic handle | 1 | рс | 75 |
| | 2 | Meter stick/ Yardstick | 1 meter (metric and English)yellow plastic | 1 | рс | 75 |
| | 3 | Scissors | 6" lengthplastic handle for paper | 1 | рс | 75 |
| | 4 | Screwdriver Set | precision 6 pieces per set plastic handle 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted | 1 | set | 75 |
| | 5 | Spray Bottle | spray plastic clear empty bottle500 mlhand trigger | 1 | рс | 75 |
| | 6 | Tape Measure | plastic60" length (English and metric) | 1 | рс | 75 |
| | 7 | Tracing Wheel | serrated metal wheelplastic handle | 1 | рс | 75 |
| | 8 | Ruler with Grid | 18" lengthtransparentred lines with grid | 1 | рс | 75 |
| | 9 | French Curve | 12" lengthaluminumfor neckline and armhole drawing | 1 | рс | 75 |
| | 10 | Hip Curve | 24" lengthaluminum | 1 | рс | 75 |
| | 11 | Tailor's L square | 24" x 14" length aluminum | 1 | рс | 75 |
| | 12 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 75 |

7 or is

PROCUREMENT OF STARTER TOOLKITS FOR THE IMPLEMENTATION OF REPUBLIC ACT 10931 OR UNIVERSAL ACCESS TO QUALITY TERTIARY

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| 13 Flat iron • electric flat iron 1 unit 75 • any color dry iron 220 volts aluminum sole plate 14 Calculator • 12 digits display front panel metal coating • battery power • big display memory functions up to 4 decimal support • high quality plastic construction and keys off key double zero with rounding function support • dimension: 192mm x 147mm x 42mm 60 Subtotal, Dressmaking NC II 75 70 RAC Servicing (PACU/CRE) NC III 75 1 Gauge Manifold • 2 vaives Three (3) hoses gauge High side gauge pressure: 0-750 psig Low side gauge pressure: 30 in Hg vacuum-500 psig Ero refrigerant R-410a/R-404a 1/4 in, vacuum port size Hose length: 36 inches 2,500 psig burst 2 Multi-Tester • Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1,5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k R. Francisco Resistance: X1 to X1k R. Francisco Resistance: X1 to X1k R. Francisco R. Fran | LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|--|------------|-------------|------------------------|---|-----|------|---------------|
| 14 Calculator 12 digits display 1 | | | Flat iron | any colordry iron220 volts | 1 | unit | 75 |
| 1 Gauge Manifold 2 valves 1 set 75 | | 14 | Calculator | 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x | 1 | unit | 75 |
| 1 Gauge Manifold • 2 valves • Three (3) hoses gauge • High side gauge pressure: 0-750 psig • Low side gauge pressure: 30 in Hg vacuum-500 psig • For refrigerant R-410a/R-404a • 1/4 in. vacuum port size • Hose length: 36 inches • 2,500 psig burst 2 Multi-Tester • Analog • DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k | | | | | | | 75 |
| Three (3) hoses gauge High side gauge pressure: 0-750 psig Low side gauge pressure: 30 in Hg vacuum-500 psig For refrigerant R-410a/R-404a 1/4 in. vacuum port size Hose length: 36 inches 2,500 psig burst Multi-Tester Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | 62 | | | | | | |
| DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | | | Three (3) hoses gauge High side gauge pressure: 0-750 psig Low side gauge pressure: 30 in Hg vacuum-500 psig For refrigerant R-410a/R-404a 1/4 in. vacuum port size Hose length: 36 inches | 1 | | |
| 62 Subtotal, RAC Servicing (PACU/CRE) NC III | | 2 | Multi-Tester | DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g | 1 | unit | 75 |
| , , | 62 | Subto | tal, RAC Servicing (P. | ACU/CRE) NC III | | 1 | 75 |

766

766

gr gv

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|--|---------------------------------------|--------------|---------------|
| 63 | | ervicing (DOMRAC) N | IC II | | | |
| | 1 | Flaring Tool | Flaring with swaging tools set Screw type feed Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD Five (5) swage adapter for tubes | 1 | set | 225 |
| | | | sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD | T T T T T T T T T T T T T T T T T T T | | |
| | 2 | Tube Cutter | Heavy duty For 1/8 inch to 1 1/8 inches pipe Weight: 0.16 ounces. Dimension: 6.8 x 3.3 x 1.3 inches Materials: High strength zinc alloy with spare cutter wheel on the knob | 1 | рс | 225 |
| | 3 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | pc | 225 |
| | 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 225 |
| 63 | Subto | tal, RAC Servicing (DC | | | | 225 |
| 64 | Trans | port RAC Servicing NO | | , | , | |
| | 1 | Gauge Manifold | 2 valves Three (3) hoses high side gauge pressure: 0-500 psig low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerants R-22 and R134-a 1/4 in vacuum port Hose length: 36 inches 2,500 psig burst | 1 | set | 50 |

Tris

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational
Training Center, Buhisan, Tibungco, Davao City

| | Training Center, Buhisan, Tibungco, Davao City | | | | | | | |
|------------|--|------------------------------|---|-----|------|---------------|--|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | | |
| | 2 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 50 | | |
| 64 | | tal, Transport RAC Sei | rvicing NC II | | | 50 | | |
| 68 | Massa | ge Therapy NC II | <u> </u> | | T | | | |
| | 1 | Sphygmomanometer | Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case | 1 | pc | 50 | | |
| | 2 | Stethoscope | Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim | 1 | рс | 50 | | |
| 68 | Subto | tal, Massage Therapy | NC II | 1 | J | 50 | | |
| 69 | 2D An | imation NC III | | | | | | |
| | 1 | Digitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | 1 | set | 75 | | |
| 69 | Subto | tal, 2D Animation NC I | 11 | | | 75 | | |

y of

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|-------------------------------|---|-----|------|---------------|
| 74 | | Graphic Design NC III | | | ! | |
| | 1 | Digitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | 1 | set | 25 |
| 74 | | tal, Visual Graphic Des | | | | 25 |
| 75 | CNC L | athe Machine Operation | Y | | | |
| | 1 | Outside Micrometer Caliper | Satin-chrome finished frameRange: 0-25 mmLeast Count=0.01 mm | 1 | рс | 50 |
| | 2 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | 1 | set | 50 |
| | 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | 1 | set | 50 |
| | 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | 1 | рс | 50 |
| | 5 | Combination Square | Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) | 1 | set | 50 |
| | 6 | Screw Pitch Gauge | 4 to 56 TPI (Teeth per inch)Range: 0.5 mm to 6 mm28 Leaves | 1 | set | 50 |
| 75 | Subto | tal, CNC Lathe Machin | e Operation NC II | | | 50 |
| 76 | | Milling Machine Operat | | | | |
| | 1 | Outside Micrometer Caliper | Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm | 1 | pc | 25 |



EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-------------|------|----------------------------|---|--------|-------------|--------|
| NO. | NO. | : ! | AGENCY SPECIFICATIONS | | UNIT | PAX |
| | 2 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | 1 | set | 25 |
| | 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | 1 | set | 25 |
| | 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | 1 | рс | 25 |
| | 5 | Combination Square | Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) | 1 | set | 25 |
| St. Company | 6 | Screw Pitch Gauge | 4 to 56 TPI (Teeth per inch)Range: 0.5 mm to 6 mm28 Leaves | 1 | set | 25 |
| 76 | | | nding to Bread and Pastry Production | NC II) | | 25 |
| 80 | | letal Arc Welding (GM | | 1 | | |
| | 1 | Welding Jacket | leatherheat resistant | 1 | pc | 50 |
| | 2 | File | half round300 mm longplastic handle | 1 | рс | 50 |
| | 3 | Welding Gloves | leatherheat resistantlong | 1 | pair | 50 |
| | 4 | Hacksaw Frame | Adjustable24 TPIaluminum alloy frame and handle | 1 | рс | 50 |
| | 5 | Chipping Hammer | 300 mm long wood handle | 1 | рс | 50 |
| | 6 | Safety Goggles | PlasticClearElastic Strap | 1 | рс | 50 |
| | 7 | Welding Mask | Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 | 1 | рс | 50 |

1 5 3 92 gd

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEN# | I raining Ce | enter, Buhisan, Tibungco, Davao City | | · | NO. OF |
|------------|-------------|----------------------------------|--|-----|------|-------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 8 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | 1 | unit | 50 |
| 80 | Subto | <i>tal,</i> Gas Metal Arc Weld | ding (GMAW) NC I | | | 50 |
| 81 | Gas M | etal Arc Welding (GMA | AM) NC II | , | , | - |
| | 1 | Hard Hat | yellow ball-cap style hard hat 6 point ratchet type headgear 2 point chin strap and V-rib on top polyethylene material | 1 | pc | 50 |
| | 2 | Safety Goggles | PlasticClearElastic Strap | 1 | рс | 50 |
| | 3 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | 1 | рс | 50 |
| | 4 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | pc | 50 |
| | 5 | Chisel | cold3/4 in X 6-7/8 inforged steel | 1 | рс | 50 |
| | 6 | File | roundbastard cut300 mm longplastic handle | 1 | pc | 50 |
| | 7 | Auto-Darkening Welding Helmet | Adjustable ShadeLens size 3-7/8 in. x 1-1/2 in. | 1 | рс | 50 |
| 81 | | tal, Gas Metal Arc Wel | ding (GMAW) NC II | | | 50 |
| 85 | Machi | ning NC I | | | | |
| | 1 | Adjustable wrench | Alloy steel 0-2 inches (0-50.8 mm) jaw opening 10 inches (254 mm) length | 1 | pc | 25 |
| | 2 | Hacksaw Frame with Blade | Tubular metal frame 90° adjustable blade angle 12 inches fixed blade length | 1 | set | 25 |

J , r

771

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| | Training Center, Buhisan, Tibungco, Davao City | | | | | | | | |
|------------|--|-------------------------------|--|-----|------|---------------------------------------|--|--|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | | | |
| | 3 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 25 | | | |
| | 4 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | 1 | рс | 25 | | | |
| | 5 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 25 | | | |
| | 6 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | 1 | set | 25 | | | |
| | 7 | Combination Square | Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) | 1 | set | 25 | | | |
| 85 | | tal, Machining NC I | | | | 25 | | | |
| 86 | | ning NC II | | 1 | · | · · · · · · · · · · · · · · · · · · · | | | |
| | 1 | Outside Micrometer Caliper | Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm | 1 | pc | 150 | | | |

To ge of

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT ITEM LITER ACENOY OF FOLIO ATIONS OF VINIT NO. (| | | | | | | |
|--|--------|----------------------------|--|-----|------|-----|--|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX | |
| | 2 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.02 mm | 1 | рс | 150 | |
| | 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | 1 | set | 150 | |
| | 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | 1 | рc | 150 | |
| 86 | | tal, Machining NC II | | | | 150 | |
| 88 | Shield | ed Metal Arc Welding | | | , | | |
| | 1 | Welding Gloves | leatherheat resistantlong | 1 | pair | 325 | |
| | 2 | Chipping Hammer | 300 mm longwood handle | 1 | рс | 325 | |
| | 3 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | 1 | рс | 325 | |
| | 4 | Safety Goggles | PlasticClearElastic Strap | 1 | рс | 325 | |
| | 5 | Oxy-acetylene Goggles | Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness | 1 | рс | 325 | |
| | 6 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | pc | 325 | |

To gr

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City


| | | i raining C | enter, Buhisan, Tibungco, Davao City | | | 110 05 |
|------------|-------------|----------------------------------|---|----------|-------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 7 | Welding Mask | Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 | 1 | pc | 325 |
| | 8 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | 1 | unit | 325 |
| 88 | Subto | tal, Shielded Metal Arc | Welding (SMAW) NC I | <u> </u> | | 325 |
| 89 | | ed Metal Arc Welding | | | | |
| | 1 | Welding Jacket | leather heat resistant | 1 | рс | 425 |
| | 2 | Ball Peen Hammer | Forged hard steeljacketed graphite16 oz./ 1 lb | 1 | рс | 425 |
| | 3 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 425 |
| | 4 | Chisel | cold3/4 in X 6-7/8 inforged steel | 1 | рс | 425 |
| | 5 | Hard Hat | yellow ball-cap style hard hat 6 point ratchet type headgear 2 point chin strap and V-rib on top polyethylene material | 1 | рс | 425 |
| _ | 6 | Auto-Darkening Welding Helmet | Adjustable Shade Lens size 3-7/8 in. x 1-1/2 in. | 1 | рс | 425 |
| 89 | Subto | tal, Shielded Metal Are | Welding (SMAW) NC II | | | 425 |
| 91 | Food | Processing NC II | | | | |
| | 1 | Food Tongs | stainless steel 12 inches long with wide shell head with locking | 1 | рс | 175 |
| | 2 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | 1 | рс | 175 |
| | 3 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | 1 | рс | 175 |

7 1° 1

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|--------------------------------|---|-----|-------------|---------------|
| | 4 | Measuring Spoon | stainless steel 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) | 1 | set | 175 |
| | 5 | Measuring Cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 175 |
| | 6 | Mixing bowl | Stainless steel8" diameter5 quart capacity | 1 | рс | 175 |
| | 7 | Colander | Stainless steelMedium Size8 quarts capacity with base | 1 | рс | 175 |
| | 8 | Honing Bar | stainless steel 10-inch length | 1 | рс | 175 |
| | 9 | Saucepan | material: stainlesscapacity: 1.5 literwith lid cover | 1 | рс | 175 |
| | 10 | Casserole | Stainless steel with lid cover and handle both sides Dimension: 20 cm | 1 | рс | 175 |
| 91 | Subto | tal, Food Processing N | IC II | | | 175 |
| 92 | Beauty | y Care NC II | | | | |
| | 1 | Hair Blower | Thermostat AdjustmentWattage: 1,800 wattsFolding handleVoltage: 220 V 60 Hz | 1 | unit | 100 |
| | 2 | Haircutting Scissor | Materials: Stainless steelSharp cutting edgeSize: 19.05 cm long | 1 | рс | 100 |
| | 3 | Protective Cape | Water ProofNylonBlack | 1 | рс | 100 |
| | 4 | Hair Straightener Flat Iron | Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz Dimension: 37 x 16 x 6 cm | 1 | unit | 100 |
| 92 | Subto | tal, Beauty Care NC II | <u> </u> | | | 100 |
| 93 | | y Ćare Services (Nail (| Care) NC II | | | |
| | 1 | Cuticle Nail Pusher | Material: Stainless steel Two end with two different tools Dimension: 10.6 cm x 0.63 cm | 1 | pc | 50 |



TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational
Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | | enter, Buhisan, Tibungco, Davao City | | | NO. OF |
|-----|------|---------------------|--|-----|------|--------|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 2 | Cuticle Nipper | Material: stainless steel tip handed grip ultra fine, surgical quality size: 1/2 jaw single spring Dimension: 10.16 cm x 0.94 cm x 0.07 cm | 1 | pc | 50 |
| | 3 | Finger Nail Bowl | 5-finger mold Plastic Dimension: 17.5 cm x 12.4 cm x 4.8 cm | 1 | рс | 50 |
| | 4 | Hand Nail Cutter | Stainless Steel double side swing out nail file Ergonomic Design Dimension: 5.08 cm x 0.6 cm | 1 | рс | 50 |
| | 5 | Nail File | plastic handle double sided abrasive Dimension: 1 cm x 5 cm x 0.8 cm | 1 | рс | 50 |
| | 6 | Nail Buffer | Durable sand paper, soft sponge Dimension: 9 cm x 3.6 cm x 2.6 cm | 1 | рс | 50 |
| | 7 | Foot File | Hard skin remover Wooden handle with double sided foot rasp Dimension: 26.0 cm x 6.0 cm x 1.4 cm | 1 | рс | 50 |
| | 8 | Cuticle Scissor | Stainless Steel Extra fine point Dimension: 1.7 cm x 7.62 cm x 0.89 cm | 1 | рс | 50 |
| | 9 | Callous Remover | Plastic handle Stainless blade Extra blade Dimension: 14.9 cm x 2.6 cm | 1 | рс | 50 |
| | 10 | Pumice Stone | 100% volcanic stone excellent for scrubbing dry Anti- bacterial for removing dead skin Dimension: 10 cm x 7 cm x 2 cm | 1 | рс | 50 |
| | 11 | Manicure Nail brush | plastic nail brush soft nylon brush Dimension: 6.35 cm x 3.93 cm x 1.57 cm | 1 | рс | 50 |

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City


| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------------|--|-----|------|---------------|
| | 12 | Foot spa Machine | foot detox machine With heater adjustment, bubble massage depth: 14 cm width: 38 cm length: 40 cm 220-240 V/50 Hz | 1 | unit | 50 |
| | 13 | Hand spa Machine | Thermostatically - controlled heating unit length: 24 cm width: 17.5 cm depth: 9 cm 220-240 V/50 Hz | 1 | unit | 50 |
| 93 | | tal, Beauty Care Serv | ices (Nail Care) NC II | | | 50 |
| 94 | ROOKK | eeping NC III Calculator | Scientific Calculator | 1 | unit | 75 |
| | | · | STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | | | |
| | 2 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | 1 | рс | 75 |
| | 3 | Pencil Sharpener | table mounted manually operated with pen crumbs visible container pencil lock hole | 1 | unit | 75 |
| | 4 | Stainless Ruler | Stainless Steel Double sided ruler cm/inches Conversion table on the back side laser engraved lines 30 cm | 1 | рс | 75 |
| | 5 | Flash drive | Capacity: 64 GBCompatibility: USB 3.0 | 1 | рс | 75 |
| | 6 | A4 Paper Pockets File Folder | Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm | 1 | рс | 75 |



EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | | enter, Bunisan, Tibungco, Davao City | | | NO. OF |
|--|--------|--------------------------------|---|-----|----------|--------|
| NO. | NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | PAX |
| | 7 | Puncher | two hole punch Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H) punches up to 20 sheets with sliding ruler | 1 | pc | 75 |
| | 8 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | 1 | рс | 75 |
| 94 | | tal, Bookkeeping NC II | <u> </u> | | | 75 |
| 96 | Hairdr | essing NC II | | | 1 | 05 |
| BLACK IN A CONTROL OF THE CONTROL OF | 1 | Haircutting Scissor | Materials: Stainless steelSharp cutting edgeSize: 19.05 cm long | 1 | pc | 25 |
| | 2 | Hair Blower | Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz | 1 | unit | 25 |
| | 3 | Hair Straightener Flat Iron | Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz Dimension: 37 x 16 x 6 cm | 1 | unit | 25 |
| 96 | Subto | tal, Hairdressing NC II | <u> </u> | | <u> </u> | 25 |
| 100 | Barter | nding NC II | | | | |
| | 1 | Cocktail Shaker | 350 ml capacitystainless steelSize (cm): 25 in L x 5 in W x 16 in H | 1 | рс | 225 |
| | 2 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | 1 | рс | 225 |
| | 3 | Corkscrew | measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener | 1 | рс | 225 |
| | 4 | Blender/Osterizer | 8 speed with pulse 500 watts, 220 volts, 60 hertz stainless steel, ice crusher blade glass jar with cover | 1 | unit | 225 |



EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|-----|-------|-----------------------|---|-----|------|--------|
| NO. | NO. | | | | | PAX |
| | 5 | Flair Bottle | measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm yellow color hard plastic | 1 | рс | 225 |
| | 6 | Ice Pick | measures: 21.5 cm long stainless steel pick with wooden handle 9 cm long | 1 | рс | 225 |
| 100 | Subto | tal, Bartending NC II | | | | 225 |
| 101 | Bread | and Pastry Production | n NC II | | | |
| | 1 | Spatula | Stainless steel straight blade Plastic handle 3 cm blade width 25.4 cm blade length 12.7 cm handle length Round edges | 1 | pc | 550 |
| | 2 | Decorating tips | Stainless steel 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) 3 cm height Opening range: 1.27 cm | 1 | set | 550 |
| | 3 | Flour sifter | Stainless steel mesh flour strainer12" diameter | 1 | рс | 550 |
| | 4 | Measuring cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 550 |
| | 5 | Mixing bowl | Stainless steel8" diameter5 quart capacity | 1 | рс | 550 |
| | 6 | Piping bags | 12 inches lightweight reusable flexible polyester coated, can be boiled dishwasher safe | 1 | рс | 550 |
| | 7 | Wire whisk | Stainless steel 12 inches balloon style handle length: 4 cm | 1 | pc | 550 |

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|--|-----|------|---------------|
| | 8 | Bread knife | Length: 8" serrated edge stain-free high-carbon steel blade polypropylene straight handle | 1 | рс | 550 |
| | 9 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | 1 | unit | 550 |
| | 10 | Muffin pan | 12 holes3 oz. capacity per holealuminum | 1 | pc | 550 |
| | 11 | Cheese Grater | Stainless steel Box grater with handle 20.9 x 8.5 x 6.1 cm Small and large holes | 1 | рс | 550 |
| | 12 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | 1 | pc | 550 |
| 101 | | tal, Bread and Pastry | | | | 550 |
| 102 | 1 | Carving Knife | high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle | 1 | рс | 50 |
| | 2 | Chef's Knife | high carbon stainless steel sharp cutting edge 10-inch blade length | 1 | рс | 50 |
| | 3 | Knife Bag | 8-knife pockets Nylon fabric with zipper PVC backing | 1 | рс | 50 |
| | 4 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | 1 | рс | 50 |
| 102 | Subto | tal, Commercial Coo | king NC III | | | 50 |

780

1 rs

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | enter, Buhisan, Tibungco, Davao City AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------|--|-------------|-------------|---------------|
| 103 | Cooke | ry NC II | | | | |
| | 1 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | 1 | рс | 325 |
| | 2 | Food Tongs | stainless steel12 inches longwith wide shell head with locking | 1 | рс | 325 |
| | 3 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | 1 | unit | 325 |
| | 4 | Honing Bar | stainless steel 10-inch length | 1 | рс | 325 |
| | 5 | Measuring Cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 325 |
| | 6 | Measuring Spoon | stainless steel 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) | 1 | set | 325 |
| | 7 | Saucepan | material: stainless capacity: 1.5 liter with lid cover | 1 | рс | 325 |
| | 8 | Casserole | Stainless steel with lid cover and handle both sides Dimension: 20 cm | 1 | рс | 325 |
| 103 | Subto | tal, Cookery NC II | | | | 325 |
| 104 | | and Beverage Service | s NC II | | | |
| | 1 | Corkscrew | measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener | 1 | рс | 325 |
| | 2 | Linen/Skirting Cloth | 10 yards (double width) skirting clothsatin (any color) | 1 | рс | 325 |
| | 3 | Tablet | Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot | 1 | unit | 325 |
| 104 | Subto | tal, Food and Beverag | e Services NC II | | | 325 |

To is

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | enter, Buhisan, Tibungco, Davao City AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|---------------|-----------------------------|--|--|------|---------------|
| 105 | Food a | and Beverage Service | s NC III | , | | |
| | 1 | Knives | Set of 6 (stainless steel blade with plastic black handle) Set includes: 8" long, chef knife 8" long, serrated knife 8" long, slicing knife 5" long, utility knife 3.5" long, paring knife stainless steel block box | 1 | set | 25 |
| | 2 | Frying Pan | 26 cm non-stick pan with bakelite handlealuminum body | 1 | рс | 25 |
| | 3 | Portable Gas Stove | Portable indoor/outdoor gas stoveceramic enamel-coated drip pan | 1 | рс | 25 |
| | 4 | Serving Spoon | stainless steel serving spoon8 inches in length | 1 | рс | 25 |
| | 5 | Serving Fork | 4 prong stainless steel serving fork8 inches in length | 1 | рс | 25 |
| | 6 | Carving Knife | high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle | 1 | рс | 25 |
| | 7 | Calculator | 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm | 1 | unit | 25 |
| | 8 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | 1 | рс | 25 |
| 105 | + | tal, Food and Beverag | O TO THE PART OF T | ــــــــــــــــــــــــــــــــــــــ | 1 | 25 |

To so

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|---------------------------------|--|-----|------|---------------|
| 106 | Front | Office Services NC II | | | | |
| | 1 | Calculator | 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm | 1 | unit | 100 |
| | 2 | Flash drive | Capacity: 64 GBCompatibility: USB 3.0 | 1 | pc | 100 |
| | 3 | Portable Amplifier | Power Output: 30 W Mode: USB/MP3/FM Charger Voltage: 10V 450 mA AC/DC with headset and lapel microphone | 1 | unit | 100 |
| | 4 | Fake Bills Detector | Voltage: 220V 50Hz-60Hz Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" Fluorescent UV blue lamp 4w On/Off Button | 1 | unit | 100 |
| | 5 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | 1 | pc | 100 |
| | 6 | A4 Paper Pockets File Folder | Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm | 1 | рс | 100 |
| | 7 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | 1 | рс | 100 |
| 106 | Subto | tal, Front Office Servi | ces NC II | | | 100 |

Tan W

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT | ITEM | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF |
|------------|--|----------------------|---|-----|-------|--------|
| NO. 107 | NO. | keeping NC II | AGENOT OF EGIL TOXITIONS | | 0.41. | PAX |
| 107 | 1 | Flashlight | 6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case With stun gun | 1 | рс | 375 |
| | 2 | Steam Flat Iron | Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector | 1 | unit | 375 |
| | 3 | Vacuum Cleaner | Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories | 1 | unit | 375 |
| 107 | | tal, Housekeeping NC | | | | 375 |
| 108 | | keeping NC III | 0 | 1 1 | | 75 |
| | 1 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | pc | 75 |
| | 2 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | рс | 75 |
| | 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | pc | 75 |
| | 4 | Tablet | Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot | 1 | unit | 75 |

 $\int_{a}^{b} \int_{a}^{b} \int_{a$

EDUCATION ACT (UAQTEA) FOR CY 2018

TESDA-Region XI – Regional Training Center - (KORPHIL) Korea-Philippines Vocational Training Center, Buhisan, Tibungco, Davao City

| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
|------------|-------------|----------------------|--|---|------|---------------|
| | 5 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle | 1 | set | 75 |
| | | | Plastic and Rubbertzed handleChrome VanadiumShank: 6" | A CONTRACTOR OF THE PERSON OF | | |
| 108 | Subto | tal, Housekeeping NC | | | | 75 |
| | TOTAL | | | | | 7,025 |

T is


| TE | SDA-Re | | oor Duremdes Building, Gen. San | | e, Korona | dal City |
|------------|-------------|---------------------|---|-------------|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| 2 | Agricu | tural Crops Prod | uction NC II | | | |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 50 |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | рс | 50 |
| | 3 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | pc | 50 |
| | 4 | Pruning Shear | Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size | 1 | рс | 50 |
| 2 | | | rops Production NC II | | | 50 |
| 3 | Agricu | Itural Crops Prod | uction NC III | | | |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | pc | 50 |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | рс | 50 |
| | 3 | Hedge Shear | heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight | 1 | pc | 50 |

7 ~ g2

| TE | SDA-Re | | or Duremdes Building, Gen. San | | e, Koronac | dal City |
|------------|-------------|-----------------------------------|--|-----|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | рс | 50 |
| 3 | | Itural Crops Produ | | | | 50 |
| 4 | Animal | | Management NC III | | | 75 |
| | 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | pc | 75 |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | pc | 75 |
| | 3 | Semen Storage Box | plastic cooler/jug handy grip design 1.9L capacity wide mouth top | 1 | рс | 75 |
| | 4 | Forcep | Stainless 5.5" long, straight kelly forcep | 1 | рс | 75 |
| | 5 | Ear Notcher | Small V-shape blade; stainless | 1 | рс | 75 |
| | 6 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | 1 | pc | 75 |
| 4 | | | Care and Management NC III | | | 75 |
| 5 | | l Production (Poul | T | 1 | | 100 |
| | 1 | Pail | 10 liters capacityPlastic320 mm Height350 mm Diameter677 grams weight | 1 | рс | 100 |
| | 2 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 100 |

T is grant of

TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. OF LOT ITEM UNIT ITEM **AGENCY SPECIFICATIONS** QTY PAX NO. NO. 100 3 Semen Storage 1 plastic cooler/jug рс Box handy grip design • 1.9L capacity wide mouth top 100 Reusable 4 · Fiberglass hypodermic рС Veterinary adjustable syringe with Syringe engraved volume indication on barrel 10 ml capacity 100 • 45 cm diameter aluminum 1 5 Brooder/ Heater set Lamp reflector: socket is insulated porcelain, flexible heavy gauge SJT cord with moldedon plug
Subtotal, Animal Production (Poultry-Chicken) NC II 100 5 12 Organic Agriculture Production NC II 75 Knapsack • Semi-automatic sprayer рс Sprayer • 16 liter capacity • Stainless Steel 1 75 2 Shovel · Rectangular shovel pc • 1 m handle length • 170 mm blade tip width • 220 mm blade tip length • 1,300 g • wooden handle Y grip metal garden rake 1 75 3 Rake рС • 14 teeth • 1.06 meters long aluminum handle 75 1 Hole Digger • 6 inches length рС • 6.5 inches width • 60 inches height • 48 inches fiberglass handle • soft-cushion grip · double bolt through head attachment Subtotal, Organic Agriculture Production NC II 75 12 Pest Management (Vegetables) NC II 13 100 Knapsack • Semi-automatic sprayer 1 рс Sprayer • 16 liter capacity Stainless Steel



| TE | SDA-Re | | oor Duremdes Building, Gen. San | | e, Koronac | dal City |
|------------|-------------|---------------------|--|-----|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | рс | 100 |
| | 3 | Rake | metal garden rake 14 teeth 1.06 meters long aluminum handle | 1 | рс | 100 |
| | 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | рс | 100 |
| 13 | Subtot | tal, Pest Managen | nent (Vegetables) NC II | | | 100 |
| 15 | Rubbe | r Production NC | 11 | | | |
| | 1 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | 1 | рс | 75 |
| | 2 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | 1 | рс | 75 |
| | 3 | Rake | metal garden rake 14 teeth 1.06 meters long aluminum handle | 1 | рс | 75 |
| | | | | | L | |

| TE | SDA-Re | | or Duremdes Building, Gen. Sant | | e, Korona | dal City |
|--|-------------|----------------------|--|-----|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | 1 | рс | 75 |
| 15 | | al, Rubber Produc | | | | 75 |
| 20 | | otive Servicing NC | | | | 405 |
| The same of the sa | | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | 1 | set | 125 |
| And control of the co | 2 | Spark Plug Wrench | 1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm) | 1 | set | 125 |
| | 3 | Feeler Gauge | 25 tempered steel blades Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) Blade length: 80 mm Chrome plated Blade is laser etched with Inches and Millimeters | 1 | set | 125 |
| - | 4 | Hydrometer | Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature | 1 | рс | 125 |
| | 5 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | 1 | рс | 125 |

790

| TE | ESDA-Re | | or Duremdes Building, Gen. Sant | | e, Koronac | dal City |
|------------|-------------|---------------------|--|-------------|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 6 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | 1 | set | 125 |
| | | | • Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | | |
| | 7 | Ball Peen Hammer | jacketed graphite head, polished face 12 ounce (340 grams), wooden handle | 1 | рс | 125 |
| 20 | Subtot | al, Automotive Ser | rvicing NC I | | | 125 |
| 21 | Autom | otive Servicing NC | | | | |
| | 1 | Battery Tester | Suitable for 6 V & 12 V Batteries Up to 1000 CCA (SAE) 12 V Charging/Start System Shock-resistant ventilated cover Color-coded copper-plated clamps | 1 | pc | 50 |
| | 2 | Soldering Gun | Power: 130W Two optional pre-heat (High/Low) Tips: 4 mm x 65 mm Voltage: AC 220V Pre-heat time: 5-10 minutes Power cable: 1 meter Plug type: Type A Material: ABS Plastic | 1 | рс | 50 |

7 is

| TE | SDA-Re | | or Duremdes Building, Gen. Sant | | e, Korona | dal City |
|------------|-------------|-------------------|--|-----|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 3 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | 1 | unit | 50 |
| 21 | | al, Automotive Se | rvicing NC II | | | 50 |
| 24 | Driving | Socket wrench | a 1 x 1/4 Inoh (6 2 mm) Datahat | 1 | set | 225 |
| | | | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | | 561 | |
| | 2 | Vise Grip | 7" straight jawHard steel | 1 | pc | 225 |
| | 3 | Tire Inflator | 12 volts300 psi | 1 | set | 225 |
| 24 | | al, Driving NC II | | | | 225 |
| 27 | Carper | ntry NC II | 0444 (2011) 1 | 1 | | 325 |
| | 1 | Crow Bar | 914.4 mm (36") longforged high steel carbon | 1 | pc | |
| | 2 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | рс | 325 |
| | 3 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 325 |
| | 4 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | pc | 325 |

1

1 gr

| TE | SDA-Re | | or Duremdes Building, Gen. Sant | | e, Korona | dal City | |
|------------|---------------------------|------------------|---|-----|-----------|---------------|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | |
| | 5 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 325 | |
| | 6 | Cross Cut Saw | 60 cm (24 inches) long Hard Plastic Handle 8 points per inch Hard steel blade | 1 | рс | 325 | |
| | 7 | Drill | Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm | 1 | unit | 325 | |
| | 8 | Chalk Line Reel | 100 ft. heavy duty die cast body | 1 | рс | 325 | |
| 27 | Subtotal, Carpentry NC II | | | | | | |
| 39 | Masonry NC II | | | | | | |
| | 1 | Claw Bar | 19 mm diameter x 90 cm long Forged high-carbon tempered steel | 1 | рс | 150 | |
| | 2 | Claw Hammer | 453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle | 1 | pc | 150 | |
| | 3 | Hacksaw | Heavy duty hacksaw with 12" bi-metal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | 1 | рс | 150 | |
| | 4 | Hacksaw Blade | High Speed 24 TPI 304.8 mm (12") long bi-metal Heavy duty steel hacksaw blade | 1 | рс | 150 | |

J. J.

TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City LOT ITEM NO. OF ITEM AGENCY SPECIFICATIONS QTY UNIT NO. NO. PAX 5 150 Handsaw • 20"/500mm Cross Cut Hand pc Saw • Machine set teeth resharpenable with traditional hardwood handle for comfort Paint Brush • 50.8 mm (2") 150 • Pure bristle with comfort grip • Made of Solid Round Tapered (SRT) polyester filaments Paint Brush 150 7 • 101.6 mm (4") 1 рС • Pure bristle with comfort grip • Made of Solid Round Tapered (SRT) polyester filaments 150 1 8 Pull-Push Rule • Blade length 8m/26ft рС • Blade width 1" · High impact ABS case with durable rubber • Corrosion resistant tru-zero end 150 9 Shovel 1 Heavy gauge рс • tempered steel blade digging shovel • 39.5" long • With strong Poly D-grip Hardwood handle 10 1 150 Spirit Level Bar · High impact plastic pc Magnetic • 3 vials, 24" length Steel (Bucket/ 150 • 10" solid forged steel blade 1 11 рс Bricklaying) • Precision tapered Pointing Trowel · Soft duragrip and hard end handle Steel Float/ • 0.7 mm min. thick x 280 mm x 150 12 1 рс Plastering Trowel 125 mm High carbon Steel • Solid forged steel with soft handle 150 13 Steel Square • Carpenter's framing square; 1 рС 2" x 16" x 24" Steel • Double graduation inches/cm 150 39 Subtotal, Masonry NC II

J r.

| TE | SDA-Re | gion XII – 2nd Flo | or Duremdes Building, Gen. San | tos Driv | e, Korona | |
|------------|-------------|--------------------------|--|----------|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| 42 | Plumbi | ng NC I | | | | |
| | 1 | Pipe Wrench | 10" length drop forged alloy steel capacity 2" or 50 mm 1.2 kg cast iron housing and I beam handle | 1 | рс | 50 |
| | 2 | Pipe Wrench | 12" length Drop forged Alloy Steel capacity 2" or 50 mm 1.6 kg cast iron housing and I beam handle | 1 | pc | 50 |
| | 3 | Pipe Cutter | Heavy dutymax. cap. 1/8" to 2"steel handle | 1 | рс | 50 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High-impact ABS case with durable rubber Corrosion resistant tru-zero end | 1 | pc | 50 |
| | 5 | Pipe Vise | capacity 2" material: steel swivel base with dual locking nuts 360 degrees turn | 1 | рс | 50 |
| 42 | Subtot | al, Plumbing NC I | | · | | 50 |
| 43 | | ing NC II | | | | |
| | 1 | Combination Plier | 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards | 1 | рс | 100 |
| | 2 | Hacksaw Frame with Blade | Adjustable24 TPIaluminum frame and handle | 1 | рс | 100 |
| | 3 | Manual Pressure Test | 6 mpa 860 psi max. pressure 12L capacity with brass pump valve | 1 | рс | 100 |

7 = 1 gr 9

| TE | SDA-Re | | or Duremdes Building, Gen. San | | e, Korona | dal City |
|------------|-------------|---|--|-----|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 4 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening304.8 mm (12") in lengthalloy steel | 1 | рс | 100 |
| 43 | Subtota | al, Plumbing NC II | | | | 100 |
| 50 | Tile Se | tting NC II | | , | | |
| | 1 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | 1 | unit | 200 |
| | 2 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | 1 | рс | 200 |
| | 3 | Mechanical plier | 8 inches length insulated handle | 1 | рс | 200 |
| | 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | pc | 200 |
| | 5 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | 1 | рс | 200 |
| | 6 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | 1 | рс | 200 |
| | 7 | Rubber Mallet | 16 oz (453.6 grams)Wooden Handle | 1 | рс | 200 |
| | 8 | Steel (Bucket/ Bricklaying) Pointing Trowel | 10" solid forged steel blade Precision tapered Soft duragrip and hard end handle | 1 | рс | 200 |
| 50 | | al, Tile Setting NC | | | | 200 |
| 53 | | | d Maintenance NC II | | | |
| | 1 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | 1 | рс | 75 |

I gr

796

TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. NO. PAX 75 Long Nose Plier • Overall Length: 8" pc • Steel Alloy • Handle finish: plastic-dipped 75 3 Screwdriver Set 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm, 2 x 150 mm · Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 75 Pipe Bender • 1/2-3/4 inch bending radius 1 рс Manual • ductile high strength iron Subtotal, Electrical Installation and Maintenance NC II 53 75 Electrical Installation and Maintenance NC III 54 Multi-Tester 1 100 Analog unit DCV Range: 0.1 V to 1,000 V • ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 100 2 Allen Wrench • 22 pc Hex Key Set: 1 set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series • Chrome Vanadium steel Wire Stripper 100 3 automatic 1 рс • cap. 1.5 mm to 3.5 mm

J of

TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City LOT ITEM NO. OF UNIT ITEM AGENCY SPECIFICATIONS QTY NO. NO. PAX Combination 1 100 • 16 pcs set Wrench Set • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy steel construction • Lobular box end design 100 54 Subtotal, Electrical Installation and Maintenance NC III Electronics Products Assembly and Servicing NC II 55 100 Multi-Tester Analog 1 unit-• DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V • Internal Battery: R6 (IEC) or UM-3 1.5V x 2 • Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm • Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g • Resistance: X1 to X1k 2 Electrician Plier • Overall Length: 238 mm 1 100 рс Steel Allov • Handle finish: plastic-dipped 100 3 Long Nose Plier • Overall Length: 8" 1 рс • Steel Alloy · Handle finish: plastic-dipped 1 100 Diagonal Cutting • Overall Length: 8" рс Plier • Material: Carbon Steel • Handle Finish: plastic dipped 100 5 Soldering Iron 1 • 30 watts, 220 volts/60hz рС heat pencil tip Allen Wrench 100 6 1 • 22 pc Hex Key Set: set 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm • Long arm series • Chrome Vanadium steel

7 p g

| TE | SDA-Re | | or Duremdes Building, Gen. Sant | | e, Koronac | dal City |
|------------|-------------|---------------------------|--|-------|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 7 | Wire Stripper | automaticcap. 1.5 mm to 3.5 mm | 1 | рс | 100 |
| | 8 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | 1 | pc | 100 |
| | 9 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | 1 | set | 100 |
| 55 | Subtot | al, Electronics Pro | ducts Assembly and Servicing N | IC II | | 100 |
| 60 | Dressr | naking NC II | | | | |
| | 1 | Cutting Shears | 8" lengthstainless steel bladeplastic handle | 1 | pc | 100 |
| | 2 | Meter stick/ Yardstick | 1 meter (metric and English)yellow plastic | 1 | рс | 100 |
| | 3 | Scissors | 6" lengthplastic handle for paper | 1 | рс | 100 |
| | 4 | Screwdriver Set | precision 6 pieces per set plastic handle 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted | 1 | set | 100 |
| | 5 | Spray Bottle | spray plastic clear empty bottle 500 ml hand trigger | 1 | рс | 100 |
| | 6 | Tape Measure | plastic60" length (English and metric) | 1 | рс | 100 |
| | 7 | Tracing Wheel | serrated metal wheelplastic handle | 1 | рс | 100 |

1 p 1

TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. OF ITEM LOT QTY UNIT ITEM AGENCY SPECIFICATIONS PAX NO. NO. 100 Ruler with Grid 1 8 • 18" length рс transparent • red lines with grid 1 100 9 French Curve • 12" length рс aluminum • for neckline and armhole drawing 10 Hip Curve • 24" length 1 100 рс • aluminum 1 100 11 Tailor's L square • 24" x 14" length рс aluminum Screwdriver Set 1 100 12 • 4 pieces per set set • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm • Philips Blade Tip: 1 x 100 mm. 2 x 150 mm • Plastic and Rubberized handle • Chrome Vanadium • Shank: 6" 100 13 1 Flat iron • electric flat iron unit • any color • dry iron 220 volts • aluminum sole plate 100 14 Calculator • 12 digits display unit front panel metal coating battery power big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key • double zero with rounding function support • dimension: 192mm x 147mm x 42mm 100 Subtotal, Dressmaking NC II

Top of

| TE | SDA-Re | gion XII - 2nd Flo | or Duremdes Building, Gen. Sant | os Driv | e, Koronac | |
|------------|-------------|--------------------|--|-------------|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| 62 | RAC Se | ervicing (PACU/CF | RE) NC III | | | |
| | 1 | Gauge Manifold | 2 valves Three (3) hoses gauge High side gauge pressure: 0-750 psig Low side gauge pressure: 30 in Hg vacuum-500 psig For refrigerant R-410a/R-404a 1/4 in. vacuum port size Hose length: 36 inches 2,500 psig burst | 1 | set | 100 |
| | 2 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | 1 | unit | 100 |
| 62 | | | (PACU/CRE) NC III | | | 100 |
| 63 | | ervicing (DOMRAC | | | | |
| | 1 | Flaring Tool | Flaring with swaging tools set Screw type feed Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished Slip on forge steel yoke includes: Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD | 1 | set | 50 |

| TE | SDA-Re | gion XII - 2nd Flo | or Duremdes Building, Gen. Sant | os Driv | e, Koronad | |
|------------|-------------|----------------------------|--|---------|------------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 2 | Tube Cutter | Heavy duty For 1/8 inch to 1 1/8 inches pipe Weight: 0.16 ounces. Dimension: 6.8 x 3.3 x 1.3 inches Materials: High strength zinc alloy with spare cutter wheel on the knob | 1 | pc | 50 |
| | 3 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | 1 | рс | 50 |
| | 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | 1 | set | 50 |
| 63 | | al, RAC Servicing | (DOMRAC) NC II | | | 50 |
| 86 | 1 | Outside Micrometer Caliper | Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm | 1 | рс | 75 |
| | 2 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.02 mm | 1 | рс | 75 |
| | 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | 1 | set | 75 |

J 1

TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. OF LOT ITEM ITEM **AGENCY SPECIFICATIONS** QTY UNIT PAX NO. NO. 4 Digital Vernier Digital Model pc 75 Caliper • LCD Display • Parallax free Vernier scale • (6 inches) 150 mm long 86 Subtotal, Machining NC II 75 Shielded Metal Arc Welding (SMAW) NC II 89 Welding Jacket 1 200 leather рс heat resistant 1 200 2 Ball Peen Forged hard steel рс Hammer • jacketed graphite • 16 oz./ 1 lb 3 Steel Square 200 · Carpenter's framing square; 1 рс 2" x 16" x 24" • Steel • Double graduation inches/cm 4 Chisel cold 1 200 рс • 3/4 in X 6-7/8 in forged steel 5 Hard Hat yellow ball-cap style hard hat 200 рс • 6 point ratchet type headgear • 2 point chin strap and V-rib on polyethylene material 6 Auto-Darkening Adjustable Shade 1 200 рс Welding Helmet • Lens size 3-7/8 in. x 1-1/2 in. Subtotal, Shielded Metal Arc Welding (SMAW) NC II 89 200 91 Food Processing NC II Food Tongs 125 1 1 • stainless steel рс • 12 inches long • with wide shell head with locking 2 Paring Knife • high carbon stainless steel 1 125 рс • size: 3.5-inch blade length • sharp cutting edge • full tang handled Chef's Knife • high-carbon stainless steel 3 125 1 рс • sharp cutting edge • size: 8-inches blade length • riveted handle Measuring 4 stainless steel 125 set Spoon • 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp)

J is

803

| TE | TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City | | | | | | |
|------------|---|------------------------|--|-----|------|---------------|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | |
| | 5 | Measuring Cup | Stainless steel4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 125 | |
| | 6 | Mixing bowl | Stainless steel8" diameter5 quart capacity | 1 | pc | 125 | |
| | 7 | Colander | Stainless steelMedium Size8 quarts capacity with base | 1 | pc | 125 | |
| | 8 | Honing Bar | stainless steel10-inch length | 1 | рс | 125 | |
| | 9 | Saucepan | material: stainlesscapacity: 1.5 literwith lid cover | 1 | рс | 125 | |
| | 10 | Casserole | Stainless steel with lid cover and handle both sides Dimension: 20 cm | 1 | рс | 125 | |
| 91 | Subtot | al, Food Processir | ng NC II | | | 125 | |
| 93 | Beauty Care Services (Nail Care) NC II | | | | | | |
| | 1 | Cuticle Nail Pusher | Material: Stainless steel Two end with two different tools Dimension: 10.6 cm x 0.63 cm | 1 | pc | 100 | |
| | 2 | Cuticle Nipper | Material: stainless steel tip handed grip ultra fine, surgical quality size: 1/2 jaw single spring Dimension: 10.16 cm x 0.94 cm x 0.07 cm | 1 | рс | 100 | |
| | 3 | Finger Nail Bowl | 5-finger mold Plastic Dimension: 17.5 cm x 12.4 cm x 4.8 cm | 1 | pc | 100 | |
| | 4 | Hand Nail Cutter | Stainless Steel double side swing out nail file Ergonomic Design Dimension: 5.08 cm x 0.6 cm | 1 | рс | 100 | |
| | 5 | Nail File | plastic handle double sided abrasive Dimension: 1 cm x 5 cm x 0.8 cm | 1 | рс | 100 | |




| TE | SDA-Re | | or Duremdes Building, Gen. San | | e, Korona | |
|------------|-------------|------------------------|--|-----|-----------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 6 | Nail Buffer | Durable sand paper, soft sponge Dimension: 9 cm x 3.6 cm x 2.6 cm | 1 | рс | 100 |
| | 7 | Foot File | Hard skin remover Wooden handle with double sided foot rasp Dimension: 26.0 cm x 6.0 cm x 1.4 cm | 1 | рс | 100 |
| | 8 | Cuticle Scissor | Stainless Steel Extra fine point Dimension: 1.7 cm x 7.62 cm x 0.89 cm | 1 | рс | 100 |
| | 9 | Callous Remover | Plastic handle Stainless blade Extra blade Dimension: 14.9 cm x 2.6 cm | 1 | рс | 100 |
| | 10 | Pumice Stone | 100% volcanic stone excellent for scrubbing dry Anti- bacterial for removing dead skin Dimension: 10 cm x 7 cm x 2 cm | 1 | pc | 100 |
| | 11 | Manicure Nail brush | plastic nail brush soft nylon brush Dimension: 6.35 cm x 3.93 cm x 1.57 cm | 1 | рс | 100 |
| | 12 | Foot spa Machine | foot detox machine With heater adjustment, bubble massage depth: 14 cm width: 38 cm length: 40 cm 220-240 V/50 Hz | 1 | unit | 100 |
| | 13 | Hand spa Machine | Thermostatically - controlled heating unit length: 24 cm width: 17.5 cm depth: 9 cm 220-240 V/50 Hz | 1 | unit | 100 |
| 93 | Subtot | tal, Beauty Care Se | rvices (Nail Care) NC II | | | 100 |

7

805

| TE | SDA-Re | | or Duremdes Building, Gen. San | | e, Koronac | dal City | | |
|------------|-------------|--------------------------------|---|-----|------------|---------------|--|--|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX | | |
| 96 | Hairdre | essing NC II | | | | | | |
| | 1 | Haircutting Scissor | Materials: Stainless steelSharp cutting edgeSize: 19.05 cm long | 1 | рс | 25 | | |
| | 2 | Hair Blower | Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz | 1 | unit | 25 | | |
| | 3 | Hair Straightener Flat Iron | Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz Dimension: 37 x 16 x 6 cm | 1 | unit | 25 | | |
| 96 | Subtot | al, Hairdressing N | CII | | | 25 | | |
| 100 | Barten | ding NC II | | | pc 50 | | | |
| | 1 | Cocktail Shaker | 350 ml capacity stainless steel Size (cm): 25 in L x 5 in W x 16 in H | 1 | рс | 50 | | |
| | 2 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | 1 | рс | 50 | | |
| | 3 | Corkscrew | measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener | 1 | рс | 50 | | |
| | 4 | Blender/ Osterizer | 8 speed with pulse 500 watts, 220 volts, 60 hertz stainless steel, ice crusher blade glass jar with cover | 1 | unit | 50 | | |
| | 5 | Flair Bottle | measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm yellow color hard plastic | 1 | pc | 50 | | |
| | 6 | Ice Pick | measures: 21.5 cm long stainless steel pick with wooden handle 9 cm long | 1 | рс | 50 | | |
| 100 | Subtot | tal, Bartending NC | II | | | 50 | | |

| TE | TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City | | | | | |
|------------|---|-----------------|---|-----|------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| 101 | | | | | | |
| | 1 | Spatula | Stainless steel straight blade Plastic handle 3 cm blade width 25.4 cm blade length 12.7 cm handle length Round edges | 1 | рс | 125 |
| | 2 | Decorating tips | Stainless steel 7-piece cake decorating tip set (Closed Star, Open Star, French, Round, Plain, Leaf, Petal) 3 cm height Opening range: 1.27 cm | 1 | set | 125 |
| | 3 | Flour sifter | Stainless steel mesh flour strainer12" diameter | 1 | рс | 125 |
| | 4 | Measuring cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 125 |
| | 5 | Mixing bowl | Stainless steel8" diameter5 quart capacity | 1 | рс | 125 |
| | 6 | Piping bags | 12 inches lightweight reusable flexible polyester coated, can be boiled dishwasher safe | 1 | рс | 125 |
| | 7 | Wire whisk | Stainless steel 12 inches balloon style handle length: 4 cm | 1 | pc | 125 |
| | 8 | Bread knife | Length: 8" serrated edge stain-free high-carbon steel blade polypropylene straight handle | 1 | pc | 125 |



| TE | TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City | | | | | dal City |
|------------|---|---------------------------|--|-----|------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 9 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | 1 | unit | 125 |
| | 10 | Muffin pan | 12 holes 3 oz. capacity per hole aluminum | | рс | 125 |
| | 11 | Cheese Grater | Stainless steel Box grater with handle 20.9 x 8.5 x 6.1 cm Small and large holes | | рс | 125 |
| | 12 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | 1 | рс | 125 |
| 101 | | | ry Production NC II | | | 125 |
| 103 | Cooke | ry NC II | | , | · | |
| | 1 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | 1 | рс | 175 |
| | 2 | Food Tongs | stainless steel 12 inches long with wide shell head with locking | 1 | рс | 175 |
| | 3 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | 1 | unit | 175 |
| | 4 | Honing Bar | stainless steel10-inch length | 1 | рс | 175 |
| | 5 | Measuring Cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | 1 | set | 175 |
| | 6 | Measuring Spoon | stainless steel 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) | 1 | set | 175 |
| | 7 | Saucepan | material: stainlesscapacity: 1.5 literwith lid cover | 1 | рс | 175 |

ar of

TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. OF LOT ITEM **AGENCY SPECIFICATIONS** QTY UNIT ITEM NO. PAX NO. 175 8 Casserole 1 · Stainless steel with lid cover рс and handle both sides • Dimension: 20 cm Subtotal, Cookery NC II 175 104 Food and Beverage Services NC II Corkscrew 125 • measures 12 x 2.2 x 1.1 cm рС stainless steel metal corkscrew/bottle opener 2 Linen/Skirting • 10 yards (double width) 1 unit 125 Cloth skirting cloth • satin (any color) 3 1 Tablet • Processor: 1.3 gHz unit 125 • OS: Android 6.0 • Memory: 1GB RAM • Storage: 8GB ROM 1. Display: screen 7" (177.8 mm) 2. With SIM slot Subtotal, Food and Beverage Services NC II 125 Front Office Services NC II 106 Calculator • 12 digits display 1 50 unit · front panel metal coating battery power • big display • memory functions up to 4 decimal support • high quality plastic construction and keys off key • double zero with rounding function support • dimension: 192mm x 147mm x 42mm 2 Flash drive • Capacity: 64 GB 1 50 рс • Compatibility: USB 3.0 3 Portable • Power Output: 30 W 1 50 unit **Amplifier** Mode: USB/MP3/FM • Charger Voltage: 10V 450 mA AC/DC with headset and lapel microphone

> 809 A

| TE | TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City | | | | | |
|------------|---|------------------------------------|---|-------|------|---------------|
| LOT NO. | ITEM NO. | ITEM | AGENCY SPECIFICATIONS | QTY | UNIT | NO. OF PAX |
| | 4 | Fake Bills Detector | Voltage: 220V 50Hz-60Hz Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" Fluorescent UV blue lamp 4w On/Off Button | 1 | unit | 50 |
| | 5 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | 1 | pc | 50 |
| | 6 | A4 Paper Pockets File Folder | Material: Paper boardStainless Steel ClipSize: 22.5 cm x 31 cm | 1 | рс | 50 |
| | 7 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | 1 | рс | 50 |
| 106 | Subtotal, Front Office Services NC II | | | | 50 | |
| 107 | 1 | keeping NC II Flashlight | 6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case With stun gun | . 1 | pc | 100 |
| | 2 | Steam Flat Iron | Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector | 1 | unit | 100 |
| | 3 | Vacuum Cleaner | Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories | 1 | unit | 100 |
| 107 | 107 Subtotal, Housekeeping NC II | | | 100 | | |
| | TOTAL 3,3 | | | 3,375 | | |

Section VII. Technical Specifications

Technical Specifications

| Item | Specification See attached Technical | Statement of Compliance. | | |
|------|--------------------------------------|--------------------------|--|--|
| | See attached Technical | | | |
| | Specifications | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

811

; W gr

| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | | | |
|---|------------------|--|------------------|----------------|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | | |
| 2 | Sprinkler | 7.6 liter plastic watering container high-density polyethylene shock resistant material 13 1/2 inches (342.9 mm) height | | |
| 3 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | | |
| 4 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 5 | Rake | metal garden rake 14 teeth 1.06 meters long aluminum handle | | |
| 6 | Pick Mattock | steel head 3.4 kg. weight 36 inches long wooden handle | | |

| ì | • Wooden name | | |
|-----------------|---------------|---------------------------------|--|
| Name of Bidder: | | Name and Signature of Authorize | |
| | | Position/Designation: | |
| | | Date: | |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | | |
|------------------------|------------------|--|-------------------------|----------------|--|
| No. | Item | Specifications | Item/Brand/Model | Specifications | |
| 1 | Knapsack Sprayer | Semi-automatic sprayer 16 liter capacity Stainless Steel | | | |
| 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | | |
| 3 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | | |
| 4 | Pruning Shear | Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size | | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Z

| | TES | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | | |
| 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 3 | Hedge Shear | heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight | | |
| 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA'S | SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|-----------------------------|---|-------------------------|--|
| No. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | | |
| 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 3 | Semen Storage Box | plastic cooler/jug handy grip design 1.9L capacity wide mouth top | | |
| 4 | Forcep | Stainless 5.5" long, straight kelly forcep | | |
| 5 | Ear Notcher | Small V-shape blade; stainless | | The state of the s |
| 6 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel | | |
| | | 10 ml capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Z

-5

| 5 - Animal Production (Poult | ry-Chicken) NC II | | | |
|------------------------------|--|--|--|--|
| TESDA'S | SPECIFICATIONS | BIDDER'S SPECIFICATIONS | | |
| ltem | Specifications | Item/Brand/Model | Specifications | |
| Pail | 10 liters capacity | | | |
| | Plastic | | | |
| | 320 mm Height | | | |
| | 350 mm Diameter | | | |
| | 677 grams weight | | , | |
| Knapsack Sprayer | Semi-automatic sprayer | | | |
| | | | | |
| | | | | |
| Semen Storage Box | | | | |
| | , | | | |
| | , , | | | |
| | The second secon | | | |
| Reusable Veterinary Syringe | , , | | | |
| | | | | |
| | | | | |
| Drander/Heater Lemm | The state of the s | | | |
| Brooder/ Heater Lamp | | | | |
| | heavy gauge STT cord with molded on | | | |
| | | | | |
| | TESDA'S Item | Pail Plastic 320 mm Height 350 mm Diameter 677 grams weight Knapsack Sprayer Semi-automatic sprayer 16 liter capacity Stainless Steel Semen Storage Box plastic cooler/jug handy grip design 1.9L capacity wide mouth top Reusable Veterinary Syringe Reusable Veterinary Syringe Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | Item Specifications Item/Brand/Model | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

I 3,

| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | | CIFICATIONS | |
|--|-----------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | | |
| 2 | Knapsack Sprayer | Semi-automatic sprayer 16 liter capacity Stainless Steel | | |
| 3 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | | |
| 4 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 5 | Ear Notcher | Small V-shape blade; stainless | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| LOT | 7 - Animal Production (Swin | e) NC II | | |
|-----|-----------------------------|--|------------------|----------------|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Reusable Veterinary Syringe | Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel 10 ml capacity | | |
| 2 | Ear Notcher | Small V-shape blade; stainless | | |
| 3 | Forcep | Stainless 5.5" long, straight kelly forcep | | |
| 4 | Semen Storage Box | plastic cooler/jughandy grip design1.9L capacitywide mouth top | | |
| 5 | Knapsack Sprayer | Semi-automatic sprayer16 liter capacityStainless Steel | | |
| 6 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

18 V

I .

| | TESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|--------------------|--|------------------|----------------|
| lo. Item | Specifications | Item/Brand/Model | Specifications |
| 1 pH meter | Ph range from 0-14 large multi-level LCD which displays both pH and temperature readings simultaneously An exposed temperature sensor allows for rapid automatic temperature compensated pH measurements Temperature can be set to display in °C or °F The LCD screen has stability and calibration tag indicators The battery percent level is displayed at start up alerting the user to the remaining battery power that is available. | | |
| 2 Scoop net | net material: nylon size detail: handle length: 2.7 cm/10.63 inch net size: 20 x 18 cm / 7.87 x 7.07 inch net depth: 20 cm / 7.87 inch total length: 47 cm / 18.50 inch | | |
| 3 Drawing instrume | compass with 0.5 mm pencil lead, used for drawing circle or circular, made from stainless steel, durable and easy to carry geometry tools, special suitable for school teaching use size 11.5 cm x 2 cm x 0.6 cm package included: transparent box + silver metal compass stand tall + lead refill | | |

| | TESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|--------------|--|------------------|----------------|
| No. Item | Item Specifications Item/Brand/Model | ltem/Brand/Model | Specifications |
| 4 Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 x 5 inches dimension Hard Slide Case | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 9 - Fish Capture NC | II | | |
|-----|---------------------|--|------------------|----------------|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Spray gun | 600 cc capacity gravity typeHeavy dutyMaterial: Alloy Steel | | |
| 2 | Grinder | Angle grinder Powerful 670 Watts input power Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz | | |
| 3 | Drill | Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-------|---|-------------------------|----------------|
| lo. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 Hedge SI | hear | heavy duty hedge shear carbon steel blades wooden handle corrosion resistant cold-forged steel blade premium edges 8.5 inches blade length 0.375 inches cutting capacity 22 inches overall length 0.82 kg weight | | |
| 2 Rake | | metal garden rake 14 teeth 1.06 meters long aluminum handle | | |
| 3 Pruning S | Saw | 13 inches curved steel turbo cut pull action blade rugged razor tooth blade Non-slip pistol grip handle 12 feet overall length | | |
| 4 Hole Digg | ger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | |
| 5 Pruning S | Shear | Chrome-plated blade finish straight blade 80 mm cutting capacity 8 inch user hand size | | |

7

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----------|-------|--|------------------|----------------|
| o. Ite | ·m | Specifications | Item/Brand/Model | Specifications |
| Sprinkler | | 7.6 liter plastic watering container high-density polyethylene shock resistant material | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|----|---------------|--|-------------------------|----------------|
| o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Rake | metal garden rake | | |
| | | 14 teeth | | |
| | | 1.06 meters long aluminum handle | | |
| 2 | Shovel | Rectangular shovel | | |
| | | 1 m handle length | | |
| | | 170 mm blade tip width | | |
| | | 220 mm blade tip length | | |
| | | • 1,300 g | | |
| | | wooden handle Y grip | | |
| 3 | Hedge Shear | heavy duty hedge shear | | |
| | | carbon steel blades | | |
| | | wooden handle | | |
| | | corrosion resistant cold-forged steel blade | | |
| | | premium edges | | |
| | | 8.5 inches blade length | | |
| | | 0.375 inches cutting capacity | | |
| | | 22 inches overall length | | |
| | | 0.82 kg weight | | |
| 1 | Hole Digger | 6 inches length | | |
| | | 6.5 inches width | | |
| | | 60 inches height | | |
| | | 48 inches fiberglass handle | | |
| | | soft-cushion grip | | |
| | | double bolt through head attachment | | |
| 5 | Pruning Shear | Chrome-plated blade finish straight | | |
| | | blade | | |
| | | 80 mm cutting capacity | | |
| | | 8 inch user hand size | | |

| LOT | 11 - Landscape Insta | Illation and Maintenance (Softscape) NC II | | |
|-----|----------------------|--|------------------|----------------|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Pole Pruner | Fiber Glass Pole | | |
| | | 3kg weight | | |
| | | • 16 ft long | | |
| | | 15 inches Saw length | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | | |
|-------------------|--|-------------------------|----------------|--|
| o. Item | Specifications | Item/Brand/Model | Specifications | |
| 1 Knapsack Spraye | Semi-automatic sprayer16 liter capacityStainless Steel | | | |
| 2 Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | | |
| 3 Rake | metal garden rake14 teeth1.06 meters long aluminum handle | | | |
| Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Jan 2

| | 13 - Pest Managemen | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Knapsack Sprayer | Semi-automatic sprayer 16 liter capacity Stainless Steel | | |
| 2 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 3 | Rake | metal garden rake 14 teeth 1.06 meters long aluminum handle | | |
| 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

A

a. -2

| - | | TESDA'S SPECIFICATIONS | BIDDER'S SP | ECIFICATIONS |
|-----|-----------|--|------------------|--|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Vise grip | 7" straight jawHard steel | | and the second s |
| 2 | Pliers | Nickel Plated Pliers Long nose combination Side cut pliers 8 inches product size 300 grams weight | | |
| 3 | Drill | Hand Drill Voltage: 220 V/60 Hz Continuous power input: 350 Watts No load speed: 0-3,000 rpm Dimension (L x W x H): 23 cm x 6.8 cm x 16.4 cm | | |
| 4 | Grinder | Angle grinder Powerful 670 Watts input power Maximum safety - come with Burst Proof Guards and 2 motion switch 220 Volts/60 Hz | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

B

| | | TESDA'S SPECIFICATIONS | BIDDER'S SPE | CIFICATIONS |
|-----|------------------|--|------------------|----------------|
| No. | ltem | Item Specifications | Item/Brand/Model | Specifications |
| 1 | Shovel | Rectangular shovel 1 m handle length 170 mm blade tip width 220 mm blade tip length 1,300 g wooden handle Y grip | | |
| 2 | Knapsack Sprayer | Semi-automatic sprayer 16 liter capacity Stainless Steel | | |
| 3 | Rake | metal garden rake14 teeth1.06 meters long aluminum handle | | |
| 4 | Hole Digger | 6 inches length 6.5 inches width 60 inches height 48 inches fiberglass handle soft-cushion grip double bolt through head attachment | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

(A)

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Spray Gun | 400 cc cup/minimum of 50 psi operation pressure 180-250 paint width | | |
| 2 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | |
| | | 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | Long arm seriesChrome Vanadium steel | | |
| 3 | Car Polisher/Buffing Tool | Variable Speed Control220 volts | | |

| Name of Bidder: | Name and Signature of Authorized Representative: | |
|-----------------|--|--|
| | Position/Designation: | |
| | Date: | |

Sh.

| LOT | 17 - Automotive Body Pa | inting/Finishing NC II | | |
|------------------------|-------------------------|--|-------------------------|----------------|
| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
| No. | Item Specifications | | Item/Brand/Model | Specifications |
| 1 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | | |
| 2 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 18 - Automotive Body | Repairing NC II | | and the second |
|-----|----------------------|--|-------------------------|--|
| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Tin Snip, Straight | 12" metal cutting Forged steel | | |
| 2 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |
| 3 | Drill | Hand Drill Variable Speed 220 volts With accessories | | |
| 4 | Riveter | Heavy Duty Steel 3 nose pieces for 1/8, 5/32 and 3/16 inch rivets | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------|---|-------------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Socket Wrench | Drive: ½" Socket points: 6 points Socket diameter(s): 10 mm to 32 mm Ratchet handle length: 250 mm Sliding T bar length: 300 mm Extension bar length: 250 mm Universal joint length: 2-3/4" | | |
| 2 | Impact Driver | 8 pieces Material: Tempered Chrome Vanadium Steel Reversible (Clockwise & Counterclockwise) Drive: 3/8" Overall length: 155 mm | | |
| 3 | T-Wrench | 7 Pieces per set Sizes from 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm and 14 mm | | |
| 4 | Vise Grip | 7" straight jaw Hard steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

7

gr

2. 7

| | TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-------------------|--|------------------|----------------|
| ١o. | ltem | Item Specifications | Item/Brand/Model | Specifications |
| 1 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | | |
| 2 | Spark Plug Wrench | 1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm) | | |
| 3 | Feeler Gauge | 25 tempered steel blades Gauge measures: 0.0015" (0.038 mm) to 0.035" (0.889 mm) Blade length: 80 mm Chrome plated Blade is laser etched with Inches and Millimeters | | |
| 4 | Hydrometer | Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature | | |
| 5 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | | |

| | TES | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| | | Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 7 | Ball Peen Hammer | jacketed graphite head, polished face 12 ounce (340 grams), wooden handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Nate: |

| LOT | 21 - Automotive Ser | vicing NC II | | |
|-----|---------------------|--|------------------|----------------|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Battery Tester | Suitable for 6 V & 12 V Batteries Up to 1000 CCA (SAE) 12 V Charging/Start System Shock-resistant ventilated cover Color-coded copper-plated clamps | | |
| 2 | Soldering Gun | Power: 130W Two optional pre-heat (High/Low) Tips: 4 mm x 65 mm Voltage: AC 220V Pre-heat time: 5-10 minutes Power cable: 1 meter Plug type: Type A Material: ABS Plastic | | |
| 3 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Z.

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|----------------------------------|--|-------------------------|----------------|
| No. | Item | tem Specifications | Item/Brand/Model | Specifications |
| 1 | Piston Ring Compressor | Material: Strong Spring Steel Capacity: Fits 3 Inch to 7 in Pistons (76.2 mm-177.8 mm) Height: (3 Inch.) 76.2 mm Designed With Double Friction Brake Adjustment and Hardened Tool Ratchet 1/4 In. Square Drive Adjuster | | |
| 2 | Valve Lifter / Spring Compressor | Length: 11" All steel sturdy construction with hardened jaws Light weight C-type lifter works as a one hand tool | | |
| 3 | Gauge Manifold | 2 valves Three (3) hoses high side gauge pressure: 0-500 psig low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerants R-22 and R134-a 1/4 in vacuum port Hose length: 36 inches 2,500 psig burst | | |

ap

| LOT | 22 - Automotive Servicing NC III | | | |
|-------------------------|------------------------------------|--|-------------------------|----------------|
| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
| No. Item Specifications | | | Item/Brand/Model | Specifications |
| 4 | Oil Filter Remover (Filter Wrench) | Handle Material: Aluminum Wrench Shaft Length: 14.6 cm/5.7" Chain Total Length: 44.5 cm/17.5" Maximum Usable Length: 38.5 cm For removing all oil filters up to 60-120 mm diameter | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 23 - Driving (Passen | ger Bus/Straight Truck) NC III | THE PARTY OF THE P | |
|-----|----------------------|--|--|----------------|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Floor Jack | 3 tons Minimum Height: 130 mm Maximum Lift Height: 300 mm | | |
| 2 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |
| 3 | Screwdriver Set | Philips & Standard6 pcs. per setplastic handle | | |
| | | • Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| | | Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | | |
| 2 | Vise Grip | 7" straight jawHard steel | | |
| 3 | Tire Inflator | 12 volts300 psi | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

7

A

5. I

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 2 | Vise Grip | T'' straight jaw Hard steel | | |
| 3 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

__

ga

| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 5 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | | |
| 6 | Mechanical plier | 8 inches length insulated handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | | Engine Servicing NC II SDA'S SPECIFICATIONS | BIDDER'S SPE | CIFICATIONS |
|-----|-------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | T-Wrench | 4 pcs forged steel with sizes 8-10-12 and 14 mm | | |
| 2 | Spark Plug Wrench | 1 pc T-Handle Universal Joint 2 pcs Spark Plug Socket Wrench (16 and 21 mm) | | |
| 3 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm | | |
| | | Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |
| 4 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | |
| | | 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | Long arm seriesChrome Vanadium steel | | |
| 5 | Socket wrench | 1 x 1/4-Inch (6.3 mm) Ratchet Wrench 10 pcs 10 mm-24 mm Common Sockets 1 pc Extension Rod | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| lo. | · - | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|--|--|--|--|
| VO. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Crow Bar | • 914.4 mm (36") long | | |
| | | forged high steel carbon | | |
| 2 | Pull-Push Rule | Blade length 8m/26ft | | |
| | | Blade width 1" | | |
| | | High impact ABS case with durable | | |
| | | rubber | | |
| | | Corrosion resistant tru-zero end | | |
| 3 | Steel Square | Carpenter's framing square; 2" x 16" x 24" | | |
| | | Steel | | |
| | | Double graduation inches/cm | | |
| 4 | Try Square | • Size: 8" x 12" | | |
| | | Thickness: 1.8-2 mm | | |
| | | Material: Spring Steel | | |
| | | Handle Material: Aluminum Alloy | | |
| | and these to the same and the s | Metric and English Graduations | | The second secon |
| 5 | Spirit Level Bar | High impact plastic | | |
| | | Magnetic | | |
| | and the ratio for the control of the first thanks at the first than the control of the control o | 3 vials, 24" length | | and the same of th |
| 6 | Cross Cut Saw | 60 cm (24 inches) long | | |
| | | Hard Plastic Handle | | |
| | | 8 points per inch | | |
| | | Hard steel blade | | |
| 7 | Drill | Hand Drill | The state of the s | |
| • | Dilli | Voltage: 220 V/60 Hz | | |
| | | Continuous power input: 350 Watts | | |
| | | No load speed: 0-3,000 rpm | | |
| | | • Dimension (L x W x H): 23 cm x 6.8 cm x | | |
| | | 16.4 cm | | |

Z

| LOT | LOT 27 - Carpentry NC II | | | | |
|-----|---|----------------------------------|------------------|--|--|
| | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | | | |
| No. | Item | Specifications | Item/Brand/Model | Specifications | |
| 8 | Chalk Line Reel | 100 ft. heavy duty die cast body | | A handlest community graph arms to the state of the state | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

g

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|--------------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Handsaw | 20"/500mm Cross Cut Hand Saw Machine set teeth resharpenable with traditional hardwood handle for comfort | | |
| 2 | Dust Masks/ Respirator | Half face reusable respirator Gas mask Head harness cradle suspension Lightweight elastomeric material Twin filter, Bayonet fitting connection filter system | | |
| 3 | Safety Goggles | Clear polycarbonateWoven elastic strapAdjustable | | |
| 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 5 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle | | |
| | | Chrome Vanadium Shank: 6" | | |
| 6 | Steel Float/ Plastering Trowel | 0.7 mm min. thick x 280 mm x 125 mm High carbon Steel Solid forged steel with soft handle | | |

7

R

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------|--------------------------------|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Spray Gun | Low Pressure | | |
| | | Material: Stainless steel | | |
| | | Fluid nozzle: 1 mm | | |
| | | Air Pressure Required: 3.0 bar | | |
| | | with complete set of wrenches | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | |
|-----|------------------------|---|-------------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction | | |
| | | Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard6 pcs. per setplastic handle | | |
| | | Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x | | |
| ! | | 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |

~

| LOT | 29 - Heavy Equipme | nt Operation [HEO] (Backhoe Loader) NC II | | |
|--|--------------------|---|------------------|----------------|
| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIO | | | | |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|----|------------------------|---|-------------------------|----------------|
| Ю. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x | | |
| | | 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |
| 5 | Vise Grip | 7" straight jawHard steel | | |

A

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | | |
| 7 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | | | |
|--|------------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |

R

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

A T

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 | | |
| 3 | Pipe Wrench | mm), 1/4 in x 5 in (6 mm x 150 mm) 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches lengthinsulated handle | | |
| 5 | Vise Grip | 7" straight jawHard steel | | |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Long Nose Plier | Overall Length: 8" | | |
| | | Steel Alloy | | |
| | | Handle finish: plastic-dipped | | |
| 7 | Grease Gun | Capacity: 80 cc | | |
| | | Loading way: 80 cc | | |
| | | Working pressure: 1,400 psi | | |
| | | Burst pressure: 4,000 psi | | |
| | | Short stroke "lever action" for easy use | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------|---|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |

ż

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------|---|-------------------------|----------------|
| No. | Item | Specifications | ltem/Brand/Model | Specifications |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

ac K

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|------------------------|---|------------------|----------------|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches lengthinsulated handle | | |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|------------------------|---|------------------|-----------------------|
| lo. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x | | |
| | | 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Adjustable wrench | Alloy steel 0-2 inches (0-50.8 mm) jaw opening 10 inches (254 mm) length | | |
| 4 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |

~1

B

| | | nt Operation [HEO] (Road Roller [Compactor]) N SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-------------------------|-----------------|---|-------------------------|--|
| No. Item Specifications | | Item/Brand/Model | Specifications | |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Long Nose Plier | Dyna Grip152 mm/ 6 inchescarbon steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | SIFICATIONS |
|-----|------------------------|---|------------------|----------------|
| lo. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------|---|-------------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPECIFICATION | |
|-----|------------------------|---|------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 2 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |
| 3 | Pipe Wrench | 355.6 mm (14") Heavy duty forged alloy steel Pipe capacity: 2 inches Cast-iron housing and I-beam handle with full floating forged hook jaw featuring self-cleaning threads With replaceable hook and heel jaw | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |



| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|-------------------------|---|-------------------------|--|
| No. | No. Item Specifications | | Item/Brand/Model Spec | |
| 5 | Grease Gun | Capacity: 80 cc Loading way: 80 cc Working pressure: 1,400 psi Burst pressure: 4,000 psi Short stroke "lever action" for easy use | | |
| 6 | Tire Gauge | Heavy Duty Condor type160 psi. pressure capacity | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPEC | CIFICATIONS |
|------------------------|------------------|---|------------------|--|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Chalk Line Reel | 100 ft. heavy duty die cast body | | |
| 2 | Claw Bar | 19 mm diameter x 90 cm long | | |
| | | Forged high-carbon tempered steel | | |
| 3 | Claw Hammer | • 453.6 grams (16 oz.) | | |
| | | Forged steel | | |
| | | Hardened and tempered steel head | | |
| | | Smooth face | | |
| | | Fiberglass handle | | |
| 4 | Handsaw | 20"/500mm Cross Cut Hand Saw | | |
| | | Machine set teeth | | |
| | | resharpenable with traditional hardwood | | |
| | | handle for comfort | | |
| 5 | Pull-Push Rule | Blade length 8m/26ft | | |
| | | Blade width 1" | | |
| | | High impact ABS case with durable | | |
| | | rubber | | |
| | | Corrosion resistant tru-zero end | | the second of th |
| 6 | Shovel | Heavy gauge | | |
| | | tempered steel blade digging shovel | | |
| | | • 39.5" long | | |
| | | With strong Poly D-grip | | |
| | Olada III. | Hardwood handle | | - . |
| 7 | Sledge Hammer | 4 lbs. forged steel head sledge | | |
| | | • 15 inches long | | |
| | 0 ::11 | fiberglass handle | | |
| 8 | Spirit Level Bar | High impact plastic | | |
| | | Magnetic | | |
| | 0 | • 3 vials, 24" length | | |
| 9 | Straight Edge | 6 mm thick x 54 mm wide x 900 mm long | | |
| | | aluminum | | |

| LOT 38 - Masonry NC I | | | | |
|-----------------------|------------|---------------------------------------|------------------|--|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 10 | Try Square | 12" length | | The second secon |
| | | Hard alloy steel | | |
| | | With Metric/English system graduation | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA'S | TESDA'S SPECIFICATIONS | | CIFICATIONS |
|-----|----------------|--|--|-----------------------------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Claw Bar | 19 mm diameter x 90 cm long | | |
| | | Forged high-carbon tempered steel | will the control of t | A |
| 2 | Claw Hammer | • 453.6 grams (16 oz.) | | |
| | | Forged steel | | |
| | | Hardened and tempered steel head | | |
| | | Smooth face | | |
| | | Fiberglass handle | was approximated to the contract of the contra | · · · · · · · · · · · · · · · · · |
| 3 | Hacksaw | Heavy duty hacksaw with 12" bi- | | |
| | | metal hacksaw blade | | |
| | | High Speed 24 TPI | | |
| | | Strong box section steel, rugged, | | |
| | | professional industrial hacksaw | | |
| 4 | Hacksaw Blade | Rubberized handle frame High Speed 24 TDI | COLUMN TO THE PROPERTY OF THE | |
| 4 | Tidensaw biade | High Speed 24 TPI304.8 mm (12") long bi-metal | | |
| | | Heavy duty steel hacksaw blade | | |
| 5 | Handsaw | 20"/500mm Cross Cut Hand Saw | AND THE RESIDENCE OF THE PROPERTY OF THE PROPE | |
| J | Tanasaw | Machine set teeth | | |
| | | resharpenable with traditional | | |
| | | hardwood handle for comfort | | |
| | | Hallanood Hallano 151 Sellinoit | | |
| 6 | Paint Brush | • 50.8 mm (2") | | |
| | | Pure bristle with comfort grip | | |
| | | Made of Solid Round Tapered | | |
| | | (SRT) polyester filaments | | |
| 7 | Paint Brush | • 101.6 mm (4") | | |
| ' | T GITTE DIGGIT | Pure bristle with comfort grip | | |
| | | Made of Solid Round Tapered | | |
| | | (SRT) polyester filaments | | |

R.

| | TESDA'S SPECIFI | TESDA'S SPECIFICATIONS | | CIFICATIONS |
|-----|---|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 9 | Shovel | Heavy gauge tempered steel blade digging shovel 39.5" long With strong Poly D-grip Hardwood handle | | |
| 10 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | | |
| 11 | Steel (Bucket/ Bricklaying) Pointing Trowel | 10" solid forged steel blade Precision tapered Soft duragrip and hard end handle | | |
| 12 | Steel Float/ Plastering Trowel | 0.7 mm min. thick x 280 mm x 125 mm High carbon Steel Solid forged steel with soft handle | | |
| 13 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

ج ﴿

| | TESDA'S SPECIFI | BIDDER'S SPEC | CIFICATIONS | |
|-----|---|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Level Hose | 6 mm dia. X 20 m long | | |
| | | transparent green/clear | | |
| | | High Flexibility Plastic PVC level | | |
| | | hose | | |
| 2 | Hacksaw | Heavy duty hacksaw with 12" bi- | | |
| | | metal hacksaw blade | | |
| | e e | High Speed 24 TPI | | |
| | | Strong box section steel, rugged, | | |
| | | professional industrial hacksaw | | |
| | | Rubberized handle frame | | |
| 3 | Hacksaw Blade | High Speed 24 TPI | | |
| | | • 304.8 mm (12") long bi-metal | | |
| | | Heavy duty steel hacksaw blade | | |
| 4 | Handsaw | 20"/500mm Cross Cut Hand Saw | | |
| | | Machine set teeth | | |
| | | resharpenable with traditional | | |
| E | Start Floot/ Plantaring Travel | hardwood handle for comfort | | |
| 5 | Steel Float/ Plastering Trowel | • 0.7 mm min. thick x 280 mm x 125 mm | | |
| | | High carbon Steel | , | |
| | | Solid forged steel with soft handle | | |
| 6 | Steel (Bucket/ Bricklaying) Pointing Trowel | | | |
| Ü | Steel (Business Brisking) i smalling from | Precision tapered | | |
| | | Soft duragrip and hard end handle | | |
| 7 | Pull-Push Rule | Blade length 8m/26ft | | |
| • | , | Blade width 1" | | |
| | | High impact ABS case with durable | | |
| | | rubber | | |
| | | Corrosion resistant tru-zero end | | |
| 8 | Vise Grip | 7" straight jaw | | |
| | · | Hard steel | | |

| | TESDA'S | SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 9 | Claw Hammer | 453.6 grams (16 oz.) Forged steel Hardened and tempered steel head Smooth face Fiberglass handle | | |
| 10 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | | |
| 11 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | | |
| 12 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 13 | Chalk Line Reel | 100 ft. heavy duty die cast body | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|-------------------------|------------------|---|-------------------------|----------------|
| No. Item Specifications | | | Item/Brand/Model | Specifications |
| 1 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 2 | File | half round300 mm longplastic handle | | |
| 3 | Welding Gloves | leatherheat resistantlong | | |
| 4 | Mechanical plier | 8 inches length insulated handle | | |
| 5 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 6 | Claw Hammer | Forged high-carbon steel head Smooth face 12 oz Wooden Handle | | |
| 7 | Ball Peen Hammer | jacketed graphite head, polished face 12 ounce (340 grams), wooden handle | | |
| 8 | Hacksaw | Heavy duty hacksaw with 12" bi-metal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | | |

| LOT | 41 - Pipefitting NC II | | | |
|-----|------------------------|--|------------------|----------------|
| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Item Specifications | Item/Brand/Model | Specifications |
| 9 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy | | |
| | | Metric and English Graduations | · | |
| 10 | Combination Plier | 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards | | |
| 11 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle | | |
| | | Chrome VanadiumShank: 6" | | |
| 12 | Spirit Level Bar | High impact plastic Magnetic 3 vials, 24" length | | |
| 13 | Hard Hat | V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material | | |

| Name of Bidder: | Name and Signature of Authorized Representative: | |
|-----------------|--|--|
| | Position/Designation: | |
| | Date: | |

g

| LO1 | 42 - Plumbing NC I | | | |
|------------------------|--------------------|--|---|----------------|
| TESDA'S SPECIFICATIONS | | | ESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | |
| No. | Item | Item Specifications | Item/Brand/Model | Specifications |
| 1 | Pipe Wrench | 10" length drop forged alloy steel capacity 2" or 50 mm 1.2 kg cast iron housing and I beam handle | | |
| 2 | Pipe Wrench | 12" length Drop forged Alloy Steel capacity 2" or 50 mm 1.6 kg cast iron housing and I beam handle | | |
| 3 | Pipe Cutter | Heavy duty max. cap. 1/8" to 2" steel handle | | |
| 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 5 | Pipe Vise | capacity 2" material: steel swivel base with dual locking nuts 360 degrees turn | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

B

| LOT | 43 - Plumbing NC II | | | |
|-----|--------------------------|--|-------------------------|----------------|
| | TESDA'S | SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Item Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Plier | 7-Inch Dyna Grip forged carbon steel heat treated Bi-material soft grip ergonomically designed DynaGrip handle with finger guards | | |
| 2 | Hacksaw Frame with Blade | Adjustable24 TPIaluminum frame and handle | | |
| 3 | Manual Pressure Test | 6 mpa860 psi max. pressure12L capacitywith brass pump valve | | |
| 4 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening304.8 mm (12") in lengthalloy steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

gn

E

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|-------------------------|-----------------------|---|-------------------------|----------------|
| No. Item Specifications | | | Item/Brand/Model | Specifications |
| 1 | Socket Fusion Machine | 20 mm - 32 mm cap 3/4", 1", 1 1/4" and 1 1/2" 220 volts 1,600 watts | | |
| 2 | Hard Hat | V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material | | |
| 3 | Flat Screwdriver | 10" long magnetic tip chrome vanadium plastic handle | | |
| 4 | Philip Screwdriver | 10" long magnetic tip chrome vanadium plastic handle | | |
| 5 | Mechanical Plier | plastic dip insulated handle 6" long rush resistant chrome finish two position adjustable joint pliers | | |
| 6 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening 304.8 mm (12") in length alloy steel | | |
| 7 | Claw Hammer | Forged high-carbon steel head Smooth face 12 oz Wooden Handle | | |
| 8 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | | |

| LOT | LOT 44 - Plumbing NC III | | | | |
|--|--------------------------|-------------------------------|------------------|---|--|
| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | | | | |
| No. | ltem | Specifications | Item/Brand/Model | Specifications | |
| 9 | Electrician Plier | Overall Length: 238 mm | | 4 10 7 10 10 10 10 10 10 10 10 10 10 10 10 10 | |
| | | Steel Alloy | | | |
| | | Handle finish: plastic-dipped | | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESI | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | CIFICATIONS |
|-----|---------------------|---|--|----------------|
| No. | Item | Item Specifications | | Specifications |
| 1 | Digital Clamp Meter | 400A/600A AC/DC (max. current measurement) Data Hold/Range Hold Auto power off Low battery prompt | | |
| 2 | Spirit Level | Aluminum Frame with Magnet Size: 12" With 3 bubbles | | |
| 3 | Hacksaw | Heavy duty hacksaw with 12" bi-metal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | | |
| 4 | Screwdriver Set | Philips & Standard 6 pcs. per set plastic handle Flat Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) Philips Blade Tip: 1/8 in x 3 in (3 mm x 75 mm), 3/16 in x 4.3 in (5 mm x 100 mm), 1/4 in x 5 in (6 mm x 150 mm) | | |

٠., ﴿

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|--------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 5 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | |
| | | 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | Long arm seriesChrome Vanadium steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 46 - PV Systems Servicin | g NC III | | |
|------------------------|--------------------------|--|------------------|----------------|
| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
| No. | It em | Specifications | Item/Brand/Model | Specifications |
| 1 | MC4 Crimper | Crimping Capacity: 2.5 mm2 - 6 mm2Length: 270 mm (10.6") | | |
| 2 | Hydrometer | Material: Glass and rubber Testing range: 1.100 - 1.300 Specific Gravity (SG) Based at 77 °F temperature | | |
| 3 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | | |
| 4 | Diagonal Cutting Plier | Overall Length: 8"Material: Carbon SteelHandle Finish: plastic dipped | | |
| 5 | Soldering Iron | 30 watts, 220 volts/60hz heat pencil tip | | |
| 6 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

ga

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-------------------|---|-------------------------|----------------|
| ۱o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 2 | Bench Vise | Jaw width: 5"Heavy dutyAdjustable/swivel steel | | |
| 3 | Chalk Line Reel | 100 ft. heavy duty die cast body | | |
| 4 | Hacksaw | Heavy duty hacksaw with 12" bi-metal hacksaw blade High Speed 24 TPI Strong box section steel, rugged, professional industrial hacksaw Rubberized handle frame | | |
| 5 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | | |
| 6 | Combination Plier | 200 mm #55 drop forged high carbon steel Induction hardened jaws Bi-material handle and finger guards | | |
| 7 | Level Hose | 6 mm dia. X 20 m long transparent green/clear High Flexibility Plastic PVC level hose | | |

| LOT | 47 - Reinforcing Stee | el Works NC II | | |
|------------------------|-----------------------|--|-------------------------|----------------|
| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 8 | Hacksaw Blade | High Speed 24 TPI | | |
| | | • 304.8 mm (12") long bi-metal | | |
| | | Heavy duty steel hacksaw blade | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|--------------------|---|-------------------------|----------------|
| No. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Wrench | 17 X 19 mm Double Spud Ratchet Wrench Drop Forged metal Steel | | |
| 2 | Combination Wrench | 17mm x 17mm (box & open) drop forged metal steel 6 inches long | | |
| 3 | Spirit Level Bar | High impact plasticMagnetic3 vials, 24" length | | |
| 4 | Safety Vest | high visibility mesh safety vest with silver stripe | | |
| 5 | Safety Harness | Double lanyard with shock absorber | | |
| 6 | Hard Hat | V-rib, yellow cap styles hard hat 6 point ratchet headgear 2 point chin strap and V-rib on top polyethylene material | | |
| 7 | Safety Goggles | Clear polycarbonateWoven elastic strapAdjustable | | |
| 8 | Ball Peen Hammer | jacketed graphite head, polished face12 ounce (340 grams), wooden handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

an Z

| | TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------|---|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Drawing Board | wooden laminatedsize: 18 inches x 24 inches | | |
| 2 | Compass Set | divider: 14 cm length pencil compass: 14 cm length adjustable compass: 10 cm length compass extender: 9 cm length | | |
| 3 | Triangular Scale | 12" Plastic Architectural Scale Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500 | | |
| 4 | Technical Pen Set | 3 Rapidograph pens (0.2 mm, 0.3 mm, 0.5 mm) 12 hi-polymer HB leads 1 mechanical pencil 1 ink cartridge 1 eraser | | |
| 5 | T - Square | Wooden Drafting T-square24" lengthclear plastic edges | | |
| 6 | Measuring Tools Set | Ruler: 30 cm long Triangle: 30 x 60 degrees, 13 cm long Triangle: 45 X 45 degrees, 13 cm long Protractor: 12 cm long | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

& L

884

| | TESDA'S | SPECIFICATIONS | BIDDER'S SPECIFICATION | |
|-----|------------------|--|------------------------|----------------|
| ۷o. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | | |
| 2 | Spirit Level Bar | High impact plastic Magnetic 3 vials, 24" length | | |
| 3 | Mechanical plier | 8 inches length insulated handle | | |
| 4 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | | |
| 5 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 6 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | | |
| 7 | Rubber Mallet | 16 oz (453.6 grams)Wooden Handle | | |

 \rightarrow

g

| LOT | 50 - Tile Setting NC II | | | |
|-----|---|---|------------------|----------------|
| | TESDA'S SPECIFI | CATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Steel (Bucket/ Bricklaying) Pointing Trowel | 10" solid forged steel blade | | |
| | | Precision tapered | | |
| | | Soft duragrip and hard end handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

 \sim

Z

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Crimping Tool | Suitable for: RJ 45 RJ 11 4P 6P 8P | | |
| 2 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 3 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | | |
| 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 5 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | | |

887

| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------|--|------------------|----------------|
| No. | Item Specifications | | Item/Brand/Model | Specifications |
| 6 | Screwdrivers Set | 30 in 1 Screwdriver Philips (+) PH00, PH0, PH1, PH2 Torx T4, T5, T6, T7, T8, T10, T15, T20 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Made of Chrome Vanadium Soft TPL Handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESD | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | CIFICATIONS |
|-----|------------------------|--|------------------|----------------|
| lo. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | |
| 2 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 3 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | | |
| 4 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | | |
| 5 | Soldering Iron | 30 watts, 220 volts/60hzheat pencil tip | | |
| 6 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | | |

gr

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | |
| | | 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | Long arm seriesChrome Vanadium steel | | |
| 8 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm | | |
| | | Philips Blade Tip: 1 x 100 mm, 2 x 150 mm | | |
| | | Plastic and Rubberized handleChrome VanadiumShank: 6" | | |
| 9 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

7 Z

| | TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|--------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 2 | Long Nose Plier | Overall Length: 8"Steel AlloyHandle finish: plastic-dipped | | |
| 3 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm | | |
| | | Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |
| 4 | Pipe Bender Manual | 1/2-3/4 inch bending radiusductile high strength iron | | - |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

ga

3° 7

| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------|--|------------------|----------------|
| ۷o. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | |
| 2 | Allen Wrench | 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm Long arm series Chrome Vanadium steel | | |
| 3 | Wire Stripper | automaticcap. 1.5 mm to 3.5 mm | | |

| LOT | 54 - Electrical Installation | n and Maintenance NC III | | |
|-----|------------------------------|--|-------------------------|----------------|
| | TESDA'S | SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|------------------------|---|-------------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Multi-Tester | Analog | | |
| | | DCV Range: 0.1 V to 1,000 V | | |
| | | ACV Range: 10 V to 750 V | | |
| | | Internal Battery: R6 (IEC) or UM-3 1.5V x 2 | | |
| | | Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm | | |
| | | Dimension and Weight: 159.5 mm x 129 | | |
| | | mm x 41.5 mm/approx. 320 g | | |
| | | Resistance: X1 to X1k | | |
| 2 | Electrician Plier | Overall Length: 238 mm | | |
| | | Steel Alloy | | |
| | | Handle finish: plastic-dipped | | |
| 3 | Long Nose Plier | Overall Length: 8" | | |
| | | Steel Alloy | ! | |
| | | Handle finish: plastic-dipped | | |
| 4 | Diagonal Cutting Plier | Overall Length: 8" | | |
| | | Material: Carbon Steel | | |
| | | Handle Finish: plastic dipped | | |
| 5 | Soldering Iron | • 30 watts, 220 volts/60hz | | |
| | | heat pencil tip | | - 11 Mil |
| 6 | Allen Wrench | 22 pc Hex Key Set: | | |
| | | 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", | | |
| | | 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | |
| | | 1.5 mm 2.0 mm 2.5 mm 2.0 mm 4.0 | | |
| | | 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | 11111, 5.0 11111, 6.0 11111, 6.0 11111, 10.0 11111 | | |
| | | Long arm series | | |
| | | Chrome Vanadium steel | | |
| | | - Smome variation steel | | |
| | 1 | 1 | | |

M

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------------|--|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 7 | Wire Stripper | automaticcap. 1.5 mm to 3.5 mm | | |
| 8 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.05 mm | | |
| 9 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

A Z

| LUI | 56 - Instrumentation and | | | |
|-----|--------------------------|--|------------------|----------------|
| | TES | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Crimping Tool | Heavy duty ratchet with heavy plastic handles Hardened steel jaws | | |
| 2 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | | |
| 3 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 4 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |
| 5 | Soldering Iron | 30 watts, 220 volts/60hzheat pencil tip | | |



| | | d Control Servicing NC II | | |
|------------------------|-------------------|--|-------------------------|----------------|
| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | |
| 7 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | | |
| 8 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening 203.2 mm (8") in length Alloy steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Data |
| | Date: |

gr &

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPE | CIFICATIONS |
|------------------------|------------------------|--|------------------|----------------|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Crimping Tool | Heavy duty ratchet with heavy plastic handles Hardened steel jaws | | |
| 2 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | | |
| 3 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 4 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm Philips Blade Tip: 1 x 100 mm, 2 x 150 mm Plastic and Rubberized handle Chrome Vanadium Shank: 6" | | |
| 5 | Multi-Tester | Analog DCV Range: 0.1 V to 1,000 V ACV Range: 10 V to 750 V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. 320 g Resistance: X1 to X1k | | |

| | 57 - Mechatronics Serv TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | Rem/Brand/Model | |
| | | Long arm seriesChrome Vanadium steel | | |
| 7 | Adjustable Wrench | 0-50.8 mm (0-2") jaw opening203.2 mm (8") in lengthAlloy steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | |
| | Date: |



| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|-----------------------------------|--|-------------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction | | |
| | | Lobular box end design | | |
| 2 | Screwdrivers Set | 30 in 1 Screwdriver Philips (+) PH00, PH0, PH1, PH2 Torx T4, T5, T6, T7, T8, T10, T15, T20 Flat (-) 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 4.0 mm Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 Made of Chrome Vanadium Soft TPL Handle | | |
| 3 | Soldering Iron | 30 watts, 220 volts/60hzheat pencil tip | | |
| 4 | Long Nose Plier | Overall Length: 8" Steel Alloy Handle finish: plastic-dipped | | |
| 5 | Wire Stripper | automatic cap. 1.5 mm to 3.5 mm | | |
| 6 | Desoldering Pump/Solder Sucker | anodized aluminum housing high suction strong and lightweight | | |

| LOT | 58 - Mechatronics Sei | vicing NC III | | |
|------------------------|-----------------------|--|------------------|----------------|
| TESDA'S SPECIFICATIONS | | | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Allen Wrench | • 22 pc Hex Key Set: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm | | |
| | | Long arm seriesChrome Vanadium steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

gr f

| LOT | 59 - Furniture Making (Fin | ishing) NC II A'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-------------------------|----------------------------|--|----------------|------------|
| No. Item Specifications | | Item/Brand/Model | Specifications | |
| 1 | Spray gun | 600 cc capacity gravity typeHeavy dutyMaterial: Alloy Steel | | |
| 2 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |
| 3 | Pull-Push Rule | Measuring standard: Metric & English Frame material: ABS Rubber Coating: Nylon Blade material: Stainless Steel Blade length: 5 m Blade width: 19 mm (3/4") | | |
| 4 | Electrician Plier | Overall Length: 238 mmSteel AlloyHandle finish: plastic-dipped | | |
| 5 | Flat Screwdriver | Size: 203 mm (8")Handle: Plastic and rubberizedTip: Magnetized | | |
| 6 | Philip Screwdriver | Size: 203 mm (8") Handle: Plastic and rubberized Tip: Magnetized | | |

| LOT | 59 - Furniture Making | (Finishing) NC II | · · · · · · · · · · · · · · · · · · · | |
|-----|-----------------------|-------------------------------|---------------------------------------|----------------|
| | Т | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Claw Hammer | Forged high-carbon steel head | | |
| | | Smooth face | | |
| | | • 12 oz | | |
| | | Wooden Handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: | | | |
|-----------------|--|----|--|--|
| | Position/Designation: | I. | | |
| | Date: | | | |

| LOT | 60 - Dressmaking NC II | | | |
|-----|------------------------|--|------------------|----------------|
| | TES | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | FICATIONS |
| No. | Item | Item Specifications | Item/Brand/Model | Specifications |
| 1 | Cutting Shears | 8" lengthstainless steel bladeplastic handle | | |
| 2 | Meter stick/ Yardstick | 1 meter (metric and English)yellow plastic | | |
| 3 | Scissors | 6" length plastic handle for paper | | |
| 4 | Screwdriver Set | precision 6 pieces per set plastic handle 0 P, 1 P, 1.4 mm, 2.0 mm. 2.4 mm, 3.0 mm slotted | | |
| 5 | Spray Bottle | spray plastic clear empty bottle500 mlhand trigger | | |
| 6 | Tape Measure | plastic60" length (English and metric) | | |
| 7 | Tracing Wheel | serrated metal wheelplastic handle | | |

| LOT | 60 - Dressmaking NC | 1 | | |
|-----|---------------------|---|--|----------------|
| | T | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Ruler with Grid | 18" length transparent red lines with grid | | |
| 9 | French Curve | 12" lengthaluminumfor neckline and armhole drawing | | |
| 10 | Hip Curve | 24" length aluminum | | |
| 11 | Tailor's L square | 24" x 14" lengthaluminum | The second secon | |
| 12 | Screwdriver Set | 4 pieces per set Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm | | |
| | | Philips Blade Tip: 1 x 100 mm, 2 x 150 mm | | |
| | | Plastic and Rubberized handleChrome VanadiumShank: 6" | | |
| 13 | Flat iron | electric flat iron any color dry iron 220 volts aluminum sole plate | | |

| OT 6 | 60 - Dressmaking NC I | | BIDDER'S SPEC | TEICATIONS |
|--------|-----------------------|--|------------------|----------------|
| | | ESDA'S SPECIFICATIONS | | |
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 14 (| Calculator | 12 digits display | | |
| | | front panel metal coating | | |
| | | battery power | | |
| | | big display | | |
| | | memory functions up to 4 decimal support | | |
| | | high quality plastic construction and keys | | |
| | | • off key | | |
| | | double zero with rounding function support | | |
| | | • dimension: 192mm x 147mm x 42mm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-------------------|--|----------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Cutting Shears | 8" lengthstainless steel bladeplastic handle | | |
| 2 | Pinking Shears | 8" lengthstainless steel bladeplastic handle | | |
| 3 | Ruler with Grid | 18" lengthtransparentred lines with grid | | |
| 4 | French Curve | 12" length aluminum for neckline and armhole drawing | | |
| 5 | Hip Curve | 24" lengthaluminum | | |
| 6 | Tailor's L Square | 24" x 14" lengthaluminum | | |
| 7 | Steam Flat Iron | Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector | | |
| Nam | ne of Bidder: | The second secon | Authorized Representative: | 1 |
| | | Position/Designation: | | |
| | | Date: | | |



| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|----------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Gauge Manifold | • 2 valves | | |
| | | Three (3) hoses gauge | | |
| | | High side gauge pressure: 0-750 psig | | |
| | | Low side gauge pressure: 30 in Hg vacuum-500 psig | | |
| | | For refrigerant R-410a/R-404a | | |
| | | 1/4 in. vacuum port size | | |
| | | Hose length: 36 inches | | |
| | | • 2,500 psig burst | | |
| 2 | Multi-Tester | Analog | | |
| | | DCV Range: 0.1 V to 1,000 V | | |
| | | ACV Range: 10 V to 750 V | | |
| | | Internal Battery: R6 (IEC) or UM-3 | | |
| | | 1.5V x 2 | | |
| | | Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm | | |
| | | Dimension and Weight: 159.5 mm x 129 mm x 41.5 mm/approx. | | |
| | | 320 g | | |
| | | Resistance: X1 to X1k | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Flaring Tool | Flaring with swaging tools set Screw type feed Two bars cover 9 sizes Swivel type swaging adapters and Flaring cone hardened steel, chromed finished Slip on forge steel yoke includes: - Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD Five (5) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD | | |
| 2 | Tube Cutter | Heavy duty For 1/8 inch to 1 1/8 inches pipe Weight: 0.16 ounces. Dimension: 6.8 x 3.3 x 1.3 inches Materials: High strength zinc alloy with spare cutter wheel on the knob | | |
| 3 | Long Nose Plier | Overall Length: 8" Steel Alloy Handle finish: plastic-dipped | | |

| | | TESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|---------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 4 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Gauge Manifold | 2 valves Three (3) hoses gauge High side gauge pressure: 0-500 psig Low side gauge pressure: 30 in Hg vacuum-250 psig For refrigerant R-22a/R-134a 1/4 in. vacuum port size Hose length: 36 inches 2,500 psig burst | | |
| 2 | Combination Wrench Set | 16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy steel construction Lobular box end design | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



LOT 65 - Caregiving NC II **TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS** Item/Brand/Model **Specifications** No. **Specifications** Item 1 Sphygmomanometer Aneroid Handheld • Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof • Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system • Thick rubber bladder • Durable flexible rubber tubing • Leatherette zippered carrying case 2 Stethoscope Double diaphragm (Fetal/ adult) • 44 mm membrane stainless steel • Soft sealing earpieces • Flexible resilient rubber tubing • Non chill rim

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|------------------|---|------------------|----------------|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Sphygmomanometer | Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case | | |
| 2 | Stethoscope | Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Sphygmomanometer | Aneroid Handheld Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system Thick rubber bladder Durable flexible rubber tubing Leatherette zippered carrying case | | |
| 2 | Stethoscope | Double diaphragm (Fetal/ adult) 44 mm membrane stainless steel Soft sealing earpieces Flexible resilient rubber tubing Non chill rim | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Sphygmomanometer | Aneroid | | |
| | | Handheld | | |
| | | Large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof | | |
| | | Inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system | | |
| | | Thick-rubber bladder | | |
| | | Durable flexible rubber tubing | | |
| | | Leatherette zippered carrying case | | |
| 2 | Stethoscope | Double diaphragm (Fetal/ adult) | | |
| | | 44 mm membrane | | |
| | | stainless steel | | |
| | | Soft sealing earpieces | | |
| | | Flexible resilient rubber tubing | | |
| | | Non chill rim | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Digitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| Т | BIDDER'S SPECIFICATIONS | | |
|-----------------------------|---|------------------|----------------|
| No. Item | Specifications | Item/Brand/Model | Specifications |
| 1 Digitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------------------|--|-----------------------------|--|
| No. | . Item Specifications | | Item/Brand/Model Specificat | |
| 1 | Tablet | Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot | | |
| 2 | Headphone with Mic | with noise cancelling microphoneconnection: usb type | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

B

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Digitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | · | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

S

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|--------------------|----------------------------------|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Tablet | Processor: 1.3 gHz | | |
| | | OS: Android 6.0 | | |
| | | Memory: 1GB RAM | | |
| | | Storage: 8GB ROM | | |
| | } | • Display: screen 7" (177.8 mm) | | |
| | | With SIM slot | | |
| 2 | Headphone with Mic | with noise cancelling microphone | | |
| 4 | , | connection: usb type | | |

| Name of Bidder: | Name and Signature of Authorized Representative: | | |
|-----------------|--|--|--|
| | Position/Designation: | | |
| | Date: | | |

\$ -

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPEC | CIFICATIONS |
|------------------------|--------------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 D | igitizing Pen and Tablet | connectivity: wired orientation: left and right handed Interface: USB movement resolution: 2540 lpi performance: 133 points per second active area: 6" x 3.7" compatible OS: Windows 7/8/10, Apple Mac OS x 10.6.8 movement detection technology: electromagnetic connector type: 4 pin usb | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

B

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|----------------------------|---|-----------------------|----------------|
| ٧o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Outside Micrometer Caliper | Satin-chrome finished frameRange: 0-25 mmLeast Count=0.01 mm | | |
| 2 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | | |
| 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | | |
| 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | | |
| 5 | Combination Square | Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) | | |
| 6 | Screw Pitch Gauge | 4 to 56 TPI (Teeth per inch)Range: 0.5 mm to 6 mm28 Leaves | | |
| Vam | e of Bidder: | Name and Signature of Author | rized Representative: | |
| | | Position/Designation: | | |
| 7 | | Date: | | |

| | TESDA | A'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|----------------------------|---|----------------------|----------------|
| Vo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Outside Micrometer Caliper | Satin-chrome finished frameRange: 0-25 mmLeast Count=0.01 mm | | |
| 2 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | | |
| 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | | |
| 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | | |
| 5 | Combination Square | Stainless Steel (12 inches) 300 mm Combination Square Set (Blade and Handle) | | |
| 6 | Screw Pitch Gauge | 4 to 56 TPI (Teeth per inch)Range: 0.5 mm to 6 mm28 Leaves | | |
| ۱am | e of Bidder: | Name and Signature of Author | ized Representative: | |
| l | | Position/Designation: | | |
| I | | Date: | | |

| | TESDA | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | CIFICATIONS |
|-----|----------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Outside Micrometer Caliper | LCD DigimaticResolution: 0.001mmRange: 0-25 mm | | |
| 2 | Tap and Die | Alloy Steel Metric 20 pcs Threads Sizes: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.5, M12 x 1.75 | | |
| 3 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.02 mm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

S. Z.

| TESDA'S SPECIFICATIONS | | TESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------------|--|-------------------------|----------------|
| lo. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Welding Jacket | leatherheat resistant | | |
| 2 | Welding Gloves | leatherheat resistantlong | | |
| 3 | Safety Goggles | PlasticClearElastic Strap | | |
| 4 | Hacksaw Frame | Adjustable24 TPIaluminum alloy frame and handle | | |
| 5 | Chipping Hammer | 300 mm longwood handle | | |
| 3 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | | |
| 7 | Welding Mask | Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 | | |

| LOT | 78 - Flux-Cored Ar | c Welding (FCAW) NC I | | |
|--|--------------------|-----------------------|------------------|----------------|
| TESDA'S SPECIFICATIONS BIDDER'S SPECIFICAT | | | | CIFICATIONS |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 8 | Angle Grinder | Portable | | |
| | | 4" capacity | | |
| | | • 220 Volts/60 Hz | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESD | A'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|----------------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | File | half round300 mm longplastic handle | | |
| 2 | Ball Peen Hammer | Forged hard steeljacketed graphite16 oz./ 1 lb | | |
| 3 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | | |
| 4 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 5 | Auto-Darkening Welding Helmet | Adjustable Shade Lens size 3-7/8 in. x 1-1/2 in. | | |
| 6 | Chisel | cold3/4 in X 6-7/8 inforged steel | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| | 80 - Gas Metal Arc Wel | SDA'S SPECIFICATIONS | BIDDER'S SPEC | PIEICATIONS |
|-----|------------------------|---|---------------------------------------|---|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Welding Jacket | leatherheat resistant | item/brand/model | Opecifications |
| 2 | File | half round300 mm longplastic handle | | |
| 3 | Welding Gloves | leatherheat resistantlong | | |
| 4 | Hacksaw Frame | Adjustable24 TPIaluminum alloy frame and handle | | |
| 5 | Chipping Hammer | 300 mm longwood handle | · · · · · · · · · · · · · · · · · · · | - 10 10 m2 1 m2 1 m2 m3 |
| 6 | Safety Goggles | PlasticClearElastic Strap | | |
| 7 | Welding Mask | Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 | | |



| | TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | |
|-----|------------------------|-------------------|-------------------------|---|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Angle Grinder | Portable | | 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - |
| | | 4" capacity | | |
| | | • 220 Volts/60 Hz | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | 81 - Gas Metal Arc We T | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|----------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Hard Hat | yellow ball-cap style hard hat 6 point ratchet type headgear 2 point chin strap and V-rib on top polyethylene material | | |
| 2 | Safety Goggles | PlasticClearElastic Strap | | |
| 3 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | | |
| 4 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | | |
| 5 | Chisel | cold3/4 in X 6-7/8 inforged steel | | |
| 6 | File | roundbastard cut300 mm longplastic handle | | |



| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|----------------------------------|--|------------------------------|--|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 7 | Auto-Darkening Welding Helmet | Adjustable ShadeLens size 3-7/8 in. x 1-1/2 in. | | The case of the ca |
| Nam | e of Bidder: | Name and Signature o | f Authorized Representative: | |
| | | Position/Designation:_ | | |
| | | Date: | | |

| | TESD | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | CIFICATIONS |
|-----|----------------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Oxy-acetylene Goggles | Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness | | |
| 2 | Chipping Hammer | 300 mm long wood handle | | |
| 3 | Ball Peen Hammer | Forged hard steel jacketed graphite 16 oz./ 1 lb | | |
| 4 | Auto-Darkening Welding Helmet | Adjustable Shade Lens size 3-7/8 in. x 1-1/2 in. | | |
| 5 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | | |
| 6 | Welding Jacket | leatherheat resistant | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------------|--|-------------------------|--|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Welding Jacket | • leather | | |
| | | heat resistant | | |
| 2 | File | half round | | |
| | | • 300 mm long | | |
| | · | plastic handle | | |
| 3 | Angle Grinder | Portable | | |
| | | • 4" capacity | | |
| | | • 220 Volts/60 Hz | | |
| 4 | Welding Gloves | leather | | |
| | | heat resistant | | |
| | | • long | | |
| 5 | Chipping Hammer | • 300 mm long | | |
| | | wood handle | | |
| 6 | Vise Grip | • 10" | | |
| | | chrome plated insulated handle | | |
| | | flat jaw | | |
| | | adjustment 0" to 1 5/8" | | |
| 7 | Welding Mask | Flip Front Welding Helmet | | |
| | | impact-resistant polypropylene material | | |
| | | adjustable fit | | |
| | | • 4 1/2" x 2" view area with lens #11 |] | THE THE PERSON CONTRACTOR OF THE PERSON STREET, THE |
| Nam | e of Bidder: | Name and Signature of Auth | norized Representative: | |
| | | Position/Designation: | | |
| | | Position/Designation: | <u> </u> | |
| | | Date: | | |

R

| | TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | File | half round300 mm longplastic handle | | |
| 2 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | | |
| 3 | Oxy-acetylene Goggles | Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness | | |
| 4 | Chipping Hammer | 300 mm long wood handle | | |
| 5 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | | |
| 6 | Steel Brush | Stainless steel wooden handle 10 inches long | | |
| 7 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 8 | Diagonal Cutting Plier | Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped | | |

| | TI | SDA'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|----------------|----------------------|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 9 | Welding Gloves | • leather | | |
| | | heat resistant | | |
| | | • long | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|--------------------------|---|------------------|--|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Adjustable wrench | Alloy steel | | |
| | | 0-2 inches (0-50.8 mm) jaw opening | | |
| | | 10 inches (254 mm) length | | and the second s |
| 2 | Hacksaw Frame with Blade | Tubular metal frame | | |
| | | 90° adjustable blade angle | | |
| | | 12 inches fixed blade length | | and the second |
| 3 | Screwdriver Set | 4 pieces per set | | |
| | | • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm | | |
| | | Philips Blade Tip: 1 x 100 mm, 2 x 150 mm | | |
| | | Plastic and Rubberized handle | | |
| | | Chrome Vanadium | | |
| | | Shank: 6" | | |
| 4 | Vernier Caliper | Stainless steel | | |
| | | Dual reading scales on Vernier (English | | |
| | | reading on top and Metric reading at bottom) | | |
| | | Carbide tipped jaw type | | |
| | | • (6 inches) 150 mm | | |
| | | Least Count = 0.05 mm | | |
| 5 | Combination Wrench Set | • 16 pcs | | |
| | | • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, | | |
| | | 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 | | |
| | | mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 | | |
| | | mm | | |
| | | Drop forged alloy steel construction Lebular box and design | : | |
| | | Lobular box end design | | |

| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | FICATIONS |
|-----|--------------------|---|------------------|----------------|
| Vo. | ltem | Specifications | Item/Brand/Model | Specifications |
| 6 | Allen Wrench Keys | Steel with black oxide coating | | |
| | • | Durable plastic molded holders | | |
| | | Labeled holders | | |
| | | • 9 pcs./Set 1.5 mm to 10 mm | | |
| 7 | Combination Square | Stainless Steel | | |
| | · | • (12 inches) 300 mm | | |
| | | Combination Square Set (Blade and Handle) | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESDA | 'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|----------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Outside Micrometer Caliper | Satin-chrome finished frame Range: 0-25 mm Least Count=0.01 mm | | |
| 2 | Vernier Caliper | Stainless steel Dual reading scales on Vernier (English reading on top and Metric reading at bottom) Carbide tipped jaw type (6 inches) 150 mm Least Count = 0.02 mm | | |
| 3 | Letter and Number Punch | Hardened Steel36pcs4 mm height (letter and number) | | |
| 4 | Digital Vernier Caliper | Digital Model LCD Display Parallax free Vernier scale type (6 inches) 150 mm long | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

* 7

| LOT | 87 - Machining NC III | | | A second to the |
|-----|----------------------------|--|-------------------------|---|
| | TESDA | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Outside Micrometer Caliper | LCD Digimatic Resolution: 0.001mm Range: 0-25 mm | | |
| 2 | Tap and Die | Alloy Steel Metric 20 pcs Threads Sizes: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.5, M12 x 1.75 | | |
| 3 | Allen Wrench Keys | Steel with black oxide coating Durable plastic molded holders Labeled holders 9 pcs./Set 1.5 mm to 10 mm | | |
| 4 | Combination Square | Stainless Steel(12 inches) 300 mmCombination Square Set (Blade and Handle) | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

g g

| | 88 - Shielded Metal Arc V TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | SIFICATIONS |
|-----|-----------------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Welding Gloves | leatherheat resistantlong | | • |
| 2 | Chipping Hammer | 300 mm long wood handle | | |
| 3 | Vise Grip | 10" chrome plated insulated handle flat jaw adjustment 0" to 1 5/8" | | |
| 4 | Safety Goggles | PlasticClearElastic Strap | | |
| 5 | Oxy-acetylene Goggles | Swivel type Rigid 50 mm dual cup Elastic headband Number-5 shade shields against brightness | | |
| 6 | Try Square | Size: 8" x 12" Thickness: 1.8-2 mm Material: Spring Steel Handle Material: Aluminum Alloy Metric and English Graduations | | |
| 7 | Welding Mask | Flip Front Welding Helmet impact-resistant polypropylene material adjustable fit 4 1/2" x 2" view area with lens #11 | | |

| LOT | 88 - Shielded Metal A | rc Welding (SMAW) NC I | | |
|-----|-----------------------|------------------------|-------------------------|--|
| | T | ESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Angle Grinder | Portable | | F10 F ********************************** |
| | | 4" capacity | | |
| | | • 220 Volts/60 Hz | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|----------------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Welding Jacket | leather heat resistant | | |
| 2 | Ball Peen Hammer | Forged hard steeljacketed graphite16 oz./ 1 lb | | |
| 3 | Steel Square | Carpenter's framing square; 2" x 16" x 24" Steel Double graduation inches/cm | | |
| 4 | Chisel | cold3/4 in X 6-7/8 inforged steel | | |
| 5 | Hard Hat | yellow ball-cap style hard hat 6 point ratchet type headgear 2 point chin strap and V-rib on top polyethylene material | | |
| 6 | Auto-Darkening Welding Helmet | Adjustable ShadeLens size 3-7/8 in. x 1-1/2 in. | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TESD | A'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|----------------------------------|--|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Angle Grinder | Portable4" capacity220 Volts/60 Hz | | |
| 2 | Auto-Darkening Welding Helmet | Adjustable ShadeLens size 3-7/8 in. x 1-1/2 in. | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 91 - Food Processing | NC II | | The state of the s |
|-----|----------------------|---|------------------|--|
| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Food Tongs | stainless steel 12 inches long with wide shell head with locking | | |
| 2 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | | |
| 3 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | | |
| 4 | Measuring Spoon | stainless steel 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) | | |
| 5 | Measuring Cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | | |
| 6 | Mixing bowl | Stainless steel8" diameter5 quart capacity | | |
| 7 | Colander | Stainless steelMedium Size8 quarts capacity with base | | |
| 8 | Honing Bar | stainless steel10-inch length | | |

| | Т | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-----------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 9 | Saucepan | material: stainlesscapacity: 1.5 literwith lid cover | | |
| 10 | Casserole | Stainless steel with lid cover and handle both sides Dimension: 20 cm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| | TESDA | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | | |
|-----|-----------------------------|---|-------------------------|----------------|--|
| ١o. | Item | Specifications | Item/Brand/Model | Specifications | |
| 1 | Hair Blower | Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz | | | |
| 2 | Haircutting Scissor | Materials: Stainless steelSharp cutting edgeSize: 19.05 cm long | | | |
| 3 | Protective Cape | Water ProofNylonBlack | | | |
| 4 | Hair Straightener Flat Iron | Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz Dimension: 37 x 16 x 6 cm | | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | |
|------------------------|--|--|----------------|
| . Item | Specifications | Item/Brand/Model | Specifications |
| Cuticle Nail Pus | Two end with two different tools | | |
| Cuticle Nipper | Dimension: 10.6 cm x 0.63 cm Material: stainless steel tip handed grip ultra fine, surgical quality size: 1/2 jaw single spring Dimension: 10.16 cm x 0.94 cm x 0.07 cm | | |
| Finger Nail Bow | 5-finger mold Plastic Dimension: 17.5 cm x 12.4 cm x 4.8 cm | | |
| Hand Nail Cutte | Stainless Steel double side swing out nail file Ergonomic Design Dimension: 5.08 cm x 0.6 cm | | |
| Nail File | plastic handle double sided abrasive Dimension: 1 cm x 5 cm x 0.8 cm | | |
| Nail Buffer | Durable sand paper, soft sponge Dimension: 9 cm x 3.6 cm x 2.6 cm | | |
| Foot File | Hard skin remover Wooden handle with double sided foot ras Dimension: 26.0 cm x 6.0 cm x 1.4 cm | q | |

| | TE: | TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS | | CIFICATIONS |
|----|---------------------|--|------------------|----------------|
| ο. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Cuticle Scissor | Stainless Steel Extra fine point Dimension: 1.7 cm x 7.62 cm x 0.89 cm | | |
| 9 | Callous Remover | Plastic handle Stainless blade Extra blade Dimension: 14.9 cm x 2.6 cm | | |
| 0 | Pumice Stone | 100% volcanic stone excellent for scrubbing dry Anti- bacterial for removing dead skin Dimension: 10 cm x 7 cm x 2 cm | | |
| 1 | Manicure Nail brush | plastic nail brush soft nylon brush Dimension: 6.35 cm x 3.93 cm x 1.57 cm | | |
| 2 | Foot spa Machine | foot detox machine With heater adjustment, bubble massage depth: 14 cm width: 38 cm length: 40 cm 220-240 V/50 Hz | | |

| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|-------------|---|------------------|----------------|
| No. Item | | Specifications | Item/Brand/Model | Specifications |
| 13 Hand | spa Machine | Thermostatically - controlled heating unit length: 24 cm width: 17.5 cm depth: 9 cm 220-240 V/50 Hz | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TES | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------------------|---|------------------|----------------|
| No. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Calculator | Scientific Calculator STAT DATA Editor 240 functions 12 digit x two-line display 3 inches x 5 inches dimension Hard Slide Case | | |
| 2 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | | |
| 3 | Pencil Sharpener | table mounted manually operated with pen crumbs visible container pencil lock hole | | |
| 4 | Stainless Ruler | Stainless Steel Double sided ruler cm/inches Conversion table on the back side laser engraved lines 30 cm | | |
| 5 | Flash drive | Capacity: 64 GBCompatibility: USB 3.0 | | |
| 6 | A4 Paper Pockets File Folder | Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm | | |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|--------------------------|--|-------------------------|----------------|
| lo. | Item | Specifications | ltem/Brand/Model | Specifications |
| 7 | Puncher | two hole punch Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H) punches up to 20 sheets with sliding ruler | | |
| 3 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Knives | Set of 6 (stainless steel blade with plastic black handle) Set includes: 8" long, Chef's knife 8" long, serrated knife 8" long, slicing knife 5" long, utility knife 3.5" long, paring knife stainless steel block box | | |
| 2 | Vacuum Cleaner | Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories | | |
| 3 | Steam Flat Iron | Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------------------------|---|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Haircutting Scissor | Materials: Stainless steelSharp cutting edgeSize: 19.05 cm long | | |
| 2 | Hair Blower | Thermostat Adjustment Wattage: 1,800 watts Folding handle Voltage: 220 V 60 Hz | | |
| 3 | Hair Straightener Flat Iron | Material: Ceramics Temperature setting High (220°C) Low (180°C) Voltage: 220 V 50 Hz Dimension: 37 x 16 x 6 cm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

£ £

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|--------------------|--|-------------------------|----------------|
| ٧o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Security Belt | Fit about 80-105 cm waist circumference Length: Approx. 100-135 cm/39.3-53.14 inch Width: Approx. 4-5 cm/1.57-1.96 inch Comes with flashlight pouch, piston pouch, map pouch, utility pouch | | |
| 2 | Flashlight | 6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc 18650 4200 mAh 3.7 V battery with case With stun gun | | |
| 3 | Night Stick | US made 18.5 inches longWooden night stick with thong | | |
| 4 | Whistle | Nickel - plated 59.5 (medium) whistleHigh pitch | | |
| 5 | Lanyard | Silk plain strap, navy blue color | | |
| 6 | Security Guard Cap | Navy blue, pershing cap with 8 corners and mesh cap With adjustable head strap | | |
| 7 | Traffic Vest | reflective and made of polyester material Size: chest-58 cm, body length-69 cm (large size) | | |
| 3 | Traffic Gloves | Reflectorized plastic Pair, 1 x orange 1 x yellow durable in all weather conditions | | - |



| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 9 10 | Hand Cuff Search Light | Standard nickel police double lock handcuffs High - 500 Lumens/ Low - 50 Lumens Impact and weather resistant Anodized aerospace aluminum construction 5 mode electronic switch settings (high, low, red safety flasher, rescue beacon and OFF) Waterproof 4 "AA" rechargeable batteries With complete accessories (battery charger and hand strap) | | |
| 11 | Binocular | Magnification of 20x50 Apperture: 50 mm Size: 180x180x60 mm Ultra high resolution | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | T | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|----|----------------|---|------------------|----------------|
| ο. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Baton | Expandable steel baton Expands to 16" and closed length of 7" Black finish steel body with rubber handle for firm grip With weight of 0.95 lbs | | |
| 2 | Megaphone | 2 modes: talk and siren Dimensions: 9" diameter x 13.75 inch long Powered by eight (8) rechargeable "C" batteries Range up to one mile With complete accessories (battery charger and hand strap) | | |
| 3 | Metal Detector | Dimension: 17 x 4 x 2 inches 1.45 lbs weight Batteries: 1 9V battery With rechargeable battery and charger Low battery voltage (7V) Controlled sound and vibration | | |
| | Cloth | 3 yards US Gabardine cloth Color: navy blue | | |



| LOT 98 - Security Services NC II | | | | | |
|----------------------------------|-------|----------------------------|-------------------------|----------------|--|
| | TE | ESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | | |
| No. | ltem | Specifications | Item/Brand/Model | Specifications | |
| 5 | Cloth | 3 yards US Gabardine cloth | | - | |
| | | Color: white | | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Z Z

| | TESI | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|--------------------------------|---|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | French Press/Coffee Plunger | 350 ml capacity 6.8 x 17 cm glass French press plastic black handle | | |
| 2 | Whip Cream Dispenser | 500 ml capacity dispenser with nozzles and brush aluminum body | | |
| 3 | Steaming Pitcher | 350 ml capacity approximate size: 9 x 6.5 x 9 cm stainless steel approximate weight: 178 g | | |
| 4 | Coffee Thermometer | Stainless steel dial pointer thermometer with a measuring range of 10°C - 110°C Measures 12.5 L x 4.2 D cm, color silver | | |
| 5 | Cocktail Shaker | 350 ml capacity stainless steel Size (cm): 25 in L x 5 in W x 16 in H | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

t G

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|-------------------|--|----------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Cocktail Shaker | 350 ml capacity stainless steel Size (cm): 25 in L x 5 in W x 16 in H | | |
| 2 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | | |
| 3 | Corkscrew | measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener | | |
| 4 | Blender/Osterizer | 8 speed with pulse 500 watts, 220 volts, 60 hertz stainless steel, ice crusher blade glass jar with cover | | |
| 5 | Flair Bottle | measures: 29 cm bottom diameter, 7.5 cm diameter, 3.2 cm yellow color hard plastic | | |
| 6 | Ice Pick | measures: 21.5 cm long stainless steel pick with wooden handle 9 cm long | | |
| Vam | e of Bidder: | Name and Signature of Author | ized Representative: | |
| | | Position/Designation: | | |
| | | Date: | | |

| | | TESDA'S SPECIFICATIONS | BIDDER'S SPE | CIFICATIONS |
|----------|-----------------|---|------------------|--|
| Vo. | ltem | Specifications | ltem/Brand/Model | Specifications |
| 1 | Spatula | Stainless steel straight blade | | The second secon |
| | | Plastic handle | | |
| | | 3 cm blade width | | |
| | | • 25.4 cm blade length | | |
| | | • 12.7 cm handle length | | |
| | | Round edges | | THE PROPERTY SERVICES TO A SERVICE SERVICE SERVICE SERVICE SERVICES SERVICE |
| 2 | Decorating tips | Stainless steel | | |
| | | 7-piece cake decorating tip set (Closed Star, | | |
| | | Open Star, French, Round, Plain, Leaf, Petal) | | |
| | | • 3 cm height | | |
| | | Opening range: 1.27 cm | | THE AMERICAN STREET |
| 3 | Flour sifter | Stainless steel mesh flour strainer | | |
| <u>.</u> | | • 12" diameter | | · commence and the second seco |
| 4 | Measuring cup | Stainless steel | | |
| | | • 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 | | |
| 5 | Mixing bowl | cup) • Stainless steel | | The second section of the second section of the second section of the second second second second second section second section second |
| J | Wilking Down | Starriess steer 8" diameter | | |
| | | • 5 quart capacity | | |
| 6 | Piping bags | • 12 inches | | |
| 0 | i iping bags | • lightweight | | |
| | | • reusable | | |
| i | | flexible polyester | | |
| | | coated, can be boiled | | |
| | | dishwasher safe | | |



| | TES | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------|--|------------------|----------------|
| 10. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Wire whisk | Stainless steel 12 inches balloon style handle length: 4 cm | | |
| 8 | Bread knife | Length: 8" serrated edge stain-free high-carbon steel blade polypropylene straight handle | ,. | |
| 9 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | | |
| 10 | Muffin pan | 12 holes3 oz. capacity per holealuminum | | |
| 11 | Cheese Grater | Stainless steel Box grater with handle 20.9 x 8.5 x 6.1 cm Small and large holes | | |

| | 1 | ESDA'S SPECIFICATIONS | BIDDER'S SPE | CIFICATIONS |
|-----|--------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 12 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | Т | ESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|---------------|---|-------------------------|----------------|
| No. | Item | Specifications | item/Brand/Model | Specifications |
| 1 | Carving Knife | high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle | | |
| 2 | Chef's Knife | high carbon stainless steelsharp cutting edge10-inch blade length | | |
| 3 | Knife Bag | 8-knife pockets Nylon fabric with zipper PVC backing | | |
| 4 | Paring Knife | high carbon stainless steel size: 3.5-inch blade length sharp cutting edge full tang handled | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TES | DA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------|--|------------------|----------------|
| lo. | Item | Specifications | ltem/Brand/Model | Specifications |
| 1 | Chef's Knife | high-carbon stainless steel sharp cutting edge size: 8-inches blade length riveted handle | | |
| 2 | Food Tongs | stainless steel12 inches longwith wide shell head with locking | | |
| 3 | Digital Weighing Scale | LCD display Measure in pounds (lbs), ounces (oz) and grams (g) Battery operated Capacity: 5 kilograms | | |
| 4 | Honing Bar | stainless steel 10-inch length | | |
| 5 | Measuring Cup | Stainless steel 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) | | |
| 6 | Measuring Spoon | stainless steel 4 pieces per set (1 tbsp, 1 tsp, 1/2 tsp and 1/4 tsp) | | |
| 7 | Saucepan | material: stainless capacity: 1.5 liter with lid cover | | |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|-----------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 8 | Casserole | Stainless steel with lid cover and handle both sides | | |
| | | Dimension: 20 cm | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | 104 - Food and Beverag TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|------------------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Corkscrew | measures 12 x 2.2 x 1.1 cm stainless steel metal corkscrew/bottle opener | | , |
| 2 | Linen/Skirting Cloth | 10 yards (double width) skirting clothsatin (any color) | | |
| 3 | Tablet | Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

R

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | IFICATIONS |
|-----|--------------------|---|------------------|----------------|
| ٧o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Knives | Set of 6 (stainless steel blade with plastic black handle) Set includes: 8" long, chef knife 8" long, serrated knife 8" long, slicing knife 5" long, utility knife 3.5" long, paring knife stainless steel block box | | |
| 2 | Frying Pan | 26 cm non-stick pan with bakelite handlealuminum body | | |
| 3 | Portable Gas Stove | Portable indoor/outdoor gas stove ceramic enamel-coated drip pan | | |
| 4 | Serving Spoon | stainless steel serving spoon8 inches in length | | |
| 5 | Serving Fork | 4 prong stainless steel serving fork8 inches in length | | |
| 6 | Carving Knife | high carbon stainless steel sharp cutting edge 8-inch blade length with riveted handle | | |

| | TESD | A'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|-----|--------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 7 | Calculator | 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm | | |
| 8 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| | TE | SDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|-----|---------------------|--|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Calculator | 12 digits display front panel metal coating battery power big display memory functions up to 4 decimal support high quality plastic construction and keys off key double zero with rounding function support dimension: 192mm x 147mm x 42mm | | |
| 2 | Flash drive | Capacity: 64 GB Compatibility: USB 3.0 | | |
| 3 | Portable Amplifier | Power Output: 30 W Mode: USB/MP3/FM Charger Voltage: 10V 450 mA AC/DC with headset and lapel microphone | | |
| 4 | Fake Bills Detector | Voltage: 220V 50Hz-60Hz Product size: approx. 183 x 82 x 90mm/7.2 x 3.22 x 3.54" Fluorescent UV blue lamp 4w On/Off Button | | |
| 5 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | | , |

| TESDA'S SPECIFICATIONS | | | BIDDER'S SPECIFICATIONS | |
|------------------------|---------------------------------|--|-------------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 6 | A4 Paper Pockets File Folder | Material: Paper board Stainless Steel Clip Size: 22.5 cm x 31 cm | | |
| 7 | Accordion File Organizer | Polypropylene Expandable pockets with tab flap and cord closure Long size, 8.5 x 13 inches | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

| LOT | 107 - Housekeeping N | CII | | |
|-----|----------------------|---|-------------------------|----------------|
| | Ti | ESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 1 | Flashlight | 6000 Lumen 5 modes (high, low, red safety flasher, rescue beacon and OFF) Led Flashlight With digital smart single charger with 1 pc | | |
| | | 18650 4200 mAh 3.7 V battery with case • With stun gun | | |
| 2 | Steam Flat Iron | Electric flat iron with spray 220 V/60 Hz 1,100 - 1,310 watts with 5 selector | | |
| 3 | Vacuum Cleaner | Wet and dry vacuum cleaner 220 volts, 50-60Hz, 1,100 watts Tank size: 4 liters With complete accessories | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| TESDA'S SPECIFICATIONS | | ESDA'S SPECIFICATIONS | BIDDER'S SPECIFICATIONS | |
|------------------------|-------------------|--|-------------------------|----------------|
| lo. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Long Nose Plier | Overall Length: 8" Steel Alloy Handle finish: plastic-dipped | | |
| 2 | Electrician Plier | Overall Length: 238 mm Steel Alloy Handle finish: plastic-dipped | | |
| 3 | Pull-Push Rule | Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end | · | |
| 4 | Tablet | Processor: 1.3 gHz OS: Android 6.0 Memory: 1GB RAM Storage: 8GB ROM Display: screen 7" (177.8 mm) With SIM slot | • | |

| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|-----------------|--|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 5 | Screwdriver Set | 4 pieces per set | | |
| | | • Flat Blade Tip: 6.5 x 150 mm, 5 x 100 mm | | |
| | | Philips Blade Tip: 1 x 100 mm, 2 x 150 mm | | |
| | | Plastic and Rubberized handle | | |
| | | Chrome Vanadium | | |
| | | Shank: 6" | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|-------------|---------------------------------|------------------|----------------|
| No. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Tablet | Processor: 1.3 gHz | | |
| | | OS: Android 6.0 | | |
| | | Memory: 1GB RAM | | |
| | | Storage: 8GB ROM | | |
| | | • Display: screen 7" (177.8 mm) | | |
| | | With SIM slot | | |
| 2 | Flash drive | Capacity: 64 GB | | |
| | | Compatibility: USB 3.0 | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |



| TESDA'S SPECIFICATIONS | | BIDDER'S SPECIFICATIONS | | |
|------------------------|--------------------------|---|------------------|----------------|
| ٧o. | Item | Specifications | Item/Brand/Model | Specifications |
| 1 | Extension Cord | with individual power switch6-gang1.83 meters cord length2500 W 10A 250 V | | |
| 2 | Stapler | with built-in staple wire remover #35 weight: 0.085 kg dimension: 11 cm x 3 cm x 5 cm Staples 24 sheets | | |
| 3 | Pencil Sharpener | table mounted manually operated with pen crumbs visible container pencil lock hole | | |
| 4 | Packaging Tape Dispenser | hard plastic finish with a hand brake mechanism 3 core tapes, tape 2 inches wide 1 tape included | | |
| 5 | Portable Amplifier | Power Output: 30 W Mode: USB/MP3/FM Charger Voltage: 10V 450 mA AC/DC with headset and lapel microphone | | |
| 6 | Flash drive | Capacity: 64 GBCompatibility: USB 3.0 | | |

| | T | ESDA'S SPECIFICATIONS | BIDDER'S SPEC | CIFICATIONS |
|---------|------|--|------------------|----------------|
| No. | ltem | Specifications | Item/Brand/Model | Specifications |
| 7 Puncl | her | two hole punch Dimension: 15 cm (L) x 8.5 cm (W) x 11.5 cm (H) punches up to 20 sheets with sliding ruler | | |

| Name of Bidder: | Name and Signature of Authorized Representative: |
|-----------------|--|
| | Position/Designation: |
| | Date: |

Section VIII. Bidding Forms

977

TABLE OF CONTENTS

| BID FORM | 978 |
|---|-----|
| CONTRACT AGREEMENT FORM | 983 |
| OMNIBUS SWORN STATEMENT | 985 |
| BANK GUARANTEE FORM FOR ADVANCE PAYMENT | 988 |
| BID SECURING DECLARATION FORM | 989 |

Bid Form

| Date: Invitation to Bid ² Nº: | |
|---|--|

To: [name and address of Procuring Entity]

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in <u>BDS</u> provision for ITB Clause 17.1 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:³

| Name and address of agent | Amount and Currency | Purpose of Commission or gratuity |
|---------------------------|------------------------|---|
| | | |
| (if none_state "Non | e") | |

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

² If ADB, JICA and WB funded projects, use IFB.

³ Applicable only if the Funding Source is the ADB, JICA or WB.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

| Dated this | _ day of | 20 | |
|--------------------------------|--------------------|--------------|--|
| [signature] | [in the | capacity of] | |
| Duly authorized to sign Bid fo | r and on behalf of | f | |

For Goods Offered From Abroad

| Name of Bidder | | | | | Invitation to Bid ⁴ Number | | | | Page |
|----------------|--|--|--|---|---------------------------------------|--|--|--|------|
| | | | | ` | | | | | |
| | | | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|-------------|----------------------|----------|--|---|--|--|--|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Price delivered DDP (col 4 x 8) |
| | | | | | | | | |
| | | | | | ÷ | | | |
| | | | | | | | | |

| [signature] | [in the capacity of] |
|--|----------------------|
| Duly authorized to sign Bid for and on | behalf of |

⁴ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

| | Name of | Bidder | | | Invit of | Page | | | |
|------|----------------------|---------|-----------|----------------------------|---|--|--|---|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Item | Description | Country | Quantity | Unit price EXW per item | Transportation and Insurance and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Fina Destination (col 9) x (col 4 |
| | | 01 | | | lin the | canacity | of | · | _ |
| | [signature Duly auth | | to sign E | Bid for and | in the on behalf of | capacity | | · | |

gy gr

⁵ If ADB, JICA and WB funded projects, use IFB.

Contract Agreement Form

| THIS AGREEMENT made the _ | day of | 20 | between |
|---|-----------------------|-------------------|--------------|
| [name of PROCURING ENTITY] of the | Philippines (herein | after called "the | Entity") of |
| the one part and <i>[name of Supplier]</i> of <i>[c</i> | city and country of S | Supplier] (herein | after called |
| "the Supplier") of the other part: | | ., . | |

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (e.g. bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract;
 - (f) the Performance Security; and
 - (g) the Entity's Notice of Award.
- 3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
- 4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Y gd in

| Signed, sealed, | delivered by | th | e | (for the | Entity) |
|-----------------|--------------|----|---|----------|------------|
| Signed, sealed. | delivered by | th | e | (for the | Supplier). |

Omnibus Sworn Statement

| REPUBLIC OF THE PHILIPPINES | S) |
|-----------------------------|---------------------|
| CITY/MUNICIPALITY OF |) S.S. [^] |

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

7 ap

- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

| | IN WITNESS WHEREOF, I | have hereunto | set my | hand | this _ | day of | , 20 |
|------|-----------------------|---------------|--------|------|--------|--------|------|
| at . | , Philippines. | | | | | | |

| Bidder's | Representative/Authorized | Signatory |
|----------|---------------------------|-----------|
| | | |

| [place of execution], Philippines. Affiant/s identified by me through competent evidential Practice (A.M. No. 02-8-13-type of government identification card upon the competent of the competent | sis/are personally known to me and was/were ence of identity as defined in the 2004 Rules SC). Affiant/s exhibited to me his/her [insert ised], with his/her photograph and signature and his/her Community Tax Certificate No. |
|---|---|
| Witness my hand and seal this | _ day of [month] [year]. |
| | NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No. PTR No [date issued], [place issued] IBP No [date issued], [place issued] |
| Doc. No Page No Book No Series of | |

y an

^{*} This form will not apply for WB funded projects.

Bank Guarantee Form for Advance Payment

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Signature and seal of the Guarantors

Yours truly,

| [name of bank or financial institution] | |
|---|--|
| | |
| [address] | |
| | |
| [date] | |

BID SECURING DECLARATION FORM

| REPUBLIC OF THE PHILIPPINES) | |
|------------------------------|---------|
| CITY OF | _) S.S. |
| | |
| X | X |

BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We⁶, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

r ah

 $^{^6}$ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this day of [month] [year] at [place of execution]. [Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE! [Insert Signatory's Legal Capacity] Affiant SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. issued on ____at ____. Witness my hand and seal this ____ day of [month] [year]. NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No. PTR No. ____ [date issued], [place issued] IBP No. ____ [date issued], [place issued]

Doc. No. _____ Page No. ____ Book No. ____ Series of ____

4

GL

 $\sqrt{-2}$