

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY (TESDA)

BID DOCUMENTS

Procurement of Starter Toolkits for the Special Training for Employment Program (STEP) for CY 2018

2018-01

Fifth Edition October 2016

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines (GOP) for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or - controlled corporations (GOCCs), government financial institutions (GFIs), state universities and colleges (SUCs), and local government units (LGUs) and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience and are for mandatory¹ use in projects that are financed in whole or in part by the GOP or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

The Bidding Documents shall clearly and adequately define, among others: (a) the objectives, scope, and expected outputs and/or results of the proposed contract; (b) the eligibility requirements of bidders, such as track record to be determined by the Head of the Procuring Entity; (c) the expected contract duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (d) the obligations, duties, and/or functions of the winning bidder.

In order to simplify the preparation of the Bidding Documents for each procurement, the PBDs groups the provisions that are intended to be used unchanged in Section II. Instructions to Bidders (ITB) and in Section IV. General Conditions of Contract (GCC). Data and provisions specific to each procurement and contract should be included in Section III. Bid Data Sheet (BDS); Section V. Special Conditions of Contract (SCC); Section VI. Schedule of Requirements; Section VII. Technical Specifications, and Section IX. Foreign-Assisted Projects. The forms to be used are provided in Section VIII. Bidding Forms.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. In addition, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents, except for the notes introducing Section VIII. Bidding Forms where the information is useful for the Bidder. The following general directions should be observed when using the documents:

- (a) All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Project.
- (b) Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the ITB, BDS, and

¹ Unless the Treaty or International or Executive Agreement expressly provides use of foreign government/foreign or international financing institution procurement guidelines.

SCC. The final documents should contain neither blank spaces nor options.

- (c) This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, SCC, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow. The Bidding Documents should contain no footnotes except Section VIII. Bidding Forms since these provide important guidance to Bidders.
- (d) The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.
- (e) If modifications must be made to bidding requirements, they can be presented in the BDS. Modifications for specific Project or Contract details should be provided in the SCC as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the BDS or SCC these terms shall be printed in bold type face on Section I. Instructions to Bidders and Section III. General Conditions of Contract, respectively.

TABLE OF CONTENTS

SECTION I. INVITATION TO BID	5
SECTION II. INSTRUCTIONS TO BIDDERS	6
SECTION III. BID DATA SHEET	
SECTION IV. GENERAL CONDITIONS OF CONTRACT	
SECTION V. SPECIAL CONDITIONS OF CONTRACT	
SECTION VI. SCHEDULE OF REQUIREMENTS	
SECTION VII. TECHNICAL SPECIFICATIONS	420
SECTION VIII. BIDDING FORMS	475

Section I. Invitation to Bid

Section II. Instructions to Bidders

TABLE OF CONTENTS

Α.	General				
	1.	Scope of Bid	9		
	2.	Source of Funds	9		
	3.	Corrupt, Fraudulent, Collusive, and Coercive Practices	9		
	4.	Conflict of Interest	. 11		
	5.	Eligible Bidders	. 12		
	6.	Bidder's Responsibilities	. 13		
	7.	Origin of Goods	. 16		
	8.	Subcontracts	. 16		
В.	CON	ITENTS OF BIDDING DOCUMENTS	.16		
	9.	Pre-Bid Conference	. 16		
	10.	Clarification and Amendment of Bidding Documents	. 17		
C.	PREPARATION OF BIDS				
	11.	Language of Bid	. 18		
	12.	Documents Comprising the Bid: Eligibility and Technical Components	. 18		
	13.	Documents Comprising the Bid: Financial Component	. 20		
	14.	Alternative Bids	. 21		
	15.	Bid Prices	. 21		
	16.	Bid Currencies	. 23		
	17.	Bid Validity	. 23		
	18.	Bid Security	. 23		
	19.	Format and Signing of Bids	. 26		
	20.	Sealing and Marking of Bids	. 27		
D.	SUBMISSION AND OPENING OF BIDS				
	21.	Deadline for Submission of Bids	. 28		
	22.	Late Bids	. 28		
	23.	Modification and Withdrawal of Bids	. 28		
	24.	Opening and Preliminary Examination of Bids	. 29		
E.	Eva	LUATION AND COMPARISON OF BIDS	.30		
	25.	Process to be Confidential	. 30		
	26.	Clarification of Bids	. 31		
	27.	Domestic Preference	. 31		

	28.	Detailed Evaluation and Comparison of Bids	. 31
	29.	Post-Qualification	. 33
	30.	Reservation Clause	. 34
F.	AwA	ARD OF CONTRACT	.35
	31.	Contract Award	. 35
	32.	Signing of the Contract	. 36
	33.	Performance Security	. 36
	34.	Notice to Proceed	. 38
	35.	Protest Mechanism	.38

General

1. Scope of Bid

- 1.1. The Procuring Entity named in the **BDS** invites bids for the supply and delivery of the Goods as described in Section VII. Technical Specifications.
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the **BDS**. The contracting strategy and basis of evaluation of lots is described in **ITB** Clause 28.

2. Source of Funds

The Procuring Entity has a budget or has received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for the Project, as defined in the **BDS**, to cover eligible payments under the contract.

3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the **BDS**, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
 - (a) defines, for purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any transaction manifestly contract or and arosslv disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive

the Procuring Entity of the benefits of free and open competition.

- (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
- (v) "obstructive practice" is
 - deliberately destroying, falsifying, altering (aa) or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign international government/foreign or financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation from pursuing such proceedings or or investigation; or
 - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 3.1(a).
- 3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 3.

4. Conflict of Interest

- 4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of interest in any of the circumstances set out in paragraphs (d) through (g) below:
 - (a) A Bidder has controlling shareholders in common with another Bidder;
 - (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
 - (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
 - (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process;
 - A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid;
 - (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid; or
 - (g) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.
- 4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity (HoPE), members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:

- (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
- (b) If the Bidder is a partnership, to all its officers and members;
- (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders;
- (d) If the Bidder is a cooperative, to all its officers, directors, and controlling shareholders or members; and
- (e) If the Bidder is a joint venture (JV), the provisions of items (a),
 (b), (c), or (d) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

5. Eligible Bidders

- 5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:
 - (a) Duly licensed Filipino citizens/sole proprietorships;
 - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
 - (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
 - (d) Cooperatives duly organized under the laws of the Philippines; and
 - (e) Persons/entities forming themselves into a Joint Venture (JV), *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
 - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of RA 9184 and its IRR allow foreign bidders to participate;
 - (b) Citizens, corporations, or associations of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;

- (c) When the Goods sought to be procured are not available from local suppliers; or
- (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government owned or –controlled corporations (GOCCs) may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.
- 5.4. Unless otherwise provided in the **BDS**, the Bidder must have completed a Single Largest Completed Contract (SLCC) similar to the Project and the value of which, adjusted, if necessary, by the Bidder to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least equivalent to a percentage of the ABC stated in the **BDS**.

For this purpose, contracts similar to the Project shall be those described in the **<u>BDS</u>**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(ii).

5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.

6. Bidder's Responsibilities

6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII. Bidding Forms as required in **ITB** Clause 12.1(b)(iii).

- 6.2. The Bidder is responsible for the following:
 - (a) Having taken steps to carefully examine all of the Bidding Documents;
 - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
 - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
 - (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under **ITB** Clause 10.4.
 - (e) Ensuring that it is not "blacklisted" or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
 - (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
 - (g) Authorizing the HoPE or its duly authorized representative/s to verify all the documents submitted;
 - (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary's Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
 - Complying with the disclosure provision under Section 47 of RA 9184 and its IRR in relation to other provisions of RA 3019;
 - (j) Complying with existing labor laws and standards, in the case of procurement of services; Moreover, bidder undertakes to:
 - Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the DOLE of underpayment or non-payment of workers' wage and wage-related benefits, bidder agrees that the

performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of Republic Act No. 9184 without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

(ii) Comply with occupational safety and health standards and to correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, bidder undertakes to suspend contract implementation pending clearance to proceed from the DOLE Regional Office and to comply with Work Stoppage Order; and

- (iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises; and
- (k) Ensuring that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity. However, the Procuring Entity shall ensure that all information in the Bidding Documents, including bid/supplemental bid bulletin/s issued, are correct and consistent.

- 6.6. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.7. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

7. Origin of Goods

Unless otherwise indicated in the **BDS**, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

8. Subcontracts

- 8.1. Unless otherwise specified in the **BDS**, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the **BDS**. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the <u>BDS</u>. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

Contents of Bidding Documents

9. **Pre-Bid Conference**

9.1. (a) If so specified in the **BDS**, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.

(b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid/bidding documents in the PhilGEPS website. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the <u>BDS</u>.

- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents as recorded in the minutes of the pre-bid conference and the Supplemental/Bid Bulletin. The minutes of the pre-bid conference shall be recorded and prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective bidders not later than five (5) days upon written request.
- 9.3 Decisions of the BAC amending any provision of the bidding documents shall be issued in writing through a Supplemental/Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

10. Clarification and Amendment of Bidding Documents

- 10.1. Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the <u>BDS</u> at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3. Supplemental/Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS and the website of the Procuring Entity concerned, if available, and at any conspicuous place in the premises of the Procuring Entity concerned. It shall be the responsibility of all Bidders who have properly secured the Bidding Documents to inquire and

secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with **ITB** Clause 23.

Preparation of Bids

11. Language of Bids

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

12. Documents Comprising the Bid: Eligibility and Technical Components

- 12.1. Unless otherwise indicated in the **BDS**, the first envelope shall contain the following eligibility and technical documents:
 - (a) Eligibility Documents –

Class "A" Documents:

- (i) PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.
- Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement of the Bidder's SLCC similar to the contract to be bid, in accordance with ITB Clause 5.4, within the relevant period as provided in the <u>BDS.</u>

The two statements required shall indicate for each contract the following:

- (ii.1) name of the contract;
- (ii.2) date of the contract;
- (ii.3) contract duration;
- (ii.4) owner's name and address;
- (ii.5) kinds of Goods;
- (ii.6) For Statement of Ongoing Contracts amount of contract and value of outstanding contracts;
- (ii.7) For Statement of SLCC amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement;
- (ii.8) date of delivery; and
- (ii.9) end user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements.
- (iii) NFCC computation in accordance with ITB Clause 5.5 or a committed Line of Credit from a universal or commercial bank.

Class "B" Document:

- (iv) If applicable, the Joint Venture Agreement (JVA) in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR.
- (b) Technical Documents
 - (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
 - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
 - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;

- (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
- (iii) Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms.
- (iv) For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

13. Documents Comprising the Bid: Financial Component

- 13.1. The financial component of the bid shall contain the following:
 - (a) Financial Bid Form, which includes bid prices and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
 - (b) If the Bidder claims preference as a Domestic Bidder, a certification from the DTI issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
 - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the <u>BDS</u>, all bids that exceed the ABC

shall not be accepted.

- (b) Unless otherwise indicated in the **BDS**, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
 - Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
 - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
 - (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.

- (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
- (v) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

14. Alternative Bids

- 14.1 Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 14.2 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

15. Bid Prices

- 15.1. The Bidder shall complete the appropriate Schedule of Prices included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.
- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Schedule of Prices. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Government, except those required by law or regulations to be accomplished.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.

- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - (a) For Goods offered from within the Procuring Entity's country:
 - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
 - (ii) The cost of all customs duties and sales and other taxes already paid or payable;
 - (iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - (iv) The price of other (incidental) services, if any, listed in the **BDS**.
 - (b) For Goods offered from abroad:
 - (i) Unless otherwise stated in the <u>BDS</u>, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the <u>BDS</u>. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
 - (c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices for the given scope of work in the contract as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Upon the recommendation of the Procuring Entity, price escalation may be allowed in extraordinary circumstances as may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon approval by the GPPB. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

16. Bid Currencies

- 16.1. Prices shall be quoted in the following currencies:
 - (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
 - (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the <u>BDS</u>. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the *Bangko Sentral ng Pilipinas* (BSP) reference rate bulletin on the day of the bid opening.
- 16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.
- 16.3. Unless otherwise specified in the **<u>BDS</u>**, payment of the contract price shall be made in Philippine Pesos.

17. Bid Validity

- 17.1. Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 17.2. In exceptional circumstances, prior to the expiration of the bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

18. Bid Security

18.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount stated in the <u>BDS</u>, which shall be not less than the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Not Less than the Percentage of the ABC)
 (a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. For biddings conducted by LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign 	Two percent (2%)
bank. For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
 (c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. 	Five percent (5%)

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the Bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the **BDS**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to Bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a request for reconsideration and/or protest, or upon the lapse of the reglementary period to file a request for reconsideration or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the Bidder with the Lowest Calculated Responsive Bid (LCRB) has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in ITB Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
 - (a) if a Bidder:
 - (i) withdraws its bid during the period of bid validity specified in **ITB** Clause 17;
 - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3(b);
 - (iii) has a finding against the veracity of any of the documents submitted as stated in **ITB** Clause 29.2;
 - (iv) submission of eligibility requirements containing false information or falsified documents;
 - submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
 - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
 - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the LCRB;

- (viii) refusal or failure to post the required performance security within the prescribed time;
- (ix) refusal to clarify or validate in writing its bid during postqualification within a period of seven (7) calendar days from receipt of the request for clarification;
- (x) any documented attempt by a Bidder to unduly influence the outcome of the bidding in his favor;
- (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
- (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
 - (i) fails to sign the contract in accordance with **ITB** Clause 32; or
 - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

19. Format and Signing of Bids

- 19.1. Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.
- 19.2. Forms as mentioned in **ITB** Clause 19.1 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3. The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In addition, the Bidder shall submit copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.

- 19.4. Each and every page of the Bid Form, including the Schedule of Prices, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 19.5. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. _____ TECHNICAL COMPONENT" and "COPY NO. _____ FINANCIAL COMPONENT" and the outer envelope as "COPY NO. _____", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 20.4. All envelopes shall:
 - (a) contain the name of the contract to be bid in capital letters;
 - (b) bear the name and address of the Bidder in capital letters;
 - (c) be addressed to the Procuring Entity's BAC in accordance with **ITB** Clause 1.1;
 - (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
 - (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

Submission and Opening of Bids

21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity's BAC at the address and on or before the date and time indicated in the **BDS**.

22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared "Late" and shall not be accepted by the Procuring Entity. The BAC shall record in the minutes of bid submission and opening, the Bidder's name, its representative and the time the late bid was submitted.

23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed and properly identified in accordance with ITB Clause 20, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2 A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Letter of Withdrawal must be executed by the duly authorized representative of the Bidder identified in the Omnibus Sworn Statement, a copy of which should be attached to the letter.
- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder, who has acquired the bidding documents, may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of

administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

24. Opening and Preliminary Examination of Bids

- 24.1. The BAC shall open the bids in public, immediately after the deadline for the submission and receipt of bids, as specified in the **BDS**. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and reschedule the opening of Bids on the next working day or at the soonest possible time through the issuance of a Notice of Postponement to be posted in the PhilGEPS website and the website of the Procuring Entity concerned.
- 24.2. Unless otherwise specified in the **BDS**, the BAC shall open the first bid envelopes and determine each Bidder's compliance with the documents prescribed in **ITB** Clause 12, using a non-discretionary "pass/fail" criterion. If a Bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.3. Unless otherwise specified in the **BDS**, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in **ITB** Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.4. Letters of Withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened.
- 24.5. All members of the BAC who are present during bid opening shall initial every page of the original copies of all bids received and opened.
- 24.6. In the case of an eligible foreign bidder as described in **ITB** Clause 5, the following Class "A" Documents may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned, which shall likewise be uploaded and maintained in the PhilGEPS in accordance with Section 8.5.2 of the IRR:

- (a) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
- (b) Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located; and
- (c) Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission.
- 24.7. Each partner of a joint venture agreement shall likewise submit the requirements in **ITB** Clause 12.1(a)(i). Submission of documents required under **ITB** Clauses 12.1(a)(ii) to 12.1(a)(iii) by any of the joint venture partners constitutes compliance.
- 24.8. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 24.8 The bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids as read and the minutes of the bid opening shall be made available to the public upon written request and payment of a specified fee to recover cost of materials.
- 24.9 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through its PhilGEPS-registered physical address or official e-mail address. The notice shall be issued within seven (7) calendar days from the date of the bid opening.

Evaluation and Comparison of Bids

25. Process to be Confidential

25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.

25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

27. Domestic Preference

- 27.1. Unless otherwise stated in the **BDS**, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:
 - (a) The preference shall be applied when the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder.
 - (b) For evaluation purposes, the lowest Foreign Bid shall be increased by fifteen percent (15%).
 - (c) In the event that the lowest bid offered by a Domestic Bidder does not exceed the lowest Foreign Bid as increased, then the Procuring Entity shall award the contract to the Domestic Bidder at the amount of the lowest Foreign Bid.
 - (d) If the Domestic Bidder refuses to accept the award of contract at the amount of the Foreign Bid within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid, subject to postqualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

28. Detailed Evaluation and Comparison of Bids

28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.

- 28.2. The Lowest Calculated Bid shall be determined in two steps:
 - (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
 - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the following in the evaluation of bids:
 - (a) <u>Completeness of the bid.</u> Unless the <u>BDS</u> allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Procuring Entity, except those required by law or regulations to be provided for; and
 - (b) <u>Arithmetical corrections.</u> Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the <u>BDS</u>.
- 28.5. The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Schedule of Prices.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.
- 28.7. If so indicated pursuant to **ITB** Clause 1.2, Bids are being invited for individual lots or for any combination thereof, provided that all Bids and

combinations of Bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by **ITB** Clause 18 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in BDS Clause 28.3.

29. Post-Qualification

- 29.1. The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.
- 29.2. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, and recommend to the HoPE the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid with a fresh period to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the LCRB is determined for recommendation for contract award.

- 29.6. Within a period not exceeding fifteen (15) calendar days from the determination by the BAC of the LCRB and the recommendation to award the contract, the HoPE or his duly authorized representative shall approve or disapprove the said recommendation.
- 29.7. In the event of disapproval, which shall be based on valid, reasonable, and justifiable grounds as provided for under Section 41 of the IRR of RA 9184, the HoPE shall notify the BAC and the Bidder in writing of such decision and the grounds for it. When applicable, the BAC shall conduct a post-qualification of the Bidder with the next Lowest Calculated Bid. A request for reconsideration may be filed by the bidder with the HoPE in accordance with Section 37.1.3 of the IRR of RA 9184.

30. Reservation Clause

- 30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its requirements. Should such review eliaibility uncover anv misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and shall disgualify it from submitting a bid or from obtaining an award or contract.
- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
 - (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
 - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
 - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:

- If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE;
- (ii) If the project is no longer necessary as determined by the HoPE; and
- (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
 - (a) No bids are received;
 - (b) All prospective Bidders are declared ineligible;
 - (c) All bids fail to comply with all the bid requirements or fail postqualification; or
 - (d) The bidder with the LCRB refuses, without justifiable cause to accept the award of contract, and no award is made in accordance with Section 40 of the IRR of RA 9184.

Award of Contract

31. Contract Award

- 31.1. Subject to **ITB** Clause 29, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
 - (a) Submission of the following documents within ten (10) calendar days from receipt of the Notice of Award:
 - (i) Valid JVA, if applicable; or

- In the case of procurement by a Philippine Foreign Service Office or Post, the PhilGEPS Registration Number of the winning foreign Bidder;
- (b) Posting of the performance security in accordance with **ITB** Clause 33;
- (c) Signing of the contract as provided in **ITB** Clause 32; and
- (d) Approval by higher authority, if required, as provided in Section 37.3 of the IRR of RA 9184.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

32. Signing of the Contract

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security, sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:
 - (a) Contract Agreement;
 - (b) Bidding Documents;
 - (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - (d) Performance Security;
 - (e) Notice of Award of Contract; and
 - (f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The Performance Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount not less than the percentage of the total contract price in accordance with the following schedule:

Form of Performance Security	Amount of Performance Security (Not less than the Percentage of the Total Contract Price)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	
For biddings conducted by the LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%)
For biddings conducted by the LGUs, the Bank Draft/ Guarantee or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
 (c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to 	Thirty percent (30%)

Form of Performance Security	Amount of Performance Security (Not less than the Percentage of the Total Contract Price)
issue such security.	

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall have a fresh period to initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for recommendation of contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement, if necessary.

34. Notice to Proceed

Within seven (7) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue the Notice to Proceed (NTP) together with a copy or copies of the approved contract to the successful Bidder. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

35. Protest Mechanism

Decisions of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the IRR of RA 9184.

Section III. Bid Data Sheet

Bid Data Sheet

ITB						
Clause						
1.1	The Procuring Entity is the Technical Education and Skills Development Authority .					
	The name of the Contract is Procurement of Starter Toolkits for the Special Training for Employment Program (STEP) for CY 2018 .					
	The identification number of the Contract is TESDA-CO-2018-01.					
1.2						
	The lot(s) and reference are:					
	1. Animal Production (Poultry Chicken) NC II					
	2. Animal Production (Swine) NC II					
	3. Raise Organic Chicken (Leading to Organic Agriculture Production NC II)					
	 4. Produce Organic Vegetable (Leading to Organic Agriculture Production NC II) 					
	 Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II) 					
	 6. Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I) 					
	 Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I) 					
	 8. Service Underchassis Components (Leading to Automotive Servicing NC II) 					
	9. Service Engine Components (Leading to Automotive Servicing NC II) 10. Service Automotive Electrical Components (Leading to Automotive					
	Servicing NC II) 11. Service Power Train Components (Leading to Automotive Servicing NC II)					
	12. Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)					
	13. Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)					
	14. Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)					
	15. Carpentry NC II					
	16. Electrical Installation and Maintenance NC II					
	17. Masonry NC I					
	18. Plaster Concrete/Masonry Surface (Leading to Masonry NC II)					

ITB	
Clause	19. Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)
	20. Pipefitting NC II
	21. Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)
	22. Construction Painting NC II
	23. Tile Setting NC II 24. RAC Servicing (Dom/RAC) NC II
	25. Shielded Metal Arc Welding (SMAW) NC I
	26. Assemble Electronics Products (Leading to Electronic Products
	Assembly and Servicing NC II) 27. Service Consumer Electronic Products and Systems (Leading to
	Electronic Products Assembly and Servicing NC II)
	28. Service Industrial Electronic Modules, Products and Systems
	(Leading to Electronic Products Assembly and Servicing NC II) 29. Service Consumer Electronic Products and Systems (Assembly of
	Solar Nightlight and Post Lamp)
	30. Furniture Making (Finishing) NC II
	31. Dressmaking NC II 32. Tailoring NC II
	33. Hilot (Wellness Massage) NC II
	34. Perform Manicure and Pedicure (Leading to Beauty Care NC
	II/Beauty Care Services [Nail Care] NC II) 35. Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care
	Services [Nail Care] NC II)
	36. Perform Body Massage (Leading to Beauty Care NC II)
	37. Perform Body Scrub (Leading to Beauty Care NC II) 38. Perform Facial Treatment (Leading to Beauty Care NC II)
	39. Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care
	Services [Nail Care] NC II) 40. Perform Facial Make-Up (Leading to Beauty Care NC II)
	41. Perform Hair Coloring/Bleaching Services (Leading to Hairdressing
	NC II)
	42. Perform Hair Perming/Straightening (Leading to Hairdressing NC II) 43. Perform Hair Cutting Services (Leading to Hairdressing NC II)
	44. Bread Making (Leading to Bread and Pastry Production NC II)
	45. Pastry Making (Leading to Bread and Pastry Production NC II)
	46. Cake Making (Leading to Bread and Pastry Production NC II) 47. Prepare and Cook Hot Meals (Leading to Cookery NC II)
	48. Prepare Cold Meals (Leading to Cookery NC II)
	49. Process Food by Salting, Curing and Smoking (Leading to Food
	Processing NC II) 50. Process Foods by Fermentation and Pickling (Leading to Food
	Processing NC II)
	 Process Foods by Sugar Concentration (Leading to Food Processing NC II)

The Go Approp Forty-N Hundre		
LOT NO.	TITLE	ABC (in Philippine Peso)
1	Animal Production (Poultry Chicken) NC II	1,636,990.080
2	Animal Production (Swine) NC II	1,824,271.550
3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)	3,580,651.285
4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)	7,117,219.376
5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	3,795,882.442
6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	7,238,243.544
7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	3,990,491.622
8	Service Underchassis Components (Leading to Automotive Servicing NC II)	3,881,571.428
9	Service Engine Components (Leading to Automotive Servicing NC II)	3,973,598.571
10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	4,082,171.793
11	Service Power Train Components (Leading to Automotive Servicing NC II)	1,139,892.150
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	8,219,732.549
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	2,056,103.921
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	2,231,058.414
15	Carpentry NC II	15,402,561.635
16	Electrical Installation and Maintenance NC II	18,546,782.562
17	Masonry NC I	4,577,126.316

LOT NO.	TITLE	ABC (in Philippine Peso)
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)	4,308,998.144
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	1,414,536.884
20	Pipefitting NC II	3,939,222.075
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	1,738,378.180
22	Construction Painting NC II	1,313,459.056
23	Tile Setting NC II	6,317,360.335
24	RAC Servicing (Dom/RAC) NC II	2,465,311.860
25	Shielded Metal Arc Welding (SMAW) NC I	86,165,058.144
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	4,899,575.520
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	8,295,577.600
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	1,503,573.440
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	5,228,048.826
30	Furniture Making (Finishing) NC II	111,345.718
31	Dressmaking NC II	40,088,506.384
32	Tailoring NC II	3,059,293.120
33	Hilot (Wellness Massage) NC II	19,790,534.699
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	4,004,391.837
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	1,809,530.760
36	Perform Body Massage (Leading to Beauty Care NC II)	4,860,608.974
37	Perform Body Scrub (Leading to Beauty Care NC II)	1,026,648.960
38	Perform Facial Treatment (Leading to Beauty Care NC II)	2,926,825.098

ITB Clause			
	LOT NO.	TITLE	ABC (in Philippine Peso)
	39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	3,061,346.672
	40	Perform Facial Make-Up (Leading to Beauty Care NC II)	6,491,378.628
	41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	1,316,840.650
	42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	2,617,209.920
	43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	5,994,480.142
	44	Bread Making (Leading to Bread and Pastry Production NC II) Pastry Making (Leading to Bread and	38,914,822.710 21,809,637.360
	45	Pastry Production NC II) Cake Making (Leading to Bread and Pastry	27,518,588.160
	47	Production NC II) Prepare and Cook Hot Meals (Leading to	18,917,378.406
	48	Cookery NC II) Prepare Cold Meals (Leading to Cookery	10,461,297.645
	49	NC II) Process Food by Salting, Curing and	7,510,972.980
		Smoking (Leading to Food Processing NC II)	
	50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)	4,136,366.934
	51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)	2,584,726.092
		ne of the Project is: Procurement of Starte Training for Employment Program (STEP)	
3.1		er instructions.	
5.1	1. Th	al Eligibility of the Bidders: e Bidder must have been in the business f ars from the date of opening of bids;	for at least five (5)

ITB		
Clause		
	 If the bidder had a contract with TESDA, prior the bid opening for this project, said bidder must have satisfactorily performed its obligations without any adverse findings issued by competent authorities relative to the quality and cost of the goods supplied and delivered including period of delivery. Pursuant to Section 23.4.1.3. of the Revised Implementing Rules and Regulations of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act, which prescribes that the procuring entity may clarify in the Bidding Documents the definition or description of what it considers to be a similar project, a contract is similar to the contract to be bid if it involves goods of the same nature and complexity as those which are the subject of the public bidding concerned. In the case of this procurement, the goods subject of this public bidding pertain to training tools and equipment relevant to the provision of technical education and skills development which will be used as starter tool kits of the target beneficiaries (trainees) per identified qualification under STEP. As such, the goods covered under the completed single contract of the bidder which must be equivalent to at least fifty percent (50%) of the ABC must have the same major categories of goods subject of this public bidding for the said contract to qualify as a contract similar to the contract to be bid. The bidder must submit its clearances from the National Labor Relations Commission (NLRC), Department of Labor and Employment (DOLE), Pag-IBIG Fund, Social Security System (SSS) and Philippine Health Insurance Corporation (PhilHealth) during the bid opening as part of the eligibility requirements. Said clearances must be issued within three (3) months from the date of the bid opening. 	
5.2	Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.	
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.	
7	No further instructions.	
8.1	Subcontracting is not allowed.	
8.2	Not applicable	

ITB	
Clause	
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 08 May 2018, 2:00 p.m. at the CSA Conference Room, 2nd Floor, TESDA Administration Building, Taguig City.
10.1	The Procuring Entity's address is:
	Technical Education and Skills Development Authority East Service Road South Luzon Expressway Taguig City, Metro Manila Tel/Fax No. 893-8296 Email address: bacsecretariat@tesda.gov.ph
12.1 (a)(i)	The following documents are to be submitted during the bid opening on 28 May 2018 despite the submission of the bidder of their Philippine Government Electronic Procurement System (PhilGEPS) Platinum Certificate of Registration:
	 Registration Certificate with the Department of Trade and Industry (DTI) business name registration for sole proprietorship, Securities and Exchange Commission (SEC) registration Certificate for corporations or Cooperative Development Authority registration certificate for cooperatives;
	2. Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	3. Tax clearance per Executive Order No. 398, Series of 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR); and
	4. The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.
12.1 (a)(ii)	The bidder's SLCC similar to the contract to be bid should have been completed within the last five (5) years prior to the deadline for the submission and receipt of bids.
13.1(b)	No further instructions.
13.1(c)	No additional requirements.

LOT NO.	TITLE	ABC (in Philippine
		Peso)
1	Animal Production (Poultry Chicken) NC II	1,636,990.080
2	Animal Production (Swine) NC II	1,824,271.550
3	Raise Organic Chicken (Leading to Organic	3,580,651.285
	Agriculture Production NC II)	
4	Produce Organic Vegetable (Leading to	7,117,219.376
	Organic Agriculture Production NC II)	
5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	3,795,882.442
6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	7,238,243.544
7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	3,990,491.622
8	Service Underchassis Components (Leading to Automotive Servicing NC II)	3,881,571.428
9	Service Engine Components (Leading to Automotive Servicing NC II)	3,973,598.571
10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	4,082,171.793
11	Service Power Train Components (Leading to Automotive Servicing NC II)	1,139,892.150
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	8,219,732.549
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	2,056,103.921
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	2,231,058.414
15	Carpentry NC II	15,402,561.635
16	Electrical Installation and Maintenance NC	18,546,782.562
17	Masonry NC I	4,577,126.316
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)	4,308,998.144
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	1,414,536.884
20	Pipefitting NC II	3,939,222.075

LOT NO.	TITLE	ABC (in Philippine Peso)
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	1,738,378.180
22	Construction Painting NC II	1,313,459.056
23	Tile Setting NC II	6,317,360.335
24	RAC Servicing (Dom/RAC) NC II	2,465,311.860
25	Shielded Metal Arc Welding (SMAW) NC I	86,165,058.144
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	4,899,575.520
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	8,295,577.600
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	1,503,573.440
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	5,228,048.826
30	Furniture Making (Finishing) NC II	111,345.718
31	Dressmaking NC II	40,088,506.384
32	Tailoring NC II	3,059,293.120
33	Hilot (Wellness Massage) NC II	19,790,534.699
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	4,004,391.837
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	1,809,530.760
36	Perform Body Massage (Leading to Beauty Care NC II)	4,860,608.974
37	Perform Body Scrub (Leading to Beauty Care NC II)	1,026,648.960
38	Perform Facial Treatment (Leading to Beauty Care NC II)	2,926,825.098
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	3,061,346.672
40	Perform Facial Make-Up (Leading to Beauty Care NC II)	6,491,378.628

ITB			
Clause			
	LOT NO.	TITLE	ABC (in Philippine Peso)
	41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	1,316,840.650
	42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	2,617,209.920
	43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	5,994,480.142
	44	Bread Making (Leading to Bread and Pastry Production NC II)	38,914,822.710
	45	Pastry Making (Leading to Bread and Pastry Production NC II)	21,809,637.360
	46	Cake Making (Leading to Bread and Pastry Production NC II)	27,518,588.160
	47	Prepare and Cook Hot Meals (Leading to Cookery NC II)	18,917,378.406
	48	Prepare Cold Meals (Leading to Cookery NC II)	10,461,297.645
	49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)	7,510,972.980
	50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)	4,136,366.934
	51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)	2,584,726.092
	Any bid accepte	with a financial component exceeding this a d.	mount shall not be
15.4 (a)(iv)	No incid	lental services are required.	
15.4(b)	Not applicable		
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.		
16.3	Not app	licable	
17.1	Bids will	l be valid for one hundred twenty (120) calend	ar days.

Clause 18.1		id security shall be in the form the following forms and amount		g Declaration, o
	1. The cas of e	e amount of not less than 2% shier's/manager's check, bank o credit; or e amount of not less than 5% nd.	of ABC, if bid se Iraft/guarantee or	irrevocable lette
	LOT NO.	TITLE	2% of ABC (in Philippine Peso)	5% of ABC (in Philippine Peso)
	1	Animal Production (Poultry Chicken) NC II	32,739.802	81,849.504
	2	Animal Production (Swine) NC II	36,485.431	91,213.578
	3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)	71,613.026	179,032.564
	4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)	142,344.388	355,860.969
	5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	75,917.649	189,794.122
	6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	144,764.871	361,912.177
	7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	79,809.832	199,524.581
	8	Service Underchassis Components (Leading to Automotive Servicing NC II)	77,631.429	194,078.571
	9	Service Engine Components (Leading to Automotive Servicing NC II)	79,471.971	198,679.929
	10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	81,643.436	204,108.590
	11	Service Power Train Components (Leading to Automotive Servicing NC II)	22,797.843	56,994.608

ITB Clause				
	LOT NO.	TITLE	2% of ABC (in Philippine Peso)	5% of ABC (in Philippine Peso)
	12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	164,394.651	410,986.627
	13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	41,122.078	102,805.196
	14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	44,621.168	111,552.921
	15	Carpentry NC II	308,051.233	770,128.082
	16	Electrical Installation and Maintenance NC II	370,935.651	927,339.128
	17	Masonry NC I	91,542.526	228,856.316
	18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)	86,179.963	215,449.907
	19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	28,290.738	70,726.844
	20	Pipefitting NC II	78,784.442	196,961.104
	21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	34,767.564	86,918.909
	22	Construction Painting NC II	26,269.181	65,672.953
	23	Tile Setting NC II	126,347.207	315,868.017
	24	RAC Servicing (Dom/RAC) NC II	49,306.237	123,265.593
	25	Shielded Metal Arc Welding (SMAW) NC I	1,723,301.163	4,308,252.907
	26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	97,991.510	244,978.776
	27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	165,911.552	414,778.880

LOT NO.	TITLE	2% of ABC (in Philippine Peso)	5% of ABC (in Philippine Peso)
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	30,071.469	75,178.672
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	104,560.977	261,402.441
30	Furniture Making (Finishing) NC II	2,226.914	5,567.286
31	Dressmaking NC II	801,770.128	2,004,425.319
32	Tailoring NC II	61,185.862	152,964.656
33	Hilot (Wellness Massage) NC II	395,810.694	989,526.735
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	80,087.837	200,219.592
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	36,190.615	90,476.538
36	Perform Body Massage (Leading to Beauty Care NC II)	97,212.179	243,030.449
37	Perform Body Scrub (Leading to Beauty Care NC II)	20,532.979	51,332.448
38	Perform Facial Treatment (Leading to Beauty Care NC II)	58,536.502	146,341.255
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	61,226.933	153,067.334
40	Perform Facial Make-Up (Leading to Beauty Care NC II)	129,827.573	324,568.931
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	26,336.813	65,842.033

ITB Clause				
	LOT NO.	TITLE	2% of ABC (in Philippine Peso)	5% of ABC (in Philippine Peso)
	42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	52,344.198	130,860.496
	43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	119,889.603	299,724.007
	44	Bread Making (Leading to Bread and Pastry Production NC II)	778,296.454	1,945,741.136
	45	Pastry Making (Leading to Bread and Pastry Production NC II)	436,192.747	1,090,481.868
	46	Cake Making (Leading to Bread and Pastry Production NC II)	550,371.763	1,375,929.408
	47	Prepare and Cook Hot Meals (Leading to Cookery NC II)	378,347.568	945,868.920
	48	Prepare Cold Meals (Leading to Cookery NC II)	209,225.953	523,064.882
	49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)	150,219.460	375,548.649
	50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)	82,727.339	206,818.347
	51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)	51,694.522	129,236.305
10.0	Tha h:	d acquirity abolt has valid for and h	undrod twoats (120) dove
18.2	i ne di	d security shall be valid for one h	iunarea twenty (120) days.
20.3		Bidder shall submit one (1) origin cond components of its bid.	al and three (3)	copies of the first

ITB			
Clause 21	The address for submission of bids is:		
21			
	TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY MR. ALVIN S. FELICIANO		
	Chairperson, BAC TESDA Complex, TESDA Administration Building East Service Road, SLEX		
	Taguig City, Philippines		
	The deadline for submission of bids is 28 May 2018 at 10:00 a.m.		
24.1	The place of bid opening is:		
	CSA Conference Room, 2 nd Floor, TESDA Administration Building Taguig City		
	The date and time of bid opening is 28 May 2018 at 10:15 a.m.		
24.2	No further instructions.		
24.3	No further instructions.		
27.1	No further instructions.		
28.3 (a)	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.		
28.4	No further instructions.		
29.2	List licenses and permits relevant to the Project and the corresponding law requiring it, or state "No additional requirement."		
32.4(f)	List additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, or state "No additional requirement."		

Section IV. General Conditions of Contract

TABLE OF CONTENTS

1.	DEFINITIONS	57
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES	58
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	59
4.	GOVERNING LAW AND LANGUAGE	59
5.	Notices	60
6.	SCOPE OF CONTRACT	60
7.	SUBCONTRACTING	60
8.	PROCURING ENTITY'S RESPONSIBILITIES	60
9.	PRICES	61
10.	PAYMENT	61
11.	Advance Payment and Terms of Payment	62
12.	TAXES AND DUTIES	62
13.	Performance Security	62
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	63
15.	STANDARDS	63
16.	INSPECTION AND TESTS	64
17.	WARRANTY	64
18.	DELAYS IN THE SUPPLIER'S PERFORMANCE	65
19.	LIQUIDATED DAMAGES	66
20.	SETTLEMENT OF DISPUTES	66
21.	LIABILITY OF THE SUPPLIER	67
22.	Force Majeure	67
23.	TERMINATION FOR DEFAULT	67
24.	TERMINATION FOR INSOLVENCY	68
25.	TERMINATION FOR CONVENIENCE	68
26.	TERMINATION FOR UNLAWFUL ACTS	69
27.	PROCEDURES FOR TERMINATION OF CONTRACTS	69
28.	ASSIGNMENT OF RIGHTS	70

29.	CONTRACT AMENDMENT	71
30.	APPLICATION	71

1. Definitions

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
 - (a) "The Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
 - (c) "The Goods" means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
 - (d) "The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
 - (e) "GCC" means the General Conditions of Contract contained in this Section.
 - (f) "SCC" means the Special Conditions of Contract.
 - (g) "The Procuring Entity" means the organization purchasing the Goods, as named in the <u>SCC</u>.
 - (h) "The Procuring Entity's country" is the Philippines.
 - (i) "The Supplier" means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the <u>SCC</u>.
 - (j) The "Funding Source" means the organization named in the <u>SCC</u>.
 - (k) "The Project Site," where applicable, means the place or places named in the <u>SCC</u>.
 - (I) "Day" means calendar day.
 - (m) The "Effective Date" of the contract will be the date of signing the contract, however the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed and copy of the approved contract.

(n) "Verified Report" refers to the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

2. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 2.1. Unless otherwise provided in the <u>SCC</u>, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
 - (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
 - (v) "obstructive practice" is

- (aa) deliberately destroying, falsifying, altering or concealing evidence material of to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
- (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in **GCC** Clause 2.1(a).

3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

4. Governing Law and Language

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

5. Notices

- 5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the <u>SCC</u>, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.
- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the <u>SCC</u> for GCC Clause 5.1.

6. Scope of Contract

- 6.1. The Goods and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the <u>SCC</u>.

7. Subcontracting

- 7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. If subcontracting is allowed, the Supplier may identify its subcontractor contract implementation. Subcontractors disclosed and durina during the bidding may identified be changed durina the implementation of this Contract. In either case, subcontractors must submit the documentary requirements under ITB Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.

8. **Procuring Entity's Responsibilities**

8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses

from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.

8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with **GCC** Clause 6.

9. Prices

- 9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.
- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with **GCC** Clause 29.

10. Payment

- 10.1. Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in **GCC** Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the **SCC** provision for **GCC** Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to **GCC** Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the schedule stated in the <u>SCC</u>.
- 10.4. Unless otherwise provided in the <u>SCC</u>, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.
- 10.5. Unless otherwise provided in the <u>SCC</u>, payments using Letter of Credit (LC), in accordance with the Guidelines issued by the GPPB, is

allowed. For this purpose, the amount of provisional sum is indicated in the <u>SCC</u>. All charges for the opening of the LC and/or incidental expenses thereto shall be for the account of the Supplier.

11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.
- 11.3. For Goods supplied from abroad, unless otherwise indicated in the <u>SCC</u>, the terms of payment shall be as follows:
 - (a) On Contract Signature: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.
 - (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents.
 - (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery and Documents.

12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
 - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;
 - (b) The Supplier has no pending claims for labor and materials filed against it; and
 - (c) Other terms specified in the **<u>SCC</u>**.
- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

14. Use of Contract Documents and Information

- 14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in **GCC** Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the; and, when no applicable standard is mentioned, to the

authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

16. Inspection and Tests

- 16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The <u>SCC</u> and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.
- 16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to **GCC** Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

17. Warranty

17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.

- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the <u>SCC</u>. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) of the total Contract Price or other such amount if so specified in the <u>SCC</u>. The said amounts shall only be released after the lapse of the warranty period specified in the <u>SCC</u>; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the <u>SCC</u> and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in **GCC** Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and under the applicable law.

18. Delays in the Supplier's Performance

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under GCC Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.

18.3. Except as provided under **GCC** Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to **GCC** Clause 19, unless an extension of time is agreed upon pursuant to **GCC** Clause 29 without the application of liquidated damages.

19. Liquidated Damages

Subject to **GCC** Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity may rescind or terminate the Contract pursuant to **GCC** Clause 23, without prejudice to other courses of action and remedies open to it.

20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

21. Liability of the Supplier

- 21.1. The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the <u>SCC</u>.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier's delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Supplier could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
 - (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contact price;

- (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
- (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under **GCC** Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

25. Termination for Convenience

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:

- (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.
- 25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

26. Termination for Unlawful Acts

- 26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:
 - (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause 3.1(a);
 - (b) Drawing up or using forged documents;
 - (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
 - (d) Any other act analogous to the foregoing.

27. Procedures for Termination of Contracts

- 27.1. The following provisions shall govern the procedures for termination of this Contract:
 - (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
 - (b) Upon recommendation by the Implementing Unit, the HoPE shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:

- that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
- (ii) the extent of termination, whether in whole or in part;
- (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
- (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
- (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating this Contract;
- (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
- (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
- (g) The HoPE may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the HoPE; and
- (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

30. Application

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause				
1.1(g)	The Procuring Entity is Technical Education and Skills Development Authority (TESDA) .			
1.1(i)	The Supplier is:			
1.1(j)	The Fun			
	The Government of the Philippines (GOP) through the Appropriations Act (GAA) CY 2018 in the amount of Forty-Nine Million Eight Hundred Ninety-Six Thoore Hundred Eighty-One Pesos and 151/10 (Php449,896,181.151) broken into:			
	LOT NO.	TITLE	ABC (in Philippine Peso)	
	1	Animal Production (Poultry Chicken) NC II	1,636,990.080	
	2	Animal Production (Swine) NC II	1,824,271.550	
	3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)	3,580,651.285	
	4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)	7,117,219.376	
	5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	3,795,882.442	
	6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	7,238,243.544	
	7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	3,990,491.622	
	8	Service Underchassis Components (Leading to Automotive Servicing NC II)	3,881,571.428	
	9	Service Engine Components (Leading to Automotive Servicing NC II)	3,973,598.571	
	10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	4,082,171.793	
	11	Service Power Train Components (Leading to Automotive Servicing NC II)	1,139,892.150	

9					
LOT NO.	TITLE	ABC (in Philippine Peso)			
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	8,219,732.549			
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	2,056,103.921			
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	2,231,058.414			
15	Carpentry NC II	15,402,561.635			
16	Electrical Installation and Maintenance NC	18,546,782.562			
17	Masonry NC I	4,577,126.316			
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)	4,308,998.144			
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	1,414,536.884			
20	Pipefitting NC II	3,939,222.075			
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	1,738,378.180			
22	Construction Painting NC II	1,313,459.056			
23	Tile Setting NC II	6,317,360.335			
24	RAC Servicing (Dom/RAC) NC II	2,465,311.860			
25	Shielded Metal Arc Welding (SMAW) NC I	86,165,058.144			
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	4,899,575.520			
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	8,295,577.600			
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	1,503,573.440			
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	5,228,048.826			
30	Furniture Making (Finishing) NC II	111,345.718			
31	Dressmaking NC II	40,088,506.384			

LOT NO.	TITLE	ABC (in Philippine Peso)	
32	Tailoring NC II	3,059,293.12	
33	Hilot (Wellness Massage) NC II	19,790,534.69	
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	4,004,391.83	
35	Perform Hand Spa Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	1,809,530.70	
36	Perform Body Massage (Leading to Beauty Care NC II)	4,860,608.9	
37	Perform Body Scrub (Leading to Beauty Care NC II)	1,026,648.9	
38	Perform Facial Treatment (Leading to Beauty Care NC II)	2,926,825.09	
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	3,061,346.6	
40	Perform Facial Make-Up (Leading to Beauty Care NC II)	6,491,378.62	
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	1,316,840.6	
42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	2,617,209.92	
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	5,994,480.1	
44	Bread Making (Leading to Bread and Pastry Production NC II)	38,914,822.7	
45	Pastry Making (Leading to Bread and Pastry Production NC II)	21,809,637.3	
46	Cake Making (Leading to Bread and Pastry Production NC II)	27,518,588.1	
47	Prepare and Cook Hot Meals (Leading to Cookery NC II)	18,917,378.4	
48	Prepare Cold Meals (Leading to Cookery NC II)	10,461,297.64	

000	-						
GCC Clause							
	LOT TITLE (in Phili NO. Pes						
	49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)	7,510,972.980				
	50 Process Foods by Fermentation and Pickling (Leading to Food Processing NC II) 4,136,366.934						
	51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)	2,584,726.092				
1.1(k)	The Pro	ject sites are defined in Section VI. Schedule	of Requirements.				
2.1	No furth	er instructions.					
5.1	The Pro	curing Entity's address for Notices is:					
	GUILING "GENE" A. MAMONDIONG Director General/Secretary Technical Education and Skills Development Authority East Service Road South Luzon Expressway Taguig City, Metro Manila Philippines Tel/Fax No. 893-8296						
	The Supplier's address for Notices is:						
6.2	Delivery	/ and Documents –					
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:						

GCC Clause			
	to the	Goods Supplied from Abroad, state "The delivery terms applicable e Contract are DDP delivered to various regional offices of TESDA. cordance with INCOTERMS."	
	For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are to various regional offices of TESDA. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:		
	For G	Goods supplied from within the Philippines:	
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:		
	(i) Original and four copies of the Supplier's invoice showing Good description, quantity, unit price, and total amount;		
	(ii) Original and four copies delivery receipt/note, railway receipt, truck receipt;		
	(iii)	Original Supplier's factory inspection report;	
	(iv) Original and four copies of the Manufacturer's and/or Supplie warranty certificate;		
	(v)	Original and four copies of the certificate of origin (for imported Goods);	
	(vi) Delivery receipt detailing number and description of iter received signed by the authorized receiving personnel;		
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and	
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.	
	For G	Goods supplied from abroad:	
	Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of		

GCC Clause				
	 lading number and date, port of loading, date of shipment, port discharge etc. Upon delivery to the Project Site, the Supplier shall not the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence: (i) Original and four copies of the Supplier's invoice showing Good description, quantity, unit price, and total amount; 			
	 Original and four copies of the negotiable, clean shipped board bill of lading marked "freight pre-paid" and five copie the non-negotiable bill of lading; 			
	(iii)	Original Supplier's factory inspection report;		
	(iv) Original and four copies of the Manufacturer's and/or Supplie warranty certificate;			
	 (v) Original and four copies of the certificate of origin (for import Goods); 			
	 (vi) Delivery receipt detailing number and description of received signed by the Procuring Entity's representative a Project Site; 			
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and		
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.		
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is the TESDA-Central Office.			
	Incid	ental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:			
	Selec	et appropriate requirements and delete the rest.		
	(a)	performance or supervision of on-site assembly and/or start-up of the supplied Goods;		
	(b)	furnishing of tools required for assembly and/or maintenance of the supplied Goods;		
	(c)	furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;		

GCC					
Clause	(d)	performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and			
	(e)	training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.			
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				
	Spare Parts –				
	The Supplier is required to provide all of the following material notifications, and information pertaining to spare parts manufactured distributed by the Supplier:				
	Select appropriate requirements and delete the rest.				
	(a)	such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and			
	(b)	in the event of termination of production of the spare parts:			
		 advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and 			
		 following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. 			
		spare parts required are listed in Section VI. Schedule of irements and the cost thereof are included in the Contract Price			
	of con perior	Supplier shall carry sufficient inventories to assure ex-stock supply nsumable spares for the Goods for a period of <i>[insert here the time d specified. If not used insert time period of three times the anty period].</i>			
	Other spare parts and components shall be supplied as promptly as possible, but in any case within <i>[insert appropriate time period]</i> months of placing the order.				

GCC	
Clause	
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity
	Name of the Supplier
	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Insurance –
	The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and

GCC Clause	
	delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure in accordance with GCC Clause 22.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Patent Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.4	Not applicable

GCC Clause	
10.5	Payment using LC is not allowed.
11.3	Maintain the GCC Clause.
13.4(c)	No further instructions
16.1	None
17.3	<i>If the Goods pertain to Expendable Supplies:</i> Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.
	If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is [insert number of days].
21.1	No additional provision.

Section VI. Schedule of Requirements

A. List of Goods and Related Services

The goods and related services refer to supply, delivery, installation, testing and training of end-user's representatives on the use of training tools and equipment. Only bids for all the items in each lot shall be accepted. The bidding shall be done by lot. Each qualification shall consist of one (1) lot. However, evaluation and award of contract will be undertaken depending on whatever is most advantageous to the government in terms of technical specifications and costs.

Lot No.	QUALIFICATIONS		
1	Animal Production (Poultry Chicken) NC II		
2	Animal Production (Swine) NC II		
3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)		
4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)		
5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)		
6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)		
7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)		
8	Service Underchassis Components (Leading to Automotive Servicing NC II)		
9	Service Engine Components (Leading to Automotive Servicing NC II)		
10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)		
11	Service Power Train Components (Leading to Automotive Servicing NC II)		
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)		
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)		
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)		
15	Carpentry NC II		
16	Electrical Installation and Maintenance NC II		
17	Masonry NC I		
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)		
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)		
20	Pipefitting NC II		
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)		
22	Construction Painting NC II		
23	Tile Setting NC II		
24	RAC Servicing (Dom/RAC) NC II		
25	Shielded Metal Arc Welding (SMAW) NC I		
26	Assemble Electronics Products (Leading to Electronic Products Assembly and		

Lot No.	QUALIFICATIONS		
	Servicing NC II)		
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)		
28	Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)		
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)		
30	Furniture Making (Finishing) NC II		
31	Dressmaking NC II		
32	Tailoring NC II		
33	Hilot (Wellness Massage) NC II		
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)		
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)		
36	Perform Body Massage (Leading to Beauty Care NC II)		
37	Perform Body Scrub (Leading to Beauty Care NC II)		
38	Perform Facial Treatment (Leading to Beauty Care NC II)		
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)		
40	Perform Facial Make-Up (Leading to Beauty Care NC II)		
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)		
42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)		
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)		
44	Bread Making (Leading to Bread and Pastry Production NC II)		
45	Pastry Making (Leading to Bread and Pastry Production NC II)		
46	Cake Making (Leading to Bread and Pastry Production NC II)		
47	Prepare and Cook Hot Meals (Leading to Cookery NC II)		
48	Prepare Cold Meals (Leading to Cookery NC II)		
49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)		
50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)		
51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)		

B. Delivery and Completion Schedule

The delivery period shall start from the date of the receipt of the Notice to Proceed by the winning bidder. No partial shipment shall be allowed. **Completion of the contract shall be made not later than ninety (90) calendar days from the date of the receipt by the winning bidder of the Notice to Proceed.**

C. Project Sites

The distribution lists pertaining to the project sites with the corresponding addresses and lot/s are hereto attached.

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy. Rebuken, Sultan Kudarat, Maguindanao

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
9	1		ents (Leading to Automotive Servicir			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm,14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
	Sub-total, Service Engine Components (Leading to Automotive Servicing NC II)					
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)					
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	23
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	23
	3	Combination Wrench (Open	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm,	1	SET	23

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	DC Cor	nplex, Brg	у.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		And Box End)	14mm, 17mm, 19mm, 22mm) 7.5 deg offset			
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	23
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	23
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	23
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	23
	Sub-to	-	Aotorcycle/Small Engine System	(Lea	ding to	23
13		cycle/Small Engine	e Servicing NC II) m (Leading to Motorcycle/Small Engi	ne Serv	vicina NC I	D)
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	21
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	21
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	21
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	21
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	21
	Servic	ing NC II)	trical System (Leading to Motorcyc		-	21
14	Overh NC II)		nall Engine (Leading to Motorcycle/Si	nall En		cing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2"	1	SET	20

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	DC Cor	nplex, Brg	у.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	20
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635 mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	20
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	20
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
	Engin	e Servicing NC II)	torcycle/Small Engine (Leading to N	<i>Notorcy</i>	cle/Small	20
15	Carpe	ntry NC II				

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM Iken, Sultan Kudarat, Maguindanao	DC Cor	nplex, Br	gy.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	118
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	118
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	118
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	118
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	118
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	118
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless- Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	118
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	118
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	118
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	118
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	118
	1	otal, Carpentry NC				118
16	Electr	ical Installation an	Multi-tostor Apolog DCV Pongo: 0.1	1	UNIT	125
		(Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm	1		120

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Broy,

LOT NO.	ITEM NO.	Rebu ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	125
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	125
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	125
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	125
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	125
	Sub-to	otal. Electrical Inst	allation and Maintenance NC II			125
17		nry NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	100
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	100
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	100
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	100
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	100
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	100
		otal, Masonry NC I				100
18	Plaste		ry Surface (Leading to Masonry NC II	1		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	25

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RN ken, Sultan Kudarat, Maguindanao	IDC Cor	nplex, Brg	у.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24	1	PC	25
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25
			ete/Masonry Surface (Leading to Ma			25
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leadin Plumbing NC II)					
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	25
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	25
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
			tiple Plumbing Installation and Rep	air Mai	ntenance	25
23		s <i>(Leading to Plum</i> etting NC II	bing NC II)			
23	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	89
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	89
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable	1	PC	89

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	DC Co	mplex, Brg	у.		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			rubber Corrosion resistant tru-zero end					
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	89		
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	89		
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	89		
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	89		
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	89		
	Sub-to	otal, Tile Setting N	С II			89		
25	Shield	ed Metal Arc Welc	ling (SMAW) NC I					
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	150		
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	150		
			al Arc Welding (SMAW) NC I			150		
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Servic [Nail Care] NC II)							
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	40		
	2	Cuticle Pusher	stainless steel, 5"	1	PC	40		
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	40		
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	40		
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40		
	6	Nail Brush	Plastic, soft bristle	1	PC	40		
	7	Emery Board	80/100 coarse, 8" Long	1	PC	40		
	8	Cotton Balls	150 balls	1	PACK	40		
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	40		
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	40		
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	40		
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	40		
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	40		
	14	Colorless Nail	15ml bottle, with glitters	1	BOTTLE	40		

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	IDC Co	mplex, Brg	у.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Polish				
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	40
	16	Low Stool	hard plastic, round	1	PC	40
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
		otal, Perform Mar uty Care Services	nicure and Pedicure (Leading to E [Nail Care] NC II)	Beauty	Care NC	40
36			(Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	40
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	40
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	40
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	40
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	40
	7	Aromatic Oil	100 ml.	1	BOTTLE	40
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	40
	9	Powder	Baby powder, 200 g	1	BOTTLE	40
	10	Mentholated Oil	100 ml.	1	BOTTLE	40
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40
			Massage (Leading to Beauty Care N	IC II)		40
38	Perfor		t (Leading to Beauty Care NC II)	1		
	1	Acne Gel	25ml, hypoallergenic	1	PC	40
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	40
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	40
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	40
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	40
	6	Facial Brush	plastic handle, soft bristle	1	PC	40
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	40
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	40
	9	Moisturizer	50 ml, hypoallergenic	1	PC	40
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	40

TESDA-Autonomous Region in Muslim Mindanao (ARMM) – RMDC Complex, Brgy. Rebuken, Sultan Kudarat, Maguindanao							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	40	
			(hypoallergenic)				
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	40	
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	40	
	13	Cotton Balls	150 balls	1	PACK	40	
			al Treatment (Leading to Beauty Care		FACK	4 0 40	
	500-0	Jiai, Feriorini Facio	a meaninem (Leading to Beauty Care	NC II)		40	
40	Perfor	m Facial Make-Up	(Leading to Beauty Care NC II)				
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	42	
	2	Blusher	pink and bronze shade, 4grams each	2	PC	42	
	3	Eye Brow Pencil	black, 4"	1	PC	42	
	4	Eye Brow Pencil	brown, 4"	1	PC	42	
	5	Eye Liner Pencil	black, 4"	1	PC	42	
	6	Eye Liner Pencil	brown, 4"	1	PC	42	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	42	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	42	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	42	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	42	
	11	Make-Up Sponge	round, powder puff sponge	1	PC	42	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	42	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	42	
	14	Lipstick	matte finish, red	1	PC	42	
	15	Lipstick	matte finish, coral pink	1	PC	42	
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	42	
	17	Mascara	black, water proof, 7g	1	PC	42	
	18	Pressed Powder	natural shade, matte finish	1	PC	42	
	19	Cotton Balls	150 balls	1	PACK	42	
	20	Concealer	20ml with UVA/UVB protection	1	PC	42	
	Sub-to	otal, Perform Facia	al Make-Up (Leading to Beauty Care N	IC II)		42	
44	Bread	Making (Leading	to Bread and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning	1	UNIT	135	

т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	DC Cor	nplex, Br	gy.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			(Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	135
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	135
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	135
			(Leading to Bread and Pastry Produ		C II)	135
45	Pastry		to Bread and Pastry Production NC I			-
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	115
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	115
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	115
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	115
	Sub-to	otal, Pastry Making	g (Leading to Bread and Pastry Produ	iction N	IC II)	115
46	Cake	Making (Leading to	o Bread and Pastry Production NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	118
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	118
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart	1	PC	118

Т	ESDA-A		on in Muslim Mindanao (ARMM) – RM ken, Sultan Kudarat, Maguindanao	DC Cor	nplex, Br	gy.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			capacity			
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	118
			(Leading to Bread and Pastry Produc	tion NC	C II)	118
47	Prepa		leals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	95
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	95
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	95
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	95
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	95
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	95
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	95
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	95
	Sub-te	otal, Prepare and C	Cook Hot Meals (Leading to Cookery	NC II)		95
48			ading to Cookery NC II)			-
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC	75
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	75
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	75
	4	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	75
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	75
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	75
	7	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	75
	Sub-to	otal, Prepare Cold	Meals (Leading to Cookery NC II)	1		75
	ΤΟΤΑ		· / _ /			1,416
	IUIA					1,4

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper.

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Pou	Itry Chicken) NC II			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	25
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	25
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	25
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	25
			ction (Poultry Chicken) NC II			25
4	Produ 1	ce Organic Vegeta Steel Rake	able (Leading to Organic Agricultu 14 tine made of steel; hardwood handle	re Produ 1	PC	36
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	36
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	36
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	36
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	36
	Produ	ction NC II)	ganic Vegetable (Leading to Or			36
5		ce Organic Con ction NC II)	coction and Extracts (Leading	to Org		culture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	36
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	36
	3	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	36
	4	Weighing Scale	10 kg. capacity	1	UNIT	36

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	36
		otal, Produce Orga Ilture Production I	nic Concoction and Extracts (Lea NC II)	ding to (Organic	36
6	Perfor	m Diesel Engine T	une Up (Leading to Automotive Section 2015)	ervicing	NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	33
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	33
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	33
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	33
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	33
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	33
		otal, Perform Die cing NC I)	esel Engine Tune Up (Leading	to A	utomotive	33

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper,

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
7	Perfor	m Gas Engine Tur	ne Up (Leading to Automotive Serv	vicing NO	CI)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	33
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	33
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	33
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	33
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	33
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	33
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	33
	Sub-to NC I)	otal, Perform Gas I	Engine Tune Up (Leading to Autor	notive S	ervicing	33
10	Servic	e Automotive Elec	ctrical Components (Leading to Au	utomotiv	e Servicin	g NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps	1	PC	37
		Electricians/	and a top-mounted rocker switch. Overall length: 8", Steel Alloy,			

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	e, Loakan Pi	roper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Electrical Plier	Handle finish: plastic-dipped			
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	37
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	37
	Sub-to	otal, Service Au	Itomotive Electrical Componer	nts (Le	ading to	37
		notive Servicing N	C II)			
15	Carpe	ntry NC II	L	I	, , , , , , , , , , , , , , , , , , , ,	
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	111
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	111
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	111
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	111
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	111
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	111
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	111
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	111
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	111
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	111
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	111
		otal, Carpentry NC				111
16	Electr	ical Installation an	d Maintenance NC II			

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	, Loakan F	Proper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	52
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	52
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	52
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	52
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	52
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	52
	Sub-te	otal, Electrical Inst	allation and Maintenance NC II			52
17	Masor	nry NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	20
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20
	6	Hacksaw With	Adjustable hacksaw frame with	1	PC	20
L		d		•		

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	, Loakan F	Proper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Blade	bi-metal hacksaw blade, 24 TPI,			
			aluminum alloy frame and handle			
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20
	Sub-to	otal, Masonry NC I				20
18	Plaste		ry Surface (Leading to Masonry N	C II)	1	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	86
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	86
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	86
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	86
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	86
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	86
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	86
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	86
	Sub-to	otal, Plaster Concr	ete/Masonry Surface (Leading to I	Masonry	NC II)	86
19	Install	Pre-Cast Baluster	s and Handrail (Leading to Masor	nry NC II)		
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	48
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	48
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	48
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	48
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	48
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	48
	•		1	1	1	1

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	, Loakan P	roper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"			
	Sub-to	otal, Install Pre-Ca	st Balusters and Handrail (Leadin	ng to Ma	sonry NC	48
22	Ćonst	ruction Painting N	СІІ		L	
	1	Steel Brush	Hardened steel brush, wooden handle, standard size	1	PC	32
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	32
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	32
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	32
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	32
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	32
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	32
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	32
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	32
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	32
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	32
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size 7"	1	PC	32
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	32
	14	Paint Roller Pan/Tray	Plastic, size 9"	1	PC	32

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	, Loakan F	Proper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		otal, Construction	Painting NC II			32
23	Tile Se	etting NC II	I		I	
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	63
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	63
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	63
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	63
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	63
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	63
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	63
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	63
	Sub-to	otal, Tile Setting N				63
25	Shield	led Metal Arc Weld	ling (SMAW) NC I			•
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	72
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	72
			al Arc Welding (SMAW) NC I			72
30	Furnit	ure Making (Finish			1	1
	1	Air Compressor	Air Compressor (1/4 hp, standard operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v, 60hz, single phase/belt- drive)	1	UNIT	11
	2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	11
	3	Spray Gun, Gravity Feed	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup,	1	PC	11

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Туре	air inlet 1/4"			
			king (Finishing) NC II			11
31	Dress	making NC II			1	
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	48
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	48
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	48
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	48
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	48
	Sub-to	otal, Dressmaking	NC II			48
32	Tailor	ing NC II				•
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	17
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	17
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	17
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	17
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure	1	PC	17

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City			oper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			60" (150cm) L, 4 to 5" L paper			
			scissors (plastic handle), spools			
			of asstd. colors of sewing threads			
			and other notions			47
24		o <i>tal, Tailoring NC I</i> m Manicure and		Cara N		17
34		es [Nail Care] NC		Care N	C II/Deauty	/ Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	50
	2	Cuticle Pusher	stainless steel, 5"	1	PC	50
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	50
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	50
	5	Storage Box	Plastic, clear storage box with lid	1	PC	50
		5	lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	50
	7	Emery Board	80/100 coarse, 8" Long	1	PC	50
	8	Cotton Balls	150 balls	1	PACK	50
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	50
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	50
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	50
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	50
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	50
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	50
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	50
	16	Low Stool	hard plastic, round	1	PC	50
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	II/Bea	uty Care Services		Beauty	Care NC	50
36	Perfor		(Leading to Beauty Care NC II)	1		
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	51
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	51
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	51
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back	1	PAIR	51

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper.

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
			pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	51
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	51
	7	Aromatic Oil	100 ml.	1	BOTTLE	5
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	5
	9	Powder	Baby powder, 200 g	1	BOTTLE	5
	10	Mentholated Oil	100 ml.	1	BOTTLE	5
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	5
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Care	e NC II)		5
38			t (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	4
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	4
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	4
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	4
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	4
	6	Facial Brush	plastic handle, soft bristle	1	PC	4
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	4
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	4
	9	Moisturizer	50 ml, hypoallergenic	1	PC	4
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	4
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	4
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	4
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	4
	14	Cotton Balls	150 balls	1	PACK	4
			I Treatment (Leading to Beauty Ca		<i>I</i>)	4
43	Perfor		vices (Leading to Hairdressing N	C II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	9
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	9
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	9
	4	Apron	black with 3 pockets	1	PC	9

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Proper.

LOT NO.	ITEM NO.	ITEM	Baguio City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Protective Cape	Water proof, nylon, black	1	PC	95
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	95
	7	Talcum Powder	250g	1	BOTTLE	95
	Sub-te		Cutting Services (Leading to Haird	dressing		95
44		-	to Bread and Pastry Production N			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	160
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	160
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	160
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	160
	Sub-te	otal, Bread Making	(Leading to Bread and Pastry Pro	duction	NC II)	160
45			to Bread and Pastry Production N		,	
	1	Electric Öven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	112
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	112
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	112
-	4	Muffin Pan	6 holes, 3oz capacity per hole,	1	PC	112

TES	DA-Cor	dillera Administra	tive Region (CAR) – # 32 Magsays Baguio City	ay Drive	, Loakan F	Proper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			non-stick			
	Sub-to	otal, Pastry Making	g (Leading to Bread and Pastry Pro	oduction	n NC II)	112
46	Cake		<u>Pread and Pastry Production NC</u>	; II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	100
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	100
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	100
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	100
	Sub-to	otal, Cake Making	Leading to Bread and Pastry Prod	duction	NC II)	100
47	Prepa	re and Cook Hot N	leals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	63
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	63
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	63
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	63
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	63
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	63
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	63
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	63
48			Cook Hot Meals (Leading to Cooke ading to Cookery NC II)	ery NC II)		63
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	46
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	46

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive Loakan Proper

163	DA-C01		tive Region (CAR) – # 32 Magsays Baguio City	ay Diive	, LUANAII P	oper,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	46
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	46
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	46
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	46
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	46
	Sub-te	otal, Prepare Cold	Meals (Leading to Cookery NC II)			46
49			g, Curing and Smoking (Leading to	<mark>o Foo</mark> d P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	23
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	23
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	23
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	23
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	23
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	23
	Proce	ssing NC II)	d by Salting, Curing and Smoking	-	-	23
50	Proce		entation and Pickling (Leading to	Food Pr		
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	25
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	25
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	25

TESDA-Cordillera Administrative Region (CAR) – # 32 Magsaysay Drive, Loakan Pro Baguio City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	25	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	25	
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	25	
		otal, Process Fo ssing NC II)	ods by Fermentation and Pickling (Leading t	o Food	25	
	ΤΟΤΑ					1,525	

TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
1	Anima	I Production (Poul	try Chicken) NC II		L	1		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	21		
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	21		
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	21		
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	21		
			ction (Poultry Chicken) NC II			21		
2	Anima	I Production (Swin			_	Т		
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	22		
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	22		
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	22		
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	22		
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	22		
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	22		
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	22		
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	22		
			ction (Swine) NC II			22		
3			Leading to Organic Agriculture Pro			1		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	19		

			– G/F Balibrea Building, Pili Drive			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	19
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	19
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	19
	5	Chopping Board	¹ ⁄ ₂ " x 12" x 18"; made of polyethylene material	1	PC	19
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	19
	Sub-to Produ	otal, Raise Orga ction NC II)	nnic Chicken (Leading to Org	ganic A	griculture	19
4	Produ	ce Organic Vegeta	ble (Leading to Organic Agricultur	re Produ	ction NC II)	
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	19
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	19
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	19
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	19
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	19
		otal, Produce Org ction NC II)	ganic Vegetable (Leading to Or	rganic A	griculture	19
5	Produ		ction and Extracts (Leading to Org	janic Agr	iculture	
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	19
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	19
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	19
	4	Weighing Scale	10 kg. capacity	1	UNIT	19
	5	Chef's Knife	8", stainless steel blade with	1	PC	19

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan City NO. LOT ITEM ITEM AGENCY SPECS QTY UNIT OF NO. NO. PAX black polymer handle Sub-total, Produce Organic Concoction and Extracts (Leading to Organic 19 Agriculture Production NC II) 6 Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I) 26 tempered steel leaves/blade PC 48 Feeler gauge ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. SET Combination chrome vanadium steel, set of 8 1 2 48 Wrench (Open sizes (8mm, 9mm, 10mm, 12mm, And Box End) 14mm, 17mm, 19mm, 22mm) 7.5 deg offset Socket Wrench socket chrome vanadium: 1 pc SET 3 1 48 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 4 Flat Screw Driver 8" shank length (chrome plated) 1 PC 48 plastic handle, tip: 1/4" / 6.5mm **Philips Screw** 8" shank length (chrome plated) 1 PC 5 48 plastic handle, tip: 2 X 6mm Driver **Circlip Pliers** 6 in carbon steel insulated handle 1 SET 6 48 detachable tip (combination) internal and external Sub-total, Perform Diesel Engine Tune Up (Leading to Automotive Servicing 48 NC I) 7 Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I) PC Feeler gauge 26 tempered steel leaves/blade 30 ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			.635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	30
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	30
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	30
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	30
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	30
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	30
	Sub-to NC I)	otal, Perform Gas E	Engine Tune Up (Leading to Autom	otive Se	rvicing	30
15	Carpe	ntry NC II				•
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	20
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	6	Sledge Hammer	Forged High-Carbon Steel Head;	1	PC	20

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			4 Lbs. (1.81 Kg) With Wooden Handle			
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	20
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	20
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	20
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	20
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	20
	Sub-to	otal, Carpentry NC	11			20
16	Electri	cal Installation and	Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	252
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	252
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	252
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	252
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	252
	6	Pull-Push Rule	Blade length 8m/26ft Blade width	1	PC	252

LOT NO.	ITEM NO.	ITEM	– G/F Balibrea Building, Pili Drive AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			1" High impact ABS case with durable rubber Corrosion resistant tru-zero end				
	Sub-to	tal, Electrical Insta	allation and Maintenance NC II			252	
18	Plaste	r Concrete/Masonr	y Surface (Leading to Masonry NC	; II)		•	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	25	
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	25	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	25	
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	25	
	Sub-to	otal, Plaster Concre	ete/Masonry Surface (Leading to M	lasonry l	VC II)	25	
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)						
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	75	
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	75	
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	75	
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75	
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75	
		tal, Perform Multi (Leading to Plum)	ple Plumbing Installation and Re	epair Mai	intenance	75	

			– G/F Balibrea Building, Pili Drive			010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
23	Tile Se	etting NC II		1		
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	25
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	25
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	25
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	25
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	25
	Sub-to	otal, Tile Setting NC				25
24		ervicing (Dom/RA				•
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	42
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	42
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9	1	SET	42

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	Subto	otal, RAC Servicing	sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.			42
25		ed Metal Arc Weld				42
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	466
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	466
			I Arc Welding (SMAW) NC I			466
26		nble Electronics Pr ing NC II)	oducts (Leading to Electronic Pro	ducts As	sembly ar	d
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	25
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25
	3	Long Nose Pliers	Överall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm	1	SET	25

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan Citv NO. ITEM LOT QTY UNIT OF ITEM AGENCY SPECS NO. NO. PAX Phillips Blade tip: 1X100mm. 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" Anodized aluminum housing, high 1 Desoldering PC 25 6 Pump/Solder suction, strong and light weight. Sucker Sub-total, Assemble Electronics Products (Leading to Electronic Products 25 Assembly and Servicing NC II) Service Consumer Electronic Products and Systems (Leading to Electronic 27 Products Assembly and Servicing NC II) Multi-tester Analog DCV Range: VOM (Multitester) UNIT 1 55 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil 1 PC 2 Soldering Iron 55 tip 60Hz Overall Length: 8" 3 Long Nose Pliers 1 PC 55 Knife Lenath: 5/8" Material: Carbon Steel Handle Finish: plastic dipped Overall length 8", Handle finish **Diagonal Cutting** 1 PC 4 55 plastic dipped, Carbon Steel Plier Screw Driver Set 4 pieces per set 5 1 SET 55 Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" Anodized aluminum housing, high PC 6 Desoldering 1 55 Pump/Solder suction, strong and light weight. Sucker Sub-total, Service Consumer Electronic Products and Systems (Leading to 55 Electronic Products Assembly and Servicing NC II) Service Industrial Electronic Modules, Products and Systems (Leading to 28 Electronic Products Assembly and Servicing NC II) Multi-tester Analog DCV Range: VOM (Multitester) 1 UNIT 24 1 0.1 V to 1000V ACV Range: 10 to

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive	, Butuan (City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	24	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	24	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	24	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	24	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	24	
			strial Electronic Modules, Produ roducts Assembly and Servicing N		Systems	24	
29	(Leading to Electronic Products Assembly and Servicing NC II) Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)						
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	22	
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	22	
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	22	
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	22	
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In.,	1	SET	22	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIA TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 20 TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	
			Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder				
			umer Electronic Products and Sy	stems (Assembly	22	
31		a <u>r Nightlight and P</u> naking NC II	ost Lamp)				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	138	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	138	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	138	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	138	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	138	
	Sub-to	tal, Dressmaking l				138	
33	Hilot (Wellness Massage) NC II				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	203	
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	203	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	203	
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	203	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	203	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	203	
	7	Aromatic Oil	100 ml.	1	BOTTLE	203	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	203	

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive		City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Powder	Baby powder, 200 g	1	BOTTLE	203
	10	Mentholated Oil	100 ml.	1	BOTTLE	203
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	203
		otal, Hilot (Wellnes:				203
34			Pedicure (Leading to Beauty	Care NC	II/Beauty	Care
		es [Nail Care] NC I		4		
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	20
	2	Cuticle Pusher	stainless steel, 5"	1	PC	20
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	20
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	20
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	20
	6	Nail Brush	Plastic, soft bristle	1	PC	20
	7	Emery Board	80/100 coarse, 8" Long	1	PC	20
	8	Cotton Balls	150 balls	1	PACK	20
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	20
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	20
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	20
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	20
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	20
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	20
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	20
	16	Low Stool	hard plastic, round	1	PC	20
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	20
		otal, Perform Man uty Care Services [icure and Pedicure (Leading to	Beauty	Care NC	20
43	Perfor	m Hair Cutting Ser	vices (Leading to Hairdressing N			
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	20
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	20
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	20
	4	Apron	black with 3 pockets	1	PC	20
	5	Protective Cape	Water proof, nylon, black	1	PC	20
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	20
	7	Talcum Powder	250g	1	BOTTLE	20
	1		2009		DOTILL	20

		TESDA-CARAGA	– G/F Balibrea Building, Pili Drive	Butuan (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Cutting Services (Leading to Haird		VC II)	20
44	Bread		o Bread and Pastry Production NC	; II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V,	1	UNIT	65
			60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	65
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	65
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	65
			(Leading to Bread and Pastry Pro		NC II)	65
46	Cake I	Making (Leading to	Bread and Pastry Production NC	II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	20
	2	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	20
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	20
			Leading to Bread and Pastry Prod	uction N		20
47	Prepa	e and Cook Hot M	eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	183

	.,		– G/F Balibrea Building, Pili Drive			
				Butuan		NO.
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	OF
			quart capacity			
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	183
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	183
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	183
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	183
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	183
	8	Strainer	8" diameter, single fine mesh, flat	1	PC	183
	Cub 4-	tal Branara and C	wooden handle			400
48			cook Hot Meals (Leading to Cooker ding to Cookery NC II)	y NC II)		183
40	1		10" diameter by 2" high teflon,	1	PC	161
		Frying Pan	non-stick, riveted handle			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	161
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	161
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	161
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	161
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	161
	7	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, $\frac{1}{3}$ cup, $\frac{1}{4}$ cup)	1	SET	161
	Sub-to	otal. Prepare Cold	Meals (Leading to Cookery NC II)			161
49			, Curing and Smoking (Leading to	Food Pr	ocessina l	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	50
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	3	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, $\frac{1}{3}$ cup, $\frac{1}{4}$ cup)	1	SET	50
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	50
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg,	1	UNIT	50

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-CARAGA – G/F Balibrea Building, Pili Drive Butuan City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			graduated by grams; removable and washable tray				
	Sub-total, Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)						
	ΤΟΤΑ	L				2,069	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

South Superhighway, Taguig City

LOT	ITEM		South Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
6	Perfor		Tune Up (Leading to Automotive Se	rvicing		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, 020, .021, .022, .023, .024, and .025.	1	PC	245
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	245
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	245
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	245
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	245
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	245
		otal, Perform L ing NC I)	Diesel Engine Tune Up (Leading	to Au	itomotive	245
7	Perfor	m Gas Engine T	une Up (Leading to Automotive Servi	icing N	C I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.		PC	25

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM		South Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	25
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	25
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	Sub-to NC I)	otal, Perform Ga	s Engine Tune Up (Leading to Autom	otive S	Servicing	25
8	Servic	e Underchassis	Components (Leading to Automotive	e Servi	cing NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	20
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	20
	Servic	ing NC II)	nderchassis Components (Leading			20
9	Servic	e Engine Comp	onents (Leading to Automotive Servio	cing NO		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	2	Combination	chrome vanadium steel, set of 8	1	SET	25

TES	SDA-Na	ational Capital R	Region (NCR) –	Gate 2,	TESDA	Comple	x, Eas	st Service	Road,
			South Superhig	ghway,	Taguig (City			

LOT			South Superhighway, Taguig City			NO. OF
NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
		Wrench (Open And Box End)	sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset			
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	25
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	25
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
	Sub-to NC II)	otal, Service Eng	gine Components (Leading to Automo	otive Se	ervicing	25
10	Servic	e Automotive E	lectrical Components (Leading to Aut	omotiv	e Servicir	ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.		PC	95
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	95
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	95
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	95
	Auton	notive Servicing		-	ading to	95
12		e Motorcycle/S ing NC II)	mall Engine System (Leading to I	Motorc	ycle/Small	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	335
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6	1	SET	335

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	335
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	335
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	335
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	335
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	335
	Sub-to	•	Motorcycle/Small Engine System	(Lea	nding to	335
13			<i>ine Servicing NC II)</i> tem (Leading to Motorcycle/Small Eng	aino Sa	nvicina N(∽ II \
15	1	VOM	Multi-tester Analog DCV Range: 0.1			20
		(Multitester)	V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4		8" shank length (chrome plated)	1	PC	20
	4	Flat Screw Driver				
	5		plastic handle, tip: 1/4" / 6.5mm 100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	20

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,

	TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
14	Overha	aul Motorcycle/S	Small Engine (Leading to Motorcycle/	Small E	Engine Se	ervicing			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	75			
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	75			
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	75			
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	75			
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	75			
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	75			
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	75			
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	75			
	9	Ball Peen	Forged hard steel; jacketed graphite	1	PC	75			

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	,	South Superhighway, Taguig City	0T Y		NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
		Hammer	ballpeen hammer, 16 oz./ 1 lb			
	Sub-to		, , , , , , , , , , , , , , , , , , , ,	(Lead	ing to	75
40			ine Servicing NC II)			
16	Electri	VOM	and Maintenance NC II Multi-tester Analog DCV Range: 0.1	1	UNIT	238
		(Multitester)	V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	I	UNIT	230
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	238
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	238
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	238
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	238
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	238
	Sub-to	otal, Electrical In	stallation and Maintenance NC II			238
20	Pipefit	ting NC II				
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	19
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	19
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	19
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	19
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw	1	PC	19

TE	SDA-Na		Region (NCR) – Gate 2, TESDA Compl South Superhighway, Taguig City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			capacity 43.2 mm, head width, 3/4" / 19.1 mm			
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	19
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	19
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	19
	Sub-to	otal, Pipefitting I				19
24	RAC S	ervicing (Dom/F	RAC) NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	45
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	45
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	45
		-	ing (Dom/RAC) NC II			45
25			elding (SMAW) NC I			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	925

TE	SDA-Na	•	Region (NCR) – Gate 2, TESDA Compl South Superhighway, Taguig City	ex, Eas	st Service	Road,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Welding Mask	Flip Front Welding Helmet, impact- resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	925
			etal Arc Welding (SMAW) NC I			925
26		ible Electronics	s Products (Leading to Electronic	Produc	cts Assen	nbly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	95
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	95
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	95
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	95
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	95
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	95
		tal, Assemble E bly and Servici	Electronics Products (Leading to Electronics Products (Leading to Electron)	ctronic	Products	95
27			Electronic Products and Systems nd Servicing NC II)	(Lead	ing to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse:	1	UNIT	25

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM		South Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
			0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	25
	to Ele	ctronic Product	onsumer Electronic Products and Sy s Assembly and Servicing NC II)	stems	(Leading	25
31	Dress	making NC II		1		T
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	351
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	351
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	351
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	351
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic	1	PC	351

TESDA-National Capital Re	jion (NCR) – Gate 2	, TESDA Comp	lex, Eas	st Service	Road,
S	outh Superhighway	, Taguig City			

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			handle), spools of asstd. colors of sewing threads and other notions					
	Sub-to	tal, Dressmakir		•	•	351		
32	Tailori	ng NC II	-		UNIT UNIT SET PC PC PC PC BOX PAIR PAIR BOTTLE BOTTLE BOTTLE			
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	92		
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	92		
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	92		
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1		92		
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	92		
	Sub-to	otal. Tailoring N				92		
33	Sub-total, Tailoring NC II Hilot (Wellness Massage) NC II							
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,088		
	2	Bath Towel	100 % cotton, 27" X 54", white	1		1,088		
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1		1,088		
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	1,088		
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,088		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	1,088		
	7	Aromatic Oil	100 ml.	1	BOTTLE	1,088		
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,088		
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,088		
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,088		
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	1,088		
	Sub-to	otal, Hilot (Welln	ess Massage) NC II			1,088		

South Superhighway, Taguig City	TESDA-National Capital Reg	on (NCR) – Gate 2, TESDA Comp	lex, East Service Road,
	So	th Superhighway, Taguig City	

			South Superhighway, Taguig City	1	· · · · · ·			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX		
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Services [Nail Care] NC II)							
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	564		
	2	Cuticle Pusher	stainless steel, 5"	1	PC	564		
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	564		
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	564		
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	564		
	6	Nail Brush	Plastic, soft bristle	1	PC	564		
	7	Emery Board	80/100 coarse, 8" Long	1	PC	564		
	8	Cotton Balls	150 balls	1	PACK	564		
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	564		
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	564		
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	564		
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	564		
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	564		
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	564		
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	564		
	16	Low Stool	hard plastic, round	1	PC	564		
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	564		
		•	anicure and Pedicure (Leading to I s [Nail Care] NC II)	Beauty	Care NC	564		
35			eading to Beauty Care NC II/Beauty	Care S	Services [Na	ail Care]		
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	220		
	2	Paraffin Wax	Scented, 500g	1	BOX	220		
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	220		
		otal, Perform Ha es [Nail Care] N	nd Spa (Leading to Beauty Care NC I	l/Beau	ty Care	220		
36			e (Leading to Beauty Care NC II)					
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	496		
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	496		
	3	Face Mask	disposable earloop face mask, 50	1	BOX	496		

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

1.07			South Superhighway, Taguig City			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			pcs per box			
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	496
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	496
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	496
	7	Aromatic Oil	100 ml.	1	BOTTLE	496
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	496
	9	Powder	Baby powder, 200 g	1	BOTTLE	496
	10	Mentholated Oil	100 ml.	1	BOTTLE	496
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	496
	Sub-to	tal, Perform Bo	dy Massage (Leading to Beauty Care	NC II)		496
37	Perfor	m Body Scrub (Leading to Beauty Care NC II)			
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	135
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	135
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	135
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	135
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	135
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	135
	7	Whitening Soap	135 grams, papaya	1	PC	135
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	135
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	135
			dy Scrub (Leading to Beauty Care NC	;)		135
38	Perfor		nent (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	371
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	371
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	371
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	371
	5	Face Mask	disposable earloop face mask, 50	1	BOX	371

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,	,
South Superhighway, Taguig City	

LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.					PAX
	6	Facial Brush	pcs per box	1	PC	274
	6 7	Facial Brush Facial Cream	plastic handle, soft bristle	1	PC PC	371 371
			50 ml, dermatologically tested (hypoallergenic)		_	
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	371
	9	Moisturizer	50 ml, hypoallergenic	1	PC	371
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	371
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	371
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	371
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	371
	14	Cotton Balls	150 balls	1	PACK	371
			cial Treatment (Leading to Beauty Ca			371
39 I	Perfor NC II)	m Foot Spa (Lea	ading to Beauty Care NC II/Beauty Ca	re Serv	vices [Nail	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	220
	2	Callus Remover	Stainless Steel, 7"	1	PC	220
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	220
	4	Foot File	Wooden, 9.5"	1	PC	220
	5	Foot Blush	100ml, spray type	1	BOTTLE	220
	6	Foot Soak	150ml, Liquid	1	BOTTLE	220
	7	Foot Scrub	150ml, cream	1	TUBE	220
	8	Foot Lotion	150ml, scented	1	BOTTLE	220
	9	Foot Brush	plastic handle, plastic bristle	1	PC	220
	Servic	es [Nail Care] N		Beauty	/ Care	220
40	Perfor	m Facial Make-l	Jp (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	638
	2	Blusher	pink and bronze shade, 4grams each	2	PC	638
	3	Eye Brow Pencil	black, 4"	1	PC	638
	4	Eye Brow Pencil	brown, 4"	1	PC	638
	5	Eye Liner Pencil	black, 4"	1	PC	638
	6	Eye Liner Pencil	brown, 4"	1	PC	638
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	638

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	638
	9	Eyelash Curler	stainless steel, scissor type	1	PC	638
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	638
	11	Make-Up Sponge	round, powder puff sponge	1	PC	638
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	638
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	638
	14	Lipstick	matte finish, red	1	PC	638
	15	Lipstick	matte finish, coral pink	1	PC	638
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	638
	17	Mascara	black, water proof, 7g	1	PC	638
	18	Pressed Powder	natural shade, matte finish	1	PC	638
	19	Cotton Balls	150 balls	1	PACK	638
	20	Concealer	20ml with UVA/UVB protection	1	PC	638
			cial Make-Up (Leading to Beauty Care			638
41	Perfor	m Hair Coloring	g/Bleaching Services (Leading to Haire	dressir	ng NC II)	
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	195
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	195
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	195
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	195
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	195
	6	Bleaching Powder	30g (sachet)	3	PC	195
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	195
	8	Protective Cape	Water proof, nylon, black	1	PC	195
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	195
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	195
	Sub-to Hairdr	otal, Perform ressing NC II)	Hair Coloring/Bleaching Services	i (Lea	ading to	195

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

LOT	ITEM	ITEM	South Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF			
NO.	NO.					PAX			
42			/Straightening (Leading to Hairdressi	ng NC		475			
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	175			
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	175			
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	175			
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	175			
	5	Curling Rods	4mm size	2	DOZ	175			
	6	Curling Rods	14mm size	2	DOZ	175			
	7	Curling Rods	16mm size	2	DOZ	175			
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	175			
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	175			
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	175			
	11	Protective Cape	Water proof, nylon, black	1	PC	175			
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	175			
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	175			
	Sub-total, Perform Hair Perming/Straightening (Leading to Hairdressing NC II)								
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)								
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	250			
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	250			
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	250			
	4	Apron	black with 3 pockets	1	PC	250			
	5	Protective Cape	Water proof, nylon, black	1	PC	250			
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	250			
	7	Talcum Powder	250g	1	BOTTLE	250			
			hir Cutting Services (Leading to Haird		NC II)	250			
44	Bread					1			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating	1	UNIT	1,072			
44	Bread	Making (Leadir	ng to Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins	; II)					

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City

			South Superhighway, Taguig City	1		No. 57
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	1,072
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	1,072
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	1,072
	Sub-to	otal, Bread Maki	ng (Leading to Bread and Pastry Proc	luction	NC II)	1,072
45	Pastry		ng to Bread and Pastry Production NC			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	769
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	769
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	769
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	769
			ing (Leading to Bread and Pastry Pro		n NC II)	769
46			to Bread and Pastry Production NC	-		705
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	705
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	705

TE	SDA-Na	ational Capital R	egion (NCR	 A) – Gate 2 	, TESDA	Comple	ex, Eas	st Service	Road	,
			South Supe	erhighway,	Taguig	City				

LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX 705 705 705 705 705 637 341 341 341 341 341 341 341 341	
NO.	NO.						
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	705	
	4	Muffin Pan	6 holes, 3oz capacity per hole, non- stick	1	PC	705	
	Sub-to	otal, Cake Maki	ng (Leading to Bread and Pastry Prod	uction l	NC II)	705	
47	Prepa		t Meals (Leading to Cookery NC II)				
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC		
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC		
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC		
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	637	
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	637	
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	637	
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	637	
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	637	
			nd Cook Hot Meals (Leading to Cooker	y NC II)		637	
48	Prepare Cold Meals (Leading to Cookery NC II)						
	1	Frying Pan	10" diameter by 2" high teflon, non- stick, riveted handle	1	PC		
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	341	
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC		
	4	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	341	
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC		
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	341	
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	341	
	Sub-to	otal, Prepare Co	old Meals (Leading to Cookery NC II)			341	
49	Proces		ting, Curing and Smoking (Leading to	Food P	rocessin	g NC II)	
	1	Food Processor	 2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 	1	UNIT	25	

TESDA-National Capital Region (NCR) – Gate 2, TESDA Complex, East Service Road,	
South Superhighway, Taguig City	

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			1,000 watts			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	25
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	25
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	25
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	25
	Proces	ssing NC II)	ood by Salting, Curing and Smoking (I			25
50	Process Foods by Fermentation and Pickling (Leading to Food Processing					
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	20
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{3}$ cup)	1	SET	20
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20
	Sub-total, Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)					20
	ΤΟΤΑΙ					10,551

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
4	Produ	ce Organic Vegetal	ble (Leading to Organic Agricultur	e Produ	uction NC	I)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	74
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	74
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	74
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	74
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	74
	Produ	ction NC II))	nic Vegetable (Leading to Organic	-		74
6	Perfor	m Diesel Engine Tu	une Up (Leading to Automotive Se	rvicing	NC I)	
		Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.		PC	129
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	129
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	129
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	129
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	129

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	129
		otal, Perform Die ing NC I)	sel Engine Tune Up (Leading	to Au	ıtomotive	129
7			e Up (Leading to Automotive Servi	cing N	C I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	38
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	38
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	38
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	38
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	38
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	38
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	38
	Sub-to NC I)	otal, Perform Gas E	ingine Tune Up (Leading to Autom	otive S	ervicing	38

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Unio						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
10	Servic	e Automotive Elect	trical Components (Leading to Aut	omotiv	e Servicin	g NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	115
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	115
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	115
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	115
			tomotive Electrical Components	s (Lea	ading to	11
40		notive Servicing NC				-
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading to N	lotorcy	/cie/Smail	Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	6
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	6
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	6
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	6
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	6
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	65

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOR OYMENT PROGRAM (STE Avenue, Catbangen, City of San F	EP) F	OR CY 2	018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	65
		cycle/Small Engine		•	nding to	65
13	Servic	e Electrical System	(Leading to Motorcycle/Small Eng	gine Se	ervicing NC	; II)
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	20
	Sub-total, Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)					
15	Carper	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	100
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	100
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	100
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	100
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	100

			Avenue, Catbangen, City of San I			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	100
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	100
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	100
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	100
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	100
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	100
		otal, Carpentry NC				100
16	1	VOM (Multitester)	Maintenance NC II Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	57
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	57
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	57
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	57
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	57

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOR OYMENT PROGRAM (STE n Avenue, Catbangen, City of San I	EP) FO	OR CY 2	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	57
			allation and Maintenance NC II			57
17	Mason	nry NC I		,		1
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	67
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	67
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	67
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	67
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	67
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi- metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	67
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	67
	Sub-to	otal, Masonry NC I	· · · · ·			67
23	Tile Se	etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	41
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	41
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	41
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	41
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	41
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	41
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	41

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union NO. ITEM LOT QTY ITEM AGENCY SPECS UNIT OF NO. NO. PAX 8 Claw Hammer 1 PC Forged High-Carbon Steel Head: 41 Smooth Face; 16 Oz; Wood Handle Sub-total, Tile Setting NC II 41 24 RAC Servicing (Dom/RAC) NC II Multi-tester Analog DCV Range: VOM (Multitester) UNIT 1 34 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k SET 2 Mechanical 2 valves, number of hoses 3, 1 34 Manifold Gauge gauge high side pressure 0-500 PSIG, Gauge low side pressure Set 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst. Flares and swages. Screw-type 3 Flaring tool set 1 SET 34 feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel voke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16". 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D. Sub-total, RAC Servicing (Dom/RAC) NC II 34 25 Shielded Metal Arc Welding (SMAW) NC I Portable welding machine, 220 V, Portable Welding 1 UNIT 418 1 60 hrtz, single phase, 200 Amps, Machine with welding electrode holder and welding ground. PC 2 Welding Mask Flip Front Welding Helmet, 1 418 impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens

418

••			Avenue, Catbangen, City of San I			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
27		e Consumer Elect	ctronic Products and Systems Servicing NC II)	(Leadi	ing to Ele	ectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	219
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	219
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	219
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	219
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	219
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	219
		-	mer Electronic Products and Systems Sembly and Servicing NC II)	ems (L	eading to	219
31	Dress	making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	148
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler		SET	148
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	148
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	148

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOR OYMENT PROGRAM (STE Avenue, Catbangen, City of San F	EP) F	OR CY 2	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	148
		tal, Dressmaking I				148
33		Wellness Massage		4		0.10
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	210
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	210
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	210
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	210
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	210
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	210
	7	Aromatic Oil	100 ml.	1	BOTTLE	210
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	210
	9	Powder	Baby powder, 200 g	1	BOTTLE	210
	10	Mentholated Oil	100 ml.	1	BOTTLE	210
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	210
		otal, Hilot (Wellness		_		210
34		m Manicure and es [Nail Care] NC II	Pedicure (Leading to Beauty C)	Care N	IC II/Beaut	ty Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	108
	2	Cuticle Pusher	stainless steel, 5"	1	PC	108
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	108
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	108
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	108
	6	Nail Brush	Plastic, soft bristle	1	PC	108
	7	Emery Board	80/100 coarse, 8" Long	1	PC	108
	8	Cotton Balls	150 balls	1	PACK	108
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	108
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	108
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	108

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union NO. ITEM LOT QTY ITEM AGENCY SPECS UNIT OF NO. NO. PAX 12 Colored Nail 15ml bottle, preferably touch of 1 BOTTLE 108 Polish tan Colored Nail 15ml bottle, white 1 BOTTLE 108 13 Polish Colorless Nail 14 15ml bottle, with alitters 1 BOTTLE 108 Polish 15 Colorless Nail 15ml bottle 1 BOTTLE 108 Polish 16 Low Stool hard plastic, round 1 PC 108 17 Face Towel 100 % cotton, 12" X 12", white 1 PC 108 Sub-total. Perform Manicure and Pedicure (Leading to Beauty Care NC 108 II/Beauty Care Services [Nail Care] NC II) 36 Perform Body Massage (Leading to Beauty Care NC II) Face Towel 100 % cotton, 12" X 12", white PC 1 1 75 100 % cotton, 27" X 54", white PC Bath Towel 2 1 75 1 BOX 3 Face Mask disposable earloop face mask, 50 75 pcs per box Unisex. Soft and linen blouse (V-4 Scrub Suit 1 PAIR 75 neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. Head Band 3"x 23" cotton fabric with snap 1 PC 5 75 tape 6 **Body Lotion** 200 ml., Hypoallergenic 1 BOTTI F 75 7 Aromatic Oil 100 ml. 1 BOTTLE 75 Virgin Coconut 1 BOTTLE 8 250 ml. 75 Oil Powder BOTTLE 75 9 Baby powder, 200 g 1 10 Mentholated Oil 100 ml. 1 BOTTLE 75 Plastic, clear storage box with lid 11 Storage Box 1 PC 75 lock corry bondlo 14" x 10" x 8"

			lock, carry handle, 14" x 10" x 8"			
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Care	NC II)		75
40	Perfor	m Facial Make-Up (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing,	1	BOTTLE	34
		-	hypoallergenic			
	2	Blusher	pink and bronze shade, 4grams	2	PC	34
			each			
	3	Eye Brow Pencil	black, 4"	1	PC	34
	4	Eye Brow Pencil	brown, 4"	1	PC	34
	5	Eye Liner Pencil	black, 4"	1	PC	34
	6	Eye Liner Pencil	brown, 4"	1	PC	34
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	34
	8	Eyebrow	stainless steel, scissor type	1	PC	34
		Tweezer				

	TESDA	-Region I – Quezor	Avenue, Catbangen, City of San I	Fernan	do, La Uni	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	9	Eyelash Curler	stainless steel, scissor type	1	PC	34
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	34
	11	Make-Up Sponge	round, powder puff sponge	1	PC	34
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	34
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	34
	14	Lipstick	matte finish, red	1	PC	34
	15	Lipstick	matte finish, coral pink	1	PC	34
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	34
	17	Mascara	black, water proof, 7g	1	PC	34
	18	Pressed Powder	natural shade, matte finish	1	PC	34
	19	Cotton Balls	150 balls	1	PACK	34
	20	Concealer	20ml with UVA/UVB protection	1	PC	34
			Make-Up (Leading to Beauty Care			34
43	Perfor		vices (Leading to Hairdressing NC	1	· · · · · · · · · · · · · · · · · · ·	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	111
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	111
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	111
	4	Apron	black with 3 pockets	1	PC	111
	5	Protective Cape	Water proof, nylon, black	1	PC	111
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	111
	7	Talcum Powder	250g	1	BOTTLE	111
	Sub-to	otal, Perform Hair C	Cutting Services (Leading to Hairdr	essing	NC II)	111
44	Bread	Making (Leading to	D Bread and Pastry Production NC	II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	337
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	337

LOT NO.	ITEM NO.	ITEM	Avenue, Catbangen, City of San I	QTY	UNIT	NO. OF PAX
	3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	337
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	337
			(Leading to Bread and Pastry Proc		NC II)	337
45	Pastry		o Bread and Pastry Production NC	; II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	121
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	121
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	121
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	121
			(Leading to Bread and Pastry Prod		NC II)	121
46	Cake I		Bread and Pastry Production NC I	I)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	87
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	87
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	87
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	87
	Sub to	tal Cako Making (Leading to Bread and Pastry Produ	uction I		87

TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union							
ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
Prepar	e and Cook Hot M	eals (Leading to Cookery NC II)					
1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	310		
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	310		
3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	310		
4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	310		
5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	310		
6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	310		
7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	310		
8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	310		
			y NC II)		310		
Prepar	e Cold Meals (Lea	ding to Cookery NC II)					
1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	200		
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	200		
3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	200		
4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	200		
5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	200		
6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	200		
7	Measuring Cups	cup, 1/3 cup, ¼ cup)	1	SET	200		
					200		
Proces			Food P		· · ·		
1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	154		
2	Mixing Bowl	quart capacity	1	PC	154		
3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	154		
4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ¹ / ₂ tsp, ¹ / ₄ tsp)	1	SET	154		
	TESDA ITEM NO. Prepar 1 2 3 4 5 6 7 8 Sub-to Prepar 1 2 3 4 5 6 7 8 Sub-to Prepar 1 2 3 4 5 6 7 Sub-to Proces 1 2 3 2 3	TESDA-Region I – QuezorITEMITEMPreparand Cook Hot M1Frying Pan2Mixing Bowl3Chef's Knife4Measuring Cups5Chopping Board6Wooden Spoon7Saucepan8StrainerSub-total, Prepare and CPrepar< Cold Meals (Lea	TESDA-Region I – Quezon Avenue, Catbangen, City of San I ITEM NO. ITEM AGENCY SPECS Prepare and Cook Hot Meals (Leading to Cookery NC II) 1 1 Frying Pan 10" diameter by 2" high teffon, non-stick, riveted handle 2 Mixing Bowl Stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup) 5 Chopping Board ½" x 12" x 18"; made of polyethylene material 6 Wooden Spoon 12" long, biodegradable, solid 7 Saucepan 6" diameter, single fine mesh, flat wooden handle 8 Strainer 8" diameter, single fine mesh, flat wooden handle 2 Mixing Bowl Stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 8" diameter, 5 quart capacity 3 Chef's Knife 8", stainless steel, 8" diameter, 5 quart capacity 4 Chopping Board ½" x 12" x 18"; made o	TESDA-Region I – Quezon Avenue, Catbangen, City of San FernantITEM NO.ITEMAGENCY SPECS OTYQTYPrepare and Cook Hot Meals (Leading to Cookery NC II)11Frying Pan10" diameter by 2" high teflon, quart capacity12Mixing BowlStainless steel, 8" diameter, 5 quart capacity13Chef's Knife8", stainless steel blade with black1 polymer handle4Measuring CupsStainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ½ cup)15Chopping Board½" x 12" x 18"; made of polyethylene material16Wooden Spoon12" long, biodegradable, solid birchwood17Saucepan6" diameter stainless with lid, non riveted black handle18Strainer8" diameter, single fine mesh, flat uooden handle1Ocokery NC II)Terpare and Cook Hot Meals (Leading to Cookery NC II)Prepare Cold Meals (Leading to Cookery NC II)1Frying Pan10" diameter stainless steel blade with black to non-stick, riveted handle2Mixing BowlStainless steel blade with black to polymer handle1Frying Pan10" diameter stainless with lid, non riveted black handle13Chef's Knife quart capacity113Chef's Knife polymer handle114Chopping Board y", x12" x 18"; made of polymer handle15Wooden Spoon1	ITEM NO.ITEMAGENCY SPECS AGENCY NC II)QTYUNIT1Frying Pan10° diameter by 2° high tellon, non-stick, riveted handle1PC2Mixing BowlStainless steel, 8° diameter, 51PC3Chef's Knife6°, stainless steel blade with black1PC4Measuring CupsStainless steel, 1 set (1 cup, ½1SET5Chopping Board½" x 12" x 18"; made of polyethylene material1PC6Wooden Spoon12" long, biodegradable, solid1PC7Saucepan6" diameter stainless with lid, non riveted black handle1PC8Strainer8" diameter, single fine mesh, flat1PC9Prepare and Cook Hot Meals (Leading to Cookery NC II)PP9Trying Pan10" diameter by 2" high telfon, non-stick, riveted handle1PC2Mixing BowlStainless steel, 8" diameter, 51PC3Chef's Knife8", stainless steel blade with black1PC4Chopping Board½" x 12" x 18"; made of polyethylene material1PC3Chef's Knife8", stainless steel blade with black1PC4Chopping Board½" x 12" x 18"; made of polyethylene material1PC5Wooden Spoon12" long, biodegradable, solid1PC4Chopping Board½" x 12" x 18"; made of polyethylene material1PC5Wooden Spoon <td< td=""></td<>		

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOR OYMENT PROGRAM (STE n Avenue, Catbangen, City of San I	EP) F(OR CY 2	018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	154
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	154
		otal, Process Food ssing NC II)	by Salting, Curing and Smoking (I	Leading	g to Food	154
50			entation and Pickling (Leading to F	ood Pr	ocessina N	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	19
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	19
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	19
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	19
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	19
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	19
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	19
		otal, Process Food ssing NC II)	s by Fermentation and Pickling (L	eading	to Food	19
51	Proces	ss Foods by Sugar	Concentration (Leading to Food P	rocess	ing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	57
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	57
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	57
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, $\frac{1}{2}$ tsp, $\frac{1}{4}$ tsp)	1	SET	57
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	57
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	57
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	57

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 201 TESDA-Region I – Quezon Avenue, Catbangen, City of San Fernando, La Union						
LOT NO.	LOT ITEM AGENCY SPECS OTY LINIT						
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	57	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	57	
	Sub-total, Process Foods by Sugar Concentration (Leading to Food Processing NC II)					57	
	TOTAL	v /				3,348	

		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Poul	try Chicken) NC II	-		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	15
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	15
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	15
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	15
			ction (Poultry Chicken) NC II			15
2	Anima	I Production (Swin	/		50	·
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	15
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	15
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	15
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	15
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	15
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	15
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	15
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	15
			ction (Swine) NC II			15
3	-		Leading to Organic Agriculture P	1		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	10
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter,	5	PC	10

		NG FOR EMPL	STARTER TOOLKITS FOLOYMENT PROGRAM (ST	EP)		
		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			10.5 inches feeder height			
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge	1	SET	10
	4	Infrared Lamp	SJT cord with molded-on plug 250 Watts Bulb, clear colour emitted light	1	PC	10
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	10
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	10
		otal, Raise Orgai ction NC II)	nic Chicken (Leading to Orga	anic A	griculture	10
4	Produ	ce Organic Vegeta	ble (Leading to Organic Agricultu	ire Pro	duction NC	ill)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	10
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	10
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	10
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	10
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	10
		otal, Produce Org	anic Vegetable (Leading to Org	anic A	griculture	10
5		ce Organic Cond ction NC II)	coction and Extracts (Leading	to C	Organic Aç	griculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	10
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	10
	3	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	10
	4	Weighing Scale	10 kg. capacity	1	UNIT	10
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	10

		NG FOR EMPL	STARTER TOOLKITS FO	EP)		
LOT NO.	ITEM NO.	TESDA-R	egion II – Carig, Tuguegarao Cag AGENCY SPECS	ayan QTY	UNIT	NO. OF PAX
	Agricu	Ilture Production N	/		•	10
6	1 1	m Diesel Engine To	une Up (Leading to Automotive S 26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	ervicir 1	PC	25
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
<u>.</u>	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	25
7	Servic	ing NC I)	sel Engine Tune Up (Leading			25
1	1	Feeler gauge	26 tempered steel leaves/blade		PC	26
		i celei yauye	20 tempered steel leaves/blade	1		20

		NG FOR EMPL	STARTER TOOLKITS FC OYMENT PROGRAM (ST egion II – Carig, Tuguegarao Cag	EP) I		
LOT NO.	ITEM NO.	ITEM		QTY	UNIT	NO. OF PAX
NU.	NO.		ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023,			
	2	Spark Plug Wrench	.024, and .025. 1pc T-Handle Universal Joint Spark Plug, Socket Wrench	1	SET	26
			21mm			
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	26
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	26
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	26
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	26
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	26
	Sub-to NC I)	otal, Perform Gas E	ngine Tune Up (Leading to Autor	notive	Servicing	26
8			mponents (Leading to Automotiv	ve Serv	vicing NC II	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson	1	SET	50

		NG FOR EMPL	STARTER TOOLKITS FO	EP) F		
LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	ayan QTY	UNIT	NO. OF PAX
-			Struts or any other coil spring brand, double ended jaws with safety hooks			
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	50
		otal, Service Under ing NC II)	chassis Components (Leading to	Auton	notive	50
9	Servic		ents (Leading to Automotive Serv	icing N		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	10
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	10
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	10
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	10
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	10
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	10
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	10
	Sub-to NC II)	otal, Service Engine	e Components (Leading to Autor	notive	Servicing	10
10	Servic	e Automotive Elect	trical Components (Leading to A	utomot	ive Servici	ing NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy	1	PC	60

		NG FOR EMPL	STARTER TOOLKITS FC OYMENT PROGRAM (ST egion II – Carig, Tuguegarao Cag	EP) I		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.			
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	60
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip :2 X 6mm	1	PC	60
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	60
	Autom	notive Servicing NC	•	•	eading to	60
11	1	e Power Train Com Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	Servic 1	SET	15
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	15
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	15
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	15
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	15
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	15
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	15
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	15
	Servic	ing NC II)	er Train Components (Leading	to A	utomotive	15
15	Carpe 1	ntry NC II Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm;	1	PC	26

	·	TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		<u> </u>
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			hardwood handle			
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	26
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	26
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	26
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	26
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	26
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	26
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	26
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	26
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	26
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	26
	Sub-to	otal, Carpentry NC	İI			26
16	Electr	ical Installation and	I Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	113
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm	1	SET	113

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region II – Carig, Tuguegarao Cagayan								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	ayan QTY	UNIT	NO. OF PAX			
			Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"						
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	113			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	113			
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	113			
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	113			
	Sub-to	tal, Electrical Insta	allation and Maintenance NC II	11		113			
17	Mason	nry NC I				•			
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	50			
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	50			
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	50			
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	50			
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	50			
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	50			
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	50			
	Sub-to	otal, Masonry NC I	· · ·	<u>. </u>		50			
23		etting NC II							
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	54			
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	54			
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion	1	PC	54			

		NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (S1 egion II – Carig, Tuguegarao Cag	FEP) F		-
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			resistant tru-zero end			
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	54
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	54
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	54
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	54
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	54
		otal, Tile Setting NC				54
25	Shield	ed Metal Arc Weldi		<u>т т</u>		
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	93
	2 Sub-to	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	93
26	Assem	ble Electronics P	roducts (Leading to Electronic	Produ	cts Asse	
		ing NC II)		<u> </u>		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	34
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	34
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	34
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	34
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm	1	SET	34

		NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST	EP)		
	I	TESDA-R	egion II – Carig, Tuguegarao Cag	ayan	11	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"			
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	34
	Produ	cts Assembly and			Electronic	34
27		e Consumer Elect cts Assembly and S	ctronic Products and Systems Servicing NC II)	(Lea	ding to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	19
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	19
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	19
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	19
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	19
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	19
			Imer Electronic Products and Systems and Systems and Systems and Servicing NC II)	ystems	s (Leading	19
28	Servic	e Industrial Elec	tronic Modules, Products and embly and Servicing NC II)	d Sys	stems (Lea	iding to
	1	VOM (Multitester)	Multi-tester Analog DCV Range:	1	UNIT	10

		NG FOR EMPL	STARTER TOOLKITS FO	EP) I		
LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	QTY	UNIT	NO. OF PAX
			0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	10
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	10
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	10
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	10
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	10
			trial Electronic Modules, Produc oducts Assembly and Servicing		l Systems	10
31		making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	85
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	85
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	85
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	85
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5"	1	PC	85

			STARTER TOOLKITS FO			
		TESDA-R	egion II – Carig, Tuguegarao Cag	ayan		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			L paper scissors (plastic			
			handle), spools of asstd. colors			
			of sewing threads and other			
			notions			
		otal, Dressmaking				85
33		Wellness Massage		. .		
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	75
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	75
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	75
	4	Scrub Suit	Unisex, Soft and linen blouse (V-	1	PAIR	75
			neck top with 2 lower front			
			pockets), garterized pants with			
			adjustable draw string and back			
			pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	75
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	75
	7	Aromatic Oil	100 ml.	1	BOTTLE	75
	8	Virgin Coconut	250 ml.	1	BOTTLE	75
		Oil				
	9	Powder	Baby powder, 200 g	1	BOTTLE	75
	10	Mentholated Oil	100 ml.	1	BOTTLE	75
	11	Storage Box	Plastic, clear storage box with lid	1	PC	75
		g	lock, carry handle, 14" x 10" x 8"			
	Sub-to	otal, Hilot (Wellnes				75
34			Pedicure (Leading to Beauty	Care	NC II/Bea	uty Care
		es [Nail Care] NC I				
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	27
	2	Cuticle Pusher	stainless steel, 5"	1	PC	27
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	27
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	27
	5	Storage Box	Plastic, clear storage box with lid	1	PC	27
		0	lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	27
	7	Emery Board	80/100 coarse, 8" Long	1	PC	27
	8	Cotton Balls	150 balls	1	PACK	27
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	27
	10	Nail Polish	120 ml bottle	1	BOTTLE	27
		Remover				
	11	Antiseptic	25 ml bottle	1	BOTTLE	27
		(Merthiolate)				
	12	Colored Nail	15ml bottle, preferably touch of	1	BOTTLE	27
		Polish	tan			
	13	Colored Nail	15ml bottle, white	1	BOTTLE	27
	1	Polish		1	1	1

		NG FOR EMPL	STARTER TOOLKITS FO	EP)		
LOT	ITEM		egion II – Carig, Tuguegarao Cag AGENCY SPECS	ayan QTY	UNIT	NO. OF
NO.	NO.		AGENCI SPECS	QIT	UNIT	ΡΑΧ
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	27
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	27
	16	Low Stool	hard plastic, round	1	PC	27
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	27
	II/Beau	uty Care Services [- <i>i</i>			27
39	NC II)	m Foot Spa (Leadir	ng to Beauty Care NC II/Beauty C	are Se	rvices [Naii	Carej
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	25
	2	Callus Remover	Stainless Steel, 7"	1	PC	25
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	25
	4	Foot File	Wooden, 9.5"	1	PC	25
	5	Foot Blush	100ml, spray type	1	BOTTLE	25
	6	Foot Soak	150ml, Liquid	1	BOTTLE	25
	7	Foot Scrub	150ml, cream	1	TUBE	25
	8	Foot Lotion	150ml, scented	1	BOTTLE	25
	9	Foot Brush	plastic handle, plastic bristle	1	PC	25
		otal, Perform Foot es [Nail Care] NC I	Spa (Leading to Beauty Care N l)	C II/Be	auty Care	25
43	Perfor	m Hair Cutting Serv	vices (Leading to Hairdressing N	C II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	25
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	25
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	25
	4	Apron	black with 3 pockets	1	PC	25
	5	Protective Cape	Water proof, nylon, black	1	PC	25
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	25
	7	Talcum Powder	250g	1	BOTTLE	25
	-		Cutting Services (Leading to Haird	dressir		25
44	Bread	Making (Leading to	o Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C)	1	UNIT	166

		NG FOR EMPL	STARTER TOOLKITS FO	EP) I		
LOT NO.	ITEM NO.	ITEM	egion II – Carig, Tuguegarao Cag AGENCY SPECS	ayan QTY	UNIT	NO. OF PAX
			4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	166
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	166
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	166
45			(Leading to Bread and Pastry Pro		on NC II)	166
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	95
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ¹ / ₂ cup, 1/3 cup, ¹ / ₄ cup)	1	SET	95
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	95
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	95
	Sub-to	otal, Pastry Making	(Leading to Bread and Pastry Pre	oductio	on NC II)	95
46	Cake I		Bread and Pastry Production NC	; II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C)	1	UNIT	100

		NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST egion II – Carig, Tuguegarao Cag	FEP) I		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack,			
			Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	100
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	100
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	100
			Leading to Bread and Pastry Pro	ductior	n NC II)	100
48	Prepar		ding to Cookery NC II)			1
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	20
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	20
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	20
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	20
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
-	Sub-to	tal, Prepare Cold I	Meals (Leading to Cookery NC II)			20
50	Proces		ntation and Pickling (Leading to	Food F	-	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	20
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, $\frac{1}{2}$ tsp, $\frac{1}{4}$ tsp)	1	SET	20
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20
	6	Mixing Bowl	Stainless steel, 8" diameter, 5	1	PC	20

		NG FOR EM	OF STARTER TOOLKITS F PLOYMENT PROGRAM (S	TEP) F			
		TESDA	A-Region II – Carig, Tuguegarao Ca	gayan			
LOT NO.	T ITEM AGENCY SPECS OTY UNIT						
			quart capacity				
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	20	
		otal, Process Fo ssing NC II)	ods by Fermentation and Pickling	(Leadin	g to Food	20	
	ΤΟΤΑ	· /				1,283	

			vernment Center Bo., Maimpis,	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Poult	ry Chicken) NC II		-	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	20
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	20
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	20
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	20
	Sub-to	otal, Animal Produc	tion (Poultry Chicken) NC II			20
2	Anima	I Production (Swin	e) NC II		-	
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	20
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	20
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	20
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	20
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	20
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	20
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	20
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	20

	RAINI	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S overnment Center Bo., Maimpis,	TEP) F	OR CY	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
	Sub-to	otal, Animal Produc	tion (Swine) NC II			20
6	Perfor	m Diesel Engine Tu	une Up (Leading to Automotive S	Servicin	g NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	58
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	58
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	58
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	58
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	58
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	58
		otal, Perform Diese ing NC I)	ו Engine Tune Up (Leading to Au	ıtomotiv	re	58

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
_						
7			e Up (Leading to Automotive Se			
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	20
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20

TES	SDA-Region III – Go	overnment Center Bo., Maimpis,	San Fer	nando City	,
ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
/					
1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	25
2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	25
3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
		-	nts (Le	ading to	25
Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Servicing NC II)					
1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	64
2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm,	1	SET	64
3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	64
4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	64
	NO. NC I) Servic 1 2 3 4 Sub-to Auton Servic Servic Servic 3 3	NO. ITEM NC I) Service Automotive Elect 1 Battery Load 1 Battery Load 2 Electricians/ Electrical Plier 3 Philips Screw Driver 4 Flat Screw Driver Sub-total, Service Aut Automotive Servicing NC Service Motorcycle/Smat Servicing NC II) 1 Manual Impact Driver 2 Socket Wrench 3 Combination Wrench (Open And Box End) 4 Spark Plug	NO.ITEMAGENCY SPECSNC I)Service Automotive Electrical Components (Leading to A1Battery Load100-Amp, 6V and 12V1Testerbatteries. shock-resistantaTesterbatteries. shock-resistantameter, sturdy steel case thathas a durable baked enamelfinish, rubber insulated carryhandle, equipped with super-grip battery clamps and a top-mounted rocker switch.Overall length: 8", Steel Alloy,2Electricians/Overall length: 8", Steel Alloy,3Philips Screw8" shank length (chromeDriverBlated) plastic handle, tip: 2 X6mm6.5mm4Flat Screw Driver8" shank length (chromeplated) plastic handle, tip: 1/4" /6.5mmSub-total, Service Automotive Electrical ComponentAutomotive Servicing NC II)1Manual Impact1pc 36 mm long, 10 mm slottedbit, 1 pc 36 mm long, 10 mm slottedbit, 1 pc 36 mm long, PH2 bit, 1pc 36 mm long, PH3 bit2Socket Wrench3Combination4Spark Plug3Combination4Spark Plug4Spark Plug4Spark Plug4Spark Plug5Spark Plug4Spark Plug4Spark Plug5Spark Plug5Spark Plug7Stees off8Spark Plug7Spark Plug	NO.HEMAGENCY SPECSUTYNC I)Service Automotive Electrical Components (Leading to Automoti1Battery Load1Tester1Battery Load1Tester1batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.2Electricians/Overall length: 8", Steel Alloy, Handle finish: plastic-dipped3Philips Screw Driver8" shank length (chrome plated) plastic handle, tip: 2 X 6mm4Flat Screw Driver Service Automotive Electrical Components (Le Atomotive Servicing NC II)Sub-total, Service Automotive Electrical Components (Le Automotive Servicing NC II)1Manual Impact Driver1 pc 1/2" Drive Impact Driver, 1 e 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH3 bit1 12Socket Wrenchsocket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm), 22mm, 24mm), 1 pc Extension Rod13Combination Wrench (Open And Box End)the T-Handle Universal Joint 1 pc T-Handle Universal Joint 2 Spark Plug Wrench1	NO.ITEMAGENCY SPECSUTYUNITNC I)Service Automotive Electrical Components (Leading to Automotive Servicia1Battery Load100-Amp, 6V and 12V1PCTesterbatteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.1PC2Electricians/ Electrical PlierOverall length: 8", Steel Alloy, Handle, tequipped with super- grip battery clamps and a top- mounted rocker switch.1PC3Philips Screw Driver8" shank length (chrome plated) plastic handle, tip: 2 X 6mm1PC4Flat Screw Driver Batted) plastic handle, tip: 1/4" / 6.5mm1PC5Service Automotive Electrical Components (Leading to Automotive Servicing NC II)1PC1Manual Impact Driver1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long, 10 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bitSET2Socket Wrench Manual Impact Driver1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod1SET3Combination Wrench (Open And Box End)1 pc T-Handle Universal Joint Spark Plug1SET4Spark Plug Wrench1 pc T-Handle Universal Joint Spark Plug, Socket Wrench1SET

TF			OYMENT PROGRAM (S vernment Center Bo., Maimpis,	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	64
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	64
	Sub-to Motor	otal, Service Mo cycle/Small Engine	torcycle/Small Engine Syste Servicing NC II)	m (Lea	ading to	64
13			(Leading to Motorcycle/Small E	naine S	ervicina N	
		VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		UNIT	20
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	20
		otal, Service Electri ing NC II)	cal System (Leading to Motorcy	cle/Sma	ll Engine	20

	TRAINING FOR EMPLOTMENT PROGRAM (STEP) FOR CT 2018 TESDA-Region III – Government Center Bo., Maimpis, San Fernando City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
14	Overh	aul Motorcycle/Sm	all Engine (Leading to Motorcyc	le/Small	Engine So	ervicing		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	49		
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	49		
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	49		
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	49		
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	49		
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	49		
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	49		
	8	Circlip Pliers	6 in carbon steel insulated	1	SET	49		

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region III – Government Center Bo., Maimpis, San Fernando City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
<u>no.</u>			handle detachable tip (combination) internal and external					
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	49		
	Sub-to Motor	otal, Overhaul cycle/Small Engine	Motorcycle/Small Engine Servicing NC II)	(Lead	ling to	49		
15	Carpe	ntry NC II						
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	37		
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	37		
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	37		
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	37		
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	37		
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	37		
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	37		
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	37		
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	37		
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	37		
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	37		

			vernment Center Bo., Maimpis,	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		otal, Carpentry NC				37
16	Electr	ical Installation and	Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	87
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	87
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	87
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	87
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	87
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	87
	Sub-to	otal, Electrical Insta	Ilation and Maintenance NC II			87
20		tting NC II				
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	43
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	43
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	43
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	43
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel,	1	PC	43

	RAINI	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S overnment Center Bo., Maimpis,	TEP) F		2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
			max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm			
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	43
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	43
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	43
		otal, Pipefitting NC				43
25		ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	405
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	405
	Sub-to	btal, Shielded Meta	Arc Welding (SMAW) NC I			405
26	Assemble Electronics Products (Leading to Electronic Products Assen Servicing NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	137
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	137
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	137
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	137
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm	1	SET	137

	RAINI	NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (Sovernment Center Bo., Maimpis, Sovernment Center Bo., Mai	TEP) I	FOR CY	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
			Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"			
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	137
	Produ	cts Assembly and			Electronic	137
27		e Consumer Elect cts Assembly and \$	ctronic Products and System Servicing NC II)	s (Lea	ding to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	309
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	309
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	309
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	309
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	309
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	309
			imer Electronic Products and S ssembly and Servicing NC II)	Systems	(Leading	309
28			tronic Modules, Products ar embly and Servicing NC II)	nd Sys	tems (Lea	ading to
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV	1	UNIT	80

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOOLKITS FOOL	TEP) F	OR CY	2018
LOT	ITEM	DA-Region III – Go ITEM	AGENCY SPECS	San Fer QTY	nando City UNIT	NO. OF
NO.	<u>NO.</u>		Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			ΡΑΧ
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	80
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	80
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	80
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	80
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	80
		,	trial Electronic Modules, Produ oducts Assembly and Servicing		Systems	80
29	Servic		onic Products and Systems (As		of Solar N	lightlight
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano,/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	174
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	174
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	174
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	174
	5	Allen Wrench Set	Hex Key Set, Number of Pieces	1	SET	174

	RAINI	NG FOR EMPL	STARTER TOOLKITS FO	ΓEP) Ι	FOR CY	2018
LOT NO.	ITEM NO.	ITEM	vernment Center Bo., Maimpis, S AGENCY SPECS	QTY		NO. OF PAX
<u>NO.</u>			9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder			
		•	nsumer Electronic Products tlight and Post Lamp)	and	Systems	174
31	Dress	making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	343
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	343
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	343
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	343
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	343
	Sub-to	otal, Dressmaking I				343
33		Wellness Massage				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	618
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	618
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	618
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	618
	5	Head Band	3"x 23" cotton fabric with snap	1	PC	618
				•		5.5

	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S vernment Center Bo., Maimpis,	TEP) I	FOR CY	2018
ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		tape			
6	Body Lotion		1		618
7	Aromatic Oil		1	BOTTLE	618
8	Virgin Coconut Oil		1	BOTTLE	618
9	Powder		1		618
10	Mentholated Oil	100 ml.	1	BOTTLE	618
11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	618
Sub-to	otal, Hilot (Wellness	s Massage) NC II			618
		· · · ·	Care	NC II/Beau	uty Care
1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	295
2	Cuticle Pusher	stainless steel, 5"	1	PC	295
3	Foot Nail Cutter	stainless steel, 3" long	1	PC	295
4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	295
5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	295
6	Nail Brush	Plastic, soft bristle	1	PC	295
7	Emery Board	80/100 coarse, 8" Long	1	PC	295
8	Cotton Balls	150 balls	1	PACK	295
9	Cuticle Remover	120 ml bottle	1	BOTTLE	295
10	Nail Polish Remover	120 ml bottle	1	BOTTLE	295
11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	295
12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	295
13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	295
14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	295
15	Colorless Nail Polish	15ml bottle	1	BOTTLE	295
16	Low Stool	hard plastic, round	1	PC	295
17	Face Towel	100 % cotton, 12" X 12", white	1	PC	295
II/Beat	uty Care Services [l	Nail Care] NC II)	-		295
			y Care S	Services [N	lail Care]
1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	50
2	Paraffin Wax	Scented, 500g	1	BOX	50
3	Clingwrap	clear, transparent, 150 sq. ft	1	ROLL	50
	TES ITEM NO. 6 7 8 9 10 11 Sub-to Perfor Servic 1 2 3 4 5 6 7 8 9 10 12 3 4 5 6 7 8 9 10 11 12 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Sub-to I//Beau 2 2	TESDA-Region III – GoITEMITEMNO.ITEM6Body Lotion7Aromatic Oil8Virgin Coconut Oil9Powder10Mentholated Oil11Storage BoxSub-total, Hilot (WellnessPerform Manicure andServices [Nail Care] NC II1Cuticle Nipper2Cuticle Pusher3Foot Nail Cutter4Hand Nail Cutter5Storage Box6Nail Brush7Emery Board8Cotton Balls9Cuticle Remover10Nail Polish8Colored Nail9Cuticle Remover11Antiseptic (Merthiolate)12Colored Nail Polish13Colored Nail Polish14Colorless Nail Polish15Colorless Nail Polish16Low Stool17Face TowelSub-total, Perform Manic I//Beauty Care Services [/2Paraffin Wax	TESDA-Region III – Government Center Bo., Maimpis, ITEM NO. ITEM AGENCY SPECS itape 6 Body Lotion 200 ml., Hypoallergenic 7 Aromatic Oil 100 ml. 8 Virgin Coconut Oil 250 ml. 9 Powder Baby powder, 200 g 10 Mentholated Oil 100 ml. 11 Storage Box Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" Sub-total, Hilot (Wellness Massage) NC II Perform Manicure and Pedicure (Leading to Beauty Services [Nail Care] NC II) 1 Cuticle Nipper Stainless steel, 3.5" 2 Cuticle Nipper Stainless steel, 3.5" 3 Foot Nail Cutter stainless steel, 2.5" long 5 Storage Box Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" 6 Nail Brush Plastic, soft bristle 7 Emery Board 80/100 coarse, 8" Long 8 Cotton Balls 150 balls 9 Cuticle Remover 120 ml bottle 10 Nail Polish 120 ml bottle 11 Antiseptic 25 ml bottle, white Polish	TESDA-Region III – Government Center Bo., Maimpis, San Fer ITEM AGENCY SPECS QTY 6 Body Lotion 200 ml., Hypoallergenic 1 7 Aromatic Oil 100 ml. 1 8 Virgin Coconut Oil 250 ml. 1 9 Powder Baby powder, 200 g 1 10 Mentholated Oil 100 ml. 1 11 Storage Box Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" 1 Sub-total, Hilot (Wellness Massage) NC II Perform Manicure and Pedicure (Leading to Beauty Care Services [Nail Care] NC II) 1 2 Cuticle Nipper Stainless steel, 3.5" 1 3 Foot Nail Cutter stainless steel, 3.5" 1 4 Hand Nail Cutter stainless steel, 3.5" 1 5 Storage Box Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8" 1 6 Nail Brush Plastic, soft bristle 1 1 7 Emery Board 80/100 coarse, 8" Long 1 8 Cotton Balls 150 balls 1 1 9	TESDA-Region III - Government Center Bo., Maimpis, San Fernando CityITEMAGENCY SPECSQTYUNITNO.tape1BOTTLE6Body Lotion200 ml., Hypoallergenic1BOTTLE7Aromatic Oil100 ml.1BOTTLE8Virgin Coconut Oil250 ml.1BOTTLE9PowderBaby powder, 200 g1BOTTLE10Mentholated Oil100 ml.1BOTTLE11Storage BoxPlastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"PC2Sub-total, Hilot (Wellness Massage) NC IIPC2Cuticle NipperStainless steel, 3.5"11Cuticle NipperStainless steel, 3.5"12Cuticle Pusherstainless steel, 3.5"13Foot Nail Cuterstainless steel, 3.5"14Hand Nail Cutterstainless steel, 3.5"15Storage BoxPlastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"16Nail BrushPlastic, soft bristle1PC7Emery Board80/100 coarse, 8" Long1PACK9Cuticle Remover120 ml bottle1BOTTLE10Nail Polish120 ml bottle1BOTTLE11Antiseptic25 ml bottle, preferably touch of Polish1BOTTLE12Colored Nail15ml bottle, white1BOTTLE13Colored Nail15ml bottle, w

	RAINI	NG FOR EMPL	STARTER TOOLKITS FOOLKITS FOOL	TEP) I	FOR CY	2018
LOT	ITEM	SDA-Region III – Go ITEM	AGENCY SPECS	San Fer QTY	nando City UNIT	NO. OF
NO.	NO.					PAX
	Cub 4	tal Darfarma Hand	(36.6m x 38 cm)			50
		ces [Nail Care] NC l	Spa (Leading to Beauty Care N	ис п/ве	auty Care	50
36			Leading to Beauty Care NC II)			
50	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	80
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	80
	3	Face Mask	disposable earloop face mask,	1	BOX	80
	5		50 pcs per box	•	DOX	00
	4	Scrub Suit	Unisex, Soft and linen blouse	1	PAIR	80
			(V-neck top with 2 lower front	•	17,413	00
			pockets), garterized pants with			
			adjustable draw string and back			
			pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap	1	PC	80
			tape			
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	80
	7	Aromatic Oil	100 ml.	1	BOTTLE	80
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	80
	9	Powder	Baby powder, 200 g	1	BOTTLE	80
	10	Mentholated Oil	100 ml.	1	BOTTLE	80
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	80
	Sub-to	otal. Perform Body	Massage (Leading to Beauty Ca	re NC II)	80
37			ading to Beauty Care NC II)			
	1		disposable earloop face mask,	1	BOX	50
			50 pcs per box			
	2	Head Band	3"x 23" cotton fabric with snap	1	PC	50
			tape			
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	50
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	50
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, pylop)	1	PAIR	50
	6	Body Lotion	(regular size, nylon) 200 ml., Hypoallergenic	1	BOTTLE	50
	7	Whitening Soap	135 grams, papaya	1	PC	50
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	50
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	-		Scrub (Leading to Beauty Care I			<u>50</u>
38			t (Leading to Beauty Care NC II)	/		
-	1	Acne Gel	25ml, hypoallergenic	1	PC	50
		•	· · · ·		•	

			overnment Center Bo., Maimpis,			
LOT	ITEM	ITEM	AGENCY SPECS	QTY		NO. OF
NO.	NO.					PAX
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	50
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	50
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	50
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	50
	6	Facial Brush	plastic handle, soft bristle	1	PC	50
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	50
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	50
	9	Moisturizer	50 ml, hypoallergenic	1	PC	50
	10	Pricking Tools	stainless steel, dual end,	1	PC	50
			pointed and round			
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	50
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	50
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	14	Cotton Balls	150 balls	1	PACK	50
	Sub-to	otal, Perform Facial	Treatment (Leading to Beauty (Care NC	· II)	50
39	Perfor NC II)	m Foot Spa (Leadi	ng to Beauty Care NC II/Beauty (Care Sei	rvices [Nail	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	172
	2	Callus Remover	Stainless Steel, 7"	1	PC	172
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	172
	4	Foot File	Wooden, 9.5"	1	PC	172
	5	Foot Blush	100ml, spray type	1	BOTTLE	172
	6	Foot Soak	150ml, Liquid	1	BOTTLE	172
	7	Foot Scrub	150ml, cream	1	TUBE	172
	8	Foot Lotion	150ml, scented	1	BOTTLE	172
	9	Foot Brush	plastic handle, plastic bristle	1	PC	172
		otal, Perform Foot es [Nail Care] NC I	Spa (Leading to Beauty Care N I)	IC II/Be	auty Care	172
40	Perfor	m Facial Make-Up	(Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	124
	2	Blusher	pink and bronze shade, 4grams each	2	PC	124
	3	Eye Brow Pencil	black, 4"	1	PC	124
	4	Eye Brow Pencil	brown, 4"	1	PC	124
	5	Eye Liner Pencil	black, 4"	1	PC	124
	6	Eye Liner Pencil	brown, 4"	1	PC	124
	7	Eye Shadow	8 palette, earth colors, matte	1	PC	124

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region III – Government Center Bo., Maimpis, San Fernando City LOT ITEM NO. OF ITEM AGENCY SPECS QTY UNIT NO. NO. PAX finish PC 124 8 Eyebrow Tweezer stainless steel, scissor type 1

	0		stairliess steel, scissor type	I	ΤC	124
	9	Eyelash Curler	stainless steel, scissor type	1	PC	124
	10	Face Mask	disposable earloop face mask,	1	BOX	124
			50 pcs per box			
	11	Make-Up Sponge	round, powder puff sponge	1	PC	124
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	124
	13	Head Band	3"x 23" cotton fabric with snap	1	PC	124
			tape			
	14	Lipstick	matte finish, red	1	PC	124
	15	Lipstick	matte finish, coral pink	1	PC	124
	16	Make Up Brush	wooden handle, soft bristle, set	1	SET	124
		Set	of 5pcs (lip brush, angle eye			
			brush, powder brush, eye			
			shadow brush, angle blusher			
			brush)			
	17	Mascara	black, water proof, 7g	1	PC	124
	18	Pressed Powder	natural shade, matte finish	1	PC	124
	19	Cotton Balls	150 balls	1	PACK	124
	20	Concealer	20ml with UVA/UVB protection	1	PC	124
	Sub-to	otal, Perform Facial	Make-Up (Leading to Beauty Ca	are NC I	0	124
41	Perfor	m Hair Coloring/Bl	eaching Services (Leading to Ha	irdress	ing NC II)	
	1	Colorants	Paste form, brown (light,	3	TUBE	100
			medium and dark) at 100			
			grams each			
	2	Colorants	Paste form, blonde (light,	3	TUBE	100
			medium and dark) at 100			
			grams each			
	3	Mixing Bowl	Plastic, 6 cm height, diameter	1	PC	100
			13.5 cm, color black.			
	4	Applicator Brush	Plastic, black, with comb and	1	PC	100
			tail			
	5	Frosting Cap with	Reusable hair color highlighting	1	PC	100
		Hook	cap hat with metal hook			
	6	Bleaching Powder	30g (sachet)	3	PC	100
	7	Hand Gloves	washable, medium size,	1	PAIR	100
			preferably black			
	8	Protective Cape	Water proof, nylon, black	1	PC	100
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at	1	SET	100
			100 ml each bottle			
	10	Face Mask	disposable earloop face mask,	1	BOX	100
			50 pcs per box			
	Sub-to	otal, Perform Ha	ir Coloring/Bleaching Servic	es (Le	ading to	100
	Hairdı	ressing NC II)				
42	Perfor	m Hair Perming/Str	raightening (Leading to Hairdres	sing NC		
	1	Hair Straightening	220V, 60hz, 40 watts,	1	UNIT	75

			Vernment Center Bo., Maimpis,			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Iron	adjustable heat control			
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	75
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	75
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	75
	5	Curling Rods	4mm size	2	DOZ	75
	6	Curling Rods	14mm size	2	DOZ	75
	7	Curling Rods	16mm size	2	DOZ	75
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	75
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	75
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	75
	11	Protective Cape	Water proof, nylon, black	1	PC	75
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	75
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	75
	Sub-to NC II)	otal, Perform Hair	Perming/Straightening (Leading	g to Hai	irdressing	75
43	Perfor	m Hair Cutting Ser	vices (Leading to Hairdressing I	NC II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	174
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	174
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	174
	4	Apron	black with 3 pockets	1	PC	174
	5	Protective Cape	Water proof, nylon, black	1	PC	174
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	174
	7	Talcum Powder	250g	1	BOTTLE	174
	Sub-to	otal, Perform Hair C	Cutting Services (Leading to Hair	rdressin	g NC II)	174
44	Bread	Making (Leading to	o Bread and Pastry Production I	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage	1	UNIT	417

	RAINI	NG FOR EMPI	STARTER TOOLKITS F OYMENT PROGRAM (S overnment Center Bo., Maimpis,	TEP) F	OR CY	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
			Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	417
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	417
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	417
	Sub-to	otal, Bread Making	(Leading to Bread and Pastry Pi	oductio	n NC II)	417
45			to Bread and Pastry Production			-
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	95
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	95
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	95
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	95
	Sub-to	otal, Pastry Making	(Leading to Bread and Pastry P	roductic	on NC II)	95
46	Cake I	Making (Leading to	Bread and Pastry Production N	CII)		·
_	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage	1	UNIT	295

		DA-Region III – Go	overnment Center Bo., Maimpis,	San Feri		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Heating Selection Accessories:			
			Enamel Bake Tray, Wire Rack,			
			Tray Handle, 220V, 60hz,			
	2	Maggiuring Curpo	1,300 watts	1	SET	205
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	Ĩ	SET	295
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	295
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	295
	Sub-to	ntal Cako Making (Leading to Bread and Pastry Pro	duction		295
47			eals (Leading to Cookery NC II)	Junction		233
4/	1 1	Frying Pan	10" diameter by 2" high teflon,	1	PC	207
		Trying Fair	non-stick, riveted handle	1	_	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	207
	3	Chef's Knife	8", stainless steel blade with	1	PC	207
			black polymer handle	-	. •	
	4	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2	1	SET	207
			cup, 1/3 cup, ¼ cup)		50	0.07
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	207
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	207
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	207
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	207
	Sub-to	otal. Prepare and C	cook Hot Meals (Leading to Cook	erv NC I	/)	207
48	1		ding to Cookery NC II)	<u></u>	·/	
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	67
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	67
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	67
	4	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	67
	5	Wooden Spoon	12" long, biodegradable, solid	1	PC	67
			birchwood			
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	67
	7	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	67
	Sub-to	otal. Prepare Cold	Meals (Leading to Cookery NC II))	l	67
50			entation and Pickling (Leading to		rocessing	
		Food Processor	2 Speed with Pulse, with safety			45

			STARTER TOOLKITS F OYMENT PROGRAM (S	-		
	TES	SDA-Region III – Go	overnment Center Bo., Maimpis,	San Fer	nando City	1
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	45
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	45
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	45
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	45
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	45
		otal, Process Food ssing NC II)	s by Fermentation and Pickling (Leading	to Food	45
	TOTA					4,805

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF	
1	Anima	I Production (Poult	try Chicken) NC II				
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	25	
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	25	
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	25	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	25	
	Sub-total, Animal Production (Poultry Chicken) NC II						
2	Anima	I Production (Swin	e) NC II				
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	50	
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	50	
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	50	
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	50	
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	50	
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	50	
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	50	
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	50	
	Sub-total, Animal Production (Swine) NC II						

	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.					PAX
3	Raise	Organic Chicken (Leading to Organic Agriculture F	Product	ion NC II)	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	178
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	178
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	178
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	178
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	178
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	178
	Produ	ction NC II)	nic Chicken (Leading to Org			178
4	Produ		ble (Leading to Organic Agricult	ure Pro		
	1	Steel Rake	14 tine made of steel;	1		
		Steel Nake	hardwood handle	I	PC	274
	2	Sprayer	hardwood handleKnapsack type (16 litres cap)stainless tank and steel lancemanual type with cone nozzles	1	UNIT	274
	2		hardwood handle Knapsack type (16 litres cap) stainless tank and steel lance		_	
		Sprayer	hardwood handleKnapsack type (16 litres cap)stainless tank and steel lancemanual type with cone nozzlesand fan nozzlesRound point steel blade; fiberglass D-grip handle, bladelength 11.5" width 8.25"	1	UNIT	274
	3 4 5	Sprayer Shovel Garden Hoe Sprinkler	 hardwood handle Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carbon Steel head, goose neck type, hardwood handle, 6" blade 2 gallon capacity, heavy duty plastic 	1	UNIT PC PC PC	274 274 274 274
	3 4 5 Sub-to Produ	Sprayer Shovel Garden Hoe Sprinkler Dtal, Produce Org	hardwood handleKnapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzlesRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"Carbon Steel head, goose neck type, hardwood handle, 6" blade2 gallon capacity, heavy duty plasticmanic Vegetable (Leading to Orgonal content)	1 1 1 1 ganic A	UNIT PC PC PC griculture	274 274 274 274 274 274 274
5	3 4 5 Sub-to Produ	Sprayer Shovel Garden Hoe Sprinkler Dtal, Produce Org	 hardwood handle Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Carbon Steel head, goose neck type, hardwood handle, 6" blade 2 gallon capacity, heavy duty plastic 	1 1 1 1 ganic A	UNIT PC PC PC griculture	274 274 274 274 274 274 274
5	3 4 5 Sub-to Produ	Sprayer Shovel Garden Hoe Sprinkler Dtal, Produce Org Inction NC II) Ce Organic Con	hardwood handleKnapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzlesRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"Carbon Steel head, goose neck type, hardwood handle, 6" blade2 gallon capacity, heavy duty plasticmanic Vegetable (Leading to Orgonal content)	1 1 1 1 ganic A	UNIT PC PC PC griculture	274 274 274 274 274 274 274

TESI	TESDA-Region IV-A (CALABARZON) – Gate 2, TESDA Complex, East Service Road, South Superhighway, Taguig City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			stainless tank and steel lance manual type with cone and fan nozzles					
	3	Chopping Board	¹ ⁄ ₂ " x 12" x 18"; made of polyethylene material	1	PC	125		
	4	Weighing Scale	10 kg. capacity	1	UNIT	125		
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	125		
	Agricu	ulture Production N				125		
6	Perfor		une Up (Leading to Automotive S	Servicir	ng NC I)			
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	140		
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	140		
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	140		
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	140		
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	140		

LOT NO.ITEMAGENCY SPECSQTYUNITNO. 1 PAL6Circlip Pliers6 in carbon steel insulated handle detachable tip (combination) internal and external1SET-7Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm ms sizes: 0.38, 0.51, 0.644, .076, 102, 127, 152, 178, .203, .229, 254, .279, .305, .330, .356, .331, 406, .432, .483, .457, 508, .533, .559, .584, .610 and .635mm. Inch sizes: .015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.1SET2Spark Plug Wrench1pc T-Handle Universal Joint Spark Plug. Socket Wrench .12mm, 12mm, 12m	TESE	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East S	Service Roa	id, South
Anadle detachable tip (combination) internal and external internal and external Sub-total, Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I) reading to Automotive Servicing NC I) Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I) PC 1 Feeler gauge 26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .224, .279, .305, .330, .356, .331, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. 2 Spark Plug 1pc T-Handle Universal Joint Yvrench 1 SET 3 Spark Plug 1pc T-Handle Universal Joint 16mm 1 SET 4 Combination Wrench (Open And Box End) 2mm, 14mm, 17mm, 19mm, 22mm, 12mm, 14mm, 17mm, 19mm, 22mm, 12 deg offset 1 SET 5 Socket Wrench .10m Socket chrome vanadium: 1 pc .12mm, 14mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 1 PC 6 Flat Screw Driver 8" shank length (chrome Plated) plastic handle, tip: 1/4" / 6.5mm 1 PC			ITEM		QTY	UNIT	NO. OF PAX
Servicing NC I) Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I) 1 Feeler gauge 26 tempered steel leaves/blade 1 PC 1 Feeler gauge 26 tempered steel leaves/blade 1 PC 1 Feeler gauge 26 tempered steel leaves/blade 1 PC 203, 229, 254, 279, 305, 330, 356, 381, 406, 432, 483, 457, 508, 533, 559, 584, 610 and .635mm. 1 Service, 333, 559, 584, 610 and .635mm. 1 Nch sizes: .005, .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .014, .015, .016, .017, .018, .014, .015, .016, .017, .018, .014, .015, .024, and .025. Service state sta		6	Circlip Pliers	handle detachable tip (combination) internal and	1	SET	140
1 Feeler gauge 26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. SET 2 Spark Plug Wrench 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1 SET 3 Spark Plug Wrench 1pc T-Handle Universal Joint 21mm 1 SET 4 Combination Wrench (Open And Box End) 1pc T-Handle Universal Joint 12mm, 14mm, 17mm, 19mm, .2mm) 7.5 deg offset 1 SET 5 Socket Wrench 10mm 1pc T-Handle Universal Joint 12mm, 14mm, 17mm, 19mm, .2mm) 7.5 deg offset 1 SET 6 Flat Screw Driver 2 8' shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm 1 PC				sel Engine Tune Up (Leading	g to A	utomotive	140
a ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. 2 Spark Plug Wrench 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm 1 3 Spark Plug Wrench 1pc T-Handle Universal Joint 16mm 1 4 Combination Wrench (Open And Box End) 1pc T-Handle Universal Joint 12mm, 14mm, 17mm, 19mm, .22mm) 7.5 deg offset 1 5 Socket Wrench 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, .11mm, 12mm, 13mm, 14mm, .15mm, 17mm, 19mm, 22mm, .24mm), 1 pc Extension Rod 1 SET 6 Flat Screw Driver 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm 1 PC	7	Perfor	m Gas Engine Tun		rvicing	NC I)	
WrenchSpark Plug, Socket Wrench 21mmSpark Plug 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm1SET3Spark Plug Wrench1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm1SET4Combination Wrench (Open And Box End)chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset1SET5Socket Wrenchsocket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension RodSET6Flat Screw Driver8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm1PC7Philips Screw8" shank length (chrome 8" shank length (chrome1PC		1	Feeler gauge	ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023,	1	PC	132
3 Spark Plug Wrench 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm 1 SET 1 4 Combination Wrench (Open And Box End) chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 1 SET 1 5 Socket Wrench socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 1 SET 1 6 Flat Screw Driver 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm 1 PC 1		2		Spark Plug, Socket Wrench	1	SET	132
4Combination Wrench (Open And Box End)chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset1SET5Socket Wrench 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod1SET6Flat Screw Driver plated) plastic handle, tip: 1/4" / 6.5mm8" shank length (chrome 9" 14" 14" 14" 14" 14" 14" 14" 14"1		3		1pc T-Handle Universal Joint Spark Plug, Socket Wrench	1	SET	132
5 Socket Wrench socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod 1 SET 1 6 Flat Screw Driver 8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm 1 PC 1 7 Philips Screw 8" shank length (chrome 8" shank length (chrome 1 1 PC 1		4	Wrench (Open	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm,	1	SET	132
plated) plastic handle, tip: 1/4" / 6.5mm 7 Philips Screw 8" shank length (chrome 1 PC		5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1		132
		6	Flat Screw Driver	plated) plastic handle, tip: 1/4" /	1	PC	132
6mm		7	Philips Screw Driver	plated) plastic handle, tip: 2 X	1	PC	132

NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
8	NC I)	o Undorchassis C	omponents (Leading to Automot	ivo Sori	vicing NC I		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm,	1	SET	145	
			24mm), 1 pc Extension Rod		057	4.45	
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	145	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	145	
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	145	
		otal, Service Unde cing NC II)	erchassis Components (Leadin	g to A	utomotive	145	
9	Service Engine Components (Leading to Automotive Servicing NC II)						
3		<u> </u>	ents (Leading to Automotive Ser	vicing I			
<u> </u>	Servic 1	<u> </u>	ents (Leading to Automotive Ser socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	vicing I 1	NC II) SET	115	
3		e Engine Compone	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm,	vicing I 1		115	
3	1	Combination Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm,	1	SET		
3	1	Combination Wrench (Open And Box End)	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset 6 in carbon steel insulated handle detachable tip (combination) internal and	1	SET	115	

TES	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East S	Service Roa	d, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Driver	plated) plastic handle, tip: 2 X 6mm			
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	115
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	115
	Sub-to NC II)	otal, Service Engin	e Components (Leading to Auto	omotive	Servicing	115
10	/	e Automotive Elect	trical Components (Leading to A	utomo	tive Servici	ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	70
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	70
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC	70
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	70
	Sub-to Auton	otal, Service Aut notive Servicing NC	omotive Electrical Componer	nts (Le	eading to	70
12	Servic		II Engine System (Leading to	Motor	cycle/Smal	I Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	25
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm,	1	SET	25

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			22mm) 7.5 deg offset			
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	25
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	25
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	25
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and	1	SET	25
			external			
	Motor	cycle/Small Engine	otorcycle/Small Engine Syste Servicing NC II)	•	eading to	
13	Motor Servic	cycle/Small Engine	otorcycle/Small Engine Syste Servicing NC II) n (Leading to Motorcycle/Small E	•	Servicing N	IC II)
13	Motor	cycle/Small Engine	otorcycle/Small Engine Syste Servicing NC II)	•	•	IC II)
13	Motor Servic	cycle/Small Engine	torcycle/SmallEngineSystemServicing NC II)Servicing NC II)n (Leading to Motorcycle/Small EMulti-tester Analog DCVRange: 0.1 V to 1000V ACVRange: 10 to 750V InternalBattery: R6 (IEC) or UM-3 1.5Vx 2 Internal Fuse:0.5Ano/250V/5.2mm dia. X20mm Dimension and Weight:159.5 x 129 x 41.5 mm/approx.320g Resistance: X1 to X1kOverall length: 8", Steel Alloy,	•	Servicing N	IC II) 15
13	Motor Servic	Electrical System	torcycle/Small Engine Syster Servicing NC II) (Leading to Motorcycle/Small E Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	Engine s	Servicing N UNIT	25 IC II) 15 15
13	Motor Servic 1	Electrical System VOM (Multitester)	torcycle/SmallEngineSystemServicing NC II)Servicing NC II)(Leading to Motorcycle/Small EMulti-tester Analog DCVRange: 0.1 V to 1000V ACVRange: 10 to 750V InternalBattery: R6 (IEC) or UM-3 1.5Vx 2 Internal Fuse:0.5Ano/250V/5.2mm dia. X20mm Dimension and Weight:159.5 x 129 x 41.5 mm/approx.320g Resistance: X1 to X1kOverall length: 8", Steel Alloy,Handle finish: plastic-dipped8" shank length (chromeplated) plastic handle, tip: 2 X	Engine s	Servicing N UNIT	IC II) 15

LOT	ITEM		Superhighway, Taguig City			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
			has a durable baked enamel			
			finish, rubber insulated carry			
			handle, equipped with super-			
			grip battery clamps and a top-			
			mounted rocker switch.			
		otal, Service Electr sing NC II)	ical System (Leading to Motorcy	cle/Sma	all Engine	15
15		ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per	1	PC	87
			inch; 18 in. length / 450 mm;			
			hardwood handle			
	2	Claw Hammer	Forged High-Carbon Steel	1	PC	87
			Head; Smooth Face; 16 Oz;			
			Wood Handle			
	3	Pull-Push Rule	Blade length 8m/26ft Blade	1	PC	8
			width 1" High impact ABS case			
			with durable rubber Corrosion			
			resistant tru-zero end			
	4	Steel Square	Carpenters framing square;	1	PC	8
			2x16x24", Steel			
	5	Spirit Level Bar	Aluminum, top-read center vial;	1	PC	8
			3 vials; Length: 24"			
	6	Sledge Hammer	Forged High-Carbon Steel	1	PC	87
			Head; 4 Lbs. (1.81 Kg) With			
			Wooden Handle			
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz.	1	PC	8
			Bottle Blue Chalk; High Impact			
			Abs Case On-Board Hook			
			Storage, Stainless-Steel Hook,			
			Sliding Door For Easy Filling,			
			Folding Crank Handle			
	8	Wood Chisel	Forged steel blade; 3/4: blade	1	PC	8
			width; plastic handle			
	9	Try Square	Size: 8"x12", Thickness 1.8-	1	PC	8
			2mm, Material: Spring Steel,			
			Handle Material: Aluminum			
			Alloy, Metric & English			
			Graduations			
	10	Ripping Bar	Overall Length: 17", Overall	1	PC	8
			Width: 5/8", Thickness: 5/8",			
			Dia.: 5/8", Material: High			
			Carbon Steel, Color: Black and			
			Yellow			
	11	Plumb Bob	Hexagonal/Conical shape,	1	PC	8
			Machined Steel, 8 ounce			

	-neg		ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	., ∟α σι σ		au, ooun
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
16	Electr	ical Installation and	Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	47
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	47
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	47
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	47
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	47
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	47
	Sub-to	otal, Electrical Insta	Illation and Maintenance NC II	1		47
17	Masor	nry NC I				·
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	20
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	20
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	20
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	20
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	20

TES	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	k, East S	Service Ro	ad, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	20
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	20
		otal, Masonry NC I				20
20	Pipefitting NC II	1	1		1	
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	75
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	75
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	75
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	75
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	75
		otal, Pipefitting NC		·		75
24	-	ervicing (Dom/RAC				
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal	1	UNIT	42

TESE	DA-Regi	on IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East S	Service Ro	ad, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	42
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	42
	Sub-to	tal, RAC Servicing	(Dom/RAC) NC II			42
25		ed Metal Arc Weld				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	538
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	538
	Sub-to	otal, Shielded Meta	Arc Welding (SMAW) NC I	ı I		538
26		nble Electronics P ing NC II)	Products (Leading to Electronic	c Produ	icts Asse	mbly and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal	1	UNIT	82

TES	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East	Service Roa	id, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	82
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	82
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	82
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	82
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	82
		otal, Assemble E	Electronics Products (Leading	g to	Electronic	82
27		e Consumer Electric Consumer Electric Consumer Electric Constant Statement (Constant)	ctronic Products and System Servicing NC II)	s (Lea	ading to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	90
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	90
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	90
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	90

TES	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East \$	Service Roa	id, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	90
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	90
	to Ele	ctronic Products A	Imer Electronic Products and S ssembly and Servicing NC II)	-		90
29		e Consumer Electr ost Lamp)	onic Products and Systems (As	sembly	of Solar Ni	ghtlight
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	200
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	200
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	200
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	200
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	200
	Sub-to	,	nsumer Electronic Products tlight and Post Lamp)	and	Systems	200
31		making NC II	· · · · · · · · · · · · · · · · · · ·			
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60	1	UNIT	495

LOT		ITEM	AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.		Hz; 85 Watts; 220 V)			PAX
	2	Drafting Tools	Tailors square, aluminum 24" L	1	SET	495
	-	Draning roold	x 1 1/2" W, L-shape ruler; Hip	•	021	100
			curve, aluminum 24" L x 1 $1/2$ "			
			W curve ruler			
	3	Cutting Shears	8" length, stainless steel cutting	1	PC	495
		0	blade, plastic handle used for			
			cutting fabrics			
	4	French Curve	made of aluminum curve ruler 1	1	PC	495
			1/2" W for shaping sharp curve			
			edges			
	5	Sewing Kit	a PVC plastic clear pouch with	1	PC	495
		_	zipper closing containing items			
			for sewing such as tape			
			measure 60" (150cm) L, 4 to 5"			
			L paper scissors (plastic			
			handle), spools of asstd. colors			
			of sewing threads and other			
			notions			
	Sub-to	otal, Dressmaking N				495
33	Hilot (Wellness Massage)			1	1
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,139
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	1,139
	3	Face Mask	disposable earloop face mask,	1	BOX	1,139
			50 pcs per box			
	4	Scrub Suit	Unisex, Soft and linen blouse	1	PAIR	1,139
			(V-neck top with 2 lower front			
			pockets), garterized pants with			
			adjustable draw string and back			
			pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap	1	PC	1,139
			tape			4 4 9 9
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	1,139
	7	Aromatic Oil	100 ml.	1	BOTTLE	1,139
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,139
	9	Powder Montholotod Oil	Baby powder, 200 g	1	BOTTLE	1,139
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,139
	11	Storage Box	Plastic, clear storage box with	1	PC	1,139
			lid lock, carry handle, 14" x 10" x 8"			
	Sub_+	btal, Hilot (Wellness				1,139
34			Pedicure (Leading to Beauty	Care	NC II/Rea	
J4		es [Nail Care] NC II	· · · ·	Care		uty Cale
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	245
	2	Cuticle Pusher	stainless steel, 5"	1	PC	245
	. —			-		•

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	245	
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	245	
	6	Nail Brush	Plastic, soft bristle	1	PC	245	
	7	Emery Board	80/100 coarse, 8" Long	1	PC	245	
	8	Cotton Balls	150 balls	1	PACK	245	
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	245	
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	245	
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	245	
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	245	
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	245	
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	245	
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	245	
	16	Low Stool	hard plastic, round	1	PC	245	
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	245	
35	II/Bea	uty Care Services [cure and Pedicure (Leading to Nail Care] NC II) Ing to Beauty Care NC II/Beauty	-		245 I Care]	
	NC II)	• •	o , , ,		-	-	
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	93	
	2	Paraffin Wax	Scented, 500g	1	BOX	93	
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	93	
	Sub-total, Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)						
36	Perfor	m Body Massage (Leading to Beauty Care NC II)				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	124	
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	124	
			disposable earloop face mask,	1	BOX	124	
	3	Face Mask Scrub Suit	50 pcs per box Unisex, Soft and linen blouse	1	PAIR	124	

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	124
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	124
	7	Aromatic Oil	100 ml.	1	BOTTLE	124
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	124
	9	Powder	Baby powder, 200 g	1	BOTTLE	124
	10	Mentholated Oil	100 ml.	1	BOTTLE	124
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	124
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Ca	re NC I	()	124
37			iding to Beauty Care NC II)		/	
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	150
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	150
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	150
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	150
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	150
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	150
	7	Whitening Soap	135 grams, papaya	1	PC	150
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	150
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	150
	Sub-to	otal, Perform Body	Scrub (Leading to Beauty Care I	NC II)		150
38	Perfor	m Facial Treatment	t (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	244
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	244
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	244
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	244
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	244
	6	Facial Brush	plastic handle, soft bristle	1	PC	244
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	244
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	244
	9	Moisturizer	50 ml, hypoallergenic	1	PC	244

TES	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	k, East S	Service Roa	ad, South	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	244	
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	244	
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	244	
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	244	
	14	Cotton Balls	150 balls	1	PACK	244	
	Sub-to	otal, Perform Facial	Treatment (Leading to Beauty (Care NC	; II)	244	
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail NC II)						
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	125	
	2	Callus Remover	Stainless Steel, 7"	1	PC	125	
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	125	
	4	Foot File	Wooden, 9.5"	1	PC	125	
	5	Foot Blush	100ml, spray type	1	BOTTLE	125	
	6	Foot Soak	150ml, Liquid	1	BOTTLE	125	
	7	Foot Scrub	150ml, cream	1	TUBE	125	
	8	Foot Lotion	150ml, scented	1	BOTTLE	125	
	9	Foot Brush	plastic handle, plastic bristle	1	PC	125	
		otal, Perform Foot es [Nail Care] NC I	Spa (Leading to Beauty Care N	NC II/Be	eauty Care	125	
40			(Leading to Beauty Care NC II)			I	
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	260	
	2	Blusher	pink and bronze shade, 4grams each	2	PC	260	
	3	Eye Brow Pencil	black, 4"	1	PC	260	
	4	Eye Brow Pencil	brown, 4"	1	PC	260	
	5	Eye Liner Pencil	black, 4"	1	PC	260	
	6	Eye Liner Pencil	brown, 4"	1	PC	260	
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	260	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	260	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	260	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	260	
	11	Make-Up Sponge	round, powder puff sponge	1	PC	260	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	260	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	260	
	14	Lipstick	matte finish, red	1	PC	260	
	15	Lipstick	matte finish, coral pink	1	PC	260	

TESE	DA-Regi	ion IV-A (CALABAR	ZON) – Gate 2, TESDA Complex Superhighway, Taguig City	, East S	Service Roa	d, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	260
	17	Mascara	black, water proof, 7g	1	PC	260
	18	Pressed Powder	natural shade, matte finish	1	PC	260
	19	Cotton Balls	150 balls	1	PACK	260
	20	Concealer	20ml with UVA/UVB protection	1	PC	260
	Sub-to	otal, Perform Facial	Make-Up (Leading to Beauty Ca	are NC I	II)	260
41	Perfor	m Hair Coloring/Bl	eaching Services (Leading to Ha	irdress	ing NC II)	
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	75
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	75
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	75
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	75
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	75
	6	Bleaching Powder	30g (sachet)	3	PC	75
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	75
	8	Protective Cape	Water proof, nylon, black	1	PC	75
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	75
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	75
		otal, Perform Ha ressing NC II)	ir Coloring/Bleaching Servic	es (Le	eading to	75
42	Perfor	m Hair Perming/Str	aightening (Leading to Hairdres	sing N	C II)	
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	75
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	75
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	75
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	75
	5	Curling Rods	4mm size	2	DOZ	75

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	6	Curling Rods	14mm size	2	DOZ	75			
	7	Curling Rods	16mm size	2	DOZ	75			
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	75			
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	75			
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	75			
	11	Protective Cape	Water proof, nylon, black	1	PC	75			
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	75			
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	75			
	Sub-to NC II)	otal, Perform Hair	Perming/Straightening (Leading	g to Ha	hirdressing	75			
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)								
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	275			
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	275			
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	275			
	4	Apron	black with 3 pockets	1	PC	275			
	5	Protective Cape	Water proof, nylon, black	1	PC	275			
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	275			
	7	Talcum Powder	250g	1	BOTTLE	275			
	Sub-to	otal, Perform Hair C	Cutting Services (Leading to Hair	rdressi	ng NC II)	275			
44	Bread	Making (Leading to	o Bread and Pastry Production	NC II)					
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories:	1	UNIT	566			

TES	DA-Regi	ion IV-A (CALABAR	RZON) – Gate 2, TESDA Complex Superhighway, Taguig City	k, East S	Service Ro	ad, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	566
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	566
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	566
	Sub-to	otal, Bread Making	(Leading to Bread and Pastry Pr	oductio	on NC II)	566
45	Pastry		o Bread and Pastry Production	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	310
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	310
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	310
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	310
		· · · · · · · · · · · · · · · · · · ·	(Leading to Bread and Pastry P		on NC II)	310
46	-		Bread and Pastry Production N	C II)		E 40
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack,	1	UNIT	548

TESL	DA-Regi	on IV-A (CALABA	RZON) – Gate 2, TESDA Complex Superhighway, Taguig City	k, East S	Service Ro	ad, South
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	548
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	548
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	548
	Sub-to	btal, Cake Making (Leading to Bread and Pastry Pro	oduction	n NC II)	548
47			eals (Leading to Cookery NC II)		,	
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	363
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	363
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	363
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	363
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	363
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	363
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	363
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	363
	Sub-to	otal, Prepare and C	ook Hot Meals (Leading to Cook	ery NC	II)	363
48	Prepa	re Cold Meals (Lea	ding to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	215
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	215
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	215
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	215
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	215
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	215
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	215
			Meals (Leading to Cookery NC II			215
49	Proces		, Curing and Smoking (Leading	to Food		ng NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless	1	unit	96

LOT NO.	ITEM NO.	ITEM	Superhighway, Taguig City AGENCY SPECS	QTY	UNIT	NO. OF PAX
			steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	96
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	96
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	96
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	96
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	96
		otal, Process Foo Processing NC II)	d by Salting, Curing and Śmo	king (L	eading to	96
	ΤΟΤΑΙ	L ý				7,873

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region IV-B (MIMAROPA) – Luna Building III, Gov. Infantado Street, Calapan City,

LOT NO.	ITEM NO.	ITEM	Oriental Mindoro AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Animal	Production (Poul	try Chicken) NC II	1 1		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	25
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	25
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	25
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	25
			ction (Poultry Chicken) NC II			25
2		Production (Swin				1
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	25
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	25
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	25
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	25
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	25
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	25
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	25
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	25
	Sub-to	tal, Animal Produc	ction (Swine) NC II	· · · · · · · · · · · · · · · · · · ·		25
4	Produc		ble (Leading to Organic Agricultu	re Proc		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	175

TESI	DA-Regi	on IV-B (MIMAROF	PA) – Luna Building III, Gov. Infar Oriental Mindoro	ntado S	Street, Cala	pan City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	175
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	175
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	175
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	175
			anic Vegetable (Leading to Org	anic A	griculture	175
10		tion NC II)	rical Components (Leading to A	utomot	tivo Sorvici	ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	25
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	25
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
	Autom	otive Servicing NC	/	•	Ū	25
12		e Motorcycle/Sma ng NC II)	II Engine System (Leading to	Motor	cycle/Sma	II Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	51
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	51
	3	Combination	chrome vanadium steel, set of 8	1	SET	51

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
_		Wrench (Open And Box End)	sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset			
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	51
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	51
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	51
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	51
	Sub-to	-	torcycle/Small Engine System	m (Le	ading to	51
13		cycle/Small Engine e Electrical System	(Leading to Motorcycle/Small E	naine	Servicina N	C II)
			Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			45
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	45
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	45
	3	Philips Screw		1	PC PC	45 45

TES	DA-Regi	on IV-B (MIMAROF	PA) – Luna Building III, Gov. Infar Oriental Mindoro	ntado S	street, Cala	pan City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Tester	shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker			
			switch. cal System (Leading to Motorcyc	cle/Sma	all Engine	45
- 10		ing NC II)				
16			Maintenance NC II			404
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	121
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	121
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	121
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	121
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	121
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	121
			Illation and Maintenance NC II			121
19			s and Handrail (Leading to Mason			
	1 2	Pointing Trowel Pull-Push Rule	Steel 3" x 7", Wooden handle Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC PC	24 24
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	24

NO.	1)	ing NC II	Oriental Mindoro AGENCY SPECS 16 oz, Wooden Handle Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle Carpenters framing square; 2x16x24", Steel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	QTY 1 1 1 1 1 g to Ma	UNIT PC PC PC PC	NO. OF PAX 24 24 24 24 24
ll,	5 6 7 Sub-tot	Hacksaw With Blade Steel Square Shovel tal, Install Pre-Cas	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle Carpenters framing square; 2x16x24", Steel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC PC PC	24 24
ll,	6 7 Sub-tot	Blade Steel Square Shovel tal, Install Pre-Cas	bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle Carpenters framing square; 2x16x24", Steel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC PC	24
ll,	7 Sub-tot I)	Shovel tal, Install Pre-Cas	2x16x24", Steel Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	
ll,	Sub-tot I)	tal, Install Pre-Cas ing NC II	glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"			24
ll,	1)	ing NC II	st Balusters and Handrail (Leadin	g to Ma	sonrv NC	
20 P	Pipefitt 1					24
	1					
		Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	50
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	50
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	50
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	50
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	50
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	50
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	50
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	50
		tal, Pipefitting NC	<u> </u>			50
23 T		t ting NC II Tile Cutter	Pen type, carbide tip, manual 8"	1	PC	185

ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF	
		length				
2	Nipper, End Cutter	End nipper Plier 8"	1	PC	185	
3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	185	
4	Rubber Mallet	16 oz, Wooden Handle	1	PC	185	
5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	185	
6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	185	
7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	185	
8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	185	
Sub-to	tal, Tile Setting NC	; II			185	
Shielde	ed Metal Arc Weldi	ng (SMAW) NC I				
1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	166	
2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x	1	PC	166	
Sub-to						
Assem	ble Electronics P		: Produ	icts Asse	166 mbly and	
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	69	
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	69	
3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8"	1	PC	69	
	NO. 2 3 4 5 6 7 8 Sub-to Shielde 1 2 Sub-to Shielde 1 2 Sub-to Shielde 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	NO.ITEM2Nipper, End Cutter3Pull-Push Rule3Pull-Push Rule4Rubber Mallet5Notched Trowel6Spirit Level Bar7Plier8Claw Hammer5Metal Arc Welding Machine1Portable Welding Machine2Welding Mask5Sub-total, Shielded Metal Assemble Electronics P Servicing NC II)1VOM (Multitester)2Soldering Iron	NO. ITEM AGENCY SPECS 2 Nipper, End Cutter End nipper Plier 8" 3 Pull-Push Rule Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 4 Rubber Mallet 16 oz, Wooden Handle 5 Notched Trowel Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm) 6 Spirit Level Bar Aluminum, top-read center vial; 3 vials; Length: 24" 7 Plier Forged carbon steel, length 8 inches, machined jaws 8 Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle Sub-total, Tile Setting NC II 1 Portable Welding Machine Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground. 2 Welding Mask Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens 3 Sub-total, Shielded Metal Arc Welding (SMAW) NC I 4 Assemble Electronics Products (Leading to Electronic Servicing NC II) 1 VOM (Multi-tester Analog DCV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resis	NO.ITEMAGENCY SPECSUTY2Nipper, End CutterEnd nipper Plier 8"13Pull-Push RuleBlade length 8m/26ft Blade with 1 High impact ABS case with durable rubber Corrosion resistant tru-zero end14Rubber Mallet16 oz, Wooden Handle15Notched Trowel Notched TrowelNotched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)16Spirit Level Bar Size: Length: 24"Aluminum, top-read center vial; 3 vials; Length: 24"17PlierForged Carbon steel, length 8 inches, machined jaws18Claw HammerForged Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle11Portable Welding MachinePortable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding ground.12Welding MaskFlip Front Welding flement, impact-resistant polypopylene material, adjustable fit, 4 1/2" x 2" view area with lens11VOM (Multitester)Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20m Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k12Soldering Iron 30 watts, 220 Volts, Heat pencil tip 60Hz13Long Nose PliersOverall Length: 8"1	NO. HEM AGENCY SPECS UT UNIT 2 Nipper, End Cutter End nipper Plier 8" 1 PC 3 Pull-Push Rule Blade length 8m/26ft Blade with 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end 1 PC 4 Rubber Mallet 16 oz, Wooden Handle 1 PC 5 Notched Trowel Notched Towel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm) 1 PC 6 Spirit Level Bar Aluminum, top-read center vial; 3 vials; Length: 24" 1 PC 7 Plier Forged High-Carbon Steel inches, machined jaws 1 PC 8 Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle 1 PC 5ub-total, Tile Setting NC II I Other and welding ground. 1 UNIT 1 Portable Welding Ko Int; Machine Filp Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens 1 PC 5ub-total, Shielded Metal Arc Welding (SMAW) NC I I Assemble Electronics Products (Leading to Electronic rof V, 60 hrdz, single Mase, 200	

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Handle Finish: plastic dipped			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	69
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	69
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	69
	Produc	cts Assembly and S			Electronic	69
27		e Consumer Elec ts Assembly and \$	ctronic Products and Systems Servicing NC II)	s (Lea	ding to E	lectronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia.	1	UNIT	75
	2	Soldering Iron	X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil	1	PC	75
		5	tip 60Hz		_	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	75
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	75
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	75
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	75
			· •	ystems		

TESI	DA-Regi	on IV-B (MIMAROF	A) – Luna Building III, Gov. Infar Oriental Mindoro	ntado S	street, Cala	ban City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
29			onic Products and Systems (As	sembly	/ of Solar N	lightlight
	and Po	st Lamp)		1		
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight:	1	UNIT	50
			159.5 x 129 x 41.5 mm/approx.			
			320g Resistance: X1 to X1k			
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	50
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	50
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	50
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	50
	Sub-to	,	nsumer Electronic Products (light and Post Lamp)	and	Systems	50
31		naking NC II	ingin and root Lamp;			
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	24
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	24
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	24
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	24
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items	1	PC	24

TES	DA-Regi	on IV-B (MIMAROF	PA) – Luna Building III, Gov. Infar Oriental Mindoro	ntado S	Street, Cala	pan City,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions			
	Sub-to	tal, Dressmaking I		•		24
33	Hilot (V	Vellness Massage)) NC II			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	100
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	100
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	100
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	100
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	100
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	100
	7	Aromatic Oil	100 ml.	1	BOTTLE	100
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	100
	9	Powder	Baby powder, 200 g	1	BOTTLE	100
	10	Mentholated Oil	100 ml.	1	BOTTLE	100
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	100
		tal, Hilot (Wellness				100
34		n Manicure and es [Nail Care] NC II	Pedicure (Leading to Beauty	Care	1	uty Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	40
	2	Cuticle Pusher	stainless steel, 5"	1	PC	40
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	40
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	40
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	40
	6	Nail Brush	Plastic, soft bristle	1	PC	40
	7	Emery Board	80/100 coarse, 8" Long	1	PC	40
	8	Cotton Balls	150 balls	1	PACK	40
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	40
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	40
	11	Antiseptic	25 ml bottle	1	BOTTLE	40

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		(Merthiolate)				
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	40
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	40
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	40
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	40
	16	Low Stool	hard plastic, round	1	PC	40
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	40
	II/Beau	ity Care Services [- /	Beauty	/ Care NC	40
36	Perfori		Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	50
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	50
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	50
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	50
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	50
	7	Aromatic Oil	100 ml.	1	BOTTLE	50
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	50
	9	Powder	Baby powder, 200 g	1	BOTTLE	50
	10	Mentholated Oil	100 ml.	1	BOTTLE	50
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	50
			Massage (Leading to Beauty Car	e NC II)	50
40	Perfor		(Leading to Beauty Care NC II)	T	1	-
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	25
	2	Blusher	pink and bronze shade, 4grams each	2	PC	25
	3	Eye Brow Pencil	black, 4"	1	PC	25
	4	Eye Brow Pencil	brown, 4"	1	PC	25
	5	Eye Liner Pencil	black, 4"	1	PC	25
	6	Eye Liner Pencil	brown, 4"	1	PC	25
	7	Eye Shadow	8 palette, earth colors, matte	1	PC	25

LOT NO.	ITEM NO.	ITEM		QTY	UNIT	NO. OF PAX
			finish			
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	25
	9	Eyelash Curler	stainless steel, scissor type	1	PC	25
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	11	Make-Up Sponge	round, powder puff sponge	1	PC	25
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	25
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	25
	14	Lipstick	matte finish, red	1	PC	25
	15	Lipstick	matte finish, coral pink	1	PC	25
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	25
	17	Mascara	black, water proof, 7g	1	PC	25
	18	Pressed Powder	natural shade, matte finish	1	PC	25
	19	Cotton Balls	150 balls	1	PACK	25
	20	Concealer	20ml with UVA/UVB protection	1	PC	25
	Sub-to	tal, Perform Facial	Make-Up (Leading to Beauty Ca	re NC I	II)	25
44	Bread	Making (Leading to	o Bread and Pastry Production N	IC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	180
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	180
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	180
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	180
			(Leading to Bread and Pastry Pr		on NC II)	180
45	Doctry	Making (Leading t	o Bread and Pastry Production N	IC II)		

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	76
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	76
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	76
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	76
			(Leading to Bread and Pastry Pr		on NC II)	76
46	Cake N		Bread and Pastry Production NC			1
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	138
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	138
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	138
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	138
			Leading to Bread and Pastry Pro			138
49	Proces		, Curing and Smoking (Leading t	o Food		
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding	1	unit	50

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	50
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	50
		tal, Process Food Processing NC II)	by Salting, Curing and Smoking	(Leadin	ig to	50
	TOTAL	<i>į</i>				1,769

		TESDA-Regio	n V – Regional Center, Rawis, Le	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Poul	try Chicken) NC II			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	85
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	85
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	85
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	85
			ction (Poultry Chicken) NC II			85
3	Raise		Leading to Organic Agriculture I			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	50
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	50
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	50
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	50
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	50
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	Produc	ction NC II)	nic Chicken (Leading to Org			50
4	Produc		ble (Leading to Organic Agricult	ure Pro		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	242
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	242
	3	Shovel	Round point steel blade; fiber	1	PC	242

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S n V – Regional Center, Rawis, Le	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"			
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	242
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	242
		tal, Produce Orga ction NC II)	anic Vegetable (Leading to Org	ganic A	Agriculture	242
5	Produ	,	coction and Extracts (Leading	g to (Drganic Aç	griculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	175
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	175
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	175
	4	Weighing Scale	10 kg. capacity	1	UNIT	175
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	175
		tal, Produce Orga Iture Production N	nic Concoction and Extracts (Le	ading	to Organic	175
6			une Up (Leading to Automotive S	Servicir	na NC I)	
	1	Feeler gauge Combination Wrench (Open And Box End)	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025. chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm,	1	PC	65 65
	3	Socket Wrench	22mm) 7.5 deg offset socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs	1	SET	65

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region V – Regional Center, Rawis, Legaspi City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod					
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	65		
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	65		
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	65		
7	Servic	ing NC I)	sel Engine Tune Up (Leading			65		
7	Pertori 1	m Gas Engine Tun Feeler gauge	e Up (Leading to Automotive Se 26 tempered steel leaves/blade	rvicing 1	NCI) PC	45		
			ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.					
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	45		
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	45		
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	45		
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm,	1	SET	45		

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S N V – Regional Center, Rawis, Le	TEP) l	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS		UNIT	NO. OF PAX
			11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod			
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	45
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	45
	NC I)		ngine Tune Up (Leading to Auto			45
10	Servic	e Automotive Elec	trical Components (Leading to A	Automot		ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	107
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	107
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip:2 X 6mm	1	PC	107
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	107
	Sub-to Autom	tal, Service Aut	omotive Electrical Componen	nts (Le	ading to	107
15	Carper	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	254
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	254
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	254
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	254
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	254
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With	1	PC	254

	TESDA-Region V – Regional Center, Rawis, Legaspi City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	7	Chalk Line Reel	Wooden Handle Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact	1	PC	254	
			Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle				
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	254	
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	254	
	10	Ripping Bar	Overall Length: 17",Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	254	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	254	
	Sub-to	tal, Carpentry NC				254	
16			Maintenance NC II			1	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	302	
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	302	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	302	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	302	
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	302	

	TESDA-Region V – Regional Center, Rawis, Legaspi City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	302	
	Sub-to	otal, Electrical Insta	allation and Maintenance NC II			302	
17	Mason	ry NC I				-	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	120	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	120	
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	120	
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	120	
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	120	
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	120	
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	120	
	Sub-to	otal, Masonry NC I				120	
18	Plaste	r Concrete/Masonr		NC II)			
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	70	
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4- 1/2, High Carbon Steel Blade, Wooden Handle	1	PC	70	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	70	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	70	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	70	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	70	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade	1	PC	70	

	TESDA-Region V – Regional Center, Rawis, Legaspi City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			length 11.5" width 8.25" wooden handle length 20"				
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	70	
			ete/Masonry Surface (Leading to			70	
19	Install	Pre-Cast Baluster	rs and Handrail (Leading to Masc	onry NC			
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	45	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	45	
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	45	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	45	
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	45	
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	45	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	45	
	Sub-to II)	otal, Install Pre-Ca	st Balusters and Handrail (Leadi	ng to Ma	asonry NC	45	
22	Const	ruction Painting N	СІІ				
	1	Steel Brush	Hardened steel brush, wooden handle, standard size	1	PC	48	
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	48	
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	48	
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	48	
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	48	
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	48	
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	48	
	8	Scraper	Hardened, tempered and	1	PC	48	

			n V – Regional Center, Rawis, Le			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			polished steel blade; plastic handle; blade width: 2 inches; full tang blade			
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	48
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	48
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	48
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	48
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	48
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	48
	Sub-to	tal, Construction	Painting NC II	1		48
23	Tile Se	tting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	175
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	175
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	175
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	175
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	175
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	175
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	175
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	175
	Sub-to	otal, Tile Setting N		·		175
25	Shield	ed Metal Arc Weld				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	699
	2	Welding Mask	Flip Front Welding Helmet,	1	PC	699

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S V – Regional Center, Rawis, Le	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
			impact-resistant polypropylene material, adjustable fit, 4 1/2" x			
			2" view area with lens			
			I Arc Welding (SMAW) NC I			699
26		nble Electronics Pro ing NC II)	oducts (Leading to Electronic P	roducts	s Assembly	and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	130
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	130
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	130
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	130
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	130
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	130
		otal, Assemble E	Electronics Products (Leading Servicing NC II)	g to	Electronic	130
27	Servic		ctronic Products and System	s (Lea	ading to E	Electronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse:	1	UNIT	204

	TESDA-Region V – Regional Center, Rawis, Legaspi City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k					
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	204		
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	204		
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	204		
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	204		
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	204		
			Imer Electronic Products and S ssembly and Servicing NC II)	Systems	s (Leading	204		
28	to Electronic Products Assembly and Servicing NC II) Service Industrial Electronic Modules, Products and Systems (Leading Electronic Products Assembly and Servicing NC II)							
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	40		
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	40		
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	40		
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	40		
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm,	1	SET	40		

		NG FOR EMPL	STARTER TOOLKITS FO	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	N V – Regional Center, Rawis, Le AGENCY SPECS	QTY	UNIT	NO. OF PAX
			5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle,			
	6	Desoldering Pump/Solder Sucker	Chrome Vanadium, Shank 6" Anodized aluminum housing, high suction, strong and light	1	PC	40
		tal, Service Indus	weight. trial Electronic Modules, Produ oducts Assembly and Servicing		l Systems	40
29	Servic		onic Products and Systems (As		y of Solar N	Nightlight
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	197
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	197
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	197
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	197
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	197
		-	mer Electronic Products and Sy light and Post Lamp)	stems		197
31	Dressr	naking NC II				1
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	480
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip	1	SET	480

	TESDA-Region V – Regional Center, Rawis, Legaspi City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			curve, aluminum 24" L x 1 1/2" W curve ruler				
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	480	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	480	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	480	
		otal, Dressmaking l				480	
32		ng NC II					
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	53	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	53	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	53	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	53	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	53	
	Sub-to	otal, Tailoring NC II				53	

		TESDA-Regio	n V – Regional Center, Rawis, Le	gaspi (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
33	Hilot (\	Wellness Massage) NC II			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	546
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	546
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	546
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	546
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	546
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	546
	7	Aromatic Oil	100 ml.	1	BOTTLE	546
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	546
	9	Powder	Baby powder, 200 g	1	BOTTLE	546
	10	Mentholated Oil	100 ml.	1	BOTTLE	546
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	546
	Sub-to	tal, Hilot (Wellnes	s Massage) NC II			546
34		m Manicure and es [Nail Care] NC I	Pedicure (Leading to Beauty I)	Care	NC II/Bea	uty Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	270
	2	Cuticle Pusher	stainless steel, 5"	1	PC	270
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	270
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	270
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	270
	6	Nail Brush	Plastic, soft bristle	1	PC	270
	7	Emery Board	80/100 coarse, 8" Long	1	PC	270
	8	Cotton Balls	150 balls	1	PACK	270
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	270
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	270
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	270
	12		15ml bottle, preferably touch of	1	BOTTLE	270
		Colored Nail Polish	tan			
	13		tan 15ml bottle, white	1	BOTTLE	270
	13 14	Polish Colored Nail		1	BOTTLE	270 270

		NG FOR EMPL	STARTER TOOLKITS FO	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	n V – Regional Center, Rawis, Le AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Polish				
	16	Low Stool	hard plastic, round	1	PC	270
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	270
		otal, Perform Mani Ity Care Services [cure and Pedicure (Leading to Nail Carel NC II)	Beauty	/ Care NC	270
35			ing to Beauty Care NC II/Beaut	y Care	Services [N	lail Care]
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	97
	2	Paraffin Wax	Scented, 500g	1	BOX	97
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	97
		otal, Perform Hand es [Nail Care] NC I	Spa (Leading to Beauty Care N	NC II/Be	eauty Care	97
36	Perfor	m Body Massage (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	20
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	20
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	20
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	20
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	20
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	20
	7	Aromatic Oil	100 ml.	1	BOTTLE	20
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	20
	9	Powder	Baby powder, 200 g	1	BOTTLE	20
	10	Mentholated Oil	100 ml.	1	BOTTLE	20
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	20
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Ca	re NC I	0	20
38	Perfor	m Facial Treatmen	t (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	31
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	31
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	31
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	31
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	31
	6	Facial Brush	plastic handle, soft bristle	1	PC	31

		TESDA-Regior	<mark>n V – Regional Center, Rawis, Le</mark>	egaspi (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	31
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	31
	9	Moisturizer	50 ml, hypoallergenic	1	PC	31
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	31
	11	Skin Toner	100 ml, dermatologically tested (hypoallergenic)	1	BOTTLE	31
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	31
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	31
	14	Cotton Balls	150 balls	1	PACK	31
	Sub-to	tal, Perform Facial	Treatment (Leading to Beauty (Care NC	C II)	31
39		m Foot Spa (Leadir	ng to Beauty Care NC II/Beauty (rvices [Nail	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	45
	2	Callus Remover	Stainless Steel, 7"	1	PC	45
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	45
	4	Foot File	Wooden, 9.5"	1	PC	45
	5	Foot Blush	100ml, spray type	1	BOTTLE	45
	6	Foot Soak	150ml, Liquid	1	BOTTLE	45
	7	Foot Scrub	150ml, cream	1	TUBE	45
	8	Foot Lotion	150ml, scented	1	BOTTLE	45
	9	Foot Brush	plastic handle, plastic bristle	1	PC	45
		otal, Perform Foot es [Nail Care] NC II	Spa (Leading to Beauty Care N	NC II/Be	eauty Care	45
40	Perfor	m Facial Make-Up (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	46
	2	Blusher	pink and bronze shade, 4grams each	2	PC	46
	3	Eye Brow Pencil	black, 4"	1	PC	46
	4	Eye Brow Pencil	brown, 4"	1	PC	46
	5	Eye Liner Pencil	black, 4"	1	PC	46
	6	Eye Liner Pencil	brown, 4"	1	PC	46
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	46
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	46
	9	Eyelash Curler	stainless steel, scissor type	1	PC	46
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	46
	11	Make-Up Sponge	round, powder puff sponge	1	PC	46

	-	TESDA-Regior	n V – Regional Center, Rawis, Le	egaspi (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	46
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	46
	14	Lipstick	matte finish, red	1	PC	46
	15	Lipstick	matte finish, coral pink	1	PC	46
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	46
	17	Mascara	black, water proof, 7g	1	PC	46
	18	Pressed Powder	natural shade, matte finish	1	PC	46
	19	Cotton Balls	150 balls	1	PACK	46
	20	Concealer	20ml with UVA/UVB protection	1	PC	46
	Sub-to	tal, Perform Facial	Make-Up (Leading to Beauty Ca	are NC	<i>II</i>)	46
43			vices (Leading to Hairdressing I			
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	120
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	120
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	120
	4	Apron	black with 3 pockets	1	PC	120
	5	Protective Cape	Water proof, nylon, black	1	PC	120
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	120
	7	Talcum Powder	250g	1	BOTTLE	120
			utting Services (Leading to Hai		ng NC II)	120
44	Bread		b Bread and Pastry Production	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage	1	UNIT	380

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S n V – Regional Center, Rawis, Le	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS		UNIT	NO. OF PAX
			Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	380
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	380
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	380
	Sub-to	otal, Bread Making	(Leading to Bread and Pastry Pi	roductio	on NC II)	380
45	Pastry	Making (Leading	to Bread and Pastry Production	NC II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	172
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	172
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	172
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	172
			(Leading to Bread and Pastry P		on NC II)	172
46	Cake N		Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage		UNIT	192

	-	TESDA-Regio	n V – Regional Center, Rawis, Le	egaspi C	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	192
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	192
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	192
			Leading to Bread and Pastry Pro	oductio	n NC II)	192
47	Prepar		eals (Leading to Cookery NC II)			1
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	143
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	143
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	143
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	143
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	143
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	143
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	143
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	143
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cook	ery NC	II)	143
48	Prepar	e Cold Meals (Lea	ding to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	46
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	46
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	46
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	46
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	46
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	46
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	46
	Sub-to	tal, Prepare Cold I	Meals (Leading to Cookery NC II)		46
49			, Curing and Smoking (Leading		Processir	ng NC II)
	1	Food Processor	2 Speed with Pulse, with safety	1	unit	150

		NG FOR EMPL	STARTER TOOLKITS F	TEP)	FOR CY	
LOT NO.	ITEM NO.	IESDA-Regio	n V – Regional Center, Rawis, Le AGENCY SPECS	QTY	UNIT	NO. OF PAX
NO.	<u>NO.</u>		lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	150
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	150
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	150
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	150
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	150
		otal, Process Foo Processing NC II)	d by Salting, Curing and Smo	king (L	eading to	150
50			entation And Pickling (Leading to	o Food	Processing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	unit	110
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	110
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	110
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	110
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	110
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	110
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	110
		otal, Process Food ssing NC II)	s by Fermentation and Pickling	(Leadir	ng to Food	110
51	Proces	ss Foods by Sugar	Concentration (Leading to Food	d Proce	ssing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	50
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400	1	PC	50

			STARTER TOOLKITS F OYMENT PROGRAM (S	-		
		TESDA-Regio	n V – Regional Center, Rawis, Le	egaspi (City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			degrees F; glass, pen-type adjustable clip secures thermometer to pan			
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	50
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	50
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	50
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	50
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	50
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	50
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	50
		otal, Process Foo ssing NC II)	ds by Sugar Concentration (I	Leading	to Food	50
	TOTAL	-				6,004

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
3	Raise		eading to Organic Agriculture Pr			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	127
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	127
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	127
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	127
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	127
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	127
		otal, Raise Organ ction NC II)	ic Chicken (Leading to Orga	nic A	griculture	127
4	Produ		ole (Leading to Organic Agricultu	re Proc	luction NC	
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	153
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	153
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	153
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	153
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	153
		otal, Produce Orga ction NC II)	anic Vegetable (Leading to Orga	anic A	griculture	153
5		ce Organic Conc ction NC II)	oction and Extracts (Leading	to O	rganic Ag	griculture
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduatio	1	PC	25
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	25
	3	Chopping Board	1/2" x 12" x 18"; made of	1	PC	25

TESDA-Region VI – TESDA Regional Office Zamora Street, Iloilo City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			polyethylene material				
	4	Weighing Scale	10 kg. capacity	1	UNIT	25	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25	
	Agricu	Iture Production N		-	-	25	
6	Perfor	m Diesel Engine Tu	une Up (Leading to Automotive Se	ervicing			
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	243	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	243	
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	243	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	243	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	243	
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	243	
	Sub-to	tal, Perform Dies	sel Engine Tune Up (Leading	to Au	ıtomotive	243	

	TE	ESDA-Region VI – ⁻	TESDA Regional Office Zamora St	treet, II	loilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	100
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	100
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	100
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	100
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	100
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	100
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	100
	NC I)		ingine Tune Up (Leading to Auton		_	100
8	Servic		mponents (Leading to Automotiv			
		Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	55
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles	1	SET	55

LOT	ITEM	ITEM	TESDA Regional Office Zamora St AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.				••••	PAX
			equipped with Macpherson Struts			
			or any other coil spring brand,			
			double ended jaws with safety			
			hooks			
	3	Combination	chrome vanadium steel, set of 8	1	SET	55
		Wrench (Open	sizes (8mm, 9mm, 10mm, 12mm,			
		And Box End)	14mm, 17mm, 19mm, 22mm) 7.5			
			deg offset	_	50	
	4	Vise Grip	10 inches length, Stainless Steel.	1	PC	5
			Jaws: straight, flat, square,			
	0.1.4		Adjustable screw			
		ing NC II)	erchassis Components (Leading	to Al	itomotive	5
9		e Engine Compone	ents (Leading to Automotive Servi	cing N		
	1	Socket Wrench	socket chrome vanadium: 1 pc	1	SET	5
			1/2" Ratchet Wrench, 10 pcs			
			Socket 6 side/point (10mm,			
			11mm, 12mm, 13mm, 14mm,			
			15mm, 17mm, 19mm, 22mm,			
			24mm), 1 pc Extension Rod			
	2	Combination	chrome vanadium steel, set of 8	1	SET	5
		Wrench (Open	sizes (8mm, 9mm, 10mm, 12mm,			
		And Box End)	14mm, 17mm, 19mm, 22mm) 7.5			
			deg offset			
	3	Circlip Pliers	6 in carbon steel insulated	1	SET	5
			handle detachable tip			
			(combination) internal and			
			external	_	057	
	4	Allen Wrench Set	Hex Key Set, Number of Pieces	1	SET	5
			9, Arm Length 2.80 to 6.80 In.,			
			Sizes Included 1.5, 2, 2.5, 3, 4, 5,			
			6, 8, 10mm, Blade Material Alloy			
			steel, Handle Type L-Shaped, Includes Molded Plastic Holder			
	5	Philips Screw		1	PC	5
	5	Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	I	FC	5
	6	Flat Screw Driver	8" shank length (chrome plated)	1	PC	5
	0	That Screw Driver	plastic handle, tip: 1/4" / 6.5mm	1	FC	J.
	7	Ball Peen	Forged hard steel; jacketed	1	PC	5
		Hammer	graphite ballpeen hammer, 16	1	FC	0.
			oz./ 1 lb			
		otal, Service Engine	e Components (Leading to Auton	notive	Servicing	5
	NC II)					
		• · · ·				
10			trical Components (Leading to Au			
	1	Battery Load	100-Amp, 6V and 12V batteries.	1	PC	3

	RAINII	NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST	EP) F	OR CY	
LOT NO.	ITEM NO.		TESDA Regional Office Zamora St AGENCY SPECS	QTY		NO. OF PAX
		Tester	shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.			
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	30
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	30
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	30
		otal, Service Aut	omotive Electrical Component CII)	s (Le	ading to	30
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading to	Motoro	cycle/Smal	I Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	40
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	40
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	40
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	40
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and	1	SET	40

	TESDA-Region VI – TESDA Regional Office Zamora Street, Iloilo City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
14		cycle/Small Engine	external storcycle/Small Engine System Servicing NC II) all Engine (Leading to Motorcycle	•	ading to Engine Se	40 rvicing		
	NC II) 1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	45		
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	45		
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	45		
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	45		
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	45		
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	45		
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy	1	SET	45		

	RAINII	NG FOR EMPI	STARTER TOOLKITS FO OYMENT PROGRAM (ST TESDA Regional Office Zamora Si	EP) F	OR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			steel, Handle Type L-Shaped, Includes Molded Plastic Holder			
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	45
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	45
	Sub-to		Motorcycle/Small Engine	(Lead	ing to	45
		cycle/Small Engine	e Servicing NC II)			
15	Carpe	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	648
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	648
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	648
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	648
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	648
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	648
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	648
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	648
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	648
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	648
	11	Plumb Bob	Hexagonal/Conical shape,	1	PC	648

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Machined Steel, 8 ounce			
		otal, Carpentry NC				648
16			I Maintenance NC II			1
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx.	1	UNIT	244
			320g Resistance: X1 to X1k			
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	244
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	244
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	244
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	244
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	244
	Sub-to	tal. Flectrical Insta	Illation and Maintenance NC II			244
17		nry NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	70
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	70
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	70
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	70
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	70
	6	Hacksaw With	Adjustable hacksaw frame with	1	PC	70
			, ajaotasio naokoan namo min			10

		ESDA-Region VI –	TESDA Regional Office Zamora S	treet, II	oilo City	1
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Blade	bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle			
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	70
	Sub-to	otal, Masonry NC I	,	1		70
18	Plaste	r Concrete/Masonr	y Surface (Leading to Masonry N	C II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	415
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	415
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	415
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	415
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	415
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	415
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	415
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	415
	Sub-to	otal, Plaster Concre	ete/Masonry Surface (Leading to N	lasonr	y NC II)	415
19	Install	Pre-Cast Balusters	s and Handrail (Leading to Mason	ry NC I	I)	
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	169
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	169
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	169
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	169
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	169
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	169
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	169

			TESDA Regional Office Zamora S			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	Sub-to	otal, Install Pre-Cas	st Balusters and Handrail (Leading	g to Ma	sonry NC	169
22	Const	ruction Painting N				
	1	Steel Brush	Hardened steel brush, wooden handle, standard size	1	PC	135
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	135
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	135
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	135
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	135
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	135
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	135
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	135
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	135
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	135
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	135
		otal, Construction	Painting NC II			135
23	Tile Se	etting NC II			50	· - ·
		Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	151
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	151
	3	Pull-Push Rule	Blade length 8m/26ft Blade width	1	PC	151

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			1" High impact ABS case with durable rubber Corrosion resistant tru-zero end			
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	151
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	151
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	151
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	151
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	151
	Sub-to	otal, Tile Setting NC				151
25	Shield	ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	1,218
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	1,218
	Sub-to	tal. Shielded Meta	Arc Welding (SMAW) NC I			1,218
26	Assen Servic	nble Electronics P ing NC II)	roducts (Leading to Electronic		cts Assei	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	91
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	91
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	91
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	91
	5	Screw Driver Set	4 pieces per set	1	SET	91

	RAINII	NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST TESDA Regional Office Zamora St	EP) F	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
			Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"			170
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	91
		tal, Assemble E	Electronics Products (Leading Servicing NC II)	to I	Electronic	91
27			ctronic Products and Systems	(Lead	ding to E	lectronic
	1	cts Assembly and S VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	166
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	166
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	166
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	166
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	166
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	166
	to Elec	tal, Service Consu ctronic Products A	imer Electronic Products and Sy ssembly and Servicing NC II)			166
28			tronic Modules, Products and embly and Servicing NC II)	l Sys	tems (Lea	ading to
	1		Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10	1	UNIT	50

	TI		TESDA Regional Office Zamora St			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	50
	3	Long Nose Pliers	Överall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	50
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	50
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	50
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	50
	(Leadi	ng to Electronic Pr	trial Electronic Modules, Product oducts Assembly and Servicing I		Systems	50
31	Dressr	making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	114
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	114
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	114
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	114
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper	1	PC	114

	RAINI	NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST TESDA Regional Office Zamora St	EP) F	OR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
			scissors (plastic handle), spools of asstd. colors of sewing threads and other notions			
		tal, Dressmaking l				114
32		ng NC II			· · · · · · · · · · · · · · · · · · ·	
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	23
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	23
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	23
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	23
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	23
	Sub-to	tal, Tailoring NC II				23
33	Hilot (Vellness Massage			1	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	832
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC POV	832
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	832
	4	Scrub Suit	Unisex, Soft and linen blouse (V- neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	832
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	832
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	832
	7	Aromatic Oil	100 ml.	1	BOTTLE	832
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	832

			TESDA Regional Office Zamora S			2010
LOT						NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
	9	Powder	Baby powder, 200 g	1	BOTTLE	832
	10	Mentholated Oil	100 ml.	1	BOTTLE	832
	11	Storage Box	Plastic, clear storage box with lid	1	PC	832
		g	lock, carry handle, 14" x 10" x 8"			
	Sub-to	tal, Hilot (Wellnes			•	832
34			Pedicure (Leading to Beauty	Care	NC II/Bea	uty Care
		es [Nail Care] NC I				•
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	232
	2	Cuticle Pusher	stainless steel, 5"	1	PC	232
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	232
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	232
	5	Storage Box	Plastic, clear storage box with lid	1	PC	232
		U U	lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	232
	7	Emery Board	80/100 coarse, 8" Long	1	PC	232
	8	Cotton Balls	150 balls	1	PACK	232
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	232
	10	Nail Polish	120 ml bottle	1	BOTTLE	232
		Remover			_	
	11	Antiseptic	25 ml bottle	1	BOTTLE	232
		(Merthiolate)			_	-
	12	Colored Nail	15ml bottle, preferably touch of	1	BOTTLE	232
		Polish	tan			
	13	Colored Nail	15ml bottle, white	1	BOTTLE	232
		Polish				
	14	Colorless Nail	15ml bottle, with glitters	1	BOTTLE	232
		Polish				
	15	Colorless Nail	15ml bottle	1	BOTTLE	232
		Polish				
	16	Low Stool	hard plastic, round	1	PC	232
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	232
	Sub-to	otal, Perform Mani	cure and Pedicure (Leading to I	Beauty	Care NC	232
	II/Beau	uty Care Services [Nail Care] NC II)			
36	Perfor	m Body Massage (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	245
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	245
	3	Face Mask	disposable earloop face mask,	1	BOX	245
			50 pcs per box			
	4	Scrub Suit	Unisex, Soft and linen blouse (V-	1	PAIR	245
			neck top with 2 lower front			
			pockets), garterized pants with			
			adjustable draw string and back			
			pocket, free size, blue color.			
	5	Head Band	3"x 23" cotton fabric with snap	1	PC	245
			tape			
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	245

		ESDA-Region VI –	TESDA Regional Office Zamora S	treet, I	loilo City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Aromatic Oil	100 ml.	1	BOTTLE	245
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	245
	9	Powder	Baby powder, 200 g	1	BOTTLE	245
	10	Mentholated Oil	100 ml.	1	BOTTLE	245
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	245
	Sub-to	tal, Perform Body	Massage (Leading to Beauty Care	NC II)		245
39	Perfor NC II)	m Foot Spa (Leadir	ng to Beauty Care NC II/Beauty Ca	are Ser	vices [Nail	Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	70
	2	Callus Remover	Stainless Steel, 7"	1	PC	70
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	70
	4	Foot File	Wooden, 9.5"	1	PC	70
	5	Foot Blush	100ml, spray type	1	BOTTLE	70
	6	Foot Soak	150ml, Liquid	1	BOTTLE	70
	7	Foot Scrub	150ml, cream	1	TUBE	70
	8	Foot Lotion	150ml, scented	1	BOTTLE	70
	9	Foot Brush	plastic handle, plastic bristle	1	PC	70
		otal, Perform Foot es [Nail Care] NC II	Spa (Leading to Beauty Care No I)	C II/Bea	auty Care	70
40	Perfor	m Facial Make-Up (Leading to Beauty Care NC II)			
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	95
	2	Blusher	pink and bronze shade, 4grams each	2	PC	95
	3	Eye Brow Pencil	black, 4"	1	PC	95
	4	Eye Brow Pencil	brown, 4"	1	PC	95
	5	Eye Liner Pencil	black, 4"	1	PC	95
	6	Eye Liner Pencil	brown, 4"	1	PC	95
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	95
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	95
	9	Eyelash Curler	stainless steel, scissor type	1	PC	95
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	95
	11	Make-Up Sponge	round, powder puff sponge	1	PC	95
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	95
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	95
	14	Lipstick	matte finish, red	1	PC	95
	15	Lipstick	matte finish, coral pink	1	PC	95

	RAINII	NG FOR EMPL	STARTER TOOLKITS FO OYMENT PROGRAM (ST FESDA Regional Office Zamora St	EP) F	OR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	95
	17	Mascara	black, water proof, 7g	1	PC	95
	18	Pressed Powder	natural shade, matte finish	1	PC	95
	19	Cotton Balls	150 balls	1	PACK	95
	20	Concealer	20ml with UVA/UVB protection	1	PC	95
			Make-Up (Leading to Beauty Car	e NC II		95
41	Perfor	m Hair Coloring/Blo	eaching Services (Leading to Hair	dressi	ng NC II)	
	1	Colorants	Paste form, brown (light, medium	3	TUBE	25
	2	Colorants	and dark) at 100 grams each Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	25
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	25
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	25
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	25
	6	Bleaching Powder	30g (sachet)	3	PC	25
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	25
	8	Protective Cape	Water proof, nylon, black	1	PC	25
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	25
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	Sub-to Hairdr	otal, Perform Ha essing NC II)	ir Coloring/Bleaching Services	s (Lea	ading to	25
42	Perfor	m Hair Perming/Str	aightening (Leading to Hairdress	ing NC	;)	
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	25
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	25
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	25
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	25
	5	Curling Rods	4mm size	2	DOZ	25
	6	Curling Rods	14mm size	2	DOZ	25

		ESDA-Region VI –	TESDA Regional Office Zamora S	treet, l	IOIIO City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Curling Rods	16mm size	2	DOZ	25
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	25
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	25
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	25
	11	Protective Cape	Water proof, nylon, black	1	PC	25
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	25
	Sub-to NC II)	otal, Perform Hair	Perming/Straightening (Leading	to Hai	rdressing	25
43	Perfor	m Hair Cutting Serv	vices (Leading to Hairdressing N	C II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	49
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	49
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	49
	4	Apron	black with 3 pockets	1	PC	49
	5	Protective Cape	Water proof, nylon, black	1	PC	49
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	49
	7	Talcum Powder	250g	1	BOTTLE	49
	Sub-to	otal, Perform Hair C	utting Services (Leading to Haird	lressin	g NC II)	49
44			o Bread and Pastry Production N			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300	1	UNIT	293

LOT			TESDA Regional Office Zamora St			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
			watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	293
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	293
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	293
	Sub-to	otal, Bread Making	(Leading to Bread and Pastry Pro	ductio	n NC II)	293
45	Pastry	Making (Leading	to Bread and Pastry Production N	C II)		
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	206
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	206
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	206
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	206
	Sub-to	otal, Pastry Making	(Leading to Bread and Pastry Pro	oductio	on NC II)	206
46	Cake I	Making (Leading to	Bread and Pastry Production NC	II)		
		Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300	1	UNIT	206

			TESDA Regional Office Zamora S			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	206
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	206
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	206
	Sub-to	otal, Cake Making (Leading to Bread and Pastry Proc	luction	NC II)	206
47	Prepa	re and Cook Hot M	eals (Leading to Cookery NC II)	-	-	
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	332
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	332
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	332
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	332
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	332
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	332
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	332
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	332
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cooke	ry NC I	I)	332
48	Prepa	re Cold Meals (Lea	ding to Cookery NC II)	-	-	
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	342
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	342
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	342
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	342
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	342
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	342
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	342
	Sub-to	tal, Prepare Cold I	Meals (Leading to Cookery NC II)	1	1	342
49			, Curing and Smoking (Leading to	Food	Processin	g NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments,	1	UNIT	156

			TESDA Regional Office Zamora S			2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			220 V, 60 hz, 1,000 watts			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	156
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	156
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, $\frac{1}{2}$ tsp, $\frac{1}{4}$ tsp)	1	SET	156
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	156
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	156
		tal, Process Food Processing NC II)	d by Salting, Curing and Smok	ing (Le	eading to	156
50	Proces	ss Foods by Ferme	ntation and Pickling (Leading to	Food P	rocessing	NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	80
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	80
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	80
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	80
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	80
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	80
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	80
	Proces	ssing NC II)	s by Fermentation and Pickling (80
51	Proces		Concentration (Leading to Food	Proces		
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	75
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	75
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	75
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	75

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIA TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 20							
TESDA-Region VI – TESDA Regional Office Zamora Street, Iloilo City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	75	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	75	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	75	
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	75	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	75	
		otal, Process Foo ssing NC II)	ds by Sugar Concentration (Le	eading	to Food	75	
	TOTAL	-				7,630	

			NII – Archbishop Reyes Avenue	, cenu	Oity	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
2	Anima	I Production (Swir	ne) NC II			·
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	46
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	46
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	46
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	46
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	46
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	46
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	46
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	46
			ction (Swine) NC II			46
3	Raise	Organic Chicken (Leading to Organic Agriculture F	Product	tion NC II)	.
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	45
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	45
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	45
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	45
	1			1		1

		TESDA-Region	VII – Archbishop Reyes Avenue	, Cebu	ı City	-		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	45		
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45		
		otal, Raise Organ ction NC II)	ic Chicken (Leading to Orga	nic A	griculture	45		
4	Produ	ce Organic Vegeta	ble (Leading to Organic Agricult	ure Pro	oduction N	C II)		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	70		
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	70		
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	70		
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	70		
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	70		
	Produ	ction NC II)	anic Vegetable (Leading to Org			70		
5	Produce Organic Concoction and Extracts (Leading to Organic Agric Production NC II)							
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	45		
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	45		
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	45		
	4	Weighing Scale	10 kg. capacity	1	UNIT	45		
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	45		
		otal, Produce Orgic Agriculture Prod	ganic Concoction and Extrac	ts (Le	eading to	45		

	TESDA-Region VII – Archbishop Reyes Avenue, Cebu City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
6	Perfor	m Diesel Engine Tu	une Up (Leading to Automotive S	Servici	ng NC I)		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	26	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	26	
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	26	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	26	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	26	
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	26	
			el Engine Tune Up (Leading	to A	utomotive	26	
40		ing NC I)	wieel Components // coding to A				
10	-		trical Components (Leading to A	utomo	PC		
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	FC	20	

			VII – Archbishop Reyes Avenue			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	Auton	notive Servicing NC	/	-	-	20
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading to	Moto	rcycle/Sma	all Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	43
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	43
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	43
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	43
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	43
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	43
	7	Circlip Pliers	6 in carbon steel insulated	1	SET	43

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S VII – Archbishop Reyes Avenue	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			handle detachable tip (combination) internal and external			
		btal, Service Mo cycle/Small Engine	torcycle/Small Engine Syster	n (Le	ading to	43
13	Servic		<u>(Leading to Motorcycle/Small I</u>)	Engine	Servicing	
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	84
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	84
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	84
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	84
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	84
	Sub-to	tal, Service Elec	trical System (Leading to M	lotorcy	/cle/Small	84
		e Servicing NC II)				
15	Carpe	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	258
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	258
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	258
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	258
	5	Spirit Level Bar	Aluminum, top-read center vial;	1	PC	258

		TESDA-Region	VII – Archbishop Reyes Avenue	e, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			3 vials; Length: 24"			
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	258
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	258
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	258
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	258
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	258
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	258
		otal, Carpentry NC I				258
16	Electri		Maintenance NC II			1
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	137
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	137
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	137
	4	Diagonal Cutting	Overall length 8", Handle finish	1	PC	137
	4		overall length o, manule linish	I	го	13/

			STARTER TOOLKITS F			
		TESDA-Region	VII – Archbishop Reyes Avenue	, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Plier	plastic dipped, Carbon Steel			
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	137
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	137
	Sub-to	otal, Electrical Insta	allation and Maintenance NC II			137
17	Mason	nry NC I				
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	135
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	135
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	135
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	135
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	135
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	135
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	135
	Sub-to	otal, Masonry NC I				135
20	Pipefit	ting NC II				_
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	159
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	159
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	159
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	159
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel,	1	PC	159

		NG FOR EMPI	STARTER TOOLKITS F OYMENT PROGRAM (S	TEP)	FOR C	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm			
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	159
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8 " opening	1	PC	159
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	159
		tal, Pipefitting NC	11			159
23		etting NC II	Den turne contride tin menual		D O	200
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	300
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	300
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	300
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	300
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	300
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	300
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	300
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	300
	Sub-to	otal, Tile Setting No				300
24	RAC S	ervicing (Dom/RA				
	1	VOM (Multitester)	Multi-tester Analog DCV	1	UNIT	25

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S VII – Archbishop Reyes Avenue	TEP)	FOR C	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS		UNIT	NO. OF PAX
			Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	25
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	25
	Sub-to	otal, RAC Servicing	(Dom/RAC) NC II			25
25	Shield	ed Metal Arc Weldi	ng (SMAW) NC I			•
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	608
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	608
	Sub-to	otal, Shielded Metal	Arc Welding (SMAW) NC I	<u> </u>		608
31	Dress	making NC II				·
	1	Portable Electric	Easy stitch selection with built-	1	UNIT	228

		TESDA-Region	VII – Archbishop Reyes Avenue	, Cebu	City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Sewing Machine	in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)			
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	228
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	228
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	228
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	228
		otal, Dressmaking l				228
32		ng NC II				00
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	22
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	22
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	22
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	22
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape	1	PC	22

		NG FOR EMPL	STARTER TOOLKITS F	TEP)	FOR CY	
LOT NO.	ITEM NO.	TESDA-Region ITEM	VII – Archbishop Reyes Avenue AGENCY SPECS	e, Cebu QTY	UNIT	NO. OF PAX
NO.	NO.		measure 60" (150cm) L, 4 to 5"			
			L paper scissors (plastic			
			handle), spools of asstd. colors			
			of sewing threads and other			
			notions			
		otal, Tailoring NC II				22
33	Hilot (Vellness Massage)				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	772
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	772
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	772
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	772
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	772
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	772
	7	Aromatic Oil	100 ml.	1	BOTTLE	772
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	772
	9	Powder	Baby powder, 200 g	1	BOTTLE	772
	10	Mentholated Oil	100 ml.	1	BOTTLE	772
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	772
		otal, Hilot (Wellness				772
34		m Manicure and es [Nail Care] NC II	Pedicure (Leading to Beauty	Care	NC II/Bea	auty Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	247
	2	Cuticle Pusher	stainless steel, 5"	1	PC	247
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	247
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	247
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	247
	6	Nail Brush	Plastic, soft bristle	1	PC	247
	7	Emery Board	80/100 coarse, 8" Long	1	PC	247
	8	Cotton Balls	150 balls	1	PACK	247
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	247
	10	Nail Polish	120 ml bottle	1	BOTTLE	247
		Remover				
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	247
	12	Colored Nail	15ml bottle, preferably touch of	1	BOTTLE	247

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region VII – Archbishop Reyes Avenue, Cebu City ITEM LOT NO. OF ITEM AGENCY SPECS QTY UNIT NO. NO. PAX Polish tan 13 Colored Nail 15ml bottle, white 1 BOTTLE 247 Polish **Colorless Nail** 15ml bottle, with glitters 1 BOTTLE 14 247 Polish 15 Colorless Nail 15ml bottle 1 BOTTLE 247 Polish 16 Low Stool hard plastic, round 1 PC 247 Face Towel 100 % cotton, 12" X 12", white PC 17 1 247 Sub-total, Perform Manicure and Pedicure (Leading to Beauty Care NC 247 II/Beauty Care Services [Nail Care] NC II) Perform Body Massage (Leading to Beauty Care NC II) 36 100 % cotton, 12" X 12", white PC **Face Towel** 1 73 1 Bath Towel 100 % cotton, 27" X 54", white PC 2 1 73 3 Face Mask disposable earloop face mask, 1 BOX 73 50 pcs per box Unisex, Soft and linen blouse PAIR 4 Scrub Suit 1 73 (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. Head Band 5 3"x 23" cotton fabric with snap 1 PC 73 tape 200 ml., Hypoallergenic BOTTLE 73 **Body Lotion** 1 6 Aromatic Oil 100 ml. BOTTLE 7 1 73 Virgin Coconut BOTTLE 8 250 ml. 1 73 Oil Powder 9 Baby powder, 200 g 1 BOTTLE 73 Mentholated Oil BOTTLE 10 100 ml. 1 73 Plastic, clear storage box with PC 11 Storage Box 1 73 lid lock, carry handle, 14" x 10" x 8" Sub-total, Perform Body Massage (Leading to Beauty Care NC II) 73 Perform Facial Make-Up (Leading to Beauty Care NC II) 40 125 ml, deep cleansing, Astringent 1 BOTTLE 68 1 hypoallergenic 2 2 Blusher pink and bronze shade, 4grams PC 68 each black, 4" 1 PC 68 3 **Eve Brow Pencil** Eye Brow Pencil brown, 4" 1 PC 4 68 Eye Liner Pencil black, 4" 1 PC 5 68 **Eye Liner Pencil** brown, 4" PC 6 1 68 Eye Shadow 8 palette, earth colors, matte 1 PC 7 68 finish

stainless steel, scissor type

1

PC

68

8

Eyebrow

Tweezer

	TESDA-Region VII – Archbishop Reyes Avenue, Cebu City								
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	9	Eyelash Curler	stainless steel, scissor type	1	PC	68			
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	68			
	11	Make-Up Sponge	round, powder puff sponge	1	PC	68			
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	68			
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	68			
	14	Lipstick	matte finish, red	1	PC	68			
	15	Lipstick	matte finish, coral pink	1	PC	68			
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	68			
	17	Mascara	black, water proof, 7g	1	PC	68			
	18	Pressed Powder	natural shade, matte finish	1	PC	68			
	19	Cotton Balls	150 balls	1	PACK	68			
	20	Concealer	20ml with UVA/UVB protection	1	PC	68			
42			Make-Up (Leading to Beauty Ca		<i>II)</i>	68			
43	Perfor		vices (Leading to Hairdressing I			10			
	I	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	49			
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	49			
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	49			
	4	Apron	black with 3 pockets	1	PC	49			
	5	Protective Cape	Water proof, nylon, black	1	PC	49			
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	49			
	7	Talcum Powder	250g	1	BOTTLE	49			
	Sub-to	otal, Perform Hair C	Cutting Services (Leading to Hai	rdressi	ing NC II)	49			
44	Bread	Making (Leading to	o Bread and Pastry Production I	NC II)					
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-	1	UNIT	594			

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S	TEP)	FOR CY		
LOT NO.	ITEM NO.	ITEM	VII – Archbishop Reyes Avenue AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts				
	2	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	594	
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	594	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	594	
	Sub-to	tal, Bread Making	(Leading to Bread and Pastry Pi	roducti	on NC II)	594	
45	Pastry Making (Leading to Bread and Pastry Production NC II)						
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	301	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	301	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	301	
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	301	
			(Leading to Bread and Pastry P		ion NC II)	301	
46	Cake N		Bread and Pastry Production N	C II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-	1	UNIT	242	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region VII – Archbishop Reyes Avenue, Cebu City LOT ITEM NO. OF ITEM AGENCY SPECS QTY UNIT NO. NO. PAX 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1.300 watts Stainless steel, 1 set (1 cup, 1/2 1 2 Measuring Cups SET 242 cup, 1/3 cup, 1/4 cup) Stainless steel, 8" diameter, 5 3 Mixing Bowl 1 PC 242 quart capacity 6 holes, 3oz capacity per hole, Muffin Pan 1 PC 4 242 non-stick Sub-total, Cake Making (Leading to Bread and Pastry Production NC II) 242 Prepare and Cook Hot Meals (Leading to Cookery NC II) 47 Frying Pan 10" diameter by 2" high teflon, PC 1 304 1 non-stick, riveted handle 2 Mixing Bowl Stainless steel, 8" diameter, 5 1 PC 304 quart capacity 8", stainless steel blade with 3 Chef's Knife 1 PC 304 black polymer handle 4 Measuring Cups Stainless steel, 1 set (1 cup, 1/2 1 SET 304 cup, 1/3 cup, 1/4 cup) 1/2" x 12" x 18"; made of Chopping Board 1 PC 5 304 polyethylene material Wooden Spoon 12" long, biodegradable, solid 1 PC 6 304 birchwood 7 6" diameter stainless with lid, 1 PC Saucepan 304 non riveted black handle 8" diameter, single fine mesh, 1 PC 8 Strainer 304 flat wooden handle Sub-total, Prepare and Cook Hot Meals (Leading to Cookery NC II) 304 Prepare Cold Meals (Leading to Cookery NC II) 48 10" diameter by 2" high teflon, 1 Frying Pan 1 PC 97 non-stick, riveted handle Mixing Bowl Stainless steel, 8" diameter, 5 1 PC 2 97 quart capacity 8", stainless steel blade with 3 Chef's Knife 1 PC 97 black polymer handle 1/2" x 12" x 18"; made of 4 1 PC 97 **Chopping Board** polyethylene material 12" long, biodegradable, solid Wooden Spoon 1 PC 97 5 birchwood 6" diameter stainless with lid. 1 PC 6 Saucepan 97 non riveted black handle

	TESDA-Region VII – Archbishop Reyes Avenue, Cebu City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	97	
			Meals (Leading to Cookery NC II)			97	
49	Proces		, Curing and Smoking (Leading	to Food			
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	73	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	73	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	73	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	73	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	73	
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	73	
	Food	Processing NC II)	l by Salting, Curing and Smok			73	
50	Proces		ntation and Pickling (Leading to	Food			
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	40	
	2	Chef's Knife	8 [°] , stainless steel blade with black polymer handle	1	PC	40	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40	
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40	
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	40	
	Food	Processing NC II)	ds by Fermentation and Pickl			40	
E 4	Droco	ss Foods by Sugar	Concentration (Leading to Food	Proce	essing NC I	0	
51	FIUCE	Blender	2 speed, 1.5 liter capacity,		UNIT	·/	

LOT							
NO.	NO.		AGENCI SFECS	WII	UNIT	PAX	
			glass jar with stainless steel blades, 220 V, 60 hz, 500 watts				
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	20	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	20	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	20	
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	20	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	20	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20	
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	20	
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	20	
		otal, Process Foo ssing NC II)	ds By Sugar Concentration (L	eading	to Food	20	
	TOTAL					5,131	

		ILSUA-REGION VI	II – TESDA Compound, Abucay,	racion	an City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
6		m Diesel Engine Tu	une Up (Leading to Automotive S	Servici	ng NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	60
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	60
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	60
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	60
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	60
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	60
		otal, Perform Dies ing NC I)	el Engine Tune Up (Leading	to Ai	utomotive	60

	TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
7	Perfor	m Gas Engine Tun	e Up (Leading to Automotive Se	rvicing	NC I)		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	22	
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	22	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	22	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	22	
<u> </u>	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	22	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	22	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	22	
		tal, Perform Gas ing NC I)	Engine Tune Up (Leading	to A	utomotive	22	

		TESDA-Region VII	I – TESDA Compound, Abucay,	Taclob	oan City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
9	Servic		ents (Leading to Automotive Ser	vicing	NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	14
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	14
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	14
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	14
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	14
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	14
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	14
	Servic	ing NC II)	, , , ,		utomotive	14
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading to	Moto	rcycle/Sma	all Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	50
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	50

	.,		.OYMENT PROGRAM (S II – TESDA Compound, Abucay,	/		2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	50
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	50
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	50
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	50
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	50
		otal, Service Mo cycle/Small Engine	torcycle/Small Engine Syster Servicing NC II)	n (Lea	ading to	50
13	Servic	e Electrical System	n (Leading to Motorcycle/Small E	Ingine	Servicing	NC II)
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	24
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	24
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	24
l			9" abank langth (abroma	1	PC	24
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	ΓŪ	24

			STARTER TOOLKITS FOLOYMENT PROGRAM (S			
		TESDA-Region VI	II – TESDA Compound, Abucay,	Taclob	oan City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Tester	batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.			
	Engine	e Servicing NC II)	ctrical System (Leading to N	-		24
14	NC II)	aui wiotorcycle/Sm	all Engine (Leading to Motorcy	cie/Sm	all Engine	Servicing
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	24
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	24
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	24
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	24
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench	1	SET	24

			II – TESDA Compound, Abucay,			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			21mm			
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	24
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	24
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	24
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	24
	Sub-to Motor	otal, Overhaul cycle/Small Engine	Motorcycle/Small Engine Servicing NC II)	(Lead	ding to	24
15	Carpe	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	170
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	170
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	170
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	170
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	170
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	170
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook	1	PC	170

	TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle				
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	170	
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	170	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	170	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	170	
		otal, Carpentry NC I				170	
16	Electri	cal Installation and VOM (Multitester)	Maintenance NC II Multi-tester Analog DCV	,	UNIT	158	
			Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	158	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	158	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	158	
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	158	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	158	

			II – TESDA Compound, Abucay,			2010	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
			Illation and Maintenance NC II			158	
17	Mason	ry NC I				1	
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	27	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	27	
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	27	
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	27	
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	27	
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	27	
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	27	
		tal, Masonry NC I				27	
18	Plaster Concrete/Masonry Surface (Leading to Masonry NC II)						
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	50	
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4- 1/2, High Carbon Steel Blade, Wooden Handle	1	PC	50	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	50	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	50	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	50	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	50	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	50	
			noodon nanalo longal zo	1			

			III – TESDA Compound, Abucay,	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			2x16x24", Steel			
			ete/Masonry Surface (Leading to	Mason	nry NC II)	50
20	Pipefit	ting NC II				1
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	25
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	25
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	25
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	25
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	25
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	25
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	25
	Sub-to	tal, Pipefitting NC		1		25
23		etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	41
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	41
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	41
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	41
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	41

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S II – TESDA Compound, Abucay,	TEP)	FOR C	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	41
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	41
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	41
		otal, Tile Setting NC				41
25	Shield	ed Metal Arc Weldi				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	213
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	213
	Sub-to	otal, Shielded Metal	Arc Welding (SMAW) NC I	11		213
26	Assemble Electronics Products (Leading to Electronic Products Ass Servicing NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	20
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle,	1	SET	20

		NG FOR EMPL	STARTER TOOLKITS FOOLKITS FOOLKITS FOOLKITS	TEP)	FOR CY	_
LOT	ITEM	IESDA-Region VI	II – TESDA Compound, Abucay, AGENCY SPECS	QTY	UNIT	NO. OF
NO.	NO.		Chrome Vanadium Shank 6"			PAX
	6	Desoldering	Chrome Vanadium, Shank 6" Anodized aluminum housing,	1	PC	20
	0	Pump/Solder	high suction, strong and light	1	FC	20
		Sucker	weight.			
	Sub-to		lectronics Products (Leading	to	Electronic	20
		cts Assembly and		10		20
27			ctronic Products and System	s (le	ading to	Electronic
		cts Assembly and		5 (20	ading to	
	1	VOM (Multitester)		1	UNIT	25
			Range: 0.1 V to 1000V ACV			20
			Range: 10 to 750V Internal			
			Battery: R6 (IEC) or UM-3 1.5V			
			x 2 Internal Fuse:			
			0.5Ano/250V/5.2mm dia. X			
			20mm Dimension and Weight:			
			159.5 x 129 x 41.5 mm/approx.			
			320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil	1	PC	25
		Coldening from	tip 60Hz		10	20
	3	Long Nose Pliers	Overall Length: 8"	1	PC	25
	Ŭ		Knife Length: 5/8"			20
			Material: Carbon Steel			
			Handle Finish: plastic dipped			
	4	Diagonal Cutting	Overall length 8", Handle finish	1	PC	25
		Plier	plastic dipped, Carbon Steel			20
	5	Screw Driver Set	4 pieces per set	1	SET	25
			Flat Blade Tip: 6.5X150mm,			
			5X100mm			
			Phillips Blade tip: 1X100mm,			
			2X150mm			
			Plastic and rubberized handle,			
			Chrome Vanadium, Shank 6"			
	6	Desoldering	Anodized aluminum housing,	1	PC	25
		Pump/Solder	high suction, strong and light			
		Sucker	weight.			
		-	mer Electronic Products and Sy ssembly and Servicing NC II)	/stems	s (Leading	25
31		making NC II	· · · · · · · · · · · · · · · · · · ·			
	1	Portable Electric	Easy stitch selection with built-	1	UNIT	94
		Sewing Machine	in stitches, automatic tension,			
			four-step button hole, and			
			automatic reverse stitches (60			
			Hz; 85 Watts; 220 V)			

		TESDA-Region VI	II – TESDA Compound, Abucay,	Taclob	ban City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	94
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	94
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	94
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	94
	Sub-to	tal, Dressmaking l				94
33		Wellness Massage			I	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	47
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	47
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	47
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	47
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	47
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	47
	7	Aromatic Oil	100 ml.	1	BOTTLE	47
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	47
	9	Powder	Baby powder, 200 g	1	BOTTLE	47
	10	Mentholated Oil	100 ml.	1	BOTTLE	47
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	47
		otal, Hilot (Wellness	* /			47
34		m Manicure and es [Nail Care] NC I	Pedicure (Leading to Beauty I)	Care	NC II/Bea	auty Care
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	110
	2	Cuticle Pusher	stainless steel, 5"	1	PC	110
		1				
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	110

		TESDA-Region VI	II – TESDA Compound, Abucay,	Taclob	ban City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	110
	6	Nail Brush	Plastic, soft bristle	1	PC	110
	7	Emery Board	80/100 coarse, 8" Long	1	PC	110
	8	Cotton Balls	150 balls	1	PACK	110
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	110
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	110
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	110
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	110
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	110
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	110
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	110
	16	Low Stool	hard plastic, round	1	PC	110
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	110
			cure and Pedicure (Leading to	Beauty	/ Care NC	110
		ity Care Services [
35	Perfor NC II)	m Hand Spa (Leac	ling to Beauty Care NC II/Beaut	y Care	Services [Nail Care]
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	45
	2	Paraffin Wax	Scented, 500g	1	BOX	45
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	45
		otal, Perform Hand es [Nail Care] NC I	Spa (Leading to Beauty Care N	C II/Be	auty Care	45
36	Perfor	m Body Massage (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	65
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	65
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	65
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	65
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	65
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	65
			200			

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S	TEP)	FOR CY	
	I	TESDA-Region VII	I – TESDA Compound, Abucay,	Taclob	pan City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	7	Aromatic Oil	100 ml.	1	BOTTLE	65
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	65
	9	Powder	Baby powder, 200 g	1	BOTTLE	65
	10	Mentholated Oil	100 ml.	1	BOTTLE	65
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	65
	Sub-to	tal, Perform Body	Massage (Leading to Beauty Ca	re NC	II)	65
37			ading to Beauty Care NC II)	_	,	
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	45
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	45
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	45
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	45
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	45
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	45
	7	Whitening Soap	135 grams, papaya	1	PC	45
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	45
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	45
	Sub-to	tal, Perform Body	Scrub (Leading to Beauty Care	NC II)		45
38			t (Leading to Beauty Care NC II)	-		
	1	Acne Gel	25ml, hypoallergenic	1	PC	45
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	45
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	45
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	45
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	45
	6	Facial Brush	plastic handle, soft bristle	1	PC	45
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	45
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	45
	9	Moisturizer	50 ml, hypoallergenic	1	PC	45
	10	Pricking Tools	stainless steel, dual end, pointed and round	1	PC	45
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	45

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S I – TESDA Compound, Abucay,	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			(hypoallergenic)			
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	45
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	45
	14	Cotton Balls	150 balls	1	PACK	45
	Sub-to	tal, Perform Facial	Treatment (Leading to Beauty (Care N	C II)	45
39			ng to Beauty Care NC II/Beaut			Nail Care]
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	72
	2	Callus Remover	Stainless Steel, 7"	1	PC	72
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	72
	4	Foot File	Wooden, 9.5"	1	PC	72
	5	Foot Blush	100ml, spray type	1	BOTTLE	72
	6	Foot Soak	150ml, Liquid	1	BOTTLE	72
	7	Foot Scrub	150ml, cream	1	TUBE	72
	8	Foot Lotion	150ml, scented	1	BOTTLE	72
	9	Foot Brush	plastic handle, plastic bristle	1	PC	72
	Servic	es [Nail Care] NC II	Spa (Leading to Beauty Care NC		uty Care	72
43	Perfor		vices (Leading to Hairdressing I	NC II)	1	
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	25
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	25
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	25
	4	Apron	black with 3 pockets	1	PC	25
	5	Protective Cape	Water proof, nylon, black	1	PC	25
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	25
	7	Talcum Powder	250g	1	BOTTLE	25
	Sub-to	otal, Perform Hair C	utting Services (Leading to Hai	rdressi	ing NC II)	25
44			Bread and Pastry Production I		- /	
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	1	UNIT	161

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S II – TESDA Compound, Abucay,	TEP)	FOR CY	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX
			Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	161
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	161
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	161
			(Leading to Bread and Pastry Pi		on NC II)	161
45	Pastry	Making (Leading t	b Bread and Pastry Production 18L Stainless Housing, Timer	NC II)	UNIT	186
			60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	186
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	186
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	186
			(Leading to Bread and Pastry P		ion NC II)	186
46			Bread and Pastry Production N		1 16 11	400
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray)	1	UNIT	166

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S	TEP)	FOR C	
LOT NO.	ITEM NO.	ITESDA-Region VI	II – TESDA Compound, Abucay, AGENCY SPECS		UNIT	NO. OF PAX
110.	110.		Tempered Glass, 4 Stage Heating Selection Accessories:			
			Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	166
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	166
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	166
	Sub-to	tal, Cake Making (Leading to Bread and Pastry Pro	oductic	on NC II)	166
47			eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	271
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	271
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	271
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	271
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	271
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	271
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	271
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	271
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cool	ery NC	; II)	271
48			ding to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	121
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	121
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	121
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	121
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	121
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	121
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	121
			Meals (Leading to Cookery NC II			121
49	Proces	ss Food by Salting	, Curing and Smoking (Leading	to Foo	d Process	ing NC II)

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region VIII – TESDA Compound, Abucay, Tacloban City LOT ITEM NO. OF ITEM AGENCY SPECS QTY UNIT NO. NO. PAX UNIT Food Processor 2 Speed with Pulse, with safety 1 48 1 lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V. 60 hz. 1.000 watts Stainless steel, 8" diameter, 5 Mixing Bowl 1 PC 2 48 quart capacity Stainless steel, 1 set (1 cup, 1/2 3 Measuring Cups 1 SET 48 $cup, 1/3 cup, \frac{1}{4} cup)$ Stainless steel, 1 set (1tbsp, 1 1 SET 4 Measuring 48 Spoons tsp, $\frac{1}{2}$ tsp, $\frac{1}{4}$ tsp) Chef's Knife 8". stainless steel blade with 1 PC 5 48 black polymer handle Manual Weighing Scale; UNIT Weighing Scale 1 6 48 maximum weight capacity; 2 kg, graduated by grams; removable and washable tray Sub-total, Process Food by Salting, Curing and Smoking (Leading to 48 Food Processing NC II) Process Foods by Fermentation and Pickling (Leading to Food Processing NC II) 50 Food Processor 2 Speed with Pulse, with safety UNIT 48 1 lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1.000 watts 8", stainless steel blade with 2 Chef's Knife 1 PC 48 black polymer handle Stainless steel, 1 set (1 cup, 1/2 SET 3 Measuring Cups 1 48 cup, 1/3 cup, 1/4 cup) Stainless steel, 1 set (1tbsp, 1 Measuring 1 4 SFT 48 Spoons $tsp, \frac{1}{2} tsp, \frac{1}{4} tsp$ Stainless; 6L capacity; with two Casserole PC 5 1 48 grip handle, with cover Stainless steel, 8" diameter, 5 6 Mixing Bowl 1 PC 48 quart capacity 7 Colander 5 qts capacity, stainless steel, 1 PC 48 with two grip handles Sub-total, Process Foods by Fermentation and Pickling (Leading to 48 Food Processing NC II) Process Foods by Sugar Concentration (Leading to Food Processing NC II) 51 Blender 2 speed, 1.5 liter capacity, 1 1 UNIT 48 glass jar with stainless steel blades, 220 V, 60 hz, 500 watts PC 2 Candy 8" long, measures 1 48

			STARTER TOOLKITS F OYMENT PROGRAM (S			
		TESDA-Region VI	II – TESDA Compound, Abucay,	Taclob	an City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		Thermometer	temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan			
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	48
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	48
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	48
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	48
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	48
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	48
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	48
		otal, Process Foo ssing NC II)	ds by Sugar Concentration (L	eading	to Food	48
	ΤΟΤΑ	L				2,520

		TESDA-Re	gion IX – San Roque, Zamboan		- -	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
9	Servic	e Engine Compone	ents (Leading to Automotive Ser	vicing	NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	109
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	109
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	109
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	109
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	109
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	109
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	109
	Servic	ing NC II)	gine Components (Leading		utomotive	109
10	Servic	e Automotive Elect	trical Components (Leading to A	utomo		
		Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.		PC	100
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	100
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	100

TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region IX – San Roque, Zamboanga City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	100	
		-	omotive Electrical Component	ts (Le	ading to	100	
12	Automotive Servicing NC II) Service Motorcycle/Small Engine System (Leading to Motorcycle/Sm Servicing NC II)						
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	187	
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	187	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	187	
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	187	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	187	
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	187	
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	187	

Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V X 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 4 pieces per set Flat Blade Tip: 6.5X150mm, Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" Chrome Vanadium, Shank 6" Material: Carbon Steel Handle finish: plastic dipped Handle finish: plastic dipped Plier Verrall Length: 8", Kandle finish Plier Plastic dipped, Carbon Steel Handle finish: plastic dipped Verrall Length: 8", Steel Alloy, Electrical Installation and Maintenance NC II Plastory NC I Verrall Length: 8", Steel Alloy, Sub-total, Electrical Installation and Maintenance NC II POR Steel 3" x 7", wooden handle Pull-Push Rule Blade length 8m/26ft Blade with 1" High impact ABS case with 1" High impact ABS case <th></th> <th></th> <th>TESDA-Re</th> <th>gion IX – San Roque, Zamboan</th> <th></th> <th></th> <th></th>			TESDA-Re	gion IX – San Roque, Zamboan			
1 VOM (Multitester) Multi-tester Analog DCV 1 UNIT 170 Range: 0.1 V to 1000V ACV Range: 0.1 V to 1000V ACV Range: 0.1 V to 1000V ACV 1 UNIT 170 Range: 0.1 V to 1000V ACV Range: 0.1 V to 1000V ACV Range: 0.1 V to 1000V ACV 1 UNIT 170 Range: 0.1 V to 1000V ACV X 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 1 SET 170 2 Screw Driver Set 4 pieces per set 1 SET 170 Flat Blade Tip: 6.5X150mm, 5X100mm Philips Blade tip: 1X100mm, 2X150mm 1 PC 170 3 Long Nose Pliers Overall Length: 8" 1 PC 170 4 Diagonal Cutting Overall Length: 8", Mandle finish 1 PC 170 5 Electricians/ Overall Length: 8", Steel Alloy, 1 PC 170 5 Electricians/ Overall Length: 8", Steel Alloy, 1 PC 170 6 Pull-Push Rule Blade length 8m/26ft Blade 1 PC 170 7 Masonry NC I 1 PC 125 1 </th <th>NO.</th> <th></th> <th>ITEM</th> <th>AGENCY SPECS</th> <th>QTY</th> <th>UNIT</th> <th></th>	NO.		ITEM	AGENCY SPECS	QTY	UNIT	
Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UN- X 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1kSET2Screw Driver Set 4 pieces per set Phatic and rubberized handle, Chrome Vanadium, Shank 6"1SET1703Long Nose Pliers PlierOverall length: 8", Kandle finish plastic dipped Handle finish: plastic dipped Plastic and rubberized handle, Chrome Vanadium, Shank 6"1PC1704Diagonal Cutting Plier PlierOverall length: 8", Kandle finish plastic dipped Handle finish: plastic dipped1PC1705Electrical Plier PlierOverall length: 8", Steel Alloy, urith 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1707Masonry KC I1PC1251PC1252Pull-Push Rule Steel 3" x 7", wooden handle urith 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerSteel 3" x 7", wooden handle Blade length 8n/26ft Blade with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 O2; Wood Handle1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 1.5" width 8.25" wooden handle length	16	Electri		Maintenance NC II			
Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"1PC3Long Nose Pliers Overall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped Plier Electrical Plier1PC1704Diagonal Cutting Plier PlierOverall Length: 5%" Material: Carbon Steel Handle finish: plastic dipped Blade tength 8", Steel Alloy, Electrical Plier1PC1705Electricians/ Electrical Plier Handle finish: plastic-dipped1PC1706Pull-Push Rule Blade length 8", Steel Alloy, Handle finish: plastic-dipped1PC1707Masonry NC IToro1PC1701Pointing Trowel Steel 3" x 7", wooden handle width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1252Pull-Push Rule Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw Hammer Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level Bar al Aluminum, top-read center vial; glass D-grip handle, blade length 11.5" worden handle length 20"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" worden handle length 20"1PC125		1	VOM (Multitester)	Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx.	1		170
Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dippedPierPierPier4Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel1PC1705Electricians/ Electrical PlierOverall Length: 8", Steel Alloy, Handle finish: plastic-dipped1PC1706Pull-Push RuleBlade length 8m/26tt Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC17017Masonry NC I1PC1251PC1252Pull-Push RuleSteel 3" x 7", wooden handle width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerSteel 3" x 7", wooden handle width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level Bar Aluminum, top-read center vial; 		2	Screw Driver Set	Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	170
Plierplastic dipped, Carbon Steel5Electricians/ Electrical PlierOverall Length: 8", Steel Alloy, Handle finish: plastic-dipped1PC1706Pull-Push RuleBlade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1707Masonry NC I1PC1701Pointing TrowelSteel 3" x 7", wooden handle1PC1252Pull-Push RuleBlade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		3	Long Nose Pliers	Knife Length: 5/8" Material: Carbon Steel	1		170
Electrical PlierHandle finish: plastic-dipped6Pull-Push RuleBlade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC17017Masonry NC I1PC1252Pull-Push RuleBlade length 8m/26ft Blade 		4		-	1	PC	170
Vidth 1" High impact ABS case with durable rubber Corrosion resistant tru-zero endImage: Corrosion resistant tru-zero endSub-total, Electrical Installation and Maintenance NC II170Masory NC I11Pointing TrowelSteel 3" x 7", wooden handle12Pull-Push RuleBlade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC3Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		5			1	PC	170
17Masonry NC I1Pointing TrowelSteel 3" x 7", wooden handle1PC1252Pull-Push RuleBlade length 8m/26ft Blade1PC1253Claw HammerForged High-Carbon Steel1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		6	Pull-Push Rule	width 1" High impact ABS case with durable rubber Corrosion	1	PC	170
1Pointing TrowelSteel 3" x 7", wooden handle1PC1252Pull-Push RuleBlade length 8m/26ft Blade1PC125width 1" High impact ABS casewidth 1" High impact ABS case1PC1253Claw HammerForged High-Carbon Steel1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		Sub-to	otal, Electrical Insta	llation and Maintenance NC II	· · ·		170
2Pull-Push RuleBlade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125	17	Mason			· · · · ·		
Width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end1PC1253Claw HammerForged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle1PC1254Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		-	V				
Head; Smooth Face; 16 Oz; Wood HandleHead; Smooth Face; 16 Oz; Wood Handle4Spirit Level BarAluminum, top-read center vial; 3 vials; Length: 24"1PC1255ShovelRound point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"1PC125		2	Pull-Push Rule	width 1" High impact ABS case with durable rubber Corrosion	1	PC	125
5 Shovel Round point steel blade; fiber 1 PC 125 glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" Image: Comparison of the steel blade Image: Comparison o		3	Claw Hammer	Head; Smooth Face; 16 Oz;	1	PC	125
5 Shovel Round point steel blade; fiber 1 PC 125 glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20" 1 PC 125		4	Spirit Level Bar		1	PC	125
6 Hacksaw With Adjustable hacksaw frame with 1 PC 125		5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25"	1	PC	125
		6	Hacksaw With	Adjustable hacksaw frame with	1	PC	125

		NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S gion IX – San Roque, Zamboan	TEP)	FOR C	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS		UNIT	NO. OF PAX
		Blade	bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle			
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	125
		otal, Masonry NC I				125
23	Tile Se	etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	75
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	75
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	75
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	75
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	75
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75
	Sub-to	otal, Tile Setting NC				75
25	Shield	ed Metal Arc Weldi				-
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	380
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	380
		-	I Arc Welding (SMAW) NC I			380
31		making NC II				
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	389
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip	1	SET	389

		NG FOR EMPL	STARTER TOOLKITS F	TEP)	FOR C	
LOT NO.	ITEM NO.	ITESDA-Re	gion IX – San Roque, Zamboan AGENCY SPECS		UNIT	NO. OF PAX
			curve, aluminum 24" L x 1 1/2" W curve ruler			
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	389
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	389
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	389
		otal, Dressmaking	NC //	•		389
32	Tailori	ng NC II				.
	1	Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	53
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	53
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	53
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	53
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	53
	Sub-to	otal, Tailoring NC I		•		53
33	Hilot (Wellness Massage				
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	340
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	340
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	340

	TESDA-Region IX – San Roque, Zamboanga City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	340		
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	340		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	340		
	7	Aromatic Oil	100 ml.	1	BOTTLE	340		
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	340		
	9	Powder	Baby powder, 200 g	1	BOTTLE	340		
	10	Mentholated Oil	100 ml.	1	BOTTLE	340		
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	340		
	Sub-to	otal, Hilot (Wellness	s Massage) NC II			340		
40	Perfor	m Facial Make-Up ((Leading to Beauty Care NC II)					
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	25		
	2	Blusher	pink and bronze shade, 4grams each	2	PC	25		
	3	Eye Brow Pencil	black, 4"	1	PC	25		
	4	Eye Brow Pencil	brown, 4"	1	PC	25		
	5	Eye Liner Pencil	black, 4"	1	PC	25		
	6	Eye Liner Pencil	brown, 4"	1	PC	25		
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	25		
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	25		
	9	Eyelash Curler	stainless steel, scissor type	1	PC	25		
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	25		
	11	Make-Up Sponge	round, powder puff sponge	1	PC	25		
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	25		
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	25		
	14	Lipstick	matte finish, red	1	PC	25		
	15	Lipstick	matte finish, coral pink	1	PC	25		
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher	1	SET	25		

			.OYMENT PROGRAM (S gion IX – San Roque, Zamboan			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			brush)			
	17	Mascara	black, water proof, 7g	1	PC	25
	18	Pressed Powder	natural shade, matte finish	1	PC	25
	19	Cotton Balls	150 balls	1	PACK	2
	20	Concealer	20ml with UVA/UVB protection	1	PC	2
			Make-Up (Leading to Beauty C			2
42	1		aightening (Leading to Hairdre	ssing N		
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	20
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	20
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	20
	5	Curling Rods	4mm size	2	DOZ	20
	6	Curling Rods	14mm size	2	DOZ	20
	7	Curling Rods	16mm size	2	DOZ	20
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	20
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	20
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	20
	11	Protective Cape	Water proof, nylon, black	1	PC	20
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	2
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	2
	12	Face Mask Hand Gloves	Water proof, nylon, black disposable earloop face mask, 50 pcs per box washable, medium size,	1	BOX	<u>{</u>

	TESDA-Region IX – San Roque, Zamboanga City						
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
44	Bread		o Bread and Pastry Production N	NC II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	150	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	150	
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	150	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	150	
	Sub-to	otal, Bread Making	(Leading to Bread and Pastry Pr	oducti	on NC II)	150	
46	Cake N	laking (Leading to	Bread and Pastry Production N	C II)			
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts	1	UNIT	259	
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	259	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	259	
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	259	
			Leading to Bread and Pastry Pro	oductic	on NC II)	259	
47	Prepar 1	e and Cook Hot Me Frying Pan	eals (Leading to Cookery NC II) 10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	74	

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region IX – San Rogue, Zamboanga City LOT ITEM NO. OF ITEM AGENCY SPECS QTY UNIT NO. NO. PAX Mixing Bowl PC 2 Stainless steel, 8" diameter, 5 1 74 quart capacity 8", stainless steel blade with Chef's Knife PC 3 1 74 black polymer handle Stainless steel, 1 set (1 cup, 1/2 4 1 SFT 74 Measuring Cups cup, 1/3 cup, ¼ cup) ` ½" x 12" x 18"; made of PC **Chopping Board** 1 5 74 polyethylene material 12" long, biodegradable, solid 1 PC 6 Wooden Spoon 74 birchwood 6" diameter stainless with lid, 7 Saucepan 1 PC 74 non riveted black handle 8" diameter, single fine mesh, 1 PC 8 Strainer 74 flat wooden handle Sub-total, Prepare and Cook Hot Meals (Leading to Cookery NC II) 74 Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II) 49 Food Processor 2 Speed with Pulse, with safety UNIT 155 1 lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts Stainless steel, 8" diameter, 5 PC 2 Mixing Bowl 1 155 quart capacity Stainless steel, 1 set (1 cup, 1/2 3 Measuring Cups 1 SET 155 $cup, 1/3 cup, \frac{1}{4} cup)$ Stainless steel, 1 set (1tbsp, 1 1 4 Measuring SET 155 Spoons $tsp, \frac{1}{2} tsp, \frac{1}{4} tsp$ 8", stainless steel blade with Chef's Knife 1 PC 5 155 black polymer handle Weighing Scale Manual Weighing Scale; 1 UNIT 6 155 maximum weight capacity; 2 kg, graduated by grams; removable and washable tray Sub-total, Process Food by Salting, Curing and Smoking (Leading to 155 Food Processing NC II) 51 Process Foods by Sugar Concentration (Leading to Food Processing NC II) 2 speed, 1.5 liter capacity, Blender UNIT 40 1 1 glass jar with stainless steel blades, 220 V, 60 hz, 500 watts 8" long, measures 1 PC 2 Candy 40 Thermometer temperatures from 100 to 400

		NG FOR EMPL	STARTER TOOLKITS F	TEP)	FOR CY	-
LOT NO.	ITEM NO.	ITEM	egion IX – San Roque, Zamboan AGENCY SPECS		UNIT	NO. OF PAX
			degrees F; glass, pen-type adjustable clip secures thermometer to pan			
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	40
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
		otal, Process Foo ssing NC II)	ds by Sugar Concentration (L	eading	to Food	40
	TOTAL					2,651

LOT NO.	ITEM NO.	ITEM	avez Jupiter Street, Macasandig AGENCY SPECS	QTY	UNIT	NO. OF PAX
2		I Production (Swir	ne) NC II			
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	10
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	10
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	10
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	10
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	10
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	10
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	10
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	10
			ction (Swine) NC II			10
4	Produ		ble (Leading to Organic Agricult	ure Pro		
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	15
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	15
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	15
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	15
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	15
		otal, Produce Org	anic Vegetable (Leading to Org	ganic /	Agriculture	15

		A-Region X – P-Ch	avez Jupiter Street, Macasandig	, Caga	yan de Oro	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
5		ction NC II)	coction and Extracts (Leadir	-	_	-
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	25
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	25
	3	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene materia	1	PC	25
	4	Weighing Scale	10 kg. capacity	1	UNIT	25
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	25
		otal, Produce Organ Ilture Production N	nic Concoction and Extracts (Le	ading	to Organic	25
6	Perfor	m Diesel Engine Tu	une Up (Leading to Automotive	Servici	ng NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	40
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	40
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	40
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	40
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	40

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	40	
	Servic	ing NC I)	sel Engine Tune Up (Leading			40	
7	Perfor	m Gas Engine Tun	e Up (Leading to Automotive Se	rvicing	g NC I)		
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	56	
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	56	
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	56	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	56	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	56	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	56	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	56	
	Sub-to NC I)	tal, Perform Gas E	ngine Tune Up (Leading to Auto	omotiv	e Servicing	56	

	PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018							
	TESD	A-Region X – P-Cha	avez Jupiter Street, Macasandig	, Caga	yan de Oro (City		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
8	Servic	e Underchassis Co	mponents (Leading to Automot	ive Se	rvicing NC II)		
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	65		
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	65		
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	65		
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	65		
	Sub-to	tal, Service Unde	rchassis Components (Leadin	g to /	Automotive	65		
		ing NC II)		-				
9	Servic	e Engine Compone	ents (Leading to Automotive Ser	vicing	NC II)			
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	85		
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	85		
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	85		
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	85		
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	85		

	RAINI	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S	TEP)	FOR CY	2018
	TESD	A-Region X – P-Cha	avez Jupiter Street, Macasandig	, Caga	yan de Oro (City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	85
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	85
	Sub-to NC II)	otal, Service Engine	e Components (Leading to Autor	motive	Servicing	85
10	Servic	e Automotive Elect	trical Components (Leading to A	lutomo	otive Servici	ng NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super- grip battery clamps and a top- mounted rocker switch.	1	PC	75
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	75
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	75
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	75
	Sub-to	tal, Service Aut	omotive Electrical Componei	nts (L	eading to	75
11			ponents (Leading to Automotiv	o Sorv	icing NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	25
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	25
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	25
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	25

-			avez Jupiter Street, Macasandig	-		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			handle detachable tip (combination) internal and external			
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	25
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	25
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	25
		otal, Service Powe	er Train Components (Leading	g to /	Automotive	25
12		e Motorcycle/Sma ing NC II)	II Engine System (Leading t	o Mot	orcycle/Sma	all Engine
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	33
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	33
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	33
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	33
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	33
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In.,	1	SET	33

			STARTER TOOLKITS F			
	TESD	A-Region X – P-Ch	avez Jupiter Street, Macasandig	. Caga	van de Oro (Citv
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder			
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	33
	Motoro	cycle/Small Engine	otorcycle/Small Engine Syste e Servicing NC II)	em (Lo	eading to	33
15	Carper	ntry NC II				
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	116
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	116
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	116
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	116
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	116
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	116
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	116
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	116
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	116
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High	1	PC	116

	RAINI	NG FOR EMPI	STARTER TOOLKITS F OYMENT PROGRAM (S	STEP)	FOR C	⁄ 2018			
LOT	TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro Cit								
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
			Carbon Steel, Color: Black and Yellow						
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	116			
	Sub-to	otal, Carpentry NC I	11			116			
16	Electri	cal Installation and	Maintenance NC II						
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	259			
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	259			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	259			
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	259			
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	259			
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	259			
		,	Illation and Maintenance NC II			259			
17		ry NC I		T . 1					
	1 2	Pointing Trowel Pull-Push Rule	Steel 3" x 7", wooden handle Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC PC	75			
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75			
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75			

	RAINI	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (S	STEP)	FOR CY	2018
LOT NO.	TESD/ ITEM NO.	A-Region X – P-Cha ITEM	avez Jupiter Street, Macasandig AGENCY SPECS	I, Caga QTY	<u>yan de Oro</u> UNIT	City NO. OF PAX
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	75
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	75
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	75
		tal, Masonry NC I				75
18	Plaster	Concrete/Masonr		NC II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	69
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4- 1/2, High Carbon Steel Blade, Wooden Handle	1	PC	69
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	69
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	69
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	69
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	69
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	69
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	69
			te/Masonry Surface (Leading to	Masor	nry NC II)	69
20	Pipefit	ting NC II		· · · · ·		
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	183
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	183
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	183
	4	File	Half-round, 8", tapered width	1	PC	183

	RAINI	NG FOR EMP	F STARTER TOOLKITS F LOYMENT PROGRAM (S	TEP)	FOR CY	2018
LOT NO.	ITEM NO.	ITEM	avez Jupiter Street, Macasandig AGENCY SPECS	, Cagay QTY	UNIT	NO. OF PAX
			and thickness, bastard teeth spacing, Plastic handle is slip resistant			
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	183
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	183
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	183
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	183
	Sub-to	tal, Pipefitting NC		1 1		183
21			ing Installation and Repair Mair	ntenanc	e Works (L	
	Plumb	ing NC II)				
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	126
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	126
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	126
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	126
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	126
		-	ble Plumbing Installation and Re	pair Ma	aintenance	126
22		(Leading to Plum)				
	1	ruction Painting No Steel Brush	Hardened steel brush, wooden	1	PC	80
	2	Paint Brush, 1"	handle, standard size Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	80
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel	2	PC	80

-			avez Jupiter Street, Macasandig			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			ferrules			
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	80
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	80
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	80
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	80
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	80
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	80
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	80
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	80
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	80
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	80
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	80
	Sub-to	otal, Construction	Painting NC II			80
23	Tile Se	etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	105
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	105
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	105
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	105
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	105
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	105

Т	RAINI		_OYMENT PROGRAM (S avez Jupiter Street, Macasandig		FOR CY	2018	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	105	
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	105	
	Sub-to	tal, Tile Setting NC				105	
25	Shield	ed Metal Arc Weldi	ng (SMAW) NC I				
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	381	
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	381	
	Sub-to	tal, Shielded Meta	Arc Welding (SMAW) NC I			381	
26	Assemble Electronics Products (Leading to Electronic Products Asse Servicing NC II)						
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	28	
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	28	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	28	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	28	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	28	

	RAINI	NG FOR EMPI	STARTER TOOLKITS F OYMENT PROGRAM (S avez Jupiter Street, Macasandig	TEP	FOR CY	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	, Caya QTY	UNIT	NO. OF PAX
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	28
		etal, Assemble E cts Assembly and a	Electronics Products (Leading Servicing NC II)	g to	Electronic	28
27		e Consumer Electr Ibly and Servicing	onic Products and Systems (Lea	ading	to Electronic	Products
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	30
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	30
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	30
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	30
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	30
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	30
			imer Electronic Products and S ssembly and Servicing NC II)	System	ns (Leading	30
28		e Industrial Electro cts Assembly and \$	onic Modules, Products and Sys Servicing NC II)	stems	(Leading to	Electronic
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X	1	UNIT	28

		A-Region X – P-Ch	avez Jupiter Street, Macasandig	, Caga	yan de Oro (
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	28
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	28
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	28
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	28
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	28
			trial Electronic Modules, Produ			28
		v	oducts Assembly and Servicing	NC II)		
31	Dressi 1	making NC II Portable Electric Sewing Machine	Easy stitch selection with built- in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	136
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	136
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	136
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	136
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	136

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City ITEM LOT NO. OF QTY ITEM AGENCY SPECS UNIT NO. NO. PAX Sub-total, Dressmaking NC II 136 Hilot (Wellness Massage) NC II 33 100 % cotton, 12" X 12", white Face Towel 1 PC 62 1 100 % cotton, 27" X 54", white Bath Towel PC 2 1 62 3 Face Mask disposable earloop face mask, 1 BOX 62 50 pcs per box 4 Scrub Suit Unisex, Soft and linen blouse 1 PAIR 62 (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color. Head Band 3"x 23" cotton fabric with snap 1 PC 5 62 tape 6 Body Lotion 200 ml., Hypoallergenic 1 BOTTLE 62 Aromatic Oil 100 ml. BOTTLE 7 1 62 Virgin Coconut 250 ml. BOTTLE 1 8 62 Oil Baby powder, 200 g Powder 1 BOTTLE 62 9 10 BOTTLE Mentholated Oil 100 ml. 1 62 Plastic, clear storage box with PC 11 Storage Box 1 62 lid lock, carry handle, 14" x 10" x 8" Sub-total, Hilot (Wellness Massage) NC II 62 Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services 34 [Nail Care] NC II) PC **Cuticle Nipper** Stainless steel, 3.5" 1 1 15 2 Cuticle Pusher stainless steel, 5" 1 PC 15 stainless steel, 3" long 3 Foot Nail Cutter 1 PC 15 Hand Nail Cutter stainless steel. 2.5" long PC 4 1 15 Plastic, clear storage box with 5 Storage Box 1 PC 15 lid lock, carry handle, 14" x 10" x 8" Plastic, soft bristle PC Nail Brush 1 15 6 7 Emery Board 80/100 coarse, 8" Long PC 15 1 Cotton Balls 150 balls 1 PACK 15 8 9 **Cuticle Remover** 120 ml bottle 1 BOTTLE 15 1 10 Nail Polish 120 ml bottle BOTTLE 15 Remover Antiseptic 25 ml bottle 1 BOTTLE 11 15 (Merthiolate) 12 Colored Nail 15ml bottle, preferably touch of 1 BOTTLE 15 Polish tan Colored Nail 15ml bottle, white 1 BOTTI F 13 15 Polish 14 Colorless Nail 15ml bottle, with glitters 1 BOTTLE 15 Polish

	RAINI	NG FOR EMPL	STARTER TOOLKITS F OYMENT PROGRAM (Savez Jupiter Street, Macasandig	STEP)	FOR CY	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS		UNIT	NO. OF PAX
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	15
	16	Low Stool	hard plastic, round	1	PC	15
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	15
		tal, Perform Manie Ity Care Services [I	cure and Pedicure (Leading to	Beaut	y Care NC	15
42			aightening (Leading to Hairdres	ssina N		
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	15
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	15
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	15
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	15
	5	Curling Rods	4mm size	2	DOZ	15
	6	Curling Rods	14mm size	2	DOZ	15
	7	Curling Rods	16mm size	2	DOZ	15
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	15
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	15
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	15
	11	Protective Cape	Water proof, nylon, black	1	PC	15
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	15
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	15
	Sub-to NC II)	otal, Perform Hair	Perming/Straightening (Leading	g to Ha	airdressing	15
43	Perfor	m Hair Cutting Serv	vices (Leading to Hairdressing	NC II)		
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	15
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	15
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	15
	4	Apron	black with 3 pockets	1	PC	15
	5	Protective Cape	Water proof, nylon, black	1	PC	15
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	15
	7	Talcum Powder	250g	1	BOTTLE	15
	Sub-total, Perform Hair Cutting Services (Leading to Hairdressing NC II)					
44			Bread and Pastry Production		J	15

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region X – P-Chavez Jupiter Street, Macasandig, Cagayan de Oro City LOT NO. OF ITEM QTY ITEM AGENCY SPECS UNIT NO. NO. PAX UNIT 1 Electric Oven 18L Stainless Housing, Timer 1 204 60mins with bell alarm. Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts 2 Stainless steel, 1 set (1 cup, 1/2 1 Measuring Cups SET 204 $cup, 1/3 cup, \frac{1}{4} cup$ 3 Measuring Urn Transparent glass,1 cup 1 PC 204 capacity, measurements are clearly mark in ounce, quarts and millilitres Stainless steel, 8" diameter, 5 4 Mixing Bowl 1 PC 204 quart capacity Sub-total, Bread Making (Leading to Bread and Pastry Production NC II) 204 Pastry Making (Leading to Bread and Pastry Production NC II) 45 Electric Oven 18L Stainless Housing, Timer UNIT 130 1 60mins with bell alarm. Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1 cup, 1/2 2 Measuring Cups 1 SET 130 cup, 1/3 cup, 1/4 cup) Stainless steel, 8" diameter, 5 3 Mixing Bowl 1 PC 130 quart capacity 4 Muffin Pan 6 holes, 3oz capacity per hole, 1 PC 130 non-stick Sub-total, Pastry Making (Leading to Bread and Pastry Production NC II) 130 Cake Making (Leading to Bread and Pastry Production NC II) 46 18L Stainless Housing, Timer **Electric Oven** UNIT 136 1 1 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator

	PROC		STARTER TOOLKITS F	OR T	HE SPE	CIAL
Т			LOYMENT PROGRAM (S	/		
		A-Region X – P-Ch	avez Jupiter Street, Macasandig	, Caga	yan de Oro	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Light, Removable Tray for easy			
			Cleaning (Crumb Tray)			
			Tempered Glass, 4 Stage			
			Heating Selection Accessories:			
			Enamel Bake Tray, Wire Rack,			
			Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$	1	SET	136
	2		cup, 1/3 cup, ¹ / ₄ cup)	'	OLI	100
	3	Mixing Bowl	Stainless steel, 8" diameter, 5	1	PC	136
	•		quart capacity			
	4	Muffin Pan	6 holes, 3oz capacity per hole,	1	PC	136
			non-stick			
			Leading to Bread and Pastry Pro	oductio	on NC II)	136
47	Prepar		eals (Leading to Cookery NC II)			
	1	Frying Pan	10" diameter by 2" high teflon,	1	PC	112
			non-stick, riveted handle			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5	1	PC	112
	2		quart capacity	1	DO	110
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	112
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½	1	SET	112
	-		cup, 1/3 cup, ¹ / ₄ cup)	'	5L1	112
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of	1	PC	112
	•		polyethylene material			
	6	Wooden Spoon	12" long, biodegradable, solid	1	PC	112
			birchwood			
	7	Saucepan	6" diameter stainless with lid,	1	PC	112
			non riveted black handle			
	8	Strainer	8" diameter, single fine mesh,	1	PC	112
			flat wooden handle		-	
- 10			ook Hot Meals (Leading to Cook	cery NC	;)	112
48			ding to Cookery NC II)		DO	00
	1	Frying Pan	10" diameter by 2" high teflon,	1	PC	80
	2	Mixing Bowl	non-stick, riveted handle Stainless steel, 8" diameter, 5	1	PC	80
	2		quart capacity	1	FC	80
	3	Chef's Knife	8", stainless steel blade with	1	PC	80
			black polymer handle			
	4	Chopping Board	1/2" x 12" x 18"; made of	1	PC	80
			polyethylene material		-	
	5	Wooden Spoon	12" long, biodegradable, solid	1	PC	80
			birchwood			
	6	Saucepan	6" diameter stainless with lid,	1	PC	80
			non riveted black handle			
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½	1	SET	80
			cup, 1/3 cup, ¼ cup)			

	TESD		avez Jupiter Street, Macasandig	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	Sub-to	tal, Prepare Cold N	leals (Leading to Cookery NC II))		80
49	Proces	ss Food by Salting,	Curing and Smoking (Leading	to Foo	d Processing) NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	40
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
		tal, Process Food Processing NC II)	by Salting, Curing and Smo	king (l	Leading to	40
	TOTAL	-				2,854

TESI	DA-Regi	on XI – 616 Int. 2, I	Rimas Street, Aquino Subdivisior City	n, J.P ⁻ La	urel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
1	Anima	I Production (Poul	try Chicken) NC II			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	136
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	136
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	136
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	136
	Sub-to	tal, Animal Produc	ction (Poultry Chicken) NC II			136
2	Anima	I Production (Swin	e) NC II	· · · · · ·		-
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	138
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	138
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	138
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	138
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	138
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	138
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	138
	8	Forcep	Stainless 5.5" long, straight kelly forcep	1	PC	138
			ction (Swine) NC II			138
3	-		Leading to Organic Agriculture P			
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	146

			Rimas Street, Aquino Subdivisior City	,		,
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	146
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	146
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	146
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	146
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	146
	Produ	ction NC II)	nic Chicken (Leading to Org		_	146
4	Produ		ble (Leading to Organic Agricultu	re Pro	duction NC I	I)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	183
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	183
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	183
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	183
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	183
		otal, Produce Org ction NC II)	anic Vegetable (Leading to Or	ganic	Agriculture	183
5		ction NC II)	coction and Extracts (Leading	-		
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	178
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	178
	3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	178

LOT NO.	ITEM NO.	ITEM	City AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Weighing Scale	10 kg. capacity	1	UNIT	178
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	178
	Sub-to	tal, Produce Orga	nic Concoction and Extracts (Le	eading	to Organic	178
		Ilture Production N	/	<u> </u>		
6	Perfor	Feeler gauge	une Up (Leading to Automotive S 26 tempered steel leaves/blade	ervicin <u>(</u>	PC	136
			ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.			
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	136
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	136
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	136
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	136
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	136
	Sub to	tal Parfarm Dia	sel Engine Tune Up (Leadin	 ~ to /	Vutomotivo	136

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
7		m Gas Engine Tun	e Up (Leading to Automotive Ser	vicing N	NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	1	PC	175
	2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	175
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	175
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	175
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	175
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	175
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	175
	Sub-to NC I)	tal, Perform Gas E	Engine Tune Up (Leading to Aut	omotive	e Servicing	175

1201	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	ז, J.P La	aurel Avenu	e, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
8	Servic	e Underchassis Co	omponents (Leading to Automoti	ve Serv	icing NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	145
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	145
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	145
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	145
	Servic	ing NC II)	erchassis Components (Leadin			145
9	Servic	e Engine Compone	ents (Leading to Automotive Serv	vicing N	C II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	140
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	140
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	140
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	140
	5	Philips Screw	8" shank length (chrome plated)	1	PC	140

LOT NO.	ITEM NO.	ITEM	City AGENCY SPECS	QTY	UNIT	NO. OF PAX
NO.	NO.	Driver	plastic handle, tip: 2 X 6mm			
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	140
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	140
	Sub-to NC II)	tal, Service Engin	e Components (Leading to Auto	omotive	Servicing	140
10	Servic	e Automotive Elect	trical Components (Leading to A	utomoti	ve Servicing	g NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	185
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	185
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip :2 X 6mm	1	PC	185
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	185
	Sub-to Autom	otal, Service Auto Notive Servicing NC	tomotive Electrical Componer ; II)	nts (Le	eading to	185
11	Servic	e Power Train Com	ponents (Leading to Automotive	Servici	ng NC II)	
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	110
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	110
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	110
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	110
	5	Circlip Pliers	6 in carbon steel insulated handle detachable tip	1	SET	110

TESI	TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			(combination) internal and external					
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	110		
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	110		
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	110		
	Servic	ing NC II)	er Train Components (Leadin	g to /	Automotive	110		
15	Carpe	ntry NC II						
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	46		
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	46		
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	46		
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	46		
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	46		
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	46		
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	46		
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	46		
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	46		
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon	1	PC	46		

TES	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P La	urel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Steel, Color: Black and Yellow			
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	46
	Sub-to	otal, Carpentry NC	İI —			46
16			Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	221
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	221
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	221
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	221
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	221
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	221
	Sub-to	otal, Electrical Insta	allation and Maintenance NC II			221
17	Mason	nry NC I		·		_
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	87
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	87
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	87
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	87
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade	1	PC	87

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P [´] La	aurel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			length 11.5" width 8.25" wooden handle length 20"			
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	87
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	87
	Sub-to	tal, Masonry NC I	· · · · · · · · · · · · · · · · · · ·			87
18		r Concrete/Masonr	y Surface (Leading to Masonry N	C II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	21
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4- 1/2, High Carbon Steel Blade, Wooden Handle	1	PC	21
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	21
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	21
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	21
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	21
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	21
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	21
	Sub-to	tal, Plaster Concre	te/Masonry Surface (Leading to	Masonr	y NC II)	21
19			s and Handrail (Leading to Masor			
	1	Pointing Trowel	Steel 3" x 7", Wooden handle	1	PC	21
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	21
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	21
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	21
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and	1	PC	21

TESE	TESDA-Region XI – 616 Int. 2, Rimas Street, Aquino Subdivision, J.P Laurel Avenue, Davao City							
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			handle					
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	21		
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	21		
	Sub-to	otal, Install Pre-Ca	st Balusters and Handrail (Leadin	g to Ma	sonry NC	21		
20		ting NC II						
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	21		
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	21		
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	21		
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant	1	PC	21		
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	21		
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	21		
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	21		
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	21		
	Sub-to	otal, Pipefitting NC	: //	· I		21		
21		m Multiple Plumb ing NC II)	ing Installation and Repair Main	tenance	Works (L	eading to		
<u> </u>	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	21		

I E SI	DA-Regi	011 AI = 010 IIII. 2, 1	Rimas Street, Aquino Subdivisior City	I, J.F LC	aurei Avenu	e, Davau
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	21
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	21
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	21
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	21
		otal, Perform Multij (Leading to Plumb	ble Plumbing Installation And Re bing NC II)	epair Ma	aintenance	21
22	Const	ruction Painting NO				
	1	Steel Brush	Hardened steel brush, wooden handle, standard size	1	PC	21
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	21
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	21
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	21
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	21
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	21
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	21
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	21
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	21
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	21

			Rimas Street, Aquino Subdivision City	/		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	21
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	21
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	21
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	21
	Sub-to	otal, Construction	Painting NC II	1 I		21
23	Tile Se	etting NC II				
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	21
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	21
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	21
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	21
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	21
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	21
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	21
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	21
	Sub-to	otal, Tile Setting N	с <i>॥</i>			21
24	RAC S	ervicing (Dom/RA	C) NC II			
	1	VOM (Multitester)		1	UNIT	30

TES	DA-Regi	ion XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P La	urel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	30
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	30
	Sub-to	otal, RAC Servicing	(Dom/RAC) NC II	II		30
25	Shield	ed Metal Arc Weldi	ng (SMAW) NC I			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	357
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	357
			Arc Welding (SMAW) NC I	·		357
26	Assemble Electronics Products (Leading to Electronic Products Assemb Servicing NC II)					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6	1	UNIT	20

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P La	aurel Avenu	e, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	20
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	20
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	20
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	20
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	20
		otal, Assemble Elec hbly and Servicing	ctronics Products (Leading to El NC II)	ectroni	c Products	20
27		e Consumer Electr	onic Products and Systems (Lea	ding to	Electronic	Products
	1	<u> </u>	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	40
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	40
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	40
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	40
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm	1	SET	40

			Rimas Street, Aquino Subdivisior City	/				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"					
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	40		
			mer Electronic Products and Sy embly and Servicing NC II)	stems (Leading to	40		
29								
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	176		
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	176		
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	176		
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	176		
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	176		
04	of Sola	ar Nightlight and P	imer Electronic Products and Sy ost Lamp)	vstems	(Assembly	176		
31	Dressi 1	making NC II Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85	1	UNIT	130		

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region XI – 616 Int. 2. Rimas Street, Aquino Subdivision, J.P. Laurel Avenue, Davao

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
			Watts; 220 V)					
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	130		
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	130		
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	130		
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	130		
	Sub-to	tal, Dressmaking	NC II		•	130		
33	Hilot (Wellness Massage) NC II							
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	115		
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	115		
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	115		
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	115		
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	115		
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	115		
	7	Aromatic Oil	100 ml.	1	BOTTLE	115		
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	115		
	9	Powder	Baby powder, 200 g	1	BOTTLE	115		
	10	Mentholated Oil	100 ml.	1	BOTTLE	115		
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	115		
			s Massage) NC II			115		
34		m Manicure and F are] NC II)	Pedicure (Leading to Beauty Care	NC II/B	Beauty Care	Services		
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	154		
	2	Cuticle Pusher	stainless steel, 5"	1	PC	154		

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region XI – 616 Int. 2. Rimas Street, Aquino Subdivision, J.P. Laurel Avenue, Davao

		I	City	[1	No 07			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	154			
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	154			
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	154			
	6	Nail Brush	Plastic, soft bristle	1	PC	154			
	7	Emery Board	80/100 coarse, 8" Long	1	PC	154			
	8	Cotton Balls	150 balls	1	PACK	154			
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	154			
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	154			
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	154			
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	154			
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	154			
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	154			
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	154			
	16	Low Stool	hard plastic, round	1	PC	154			
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	154			
	II/Beau	ity Care Services [154			
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail (NC II)								
	1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	115			
	2	Paraffin Wax	Scented, 500g	1	BOX	115			
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	115			
		tal, Perform Hanc es [Nail Care] NC I	l Spa (Leading to Beauty Care I I)	NC II/B	eauty Care	115			
36	Perfor	m Body Massage (Leading to Beauty Care NC II)						
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	185			
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	185			
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	185			
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	185			

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P La	aurel Avenu	ie, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	185
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	185
	7	Aromatic Oil	100 ml.	1	BOTTLE	185
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	185
	9	Powder	Baby powder, 200 g	1	BOTTLE	185
	10	Mentholated Oil	100 ml.	1	BOTTLE	185
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	185
	Sub-to	otal, Perform Body	Massage (Leading to Beauty Car	e NC II)		185
37	Perfor	m Body Scrub (Lea	iding to Beauty Care NC II)			
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	100
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	100
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	100
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	100
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	100
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	100
	7	Whitening Soap	135 grams, papaya	1	PC	100
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	100
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	100
	Sub-to	tal, Perform Body	Scrub (Leading to Beauty Care N	IC II)		100
38	Perfor	m Facial Treatment	t (Leading to Beauty Care NC II)			
	1	Acne Gel	25ml, hypoallergenic	1	PC	150
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	150
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	150
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	150
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	150
	6	Facial Brush	plastic handle, soft bristle	1	PC	150
	7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)	1	PC	150
	8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)	1	TUBE	150

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivision City	n, J.P La	aurel Avenu	e, Davao			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX			
	9	Moisturizer	50 ml, hypoallergenic	1	PC	150			
	10	Pricking Tools	stainless steel, dual end,	1	PC	150			
			pointed and round						
	11	Skin Toner	100 ml, dermatologically tested	1	BOTTLE	150			
			(hypoallergenic)						
	12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)	1	TUBE	150			
	13	Face Towel	100 % cotton, 12" X 12", white	1	PC	150			
	14	Cotton Balls	150 balls	1	PACK	150			
			Treatment (Leading to Beauty C			150			
39	Perfor II)	m Foot Spa (Leadii	ng to Beauty Care NC II/Beauty C	Care Se	rvices [Nail	Care] NC			
	1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator	1	UNIT	115			
	2	Callus Remover	Stainless Steel, 7"	1	PC	115			
	3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	115			
	4	Foot File	Wooden, 9.5"	1	PC	115			
	5	Foot Blush	100ml, spray type	1	BOTTLE	115			
	6	Foot Soak	150ml, Liquid	1	BOTTLE	115			
	7	Foot Scrub	150ml, cream	1	TUBE	115			
	8	Foot Lotion	150ml, scented	1	BOTTLE	115			
	9	Foot Brush	plastic handle, plastic bristle	1	PC	115			
		otal, Perform Foot es [Nail Care] NC I	Spa (Leading to Beauty Care I	NC II/B	eauty Care	115			
40	Perform Facial Make-Up (Leading to Beauty Care NC II)								
	1	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	134			
	2	Blusher	pink and bronze shade, 4grams each	2	PC	134			
	3	Eye Brow Pencil	black, 4"	1	PC	134			
	4	Eye Brow Pencil	brown, 4"	1	PC	134			
	5	Eye Liner Pencil	black, 4"	1	PC	134			
	6	Eye Liner Pencil	brown, 4"	1	PC	134			
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	134			
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	134			
	9	Eyelash Curler	stainless steel, scissor type	1	PC	134			
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	134			
	11	Make-Up Sponge	round, powder puff sponge	1	PC	134			
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	134			
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	134			

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	n, J.P [´] La	aurel Avenu	ie, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	14	Lipstick	matte finish, red	1	PC	134
	15	Lipstick	matte finish, coral pink	1	PC	134
	16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)	1	SET	134
	17	Mascara	black, water proof, 7g	1	PC	134
	18	Pressed Powder	natural shade, matte finish	1	PC	134
	19	Cotton Balls	150 balls	1	PACK	134
	20	Concealer	20ml with UVA/UVB protection	1	PC	134
	Sub-to	otal, Perform Facial	Make-Up (Leading to Beauty Cal	re NC II,)	134
41	Perfor	m Hair Coloring/Bl	eaching Services (Leading to Hai	irdressi	ng NC II)	
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	115
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	115
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	115
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	115
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	115
	6	Bleaching Powder	30g (sachet)	3	PC	115
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	115
	8	Protective Cape	Water proof, nylon, black	1	PC	115
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	115
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	115
		essing NC II)	air Coloring/Bleaching Servic	-	eading to	115
42			aightening (Leading to Hairdress	sing NC		
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	115
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	115

TESI	DA-Regi	on XI – 616 Int. 2, F	Rimas Street, Aquino Subdivisior City	ו, J.P La	aurel Avenu	e, Davao		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX		
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	115		
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	115		
	5	Curling Rods	4mm size	2	DOZ	115		
	6	Curling Rods	14mm size	2	DOZ	115		
	7	Curling Rods	16mm size	2	DOZ	115		
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	115		
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	115		
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	115		
	11	Protective Cape	Water proof, nylon, black	1	PC	115		
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	115		
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	115		
	Sub-to II)	otal, Perform Hair P	Perming/Straightening (Leading to	o Haird	ressing NC	115		
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)							
	1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function	1	UNIT	165		
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	165		
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	165		
	4	Apron	black with 3 pockets	1	PC	165		
	5	Protective Cape	Water proof, nylon, black	1	PC	165		
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	165		
	7	Talcum Powder	250g	1	BOTTLE	165		
	Sub-to	otal, Perform Hair C	Cutting Services (Leading to Hair	dressin	g NC II)	165		
44	Bread	Making (Leading to	o Bread and Pastry Production N	C II)				
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light,	1	UNIT	224		

TESI	DA-Regi	on XI – 616 Int. 2, I	Rimas Street, Aquino Subdivisior City	n, J.P La	aurel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	224
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	224
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	224
			(Leading to Bread and Pastry Pre		n NC II)	224
45	Pastry	Making (Leading Electric Oven	to Bread and Pastry Production N 18L Stainless Housing, Timer	IC II)	UNIT	230
			60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	230
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	230
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	230
			(Leading to Bread and Pastry Pr		n NC II)	230
46	Cake I	/laking (Leading to Electric Oven	 Bread and Pastry Production NC 18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100- 250C) 4 Stainless Steel Heating Element, Indicator Light, 	2 II)	UNIT	321

TESI	DA-Regi	on XI – 616 Int. 2,	Rimas Street, Aquino Subdivision City	n, J.P ⁻ La	aurel Aven	ue, Davao
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Removable Tray for easy			
			Cleaning (Crumb Tray)			
			Tempered Glass, 4 Stage Heating Selection Accessories:			
			Enamel Bake Tray, Wire Rack,			
			Tray Handle, 220V, 60hz, 1,300			
			watts			
	2	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2	1	SET	321
			cup, 1/3 cup, ¼ cup)			
	3	Mixing Bowl	Stainless steel, 8" diameter, 5	1	PC	321
			quart capacity			
	4	Muffin Pan	6 holes, 3oz capacity per hole,	1	PC	321
			non-stick			
			Leading to Bread and Pastry Pro	duction	NC II)	321
47			eals (Leading to Cookery NC II)	4		050
	1	Frying Pan	10" diameter by 2" high teflon,	1	PC	258
	2	Mixing Bowl	non-stick, riveted handle Stainless steel, 8" diameter, 5	1	PC	258
	2		quart capacity	1	FG	256
	3	Chef's Knife	8", stainless steel blade with	1	PC	258
	Ŭ		black polymer handle	•		200
	4	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2	1	SET	258
			cup, 1/3 cup, ¼ cup)			
	5	Chopping Board	1⁄2" x 12" x 18"; made of	1	PC	258
			polyethylene material			
	6	Wooden Spoon	12" long, biodegradable, solid	1	PC	258
			birchwood			
	7	Saucepan	6" diameter stainless with lid,	1	PC	258
	0	Otroinon	non riveted black handle	4		050
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	258
	Sub-to	tal Propara and C	Cook Hot Meals (Leading to Cook	ory NC I	0	258
48	Prenar	e Cold Meals (Lea	ding to Cookery NC II))	230
-10	1	Frying Pan	10" diameter by 2" high teflon,	1	PC	127
	-		non-stick, riveted handle			
	2	Mixing Bowl	Stainless steel, 8" diameter, 5	1	PC	127
		5	quart capacity			
	3	Chef's Knife	8", stainless steel blade with	1	PC	127
			black polymer handle			
	4	Chopping Board	1/2" x 12" x 18"; made of	1	PC	127
			polyethylene material			
	5	Wooden Spoon	12" long, biodegradable, solid	1	PC	127
			birchwood			
	6	Saucepan	6" diameter stainless with lid,	1	PC	127
		Magazinia a Ostar i	non riveted black handle			4.07
	7	Measuring Cups	Stainless steel, 1 set (1 cup, 1/2	1	SET	127

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region XI – 616 Int. 2. Rimas Street, Aquino Subdivision, J.P. Laurel Avenue, Davao

LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			cup, 1/3 cup, ¼ cup)			
		· · · · · · · · · · · · · · · · · · ·	Meals (Leading to Cookery NC II)			127
51	Proces	ss Foods by Sugar	Concentration (Leading to Food	Proces	sing NC II)	
	1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts	1	UNIT	40
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	40
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	40
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	40
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	40
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	40
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	40
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	40
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	40
		tal, Process Foo ssing NC II)	ods by Sugar Concentration (I	Leading	to Food	40
	TOTAL	X <i>i</i>				5,568

TE	ESDA-Re	egion XII – 2nd Flo	oor Duremdes Building, Gen. San	os Driv	e, Koronad	al City	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
3	Raise		Leading to Organic Agriculture P		on NC II)		
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	24	
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	24	
	3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	24	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	24	
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	24	
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	24	
		otal, Raise Orga ction NC II)	nic Chicken (Leading to Org	anic A	griculture	24	
4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC						
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	50	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	50	
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	50	
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	50	
	5	Sprinkler	2 gallon capacity, heavy duty	1	PC	50	
	5		\sim gallon capacity, neavy only	I	10	50	

Т	RAINI	NG FOR EMPL	STARTER TOOLKITS FOLOYMENT PROGRAM (S OYMENT PROGRAM (S or Duremdes Building, Gen. Sant	TEP)	FOR CY 2	2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			plastic			
	Produc	ction NC II)	anic Vegetable (Leading to Org		_	50
6	Perforr 1	n Diesel Engine Tu Feeler gauge	Ine Up (Leading to Automotive S 26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.	ervicin <u>(</u> 1	g NC I) PC	95
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	95
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	95
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	95
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	95
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	95
		tal, Perform Dies	sel Engine Tune Up (Leading	y to A	utomotive	95
8			mponents (Leading to Automotiv	ve Serv	icing NC II)	

		gion XII – 2nd Flo	or Duremdes Building, Gen. Sant	os Driv	e, Koronad	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	22
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	22
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	22
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	22
		tal, Service Unde ing NC II)	erchassis Components (Leading	g to A	utomotive	22
10			rical Components (Leading to A	utomoti	ve Servicin	g NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	43
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	43
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip :2 X 6mm	1	PC	43
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	43
	Sub-to Autom	tal, Service Aut otive Servicing NC	omotive Electrical Componen : II)	nts (Le	eading to	43
12		e Motorcycle/Sma ng NC II)	II Engine System (Leading to	Moto	rcycle/Smal	I Engine

		egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	tos Driv	e, Koronad	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	61
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	61
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	61
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	61
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	61
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	61
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	61
	Sub-to Motoro	tal, Service Mo cycle/Small Engine	otorcycle/Small Engine Syste Servicing NC II)	m (Le	ading to	61
13	Service	e Electrical System	(Leading to Motorcycle/Small E	ngine S	ervicing N(
	1	VOM	Multi-tester Analog DCV Range:	1	UNIT	20

TE	ESDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	os Driv	e, Koronad	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
		(Multitester)	0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	20
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	20
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	20
	5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.	1	PC	20
14	Servici Overha	ing NC II)	ical System (Leading to Motorcy all Engine (Leading to Motorcycle			20 vicing
	NC II) 1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	20
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	20
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	20
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm	1	PC	20

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018 TESDA-Region XII – 2nd Eloor Duremdes Building, Gen. Santos Drive, Koronadal City

TE	ESDA-Re	gion XII – 2nd Floo	or Duremdes Building, Gen. Sant	tos Driv	e, Koronad	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023,			
	5	Spark Plug Wrench	.024, and .025. 1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	20
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	20
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L- Shaped, Includes Molded Plastic Holder	1	SET	20
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	20
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	20
		tal, Overhaul Moto Servicing NC II)	rcycle/Small Engine (Leading to	Motorc	ycle/Small	20
15	Carpen 1	try NC II Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	126
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	126
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	126

TE			or Duremdes Building, Gen. Sant			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	126
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	126
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	126
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	126
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	126
	9	Try Square	Size: 8"x12", Thickness 1.8- 2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	126
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	126
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	126
	Sub-to	tal, Carpentry NC l	1	1		126
16			I Maintenance NC II			
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6(IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	110
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm	1	SET	110

TE	ESDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	os Driv	e, Korona	dal City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Plastic and rubberized handle, Chrome Vanadium, Shank 6"			
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	110
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	110
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	110
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	110
		-	llation and Maintenance NC II			110
17	Mason					
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	70
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	70
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	70
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	70
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	70
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	70
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	70
		tal, Masonry NC I				70
18	Plaster	Concrete/Masonr		CII)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	75
	2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4- 1/2, High Carbon Steel Blade, Wooden Handle	1	PC	75
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75
	4	Hacksaw With	Adjustable hacksaw frame with	1	PC	75

		egion XII – 2nd Flo	or Duremdes Building, Gen. San	tos Driv	e, Koronad		
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	
		Blade	bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle				
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	75	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	75	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	75	
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	75	
			ete/Masonry Surface (Leading to			75	
21							
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	75	
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	75	
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	75	
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	75	
	5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	75	
	Works	(Leading to Plumb	ble Plumbing Installation and Re bing NC II)	pair Ma	intenance	75	
23	Tile Se	tting NC II	1	1	-		
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	60	
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	60	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	60	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	60	
	5	Notched Trowel	Notched Trowel; carbon steel;	1	PC	60	
	•						

	ESDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	tos Driv	e, Koronad	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)			
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	60
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	60
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	60
	Sub-to	tal, Tile Setting NC				60
25	Shielde	ed Metal Arc Weldi	ng (SMAW) NC I			
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	259
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	259
			Arc Welding (SMAW) NC I			259
26			Products (Leading to Electronic	c Produ	ucts Asse	mbly and
	Servici 1	ng NC II) VOM	Multi-tester Analog DCV Range:	1	UNIT	25
		(Multitester)	0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	25
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	25
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	25
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	25

TESDA-Region XII - 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City NO. NO.LOT NO.ITEM NO.AGENCY SPECS AGENCY SPECSQTYUNIT PAXNO. OF PAX6Desoldering SuckerAnodized aluminum housing, high suction, strong and light weight.1PC253ub-fotal, Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)27Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)1UNIT231VOM (Multitester)Multi-tester Analog DCV Range: to To YOU Intra Battery: R6 (IEC) or UM-31.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia X 20mm Dimension and Weight: 150.5 x 129 x 41.5 mm/approx. 320 Resistance: X1 to X1k1PC232Soldering Iron tip 60Hz30 watts, 220 Volts, Heat pencil hadter finish: plastic dipped, Carbon Steel Handle Finish: plastic dipped1PC234Diagonal Cutting PlierOverall Length: 8", Handle finish plastic dipped, Carbon Steel1SET234Diagonal Cutting PlierOverall Length 8", Handle finish plastic dipped, Carbon Steel1SET235Screw Driver Sett Plier4 pieces per set high suction, strong and light weight.1PC236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2375Screw Driver Sett Pump/Solder SuckerAnodized aluminum housing, high suctio				STARTER TOOLKITS FOLOYMENT PROGRAM (S			
LOT NO.ITEM NO.AGENCY SPECS AGENCY SPECSQTY UNITUNIT PAXNO. OF PAX6Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light1PC2527Servicing NC II)27Servicing NC II)1PC2528Sub-total, Assemble Electronics Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)1UNIT231VOM (Multitester)Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-31.5 V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1kUNIT232Soldering Iron tip 60Hz30 watts, 220 Volts, Heat pencil tip 60Hz1PC233Long Nose Pliers PlierOverall Length: 8" Material: Carbon Steel Handle Finish: plastic dipped1PC234Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel1SET234Diagonal Cutting PlierAnodized aluminum housing, high suction, strong and light weight.1PC235Screw Driver Sett4 pieces per set Files Blade tip: 1X100mm, 2X150mm Sucker1SET236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2311Portable Electric Sewing MachineAnodized aluminum hou					/		
Pump/Solder Sucker high suction, strong and light weight. high suction, strong and light weight. Sub-total, Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II) Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II) UNIT 23 1 VOM (Multi-tester Analog DCV Range: 1 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k UNIT 23 2 Soldering Iron 30 watts, 220 Volts, Heat pencil tip 60Hz 1 PC 23 3 Long Nose Pliers Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped 1 PC 23 4 Diagonal Cutting Plier Overall Length 8", Handle finish plastic dipped, Carbon Steel 1 SET 23 5 Screw Driver Set Flat Blade Tip: 6.5X150mm, 5X100mm Plastic and rubberized handle, Chrome Vanadium, Shank 6" 1 SET 23 6 Desoldering Pump/Solder Sucker Anodized aluminum housing, high suction, strong and light weight. 1 PC 23 31 Dressmaking NC II Easy stitch selection with built-in Sewing Machine Stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85<	LOT	ITEM		-			NO. OF
Assembly and Servicing NC II) Image: Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II) 1 VOM (Multitester) Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 1 1 UNIT 23 2 VOM (Multitester) 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-31.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k 1 PC 23 2 Soldering Iron 30 watts, 220 Volts, Heat pencil tip 60Hz 1 PC 23 3 Long Nose Pliers Overall Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped 1 PC 23 4 Diagonal Cutting Plier Overall length 8", Handle finish plastic dipped, Carbon Steel 1 PC 23 5 Screw Driver Set Flat Blade Tip: 6.5X150mm, 5X100mm 1 SET 23 6 Desoldering Pump/Solder Sucker Anodized aluminum housing, high suction, strong and light weight. 1 PC 23 31 Deressmating NC II Service Consumer Electronic Products and Systems (Leading to reverse stitches (60 Hz; 85 1 UNIT 204			Pump/Solder Sucker	high suction, strong and light weight.			
Assembly and Servicing NC II)1VOM (Multitester)Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: x1 to X1kUNIT232Soldering Iron 30 watts, 220 Volts, Heat pencil tip 60Hz1PC233Long Nose PliersOverall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped1PC234Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel Handle Finish: plastic dipped1SET235Screw Driver Set Plier4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Philips Blade tip: 1X100mm, 2X150mm1PC236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2331Dressmaking NC IIEasy stitch selection with built-in Service Rest set Flextinder Rest set Secvice 20011UNIT204		Assem	bly and Servicing	NC II)			
1VOM (Multitester)Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1kUNIT23 232Soldering Iron soldering Iron30 watts, 220 Volts, Heat pencil tip 60Hz1PC23 233Long Nose Pliers PlierOverall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped1PC23 234Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel1PC23 235Screw Driver Sett Flat Blade Tip: 6.5X150mm, SX100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"1PC236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2331Dressmating NC IIEasy stitch selection with built-in Sewing Machine1PC2331Dressmating NC IIEasy stitch selection with built-in setiches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 851UNIT204	27				ding to	Electronic	Products
Image: Marking in the image: Marking in the image: Marking in the image in the i		Assem					
Image: Second Systemtip 60HzImage: Second Systemtip 60Hz3Long Nose PliersOverall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped1PC234Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel1PC235Screw Driver Set Flat Blade Tip: 6.5X150mm, SX100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"1SET236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2331Dressmiking NC II1Portable Electric Sewing MachineEasy stitch selection with built-in stitches, automatic reverses stitches (60 Hz; 851UNIT204		1		0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx.	1	UNIT	23
Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dippedIPC234Diagonal Cutting PlierOverall length 8", Handle finish plastic dipped, Carbon Steel1PC235Screw Driver Set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"1SET236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC2331Dressmaking NC II1Portable Electric Sewing MachineEasy stitch selection with built-in 		2	Soldering Iron		1	PC	23
Plierplastic dipped, Carbon SteelII5Screw Driver Set4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"1SET236Desoldering Pump/Solder SuckerAnodized aluminum housing, high suction, strong and light weight.1PC233Sub-total, Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)232331Dressmaking NC II1UNIT2041Portable Electric Sewing MachineEasy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 851UNIT204		3	Long Nose Pliers	Knife Length: 5/8" Material: Carbon Steel	1	PC	23
Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm 		4		-	1	PC	23
Pump/Solder Suckerhigh suction, strong and light weight.lighlighSub-total, Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)2331Dressmaking NC IIIPortable Electric Sewing MachineEasy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)1UNIT204		5	Screw Driver Set	Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle,	1	SET	23
Electronic Products Assembly and Servicing NC II) 31 Dressmaking NC II 1 Portable Electric Sewing Machine Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V) 1 UNIT 204		6	Pump/Solder	high suction, strong and light	1	PC	23
1Portable Electric Sewing MachineEasy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)1UNIT204			-	•	stems (l	Leading to	23
Sewing Machine stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	31	Dressn	naking NC II				
		1		stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85	1	UNIT	204
		2	Drafting Tools		1	SET	204

TE	ESDA-Re	egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	os Driv	e, Koronad	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler			
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	204
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	204
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	204
		tal, Dressmaking l				204
33	Hilot (V	Vellness Massage			1	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	50
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	50
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	50
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	50
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	50
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	50
	7	Aromatic Oil	100 ml.	1	BOTTLE	50
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	50
	9	Powder	Baby powder, 200 g	1	BOTTLE	50
	10	Mentholated Oil	100 ml.	1	BOTTLE	50
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	50
0 4		tal, Hilot (Wellness				50
34		are] NC II)	edicure (Leading to Beauty Care			
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	116
	2	Cuticle Pusher	stainless steel, 5"	1	PC	116
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	116
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	116
	5	Storage Box	Plastic, clear storage box with	1	PC	116

LOT	ESDA-Re		or Duremdes Building, Gen. Sant			NO. OF
NO.	NO.	ITEM	AGENCY SPECS	QTY	UNIT	PAX
			lid lock, carry handle, 14" x 10" x 8"			
	6	Nail Brush	Plastic, soft bristle	1	PC	116
	7	Emery Board	80/100 coarse, 8" Long	1	PC	116
	8	Cotton Balls	150 balls	1	PACK	116
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	116
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	116
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	116
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	116
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	116
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	116
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	116
	16	Low Stool	hard plastic, round	1	PC	116
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	116
		tal, Perform Mani ity Care Services [cure and Pedicure (Leading to Nail Care] NC II)	Beauty	/ Care NC	116
36	Perfor	n Body Massage (Leading to Beauty Care NC II)			
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	18
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	18
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	18
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	18
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	18
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	18
	7	Aromatic Oil	100 ml.	1	BOTTLE	18
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	18
	9	Powder	Baby powder, 200 g	1	BOTTLE	18
	10	Mentholated Oil	100 ml.	1	BOTTLE	18
				-	PC	10
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	FC	18

		egion XII – 2nd Flo	or Duremdes Building, Gen. Sant	os Driv	e, Koronada	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	20
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	20
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	20
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook	1	PC	20
	6	Bleaching Powder	30g (sachet)	3	PC	20
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	20
	8	Protective Cape	Water proof, nylon, black	1	PC	20
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	20
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	20
	Hairdr	essing NC II)	air Coloring/Bleaching Service	-	eading to	20
42	Pertori		raightening (Leading to Hairdress			
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	20
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	20
	3					
		Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	20
	4	Mixing Bowl Hair Perming Product	, , ,	1	PC SET	20
	4	Hair Perming	13.5 cm, color black. cold wave lotion & neutralizer at			
		Hair Perming Product	13.5 cm, color black.cold wave lotion & neutralizer at 500 ml each	1	SET	20
	5	Hair Perming Product Curling Rods	13.5 cm, color black.cold wave lotion & neutralizer at 500 ml each4mm size	1	SET DOZ	20
	5	Hair Perming Product Curling Rods Curling Rods	 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 	1 2 2	SET DOZ DOZ	20 20 20
	5 6 7	Hair Perming Product Curling Rods Curling Rods Curling Rods	 13.5 cm, color black. cold wave lotion & neutralizer at 500 ml each 4mm size 14mm size 16mm size 	1 2 2 2	SET DOZ DOZ DOZ	20 20 20 20 20

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City LOT NO. OF ITEM ITEM AGENCY SPECS QTY UNIT NO. NO. PAX free size 11 **Protective Cape** Water proof, nylon, black 1 PC 20 Face Mask disposable earloop face mask, 12 1 BOX 20 50 pcs per box washable, medium size. 13 Hand Gloves 1 PAIR 20 preferably black Sub-total, Perform Hair Perming/Straightening (Leading to Hairdressing 20 NC II) Perform Hair Cutting Services (Leading to Hairdressing NC II) 43 Hair Blower 220V, 1800W, 60 Hz, hot and UNIT 1 1 45 cold blower function 1 2 **Cutting Scissors** 6" stainless steel with tight PC 45 regulator screw 5" Single notched, 23 teeth, 3 1 PC Thinning 45 Scissors stainless steel black with 3 pockets PC 45 4 Apron 1 **Protective Cape** Water proof, nylon, black PC 5 1 45 PC 6 Neck brush Wood handle, app. 10 cm x 1 45 6.7cm Talcum Powder BOTTLE 7 250g 1 45 Sub-total, Perform Hair Cutting Services (Leading to Hairdressing NC II) 45 Bread Making (Leading to Bread and Pastry Production NC II) 44 18L Stainless Housing, Timer UNIT 131 Electric Oven 1 1 60mins with bell alarm, **Temperature Control (100-**250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts 2 Stainless steel, 1 set (1 cup, 1/2 SET Measuring Cups 1 131 $cup, 1/3 cup, \frac{1}{4} cup$ 3 Measuring Urn Transparent glass,1 cup 1 PC 131 capacity, measurements are clearly mark in ounce, quarts and millilitres 4 Mixing Bowl Stainless steel, 8" diameter, 5 1 PC 131 quart capacity Sub-total, Bread Making (Leading to Bread and Pastry Production NC II) 131 Pastry Making (Leading to Bread and Pastry Production NC II) 45 Electric Oven 18L Stainless Housing, Timer UNIT 100 1 1 60mins with bell alarm, Temperature Control (100-

PROCUREMENT OF STARTER TOOLKITS FOR THE SPECIAL **TRAINING FOR EMPLOYMENT PROGRAM (STEP) FOR CY 2018** TESDA-Region XII – 2nd Floor Duremdes Building, Gen. Santos Drive, Koronadal City LOT ITEM NO. OF QTY UNIT ITEM AGENCY SPECS NO. NO. PAX 250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1 cup, 1/2 2 Measuring Cups 1 SET 100 cup, 1/3 cup, 1/4 cup) Stainless steel, 8" diameter, 5 3 Mixing Bowl 1 PC 100 quart capacity 6 holes, 3oz capacity per hole, 4 Muffin Pan 1 PC 100 non-stick Sub-total, Pastry Making (Leading to Bread and Pastry Production NC II) 100 Cake Making (Leading to Bread and Pastry Production NC II) 46 18L Stainless Housing, Timer UNIT Electric Oven 1 175 1 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts 2 Measuring Cups Stainless steel, 1 set (1 cup, 1/2 1 SET 175 cup, 1/3 cup, 1/4 cup) Stainless steel, 8" diameter, 5 1 PC 3 Mixing Bowl 175 quart capacity 6 holes, 3oz capacity per hole, Muffin Pan PC 4 1 175 non-stick Sub-total, Cake Making (Leading to Bread and Pastry Production NC II) 175 Prepare and Cook Hot Meals (Leading to Cookery NC II) 47 10" diameter by 2" high teflon, Frying Pan 1 PC 1 86 non-stick, riveted handle Stainless steel, 8" diameter, 5 PC 2 Mixing Bowl 1 86 quart capacity 8", stainless steel blade with 3 Chef's Knife 1 PC 86 black polymer handle Stainless steel, 1 set (1 cup, 1/2 Measuring Cups 4 1 SET 86 cup, 1/3 cup, 1/4 cup) ¹/₂" x 12" x 18"; made of **Chopping Board** 1 PC 5 86 polyethylene material

LOT			or Duremdes Building, Gen. Sant		e, Koronaŭ	
NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	86
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	86
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	86
	Sub-to	tal, Prepare and C	ook Hot Meals (Leading to Cooke	ery NC I	I)	86
48	Prepar		ling to Cookery NC II)	1		
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	125
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	125
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	125
	4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	125
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	125
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	125
	7	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	125
	Sub-to	tal, Prepare Cold N	leals (Leading to Cookery NC II)	1		125
50	Proces	s Foods by Ferme	ntation and Pickling (Leading to	Food P	rocessina	
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	20
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	20
	3	Measuring Cups	Stainless steel, 1 set (1 cup, $\frac{1}{2}$ cup, 1/3 cup, $\frac{1}{4}$ cup)	1	SET	20
	3	Measuring Cups Measuring Spoons	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1	1	SET SET	
		Measuring	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			20
	4	Measuring Spoons	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two	1	SET	20
	4 5	Measuring Spoons Casserole	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart capacity 5 qts capacity, stainless steel,	1	SET PC	20 20 20
	4 5 6 7 Sub-to	Measuring Spoons Casserole Mixing Bowl Colander	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart capacity	1 1 1 1	SET PC PC PC	20 20 20 20 20
51	4 5 6 7 Sub-to Proces	Measuring Spoons Casserole Mixing Bowl Colander tal, Process Foods	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup) Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp) Stainless; 6L capacity; with two grip handle, with cover Stainless steel, 8" diameter, 5 quart capacity 5 qts capacity, stainless steel, with two grip handles	1 1 1 (Leadin	SET PC PC PC g to Food	20 20 20 20 20 20 20

TE	ESDA-Re	gion XII – 2nd Flo	or Duremdes Building, Gen. Sant	tos Driv	e, Koronada	al City
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX
			jar with stainless steel blades, 220 V, 60 hz, 500 watts			
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	21
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	21
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	21
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	21
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	21
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	21
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	21
	9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	21
		tal, Process Foo sing NC II)	ds by Sugar Concentration (I	eading	to Food	21
	TOTAL	~ <i>i</i>				2,289

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
1	Anima	I Production (P	oultry Chicken) NC II				
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic	3	PC	352	
	2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	352	
	3	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	352	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	352	
		-	oduction (Poultry Chicken)	NC II		352	1,636,990.080
2		I Production (S	,	1			
	1	Ear Notcher	Small V-shape blade; stainless steel	1	PC	326	
	2	Tooth Nipper	Diagonal cutting blade, stainless steel	1	PC	326	
	3	Reusable Veterinary Syringe	Fiberglass hypodermic adjustable syringe with engraved volume indication on barrel; 10 ml capacity	1	PC	326	
	4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	326	
	5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	326	
	6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable	1	BOX	326	
	7	Reusable Artificial Insemination Catheter	Pig spiral tip Artificial Insemination (A.I.) Catheter; 18" long; reusable and sterilizable	1	PC	326	
	8	Forcep	Stainless 5.5" long,	1	PC	326	

		1	EMPLOYMENT PRO			/	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			straight kelly forcep				
	Sub-te	otal, Animal Pro	oduction (Swine) NC II			326	1,824,271.550
3	Raise	Organic Chicke	en (Leading to Organic Ag	ricultu	re Product	ion NC II	
	1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water	3	PC	599	
	2	Tubular Feeder	capacity, plastic 3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height	5	PC	599	
	3	Brooder/ Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug	1	SET	599	
	4	Infrared Lamp	250 Watts Bulb, clear colour emitted light	1	PC	599	
	5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material	1	PC	599	
	6	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	599	
			rganic Chicken (Leadir	ng to	Organic	599	3,580,651.285
	Agric	ulture Productio	on NC II)				
4			etable (Leading to Organi	c Agric			NC II)
	1	Steel Rake	14 tine made of steel; hardwood handle	1	PC	1,301	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone nozzles and fan nozzles	1	UNIT	1,301	
	3	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	1,301	
	4	Garden Hoe	Carbon Steel head, goose neck type, hardwood handle, 6" blade	1	PC	1,301	
	5	Sprinkler	2 gallon capacity, heavy duty plastic	1	PC	1,301	

_OT	ITEM	NING FOR ITEM	AGENCY SPECS	QTY	UNIT	NO.	TOTAL
NO.	NO.					OF PAX	AGENCY ESTIMATE
		otal, Produce ulture Producti	Organic Vegetable (Lead on NC II)	ding to	Organic	1,301	7,117,219.376
5		ice Organic Co	oncoction and Extracts (L	.eading	to Organ	ic Agricu	Ilture Productio
	1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation	1	PC	638	
	2	Sprayer	Knapsack type (16 litres cap) stainless tank and steel lance manual type with cone and fan nozzles	1	UNIT	638	
	3	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	638	
	4	Weighing Scale	10 kg. capacity	1	UNIT	638	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	638	
<u> </u>	to Org	ganic Agricultu	Drganic Concoction and E re Production NC II)			638	3,795,882.442
6	to Org	ganic Agricultu rm Diesel Engir	re Production NC II) ne Tune Up (Leading to Au		ve Servicin	g NC I)	3,795,882.442
6	to Org Perfor	ganic Agricultu	re Production NC II)	tomotiv			3,795,882.442

	TRAI	NING FOR	EMPLOYMENT PRO	GRA	M (STEF	P) FOR	CY 2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
		Box End)	14mm, 17mm, 19mm, 22mm) 7.5 deg offset				-
	3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	1,343	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	1,343	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	1,343	
	6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	1,343	
		otal, Perform notive Servicing	0	p (Le	ading to	1,343	7,238,243.54
7	Perfor	m Gas Engine	Tune Up (Leading to Autor	notive	Servicing	NC I)	
	1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022,	1	PC	702	
	2	Spark Plug	.023, .024, and .025. 1pc T-Handle Universal	1	SET	702	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÚNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	702	
	4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	702	
	5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	702	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	702	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	702	
		otal, Perform notive Servicing	0 1	o (Lea	ading to	702	3,990,491.622
8	Servic	e Underchassi	s Components (Leading to	Autor	notive Serv	vicing NC	CII)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	502	
	2	Coil Spring Compressor	12" Coil spring compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks	1	SET	502	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm,	1	SET	502	

	IRAI	NING FOR	EMPLOYMENT PRO	GRA	M (STEP) FOR	CY 2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			22mm) 7.5 deg offset				
	4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	502	
		otal, Service	Underchassis Componen	ts (Le	ading to	502	3,881,571.428
9			ponents (Leading to Auton	notive	Servicing N		I
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	573	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	573	
	3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	573	
	4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	573	
	5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	573	
	6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	573	
	7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	573	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	Auton	notive Servicin	g NC II)				
10	Servic		Electrical Components (Le	ading t		tive Serv	icing NC II)
	1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock-resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top- mounted rocker switch.	1	PC	987	
	2	Electricians/ Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	987	
	3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	987	
	4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	987	
			itomotive Electrical Comp	onents	(Leading	987	4,082,171.793
		tomotive Servic					
11	Servic		Components (Leading to A	utomo			II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	150	
	2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	150	
	3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw	1	PC	150	
	4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	150	
	5	Circlip Pliers	6 in carbon steel insulated handle	1	SET	150	

		NING FOR	EMPLOYMENT PRO	GRA	<u>WI (SIE</u> P	<u>) FUR</u>	CY 2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			detachable tip (combination) internal and external				
	6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive	1	PC	150	
	7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm	1	PC	150	
	8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm	1	PC	150	
		otal, Service notive Servicing	Power Train Componen	ts (Le	ading to	150	1,139,892.150
12	Servic NC II)	e Motorcycle/S	Small Engine System (Lead	ding to	Motorcycl	e/Small	Engine Servicir
	1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	977	
	2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	977	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	977	
	4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	977	
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket	1	SET	977	

	ΙΚΑΙ		EMPLOYMENT PRO	OINA			
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			Wrench 16mm				
	6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	977	
	7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	977	
			lotorcycle/Small Engine S Engine Servicing NC II)	System	(Leading	977	8,219,732.549
13	Servic	e Electrical Sv	stem (Leading to Motorcyc	lo/Sm	all Engine	Servicing	
	1	o Electrical Cy					
		VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	269	
	2		Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g				
		(Multitester) Electricians/ Electrical	Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy, Handle finish:	1	UNIT	269	
	2	(Multitester) Electricians/ Electrical Plier Philips Screw	Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k Overall length: 8", Steel Alloy, Handle finish: plastic-dipped 8" shank length (chrome plated) plastic handle, tip:	1	UNIT	269 269	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top- mounted rocker switch.				
	Sub-te Motor	,	Electrical System gine Servicing NC II)	(Lead	ding to	269	2,056,103.921
14	Overh	aul Motorcycle	/Small Engine (Leading to	Motor	cycle/Smal	I Engine	Servicing NC II)
	1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod	1	SET	233	
	2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit,1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit	1	SET	233	
	3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset	1	SET	233	
	4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533,	1	PC	233	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			.559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.				
	5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm	1	SET	233	
	6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm	1	SET	233	
	7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	233	
	8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external	1	SET	233	
	9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	233	
			Motorcycle/Small Engir gine Servicing NC II)	ne (Le	ading to	233	2,231,058.414
15	Carpe	ntry NC II					<u> </u>
	1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle	1	PC	2,117	
	2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	2,117	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High	1	PC	2,117	

			EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			impact ABS case with durable rubber Corrosion resistant tru-zero end				
	4	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	2,117	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	2,117	
	6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle	1	PC	2,117	
	7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle	1	PC	2,117	
	8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle	1	PC	2,117	
	9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations	1	PC	2,117	
	10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow	1	PC	2,117	
	11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce	1	PC	2,117	
_		otal, Carpentry				2,117	15,402,561.63
16	Electr	ical Installation	and Maintenance NC II Multi-tester Analog DCV		UNIT	_	

			IT OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
		(Multitester)	Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	2,693	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	2,693	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	2,693	
	5	Electricians/ Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish: plastic-dipped	1	PC	2,693	
	6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	2,693	
47		,	Installation and Maintenan	ce NC	//	2,693	18,546,782.562
17	Masor 1	nry NC I	Stool 3" x 7" woodon	1	PC	966	
		Pointing Trowel	Steel 3" x 7", wooden handle		FC	900	
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	966	
	3	Claw Hammer	Forged High-Carbon Steel Head; Smooth	1	PC	966	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			Face; 16 Oz; Wood Handle				
	4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	966	
	5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	966	
	6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	966	
	7	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	966	
		otal, Masonry N				966	4,577,126.316
18	Plaste	er Concrete/Ma	sonry Surface (Leading to	Masoni	ry NC II)		
	1	Pointing Trowel	Steel 3" x 7", wooden handle	1	PC	836	
	2	Concrete/ cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle	1	PC	836	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	836	
	4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	836	
	5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	836	
	6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	836	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle	1	PC	836	

		1				/	
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			length 20"				
	8	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	836	
	Sub-te	otal, Plaster (Concrete/Masonry Surfac	e (Lea	adina to	836	4,308,998.144
		nry NC II)	·····, ····	- (Jung to		.,,
19		. ,	sters and Handrail (Leadin	g to Ma	sonry NC	II)	
	1	Pointing	Steel 3" x 7", Wooden	1	PČ	307	
		Trowel	handle				
	2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	307	
	3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	307	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	307	
	5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	307	
	6	Steel Square	Carpenters framing square; 2x16x24", Steel	1	PC	307	
	7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"	1	PC	307	
		otal, Install Pre nry NC II)	-Cast Balusters and Hand	Irail (Le	eading to	307	1,414,536.884
20	Pipefi	tting NC II					
	1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb	1	PC	575	
	2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	575	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	575	
	4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing,	1	PC	575	

			IT OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			Plastic handle is slip resistant				
	5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm	1	PC	575	
	6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade	1	PC	575	
	7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening	1	PC	575	
	8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	575	
	Sub-t	otal, Pipefitting	NC II			575	3,939,222.075
21	Perfo		lumbing Installation and	Repair	Mainten	ance Wo	orks (Leading to
	1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")	1	PC	322	
	2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle	1	PC	322	
	3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"	1	PC	322	
	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High	1	PC	322	
			impact ABS case with durable rubber Corrosion resistant tru-zero end				

	ITEM	ITEM	EMPLOYMENT PRO AGENCY SPECS	QTY	ÙΝΙΤ	NO.	TOTAL
NO.	NO.					OF PAX	AGENCY ESTIMATE
			Multiple Plumbing Installa		nd Repair	322	1,738,378.180
22		enance Works ruction Paintin	(Leading to Plumbing NC I a NC II)			
	1	Steel Brush	Hardened steel brush,	1	PC	316	
			wooden handle, standard size				
	2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules	2	PC	316	
	3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules	2	PC	316	
	4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules	2	PC	316	
	5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules	2	PC	316	
	6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	316	
	7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	316	
	8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade	1	PC	316	
	9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade	1	PC	316	
	10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated	1	PC	316	
	11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"	1	PC	316	
	12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"	1	PC	316	
	13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"	1	PC	316	

			EMPLOYMENT PRO				<u>CT 2010</u>
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	14	Paint Roller Pan/Tray	Plastic, size: 9"	1	PC	316	
	Sub-te	otal, Constructi	on Painting NC II			316	1,313,459.056
23	Tile S	etting NC II		· · · · · · · · · · · · · · · · · · ·			
	1	Tile Cutter	Pen type, carbide tip, manual 8" length	1	PC	1,385	
	2	Nipper, End Cutter	End nipper Plier 8"	1	PC	1,385	
	3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	1	PC	1,385	
	4	Rubber Mallet	16 oz, Wooden Handle	1	PC	1,385	
	5	Notched Trowel	Notched Trowel; carbon steel; Wooden/ Plastic handle, 4" x 11"; Notched size: 1/4" x 1/4" (6mm x 6mm)	1	PC	1,385	
	6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"	1	PC	1,385	
	7	Plier	Forged carbon steel, length 8 inches, machined jaws	1	PC	1,385	
	8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle	1	PC	1,385	
		otal, Tile Setting				1,385	6,317,360.335
24		Servicing (Dom/					
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and	1	UNIT	218	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R-134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.	1	SET	218	
	3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.	1	SET	218	
	Sub-to	otal, RAC Servi	cing (Dom/RAC) NC II			218	2,465,311.860
25			/elding (SMAW) NC I			·	· · ·
	1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.	1	UNIT	7,348	
	2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens	1	PC	7,348	
			letal Arc Welding (SMAW)			7,348	86,165,058.144
26	Assen NC II)	nble Electronic	s Products (Leading to Ele	ectroni	c Product	s Asseml	bly and Servicing
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V	1	UNIT	756	

			T OF STARTER TO EMPLOYMENT PRO	-		-	-
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g				
	2	Soldering Iron	Resistance: X1 to X1k 30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	756	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	756	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	756	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	756	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	756	
	Sub-te Electr	-	e Electronics Products Assembly and Servicing N	•	nding to	756	4,899,575.520
27		e Consumer E nbly and Servic	Electronic Products and S ing NC II)	System	s (Leadin	g to Ele	ctronic Product
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and	1	UNIT	1,280	

			EMPLOYMENT PRO	GINA			CT 2010
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	1,280	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	1,280	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	1,280	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	1,280	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	1,280	
			nsumer Electronic Produc c Products Assembly and			1,280	8,295,577.600
28			lectronic Modules, Produ and Servicing NC II)	icts ar	nd System	s (Leadi	ng to Electron
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x	1	UNIT	232	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			41.5 mm/approx. 320g Resistance: X1 to X1k				
	2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	232	
	3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	232	
	4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	232	
	5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"	1	SET	232	
	6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.	1	PC	232	
	Syste	-	dustrial Electronic Module to Electronic Products	•		232	1,503,573.440
29	Servic Post L		lectronic Products and S	ystems	a (Assembl	y of Sol	ar Nightlight and
	1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k	1	UNIT	819	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped	1	PC	819	
	3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel	1	PC	819	
	4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz	1	PC	819	
	5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder	1	SET	819	
	(Asse	mbly of Solar N	nsumer Electronic Produc lightlight and Post Lamp)	ts and	l Systems	819	5,228,048.826
30		ure Making (Fir					
	1	Air Compressor	Air Compressor (1/4 hp, standard operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v, 60hz, single phase/belt-drive)	1	UNIT	11	
	2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi	1	SET	11	
	3	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup, air inlet 1/4"	1	PC	11	
		-	Making (Finishing) NC II			11	111,345.718
31		making NC II			· · · · –		
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	3,407	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape	1	SET	3,407	

	TRAI	NING FOR I	EMPLOYMENT PRO	GRA	M (STE	P) FOR	CY 2018
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÜNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler				
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	3,407	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	3,407	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions	1	PC	3,407	
		otal, Dressmaki	ing NC II			3,407	40,088,506.384
32		ing NC II					1
	1	Portable Electric Sewing Machine	Easy stitch selection with built-in stitches, automatic tension, four- step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)	1	UNIT	260	
	2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L-shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler	1	SET	260	
	3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics	1	PC	260	
	4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges	1	PC	260	
	5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of	1	PC	260	

			IT OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			asstd. colors of sewing				
			threads and other notions				0.050.000.400
22		otal, Tailoring I				260	3,059,293.120
33	1	Wellness Mass		4		6 4 0 7	
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	6,197	
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	6,197	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	6,197	
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	6,197	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	6,197	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	6,197	
	7	Aromatic Oil	100 ml.	1	BOTTLE	6,197	
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	6,197	
	9	Powder	Baby powder, 200 g	1	BOTTLE	6,197	
	10	Mentholated Oil	100 ml.	1	BOTTLE	6,197	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	6,197	
	Sub-te	otal, Hilot (Well	ness Massage) NC II			6,197	19,790,534.699
34		rm Manicure a Care] NC II)	nd Pedicure (Leading to	Beauty	Care NC	II/ Beau	ty Care Service
	1	Cuticle Nipper	Stainless steel, 3.5"	1	PC	2,533	
	2	Cuticle Pusher	stainless steel, 5"	1	PC	2,533	
	3	Foot Nail Cutter	stainless steel, 3" long	1	PC	2,533	
	4	Hand Nail Cutter	stainless steel, 2.5" long	1	PC	2,533	
	5	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	2,533	
	6	Nail Brush	Plastic, soft bristle	1	PC	2,533	
	7	Emery Board	80/100 coarse, 8" Long	1	PC	2,533	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	8	Cotton Balls	150 balls	1	PACK	2,533	
	9	Cuticle Remover	120 ml bottle	1	BOTTLE	2,533	
	10	Nail Polish Remover	120 ml bottle	1	BOTTLE	2,533	
	11	Antiseptic (Merthiolate)	25 ml bottle	1	BOTTLE	2,533	
	12	Colored Nail Polish	15ml bottle, preferably touch of tan	1	BOTTLE	2,533	
	13	Colored Nail Polish	15ml bottle, white	1	BOTTLE	2,533	
	14	Colorless Nail Polish	15ml bottle, with glitters	1	BOTTLE	2,533	
	15	Colorless Nail Polish	15ml bottle	1	BOTTLE	2,533	
	16	Low Stool	hard plastic, round	1	PC	2,533	
	17	Face Towel	100 % cotton, 12" X 12", white	1	PC	2,533	
	Care I	NC II/ Beauty Ca	anicure and Pedicure (Le are Services [Nail Care] N	C II)	-	2,533	4,004,391.837
35	Perfor		eading to Beauty Care NC	II/ Bea		_	Nail Care] NC II)
	1	Handspa Machine	Thermostatically- controlled heating unit, 220v, 60hz, 220 watts	1	UNIT	620	
	2	Paraffin Wax	Scented, 500g	1	BOX	620	
	3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)	1	ROLL	620	
			and Spa (Leading to Bea [Nail Care] NC II)	auty Ca	are NC II/	620	1,809,530.760
36			ge (Leading to Beauty Car	e NC II)		
	1	Face Towel	100 % cotton, 12" X 12", white	1	PC	1,522	
	2	Bath Towel	100 % cotton, 27" X 54", white	1	PC	1,522	
	3	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	1,522	
	4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	1,522	
	5	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,522	
	6	Body Lotion	200 ml., Hypoallergenic 100 ml.	1	BOTTLE BOTTLE	1,522	

			IT OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	8	Virgin Coconut Oil	250 ml.	1	BOTTLE	1,522	
	9	Powder	Baby powder, 200 g	1	BOTTLE	1,522	
	10	Mentholated Oil	100 ml.	1	BOTTLE	1,522	
	11	Storage Box	Plastic, clear storage box with lid lock, carry handle, 14" x 10" x 8"	1	PC	1,522	
	Sub-te	otal, Perform B	ody Massage (Leading to I	Beauty	Care NC	1,522	4,860,608.974
37	Perfor	rm Body Scrub	(Leading to Beauty Care N	IC II)			
	1	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	480	
	2	Head Band	3"x 23" cotton fabric with snap tape	1	PC	480	
	3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with 2 lower front pockets), garterized pants with adjustable draw string and back pocket, free size, blue color.	1	PAIR	480	
	4	Bath Towel	100 % cotton, 27" X 54", white	1	PC	480	
	5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon)	1	PAIR	480	
	6	Body Lotion	200 ml., Hypoallergenic	1	BOTTLE	480	
	7	Whitening Soap	135 grams, papaya	1	PC	480	
	8	Scrubbing Products	milk salt, 350 grams	1	PACK	480	
	9	Face Towel	100 % cotton, 12" X 12", white	1	PC	480	
			ody Scrub (Leading to Bea			480	1,026,648.960
38	Perfor		ment (Leading to Beauty C	are NC			I
	1	Acne Gel	25ml, hypoallergenic	1	PC	971	
	2	Astringent	125 ml, deep cleansing, hypoallergenic	1	BOTTLE	971	
	3	Bleaching Cream	50 grams, tube, hypoallergenic	1	TUBE	971	
	4	Cleansing Cream	60 ml., hypoallergenic	1	BOTTLE	971	
	5	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	971	
	6	Facial Brush	plastic handle, soft bristle	1	PC	971	

LOT NO.ITEM NO.AGENCY SPECS MI, dermatologically tested (hypoallergenic)QTYUNIT UNITNO. OF PAXTOTAL AGENCY ESTIMATE7Facial Cream Facial Scrub50 ml, dermatologically tested (hypoallergenic)1PC9719718Facial Scrub Cream tested (hypoallergenic)1TUBE9719719Moisturizer Tools50 ml, hypoallergenic)1PC97110Pricking Toolsstainless steel, dual end, pointed and round1PC97111Skin Toner Cream (hypoallergenic)1BOTTLE97112Sun Block Cream (hypoallergenic)1TUBE97113Face Towel Face Towel100 % cotton, 12" X 12", white1PC97113Face Towel Face Towel100 % cotton, 12" X 12", white1PACK97139Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care NC II)9712,926,825.09439Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)1PC39Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Remover9712,926,825.0943Scrubbing GlovesStainless Steel, 7"1PC8443Scrubbing GlovesStainless Steel, 7"1PC8444Foot FileWooden, 9.5"1PC8445Foot Blush 100ml, spray type1BOTTLE844		_		T OF STARTER TO EMPLOYMENT PRO	-		_	-
Image: state in the s	LOT NO.	ITEM					NO. OF	TOTAL AGENCY
Cream tested (hypoallergenic) PC 971 9 Moisturizer 50 ml, hypoallergenic 1 PC 971 10 Pricking stainless steel, dual end, 1 PC 971 11 Skin Toner 100 ml, dermatologically 1 BOTTLE 971 11 Skin Toner 100 ml, dermatologically 1 BOTTLE 971 12 Sun Block 50 ml. SPF 40 1 TUBE 971 13 Face Towel 100 % cotton, 12" X 12", 1 PC 971 14 Cotton Balls 150 balls 1 PACK 971 14 Cotton Balls 150 balls 1 PACK 971 14 Footspa 220V, 300W, 60Hz, with 1 UNIT 844 1 Footspa 220V, 300W, 60Hz, with 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Exfoliating bath and 1 PAIR		7	Facial Cream		1	PC	971	
9 Moisturizer 50 ml, hypoallergenic 1 PC 971 10 Pricking Tools stainless steel, dual end, pointed and round 1 PC 971 11 Skin Toner 100 ml, dermatologically tested (hypoallergenic) 1 BOTTLE 971 12 Sun Block 50 ml, SPF 40 1 TUBE 971 13 Face Towel 100 % cotton, 12" X 12", white 1 PC 971 14 Cotton Balls 150 balls 1 PACK 971 2,926,825.091 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 844 1 Footspa 220V, 300W, 60Hz, with bubbles and vibrator 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Gloves Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) 1 BOTTLE 844 4 Foot Slush 100ml, scented 1 BOTTLE 844 5 Foot Blush		8			1	TUBE	971	
10 Pricking Tools stainless steel, dual end, pointed and round 1 PC 971 111 Skin Toner 100 mi, dermatologically tested (hypoallergenic) 1 BOTTLE 971 12 Sun Block Cream 50 ml. SPF 40 (hypoallergenic) 1 TUBE 971 13 Face Towel 100 % cotton, 12" X 12", white 1 PC 971 14 Cotton Balls 1 DACK 971 2;926,825.094 Sub-total, Perform Facial Treatment (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 1 Remover 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 1 Nath 1 Footspa Sclubbig Stainless Steel, 7" 1 PC 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Exfoliating bath and size, nylon) 1 BOTTLE 844 4 Foot File Wooden, 9.5" 1 PC 844 5 Foot Soak 150ml, cream 1 TUBE 844 6 Foot Soak 150ml		9	Moisturizer		1	PC	971	
12 Sun Block 50 ml. SPF 40 1 TUBE 971 13 Face Towel 100 % cotton, 12" X 12", 1 PC 971 14 Cotton Balls 150 balls 1 PACK 971 14 Cotton Balls 150 balls 1 PACK 971 20 Sub-total, Perform Facial Treatment (Leading to Beauty Care 971 2,926,825.094 30 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 1 Footspa 220V, 300W, 60Hz, with 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Exfoliating bath and 1 PAIR 844 3 Scrubing Exfoliating bath and 3 1 PC 844 4 Foot File Wooden, 9.5" 1 PC 844 5 Foot Blush 100ml, spray type 1 BOTTLE 844 6 Foot Scak 150ml, cream 1 DEF 844 9 Foot Brush plastic handle, plastic 1 PC 844		10	Ū.	stainless steel, dual end,				
Cream(hypoallergenic)PC97113Face Towel100 % cotton, 12" X 12", 1PC97114Cotton Balls150 balls1PACK971Sub-total, Perform Facial Treatment (Leading to Beauty Care9712,926,825.094Sub-total, Perform Facial Treatment (Leading to Beauty Care Services [Nail Care] NC II)39Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)1Footspa220V, 300W, 60Hz, with1UNIT8442CallusStainless Steel, 7"1PC8442CallusStainless Steel, 7"1PC8443ScrubbingExfoliating bath and1PAIR8443ScrubbingExfoliating bath and1PAIR8444Foot FileWooden, 9.5"1PC8445Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1BTLE8449Foot Brushplastic handle, plastic1BTLE8449Foot Brushplastic handle, plastic1BTLE8449Foot Cuton150ml, cream1BTLE8449Foot Sub-total, Perform Foot Spa (Leading to Beauty Care NC II)8443,061,346.67Beauty Care Services [Nail Care] NC II)40Perform Facial Ma		11	Skin Toner		1	BOTTLE	971	
13 Face Towel white 100 % cotton, 12" X 12", white 1 PC 971 14 Cotton Balls 150 balls 1 PACK 971 2,926,825.098 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 971 2,926,825.098 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 844 4 Footspa Machine 220V, 300W, 60Hz, with bubbles and vibrator 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Gloves Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) 1 PC 844 4 Foot File Wooden, 9.5" 1 PC 844 5 Foot Blush 100ml, spray type 1 BOTTLE 844 6 Foot Scau 150ml, cream 1 TUBE 844 9 Foot Brush plastic handle, plastic		12			1	TUBE	971	
Sub-total, Perform Facial Treatment (Leading to Beauty Care NC II) 971 2,926,825.093 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 1 Footspa 220V, 300W, 60Hz, with bubbles and vibrator 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Gloves Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) 1 PC 844 4 Foot Soak 150ml, spray type 1 BOTTLE 844 5 Foot Scrub 150ml, cream 1 BOTTLE 844 7 Foot Scrub 150ml, scented 1 BOTTLE 844 9 Foot Strub plastic handle, plastic 1 PC 844 9 Foot Sub plastic handle, plastic 1 PC 844 9 Foot Sub plastic handle, plastic 1 PC 844 9 Foot Sub plastic handle, plastic 1 PC 844 9 Foot Sub plastic handle, plastic 1 PC 844		13	Face Towel	100 % cotton, 12" X 12",	1	PC	971	
Sub-total, Perform Facial Treatment (Leading to Beauty Care NC II) 971 2,926,825.093 39 Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II) 1 Footspa 220V, 300W, 60Hz, with bubbles and vibrator 1 UNIT 844 2 Callus Stainless Steel, 7" 1 PC 844 3 Scrubbing Gloves Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) 1 PC 844 4 Foot Soak 150ml, spray type 1 BOTTLE 844 5 Foot Scrub 150ml, cream 1 BOTTLE 844 7 Foot Scrub 150ml, scented 1 BOTTLE 844 9 Foot Strub plastic handle, plastic 1 PC 844 9 Foot Strub plastic handle, plastic 1 PC 844 9 Foot Strub plastic handle, plastic 1 PC 844 9 Foot Strub plastic handle, plastic 1 PC 844 9 Foot Strub plastic handle, plastic 1 PC 844 <		14	Cotton Balls	150 balls	1	PACK	971	
1 Footspa Machine 220V, 300W, 60Hz, with bubbles and vibrator 1 UNIT 844 2 Callus Remover Stainless Steel, 7" 1 PC 844 3 Scrubbing Gloves Exfoliating bath and shower gloves, elasticized wrist (regular size, nylon) 1 PAIR 844 4 Foot File Wooden, 9.5" 1 PC 844 5 Foot Blush 100ml, spray type 1 BOTTLE 844 6 Foot Scak 150ml, cream 1 TUBE 844 7 Foot Scrub 150ml, cream 1 BOTTLE 844 8 Foot Lotion 150ml, scented 1 BOTTLE 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Pot Brush plastic handle, plastic 1 PC 844 9 Pot Brush plastic handle, plastic 1 PC <th></th> <th></th> <th>otal, Perform F</th> <th>acial Treatment (Leading</th> <th>to Bea</th> <th>auty Care</th> <th>971</th> <th>2,926,825.098</th>			otal, Perform F	acial Treatment (Leading	to Bea	auty Care	971	2,926,825.098
Machinebubbles and vibratorImage: Callus RemoverStainless Steel, 7"1PC8443Scrubbing GlovesExfoliating bath and shower gloves, elasticized wrist (regular size, nylon)1PAIR8444Foot FileWooden, 9.5"1PC8445Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1BOTTLE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic1PC8449Foot Brushplastic handle, plastic1PC1,4911Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 42PC1,4912Blusherblack, 4"1PC1,4914Eye Browbrown, 4"1PC1,4915Eye Linerblack, 4"1PC1,4916Footil<	39	Perfor	rm Foot Spa (Le	eading to Beauty Care NC	II/ Beau	uty Care Se	ervices [l	Nail Care] NC II)
RemoverExfoliating bath and shower gloves, elasticized wrist (regular size, nylon)PAIR8444Foot FileWooden, 9.5"1PC8445Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1TUBE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic bristle1PC8449Foot Brushplastic handle, plastic bristle1PC844Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ bristle8441Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4914Eye Brow Pencilblack, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		1	•		1	UNIT	844	
Glovesshower gloves, elasticized wrist (regular size, nylon)IPC8444Foot FileWooden, 9.5"1PC8445Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1BOTTLE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic bristle1PC844Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ bristle8441Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4914Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		2		Stainless Steel, 7"	1	PC	844	
4Foot FileWooden, 9.5"1PC8445Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1TUBE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic bristle1PC8449Foot Brushplastic handle, plastic bristle1PC844Sub-total, Perform Foot Spa (Leading to Beauty Care NC II)40Perform Facial Make-Up (Leading to Beauty Care NC II)40Perform Facial Make-Up (Leading to Beauty Care NC II)1Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		3	•	shower gloves, elasticized wrist (regular	1	PAIR	844	
5Foot Blush100ml, spray type1BOTTLE8446Foot Soak150ml, Liquid1BOTTLE8447Foot Scrub150ml, cream1TUBE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic1PC8449Foot Brushplastic handle, plastic1PC8449Foot Brushplastic handle, plastic1PC8448Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)8443,061,346.67240Perform Facial Make-Up (Leading to Beauty Care NC II)1BOTTLE1,4911Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		4	Foot File		1	PC	844	
6 Foot Soak 150ml, Liquid 1 BOTTLE 844 7 Foot Scrub 150ml, cream 1 TUBE 844 8 Foot Lotion 150ml, scented 1 BOTTLE 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic handle, plastic 1 PC 844 9 Foot Brush plastic for Beauty Care NC II/ 844 3,061,346.672 8 Bottotal, Perform Foot Spa (Leading to Beauty Care NC II/ 844 3,061,346.672 9 Perform Facial Make-Up (Leading to Beauty Care NC II/ 844 3,061,346.672 40 Perform Facial Make-Up (Leading to Beauty Care NC II) 1 1,491 1 Astringent 125 ml, deep cleansing, hypoallergenic 1 1,491 2 Blusher pink and bronze shade, 4 2 PC 1,491 9 Eye Brow					1	BOTTLE		
7Foot Scrub150ml, cream1TUBE8448Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic1PC8449Foot Brushplastic handle, plastic1PC8448Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)8443,061,346.67240Perform Facial Make-Up (Leading to Beauty Care NC II)BOTTLE1,4911Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491					1			
8Foot Lotion150ml, scented1BOTTLE8449Foot Brushplastic handle, plastic1PC8449Foot Brushplastic handle, plastic1PC844Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)8443,061,346.67240Perform Facial Make-Up (Leading to Beauty Care NC II)1Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4911Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491					1			
9Foot Brushplastic handle, plastic bristle1PC844Sub-total, Perform Foot Spa (Leading to Beauty Care NC II/ Beauty Care Services [Nail Care] NC II)8443,061,346.67240Perform Facial Make-Up (Leading to Beauty Care NC II)8443,061,346.6721Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE Pink and bronze shade, 4grams each1BOTTLE PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491					1			
Beauty Care Services [Nail Care] NC II) 40 Perform Facial Make-Up (Leading to Beauty Care NC II) 1 Astringent 125 ml, deep cleansing, hypoallergenic 1 BOTTLE 1,491 2 Blusher pink and bronze shade, 4grams each 2 PC 1,491 3 Eye Brow black, 4" 1 PC 1,491 4 Eye Brow black, 4" 1 PC 1,491 4 Eye Brow black, 4" 1 PC 1,491 5 Eye Liner black, 4" 1 PC 1,491 5 Eye Liner black, 4" 1 PC 1,491				plastic handle, plastic				
1Astringent125 ml, deep cleansing, hypoallergenic1BOTTLE1,4912Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		Beaut	y Care Service	s [Nail Care] NC II)			844	3,061,346.672
Image: state s	40	Perfor			re NC			1
2Blusherpink and bronze shade, 4grams each2PC1,4913Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		1	Astringent		1	BOTTLE	1,491	
3Eye Brow Pencilblack, 4"1PC1,4914Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		2	Blusher	pink and bronze shade,	2	PC	1,491	
4Eye Brow Pencilbrown, 4"1PC1,4915Eye Liner Pencilblack, 4"1PC1,491		3			1	PC	1,491	
5 Eye Liner black, 4" 1 PC 1,491 Pencil		4	Eye Brow	brown, 4"	1	PC	1,491	
		5	Eye Liner	black, 4"	1	PC	1,491	
		6		brown, 4"	1	PC	1,491	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
		Pencil					
	7	Eye Shadow	8 palette, earth colors, matte finish	1	PC	1,491	
	8	Eyebrow Tweezer	stainless steel, scissor type	1	PC	1,491	
	9	Eyelash Curler	stainless steel, scissor type	1	PC	1,491	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	1,491	
	11	Make-Up Sponge	round, powder puff sponge	1	PC	1,491	
	12	Foundation	Liquid, 30 ml, natural shade	1	BOTTLE	1,491	
	13	Head Band	3"x 23" cotton fabric with snap tape	1	PC	1,491	
	14	Lipstick	matte finish, red	1	PC	1,491	
	15	Lipstick	matte finish, coral pink	1	PC	1,491	
		Brush Set	bristle, set of 5pcs (lip brush, angle eye brush, powder brush, eye shadow brush, angle blusher brush)				
	17	Mascara	black, water proof, 7g	1	PC	1,491	
	18	Pressed Powder	natural shade, matte finish	1	PC	1,491	
	19	Cotton Balls	150 balls	1	PACK	1,491	
	20	Concealer	20ml with UVA/UVB	1	PC	1,491	
	II)		acial Make-Up (Leading to	-		1,491	6,491,378.628
41	Perfor	<u>m Hair Colorin</u>	g/Bleaching Services (Lea	ding to	<u>Hairdress</u>	ing NC II)
	1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each	3	TUBE	530	
	2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each	3	TUBE	530	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	530	
	4	Applicator Brush	Plastic, black, with comb and tail	1	PC	530	
	5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with	1	PC	530	

			EMPLOYMENT PRO			/	
lot No.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			metal hook				
	6	Bleaching Powder	30g (sachet)	3	PC	530	
	7	Hand Gloves	washable, medium size, preferably black	1	PAIR	530	
	8	Protective Cape	Water proof, nylon, black	1	PC	530	
	9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle	1	SET	530	
	10	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	530	
	to Hai	rdressing NC II				530	1,316,840.650
42			g/Straightening (Leading to	o Haird			
	1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control	1	UNIT	520	
	2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each	1	SET	520	
	3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.	1	PC	520	
	4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each	1	SET	520	
	5	Curling Rods	4mm size	2	DOZ	520	
	6	Curling Rods	14mm size	2	DOZ	520	
	7	Curling Rods	16mm size	2	DOZ	520	
	8	Applicator Brush	Plastic, black, with comb and tail	1	PC	520	
	9	Bottle Applicator	Plastic, transparent, 100 ml capacity	1	PC	520	
	10	Shower Cap	Thick plastic, preferably black, free size	1	PACK	520	
	11	Protective Cape	Water proof, nylon, black	1	PC	520	
	12	Face Mask	disposable earloop face mask, 50 pcs per box	1	BOX	520	
	13	Hand Gloves	washable, medium size, preferably black	1	PAIR	520	
	Hairdr	ressing NC II)	Hair Perming/Straightenii		-	520	2,617,209.920
43	Perfor	m Hair Cutting	Services (Leading to Haird				
_	1	Hair Blower	220V, 1800W, 60 Hz, hot	1	UNIT	1,418	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY		NO. OF PAX	TOTAL AGENCY ESTIMATE
	2	Cutting Scissors	6" stainless steel with tight regulator screw	1	PC	1,418	
	3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel	1	PC	1,418	
	4	Apron	black with 3 pockets	1	PC	1,418	
	5	Protective Cape	Water proof, nylon, black	1	PC	1,418	
	6	Neck brush	Wood handle, app. 10 cm x 6.7cm	1	PC	1,418	
	7	Talcum Powder	250g	1	BOTTLE	1,418	
	Sub-to Hairdr	otal, Perform ressing NC II)	Hair Cutting Services	i (Lea	ading to	1,418	5,994,480.142
44	Bread	Making (Leadi	ng to Bread and Pastry Pro	oductio	on NC II)		
	2	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼	1	UNIT	5,235	
		Cups	cup)				
	3	Measuring Urn	Transparent glass ,1 cup capacity, measurements are clearly mark in ounce, quarts and millilitres	1	PC	5,235	
	4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	5,235	
		otal, Bread M ction NC II)	laking (Leading to Brea	ad an	d Pastry	5,235	38,914,822.710
45	Pastry	Making (Leadi	ng to Bread and Pastry Pr	oducti	on NC II)		1
	1	Electric Oven	18L Stainless Housing, Timer 60mins with bell	1	UNIT	3,018	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	UNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts				
	2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	3,018	
	3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	3,018	
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	3,018	
		otal, Pastry N ction NC II)	laking (Leading to Brea	ad an	d Pastry	3,018	21,809,637.360
46	Cake	Making (Leadin	g to Bread and Pastry Pro	ductio	n NC II)		
	2	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts Stainless steel, 1 set (1	1	UNIT	3,808	
		Cups	cup, ½ cup, 1/3 cup, ¼ cup)				
	3	Mixing Bowl	Stainless steel, 8"	1	PC	3,808	

			IT OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
			diameter, 5 quart capacity				
	4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick	1	PC	3,808	
		otal, Cake M Iction NC II)	laking (Leading to Brea	ad an	d Pastry	3,808	27,518,588.160
47	Prepa	re and Cook H	ot Meals (Leading to Cooke	ery NC	II)		·
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	3,438	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	3,438	
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	3,438	
	4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	3,438	
	5	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	3,438	
	6	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	3,438	
	7	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	3,438	
	8	Strainer	8" diameter, single fine mesh, flat wooden handle	1	PC	3,438	
	Sub-te		and Cook Hot Meals (Lead	ling to	Cookery	3,438	18,917,378.40
48	/		(Leading to Cookery NC II)				
	1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle	1	PC	2,063	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	2,063	
	3	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	2,063	
	4	Chopping Board	¹ / ₂ " x 12" x 18"; made of polyethylene material	1	PC	2,063	
	5	Wooden Spoon	12" long, biodegradable, solid birchwood	1	PC	2,063	

			T OF STARTER TO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÛNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
	6	Saucepan	6" diameter stainless with lid, non riveted black handle	1	PC	2,063	
	7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	2,063	
			old Meals (Leading to Cool			2,063	10,461,297.645
49	Proce		ting, Curing and Smoking	(Leadi			sing NC II)
	1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	UNIT	1,020	
	2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	1,020	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	1,020	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	1,020	
	5	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	1,020	
	6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray	1	UNIT	1,020	
			Food by Salting, Curing	and	Smoking	1,020	7,510,972.980
E0			ocessing NC II)	a a al ¹	a ta Fasil		
50	Proce	ss Foods by Fe	rmentation and Pickling (L 2 Speed with Pulse, with	_eading	g to Food I unit	427	ng NC II)
		Processor	safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts	1	umt	427	
	2	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	427	
	3	Measuring	Stainless steel, 1 set (1	1	SET	427	

			T OF STARTER TOO EMPLOYMENT PRO				
LOT NO.	ITEM NO.	ITEM	AGENCY SPECS	QTY	ÚNIT	NO. OF PAX	TOTAL AGENCY ESTIMATE
		Cups	cup, ½ cup, 1/3 cup, ¼ cup)				
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	427	
	5	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	427	
	6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	427	
	7	Colander	5 qts capacity, stainless steel, with two grip handles	1	PC	427	
			Foods by Fermentation	n and	Pickling	427	4,136,366.934
51		<u>ing to Food Pro</u> ss Foods by Si	igar Concentration (Leadir	na to F	ood Proces	ssina NC	: II)
	1	Blender	2 speed, 1.5 liter	1	UNIT	351	
			capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts				
	2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan	1	PC	351	
	3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)	1	SET	351	
	4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)	1	SET	351	
	5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity	1	PC	351	
	6	Casserole	Stainless; 6L capacity; with two grip handle, with cover	1	PC	351	
	7	Chef's Knife	8", stainless steel blade with black polymer handle	1	PC	351	
	8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long	1	PC	351	
	9	Weighing Scale	Manual Weighing Scale; maximum weight	1	UNIT	351	

	-		T OF STARTER TO EMPLOYMENT PRO	-		_	-						
LOT	ITEM	ITEM	AGENCY SPECS	QTY	UNIT	NO.	TOTAL						
NO.	NO. OF AGENCY PAX ESTIMATE												
			capacity; 2 kg, graduated										
			by grams; removable and										
			washable tray										
		tal, Process F Processing NC	oods by Sugar Concentra II)	tion (L	eading to	351	2,584,726.092						
	TOTAL					69,286	449,896,181.151						

				Nu	umber (Of Ben	, eficiar	ies By	Regio	n Per	Qualif	icatior)						
LOT									R OF BE										
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	I	II	III	IV-A	IV-B	V	VI	VII	VIII	IX	Х	XI	XII	TOTAL
1	Animal Production (Poultry Chicken) NC II	-	25	21	-	-	15	20	25	25	85	-	-	-	-	-	136	-	352
2	Animal Production (Swine) NC II	-	-	22	-	-	15	20	50	25	-	-	46	-	-	10	138	-	326
3	Raise Organic Chicken (Leading to Organic Agriculture Production NC II)	-	-	19	-	-	10	-	178	-	50	127	45	-	-	-	146	24	599
4	Produce Organic Vegetable (Leading to Organic Agriculture Production NC II)	-	36	19	-	74	10	-	274	175	242	153	70	-	-	15	183	50	1,301
5	Produce Organic Concoction and Extracts (Leading to Organic Agriculture Production NC II)	-	36	19	-	-	10	-	125	-	175	25	45	-	-	25	178	-	638
6	Perform Diesel Engine Tune Up (Leading to Automotive Servicing NC I)	-	33	48	245	129	25	58	140	-	65	243	26	60	-	40	136	95	1,343
7	Perform Gas Engine Tune Up (Leading to Automotive Servicing NC I)	-	33	30	25	38	26	20	132	-	45	100	-	22	-	56	175	-	702
8	Service Underchassis Components (Leading to Automotive Servicing NC II)	-	-	-	20	-	50	-	145	-	-	55	-	-	-	65	145	22	502
9	Service Engine Components (Leading to Automotive Servicing NC II)	20	-	-	25	-	10	-	115	-	-	55	-	14	109	85	140	-	573

				Νι	umber (Of Ben	, eficiar	ies Bv	Regio	n Per	Qualifi	cation	1						
LOT				-					R OF BE										
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	I	II	III	IV-A	IV-B	V	VI	VII	VIII	IX	X	XI	XII	TOTAL
10	Service Automotive Electrical Components (Leading to Automotive Servicing NC II)	-	37	-	95	115	60	25	70	25	107	30	20	-	100	75	185	43	987
11	Service Power Train Components (Leading to Automotive Servicing NC II)	-	-	-	-	-	15	-	-	-	-	-	-	-	-	25	110	-	150
12	Service Motorcycle/Small Engine System (Leading to Motorcycle/Small Engine Servicing NC II)	23	-	-	335	65	-	64	25	51	-	40	43	50	187	33	-	61	977
13	Service Electrical System (Leading to Motorcycle/Small Engine Servicing NC II)	21	-	-	20	20	-	20	15	45	-	-	84	24	-	-	-	20	269
14	Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)	20	-	-	75	-	-	49	-	-	-	45	-	24	-	-	-	20	233
15	Carpentry NC II	118	111	20	-	100	26	37	87	-	254	648	258	170	-	116	46	126	2,117
16	Electrical Installation and Maintenance NC II	125	52	252	238	57	113	87	47	121	302	244	137	158	170	259	221	110	2,693
17	Masonry NC I	100	20	-	-	67	50	-	20	-	120	70	135	27	125	75	87	70	966
18	Plaster	25	86	25	-	-	-	-	-	-	70	415	-	50	-	69	21	75	836

				Nu	umber (Of Ben	eficiar	ies By	Regio	n Per	Qualif	ication							
LOT	QUALIFICATIONS		_		-		_	NUMBE	R OF BE	NEFICI/	RIES PI	ER REGI	ON			_			-
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	I	II	III	IV-A	IV-B	V	VI	VII	VIII	IX	Х	XI	XII	TOTAL
	Concrete/Masonry Surface (Leading to Masonry NC II)																		
19	Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)	-	48	-	-	-	-	-	-	24	45	169	-	-	-	-	21	-	307
20	Pipefitting NC II	-	-	-	19	-	-	43	75	50	-	-	159	25	-	183	21	-	575
21	Perform Multiple Plumbing Installation and Repair Maintenance Works (Leading to Plumbing NC II)	25	-	75	-	-	-	-	-	-	-	-	-	-	-	126	21	75	322
22	Construction Painting NC II	-	32	-	-	-	-	-	-	-	48	135	-	-	-	80	21	-	316
23	Tile Setting NC II	89	63	25	-	41	54	-	-	185	175	151	300	41	75	105	21	60	1,385
24	RAC Servicing (Dom/RAC) NC II	-	-	42	45	34	-	-	42	-	-	-	25	-	-	-	30	-	218
25	Shielded Metal Arc Welding (SMAW) NC I	150	72	466	925	418	93	405	538	166	699	1,218	608	213	380	381	357	259	7,348
26	Assemble Electronics Products (Leading to Electronic Products Assembly and Servicing NC II)	-	-	25	95	-	34	137	82	69	130	91	-	20	-	28	20	25	756
27	Service Consumer Electronic Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)	-	-	55	25	219	19	309	90	75	204	166	-	25	-	30	40	23	1,280
28	Service Industrial	-	-	24	-	-	10	80	-	-	40	50	-	-	-	28	-	-	232

				Νι	umber (Of Ben	eficiar	ies By	Regio	n Per	Qualif	ication	1						
LOT	QUALIFICATIONS							NUMBE	R OF BE	NEFICIA	ARIES PE	ER REGI	ON						
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	I	II	III	IV-A	IV-B	V	VI	VII	VIII	IX	X	XI	XII	TOTAL
	Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC II)																		
29	Service Consumer Electronic Products and Systems (Assembly of Solar Nightlight and Post Lamp)	-	-	22	-	-	-	174	200	50	197	-	-	-	-	-	176	-	819
30	Furniture Making (Finishing) NC II	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
31	Dressmaking NC II	-	48	138	351	148	85	343	495	24	480	114	228	94	389	136	130	204	3,407
32	Tailoring NC II	-	17	-	92	-	-	-	-	-	53	23	22	-	53	-	-	-	260
33	Hilot (Wellness Massage) NC II	-	-	203	1,088	210	75	618	1,139	100	546	832	772	47	340	62	115	50	6,197
34	Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	40	50	20	564	108	27	295	245	40	270	232	247	110	-	15	154	116	2,533
35	Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	-	-	-	220	-	-	50	93	-	97	-	-	45	-	-	115	-	620
36	Perform Body Massage (Leading to Beauty Care NC II)	40	51	-	496	75	-	80	124	50	20	245	73	65	-	-	185	18	1,522
37	Perform Body Scrub (Leading to Beauty Care NC II)	-	-	-	135	-	-	50	150	-	-	-	-	45	-	-	100	-	480
38	Perform Facial Treatment (Leading to	40	40	-	371	-	-	50	244	-	31	-	-	45	-	-	150	-	971

	•			Νι	umber (Of Ben	eficiar	ies By	Regio	n Per	Qualif	ication	<u> </u>						
LOT	QUALIFICATIONS		1			1	1			1	T	ER REGI		1	1	1	1		T
NO.		ARMM	CAR	CARAGA	NCR	I	11	III	IV-A	IV-B	V	VI	VII	VIII	IX	X	XI	XII	TOTAL
	Beauty Care NC II)																		
39	Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)	-	-	-	220	-	25	172	125	-	45	70	-	72	-	-	115	-	844
40	Perform Facial Make- Up (Leading to Beauty Care NC II)	42	-	-	638	34	-	124	260	25	46	95	68	-	25	-	134	-	1,491
41	Perform Hair Coloring/Bleaching Services (Leading to Hairdressing NC II)	-	-	-	195	-	-	100	75	-	-	25	-	-	-	-	115	20	530
42	Perform Hair Perming/Straightening (Leading to Hairdressing NC II)	-	-	-	175	-	-	75	75	-	-	25	-	-	20	15	115	20	520
43	Perform Hair Cutting Services (Leading to Hairdressing NC II)	-	95	20	250	111	25	174	275	-	120	49	49	25	-	15	165	45	1,418
44	Bread Making (Leading to Bread and Pastry Production NC II)	135	160	65	1,072	337	166	417	566	180	380	293	594	161	150	204	224	131	5,235
45	Pastry Making (Leading to Bread and Pastry Production NC II)	115	112	-	769	121	95	95	310	76	172	206	301	186	-	130	230	100	3,018
46	Cake Making (Leading to Bread and Pastry Production NC II)	118	100	20	705	87	100	295	548	138	192	206	242	166	259	136	321	175	3,808
47	Prepare and Cook Hot Meals (Leading to Cookery NC II)	95	63	183	637	310	-	207	363	-	143	332	304	271	74	112	258	86	3,438
48	Prepare Cold Meals	75	46	161	341	200	20	67	215	-	46	342	97	121	-	80	127	125	2,063

				Nu	umber (Of Ben	eficiar	ies By	Regio	n Per	Qualif	ication	1						
LOT	QUALIFICATIONS		_		-		_	NUMBE	R OF BE	NEFICIA	RIES PE	ER REGI	ON	_		_		_	-
NO.	QUALIFICATIONS	ARMM	CAR	CARAGA	NCR	I	II	III	IV-A	IV-B	V	VI	VII	VIII	IX	Х	XI	XII	TOTAL
	(Leading to Cookery NC II)																		
49	Process Food by Salting, Curing and Smoking (Leading to Food Processing NC II)	-	23	50	25	154	-	-	96	50	150	156	73	48	155	40	-	-	1,020
50	Process Foods by Fermentation and Pickling (Leading to Food Processing NC II)	-	25	-	20	19	20	45	-	-	110	80	40	48	-	-	-	20	427
51	Process Foods by Sugar Concentration (Leading to Food Processing NC II)	-	-	-	-	57	-	-	-	-	50	75	20	48	40	-	40	21	351
ΤΟΤΑ	L	1,416	1,525	2,069	10,551	3,348	1,283	4,805	7,873	1.769	6,004	7,630	5,131	2,520	2,651	2,854	5,568	2,289	69,286

Section VII. Technical Specifications

Technical Specifications

Item	Specification See attached Technical	Statement of Compliance.
	See attached Technical	
	Specifications	

LOT 1 - Animal Production (Poultry Chicken) NC II				
	TES	DA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Galloner	Dimension: height 347 mm (tube), 55 mm		
		(plate, plate diameter is 9.6 inches, 5000 ml		
		water capacity, plastic		
2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11		
		inches plate diameter, 10.5 inches feeder		
		height		
3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is		
		insulated porcelain, flexible heavy gauge SJT		
		cord with molded-on plug		
4	Infrared Lamp	250 Watts Bulb, clear colour emitted light		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	2 - Animal Production (Swi	ne) NC II		
	TESDA	A'S SPECIFICATIONS	BIDDER'S SPEC	IFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Ear Notcher	Small V-shape blade; stainless steel		
2	Tooth Nipper	Diagonal cutting blade, stainless steel		
3	Reusable Veterinary	Fiberglass hypodermic adjustable syringe with		
	Syringe	engraved volume indication on barrel; 10 ml capacity		
4	Veterinary Injection Needle	Gauge # 20 X 1/2" long hypodermic needle (12pcs/box), stainless and sterilizable		
5	Veterinary Injection Needle	Gauge # 18 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable		
6	Veterinary Injection Needle	Gauge # 16 X 1" long hypodermic needle (12pcs/box), stainless and sterilizable		
7	Reusable Artificial	Pig spiral tip Artificial Insemination (A.I.)		
	Insemination Catheter	Catheter; 18" long; reusable and sterilizable		
8	Forcep	Stainless 5.5" long, straight kelly forcep		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TES	DA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Galloner	Dimension: height 347 mm (tube), 55 mm (plate, plate diameter is 9.6 inches, 5000 ml water capacity, plastic		
2	Tubular Feeder	3 kg. capacity, automatic plastic feeder, 11 inches plate diameter, 10.5 inches feeder height		
3	Brooder/Heater Lamp	45 cm diameter aluminum reflector; socket is insulated porcelain, flexible heavy gauge SJT cord with molded-on plug		
4	Infrared Lamp	250 Watts Bulb, clear colour emitted light		
5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material		
6	Chef's Knife	8", stainless steel blade with black polymer handle		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	Т	ESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Steel Rake	14 tine made of steel; hardwood handle		
2	Sprayer	Knapsack type (16 litres cap) stainless tank		
		and steel lance manual type with cone nozzles		
		and fan nozzles		
3	Shovel	Round point steel blade; fiber glass D-grip		
		handle, blade length 11.5" width 8.25" wooden		
		handle length 20"		
4	Garden Hoe	Carbon Steel head, goose neck type, hardwood		
		handle, 6" blade		
5	Sprinkler	2 gallon capacity, heavy duty plastic		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Measuring Cup/Jug	Polypropelene, 1 liter capacity with graduation		
2	Sprayer	Knapsack type (16 litres cap) stainless tank		
		and steel lance manual type with cone and fan		
		nozzles		
3	Chopping Board	1/2" x 12" x 18"; made of polyethylene material		
4	Weighing Scale	10 kg. capacity		
5	Chef's Knife	8", stainless steel blade with black polymer		
		handle		

Position/Designation:_____

		TESDA'S SPECIFICATIONS	BIDDER'S SPE	CIFICATIONS
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm		
		mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229,		
		.254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533,		
		.559, .584, .610 and .635mm.		
		Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009,		
		.010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021,		
		.022, .023, .024, and .025.		
2	Combination Wrench	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm,		
	(Open And Box End)	14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
3	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket		
		6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm,		
		19mm, 22mm, 24mm), 1 pc Extension Rod		
4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm		
5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		
6	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

		TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
lo.	ltem	Specifications	Item/Brand/Model	Specifications
1	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009,		
		.010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.		
2	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm		
3	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm		
4	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
5	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm		
7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TESE	DA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
2	Coil Spring Compressor	12" Coil Spring Compressor (silver). For all vehicles equipped with Macpherson Struts or any other coil spring brand, double ended jaws with safety hooks		
3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
4	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

Date:

	9 - Service Engine Com TES	DA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
3	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external		
4	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		
5	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		
6	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm		
7	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TESDA	'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Battery Load Tester	100-Amp, 6V and 12V batteries. shock- resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.		
2	Electricians/Electrical Plier	Overall length: 8", Steel Alloy, Handle finish: plastic-dipped		
3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		
4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
2	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
3	Vise Grip	10 inches length, Stainless Steel. Jaws: straight, flat, square, Adjustable screw		
4	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb		
5	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external		
6	Torque Wrench	Beam/needle type, 0-150 ft-lb (0-20 m-kg) capacity, 1/2 drive		
7	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		
8	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4"/ 6.5mm		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

		TESDA'S SPECIFICATIONS	BIDDER'S SP	ECIFICATIONS
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit		
2	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
4	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm		
5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm		
6	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		
7	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TESD	A'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Electricians/Electrical Plier			
3	Philips Screw Driver	8" shank length (chrome plated) plastic handle, tip: 2 X 6mm		
4	Flat Screw Driver	8" shank length (chrome plated) plastic handle, tip: 1/4" / 6.5mm		
5	Battery Load Tester	100-Amp, 6V and 12V batteries. shock- resistant meter, sturdy steel case that has a durable baked enamel finish, rubber insulated carry handle, equipped with super-grip battery clamps and a top-mounted rocker switch.		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Socket Wrench	socket chrome vanadium: 1 pc 1/2" Ratchet Wrench, 10 pcs Socket 6 side/point (10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm), 1 pc Extension Rod		
2	Manual Impact Driver	1 pc 1/2" Drive Impact Driver, 1 pc 8 mm long bit holder, 1 pc 36 mm long, 8 mm slotted bit, 1 pc 36 mm long, 10 mm slotted bit, 1 pc 36 mm long, PH2 bit, 1 pc 36 mm long, PH3 bit		
3	Combination Wrench (Open And Box End)	chrome vanadium steel, set of 8 sizes (8mm, 9mm, 10mm, 12mm, 14mm, 17mm, 19mm, 22mm) 7.5 deg offset		
4	Feeler gauge	26 tempered steel leaves/blade ranging from 0.0015 in to 0.025 inches and 0.038 to 0.635 mm mm sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .483, .457, .508, .533, .559, .584, .610 and .635mm. Inch sizes: .0015, .002, .0025, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, and .025.		
5	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 21mm		
6	Spark Plug Wrench	1pc T-Handle Universal Joint Spark Plug, Socket Wrench 16mm		
7	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder		

LOT	LOT 14 - Overhaul Motorcycle/Small Engine (Leading to Motorcycle/Small Engine Servicing NC II)				
	TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS				
No.	Item	Specifications	Item/Brand/Model	Specifications	
8	Circlip Pliers	6 in carbon steel insulated handle detachable tip (combination) internal and external			
9	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT 15 - Carpentry NC II						
		TESDA'S SPECIFICATIONS	BIDDER'S SPE	CIFICATIONS		
No.	ltem	Specifications	Item/Brand/Model	Specifications		
1	Cross Cut Saw	Crosscut saw; 8 points per inch; 18 in. length / 450 mm; hardwood handle				
2	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle				
3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end				
4	Steel Square	Carpenters framing square; 2x16x24", Steel				
5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"				
6	Sledge Hammer	Forged High-Carbon Steel Head; 4 Lbs. (1.81 Kg) With Wooden Handle				
7	Chalk Line Reel	Includes Chalk Reel and 4 Oz. Bottle Blue Chalk; High Impact Abs Case On-Board Hook Storage, Stainless-Steel Hook, Sliding Door For Easy Filling, Folding Crank Handle				
8	Wood Chisel	Forged steel blade; 3/4: blade width; plastic handle				
9	Try Square	Size: 8"x12", Thickness 1.8-2mm, Material: Spring Steel, Handle Material: Aluminum Alloy, Metric & English Graduations				
10	Ripping Bar	Overall Length: 17", Overall Width: 5/8", Thickness: 5/8", Dia.: 5/8", Material: High Carbon Steel, Color: Black and Yellow				
11	Plumb Bob	Hexagonal/Conical shape, Machined Steel, 8 ounce				

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

Date:

	16 - Electrical Installation a	'S SPECIFICATIONS	BIDDER'S SPEC	
NI -				
No.	Item	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V		
		ACV Range: 10 to 750V Internal Battery: R6		
		(IEC) or UM-3 1.5V x 2 Internal Fuse:		
		0.5Ano/250V/5.2mm dia. X 20mm Dimension		
		and Weight: 159.5 x 129 x 41.5 mm/approx.		
		320g Resistance: X1 to X1k		
2	Screw Driver Set	4 pieces per set		
		Flat Blade Tip: 6.5X150mm, 5X100mm		
		Phillips Blade tip: 1X100mm, 2X150mm		
		Plastic and rubberized handle,		
		Chrome Vanadium, Shank 6"		
3	Long Nose Pliers	Overall Length: 8"		
		Knife Length: 5/8"		
		Material: Carbon Steel		
		Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped,		
		Carbon Steel		
5	Electricians/Electrical Plier	Overall Length: 8", Steel Alloy, Handle finish:		
		plastic-dipped		
6	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High		
		impact ABS case with durable rubber Corrosion		
		resistant tru-zero end		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

Date:

LOT	LOT 17 - Masonry NC I						
	TES	DA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS				
No.	Item	Specifications	Item/Brand/Model	Specifications			
1	Pointing Trowel	Steel 3" x 7", wooden handle					
2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end					
3	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle					
4	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"					
5	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"					
6	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle					
7	Steel Square	Carpenters framing square; 2x16x24", Steel					

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	LOT 18 - Plaster Concrete/Masonry Surface (Leading to Masonry NC II)					
	TESDA	'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS			
No.	Item	Specifications	Item/Brand/Model	Specifications		
1	Pointing Trowel	Steel 3" x 7", wooden handle				
2	Concrete/cement Finishing Trowel	Length (In.) 11, Width (In.) 4-1/2, High Carbon Steel Blade, Wooden Handle				
3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end				
4	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle				
5	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"				
6	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle				
7	Shovel	Round point steel blade; fiber glass D-grip handle, blade length 11.5" width 8.25" wooden handle length 20"				
8	Steel Square	Carpenters framing square; 2x16x24", Steel				

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	LOT 19 - Install Pre-Cast Balusters and Handrail (Leading to Masonry NC II)				
	TESDA	A'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	ltem	Specifications	Item/Brand/Model	Specifications	
1	Pointing Trowel	Steel 3" x 7", Wooden handle			
2	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High			
		impact ABS case with durable rubber Corrosion			
		resistant tru-zero end			
3	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length:			
		24"			
4	Rubber Mallet	16 oz, Wooden Handle			
5	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal			
		hacksaw blade, 24 TPI, aluminum alloy frame			
		and handle			
6	Steel Square	Carpenters framing square; 2x16x24", Steel			
7	Shovel	Round point steel blade; fiber glass D-grip			
		handle, blade length 11.5" width 8.25" wooden			
		handle length 20"			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TESE	DA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb		
2	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"		
3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
4	File	Half-round, 8", tapered width and thickness, bastard teeth spacing, Plastic handle is slip resistant		
5	Adjustable Wrench	12"/ 304.8 mm length, heavy duty chrome vanadium steel, max. Jaw capacity 43.2 mm, head width, 3/4" / 19.1 mm		
6	Adjustable Combination Square	stainless steel blade, high visibility die cast handle with brass hardware, 12 tn. Length of blade		
7	C - Clamp	Heavy duty, Machine ground anvils, steel sliding pin handles, bright plated steel swivel, 8" opening		
8	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		

Name of Bidder:_____

Name and Signature of Authorized Representative: ______

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Pipe Wrench	14" Straight cast iron handle; max jaw opening: 65mm (2.55")		
2	Hacksaw With Blade	Adjustable hacksaw frame with bi-metal hacksaw blade, 24 TPI, aluminum alloy frame and handle		
3	PVC Pipe Cutter	PVC pipe cutter; steel handle 1/2"- 2"		
4	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end		
5	Ball Peen Hammer	Forged hard steel; jacketed graphite ballpeen hammer, 16 oz./ 1 lb		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT 22 - Construction Painting NC II					
	Т	ESDA'S SPECIFICATIONS	BIDDER'S SPE	CIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications	
1	Steel Brush	Hardened steel brush, wooden handle, standard size			
2	Paint Brush, 1"	Soft Bristle, 1", long bristle, wooden handle, stainless steel ferrules			
3	Paint Brush, 2"	Soft Bristle, 2", long bristle, wooden handle, stainless steel ferrules			
4	Paint Brush, 3"	Soft Bristle, 3", long bristle, wooden handle, stainless steel ferrules			
5	Paint Brush, 4"	Soft Bristle, 4", long bristle, wooden handle, stainless steel ferrules			
6	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"			
7	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi			
8	Scraper	Hardened, tempered and polished steel blade; plastic handle; blade width: 2 inches; full tang blade			
9	Putty Knife	Hardened, tempered and polished steel blade; plastic handle; blade width: 3 inches; full tang blade			
10	Industrial Safety Goggles	Plastic, Clear, Elastic Strap, Ventilated			
11	Paint Roller, 4"	Paint Roller pure polyester with handle, size: 4"			
12	Paint Roller, 7"	Paint Roller pure polyester with handle size: 7"			
13	Paint Roller, 9"	Paint Roller pure polyester with handle, size: 9"			
14	Paint Roller Pan/Tray	Plastic, size: 9"			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	LOT 23 - Tile Setting NC II						
	TE	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS				
No.	Item	Specifications	Item/Brand/Model	Specifications			
1	Tile Cutter	Pen type, carbide tip, manual 8" length					
2	Nipper, End Cutter	End nipper Plier 8"					
3	Pull-Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end					
4	Rubber Mallet	16 oz, Wooden Handle					
5	Notched Trowel	Notched Trowel; carbon steel; Wooden/Plastic handle, 4" x 11"; Notched size: ¼" x ¼" (6mm x 6mm)					
6	Spirit Level Bar	Aluminum, top-read center vial; 3 vials; Length: 24"					
7	Plier	Forged carbon steel, length 8 inches, machined jaws					
8	Claw Hammer	Forged High-Carbon Steel Head; Smooth Face; 16 Oz; Wood Handle					

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

Date:

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Mechanical Manifold Gauge Set	2 valves, number of hoses 3, gauge high side pressure 0-500 PSIG, Gauge low side pressure 30 In. Hg. to 250 PSIG, for use with R-22, R- 134a refrigerants, 1/4 in. vacuum port size, hose length 36", 2500 PSI burst.		
3	Flaring tool set	Flares and swages. Screw-type feed. Two bars included cover 9 sizes. Swivel-type swaging adapters and flaring cone hardened steel, chrome finished. Slip-on forged steel yoke. Includes tool case. Flares 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" O.D. Includes 5 swage adapters for 7 tube sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" O.D.		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT 25 - Shielded Metal Arc Welding (SMAW) NC I TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS				
Ne				
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Portable Welding Machine	Portable welding machine, 220 V, 60 hrtz, single phase, 200 Amps, with welding electrode holder and welding ground.		
2	Welding Mask	Flip Front Welding Helmet, impact-resistant polypropylene material, adjustable fit, 4 1/2" x 2" view area with lens		

Name of Bidder:	Name and Signature of Authorized Representative:	

Position/Designation:_____

LOT	26 - Assemble Electronics	Products (Leading to Electronic Products Assem	bly and Servicing NC II)	
	TESDA	VS SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V		
		ACV Range: 10 to 750V Internal Battery: R6		
		(IEC) or UM-3 1.5V x 2 Internal Fuse:		
		0.5Ano/250V/5.2mm dia. X 20mm Dimension		
		and Weight: 159.5 x 129 x 41.5 mm/approx.		
		320g Resistance: X1 to X1k		
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz		
3	Long Nose Pliers	Overall Length: 8"		
		Knife Length: 5/8"		
		Material: Carbon Steel		
		Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped,		
		Carbon Steel		
5	Screw Driver Set	4 pieces per set		
		Flat Blade Tip: 6.5X150mm, 5X100mm		
		Phillips Blade tip: 1X100mm, 2X150mm		
		Plastic and rubberized handle,		
		Chrome Vanadium, Shank 6"		
6	Desoldering Pump/Solder	Anodized aluminum housing, high suction,		
	Sucker	strong and light weight.		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TESDA	'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V		
		ACV Range: 10 to 750V Internal Battery: R6		
		(IEC) or UM-3 1.5V x 2 Internal Fuse:		
		0.5Ano/250V/5.2mm dia. X 20mm Dimension		
		and Weight: 159.5 x 129 x 41.5 mm/approx.		
		320g Resistance: X1 to X1k		
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz		
3	Long Nose Pliers	Overall Length: 8"		
		Knife Length: 5/8"		
		Material: Carbon Steel		
		Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped,		
		Carbon Steel		
5	Screw Driver Set	4 pieces per set		
		Flat Blade Tip: 6.5X150mm, 5X100mm		
		Phillips Blade tip: 1X100mm, 2X150mm		
		Plastic and rubberized handle,		
		Chrome Vanadium, Shank 6"		
6	Desoldering Pump/Solder	Anodized aluminum housing, high suction,		
	Sucker	strong and light weight.		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TESDA	'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k		
2	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz		
3	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped		
4	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel		
5	Screw Driver Set	4 pieces per set Flat Blade Tip: 6.5X150mm, 5X100mm Phillips Blade tip: 1X100mm, 2X150mm Plastic and rubberized handle, Chrome Vanadium, Shank 6"		
6	Desoldering Pump/Solder Sucker	Anodized aluminum housing, high suction, strong and light weight.		

I OT 28 - Service Industrial Electronic Modules, Products and Systems (Leading to Electronic Products Assembly and Servicing NC

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT	29 - Service Consumer E	lectronic Products and Systems (Assembly of Sola	ar Nightlight and Post Lamp)		
	TES	DA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	Item	Specifications	Item/Brand/Model	Specifications	
1	VOM (Multitester)	Multi-tester Analog DCV Range: 0.1 V to 1000V ACV Range: 10 to 750V Internal Battery: R6 (IEC) or UM-3 1.5V x 2 Internal Fuse: 0.5Ano/250V/5.2mm dia. X 20mm Dimension and Weight: 159.5 x 129 x 41.5 mm/approx. 320g Resistance: X1 to X1k			
2	Long Nose Pliers	Overall Length: 8" Knife Length: 5/8" Material: Carbon Steel Handle Finish: plastic dipped			
3	Diagonal Cutting Plier	Overall length 8", Handle finish plastic dipped, Carbon Steel			
4	Soldering Iron	30 watts, 220 Volts, Heat pencil tip 60Hz			
5	Allen Wrench Set	Hex Key Set, Number of Pieces 9, Arm Length 2.80 to 6.80 In., Sizes Included 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Blade Material Alloy steel, Handle Type L-Shaped, Includes Molded Plastic Holder			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

TESDA'S SPECIFICATIONS			BIDDER'S SPEC	FICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Air Compressor	Air Compressor (1/4 hp, standard operating pressure: 5kg/cm, 36 liters. tank capacity, single piston, 220v, 60hz, single phase/ belt-drive)		
2	Air Hose	HVLP air hose, 1/4" dia. X 6 meters length, 150 psi		
3	Spray Gun, Gravity Feed Type	HVLP spray gun with a 1.5 mm fluid tip, 400 ml Aluminum cup; air inlet 1/4"		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	31 - Dressmaking NC II			
	TESI	TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS		FICATIONS
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Portable Electric Sewin Machine	g Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V)		
2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L- shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler		
3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics		
4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges		
5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	32 – Tailoring NC II			
	TESD	TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS		
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Portable Electric Sewing Machine	 Easy stitch selection with built-in stitches, automatic tension, four-step button hole, and automatic reverse stitches (60 Hz; 85 Watts; 220 V) 		
2	Drafting Tools	Tailors square, aluminum 24" L x 1 1/2" W, L- shape ruler; Hip curve, aluminum 24" L x 1 1/2" W curve ruler		
3	Cutting Shears	8" length, stainless steel cutting blade, plastic handle used for cutting fabrics		
4	French Curve	made of aluminum curve ruler 1 1/2" W for shaping sharp curve edges		
5	Sewing Kit	a PVC plastic clear pouch with zipper closing containing items for sewing such as tape measure 60" (150cm) L, 4 to 5" L paper scissors (plastic handle), spools of asstd. colors of sewing threads and other notions		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TE	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Face Towel	100 % cotton, 12" X 12", white		
2	Bath Towel	100 % cotton, 27" X 54", white		
3	Face Mask	disposable earloop face mask, 50 pcs per box		
4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with		
		2 lower front pockets), garterized pants with		
		adjustable draw string and back pocket, free		
		size, blue color.		
5	Head Band	3"x 23" cotton fabric with snap tape		
6	Body Lotion	200 ml., Hypoallergenic		
7	Aromatic Oil	100 ml.		
8	Virgin Coconut Oil	250 ml.		
9	Powder	Baby powder, 200 g		
10	Mentholated Oil	100 ml.		
11	Storage Box	Plastic, clear storage box with lid lock, carry		
	_	handle, 14" x 10" x 8"		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	LOT 34 - Perform Manicure and Pedicure (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)				
	TESE	TESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	ltem	Specifications	Item/Brand/Model	Specifications	
1	Cuticle Nipper	Stainless steel, 3.5"			
2	Cuticle Pusher	stainless steel, 5"			
3	Foot Nail Cutter	stainless steel, 3" long			
4	Hand Nail Cutter	stainless steel, 2.5" long			
5	Storage Box	Plastic, clear storage box with lid lock, carry			
		handle, 14" x 10" x 8"			
6	Nail Brush	Plastic, soft bristle			
7	Emery Board	80/100 coarse, 8" Long			
8	Cotton Balls	150 balls			
9	Cuticle Remover	120 ml bottle			
10	Nail Polish Remover	120 ml bottle			
11	Antiseptic (Merthiolate)	25 ml bottle			
12	Colored Nail Polish	15ml bottle, preferably touch of tan			
13	Colored Nail Polish	15ml bottle, white			
14	Colorless Nail Polish	15ml bottle, with glitters			
15	Colorless Nail Polish	15ml bottle			
16	Low Stool	hard plastic, round			
17	Face Towel	100 % cotton, 12" X 12", white			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	LOT 35 - Perform Hand Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)				
	TESDA'S SPECIFICATIONS BIDDER'S SPECIFICATIONS				
No.	Item	Specifications	Item/Brand/Model	Specifications	
1	Handspa Machine	Thermostatically-controlled heating unit, 220v, 60hz, 220 watts			
2	Paraffin Wax	Scented, 500g			
3	Clingwrap	clear, transparent, 150 sq. ft (36.6m x 38 cm)			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

TESDA'S SPECIFICATIONS			BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Face Towel	100 % cotton, 12" X 12", white		
2	Bath Towel	100 % cotton, 27" X 54", white		
3	Face Mask	disposable earloop face mask, 50 pcs per box		
4	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with		
		2 lower front pockets), garterized pants with		
		adjustable draw string and back pocket, free		
		size, blue color.		
5	Head Band	3"x 23" cotton fabric with snap tape		
6	Body Lotion	200 ml., Hypoallergenic		
7	Aromatic Oil	100 ml.		
8	Virgin Coconut Oil	250 ml.		
9	Powder	Baby powder, 200 g		
10	Mentholated Oil	100 ml.		
11	Storage Box	Plastic, clear storage box with lid lock, carry		
	_	handle, 14" x 10" x 8"		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	37 - Perform Body Scru	b (Leading to Beauty Care NC II)		
	TESDA'S SPECIFICATIONS		BIDDER'S SPECIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Face Mask	disposable earloop face mask, 50 pcs per box		
2	Head Band	3"x 23" cotton fabric with snap tape		
3	Scrub Suit	Unisex, Soft and linen blouse (V-neck top with		
		2 lower front pockets), garterized pants with		
		adjustable draw string and back pocket, free		
		size, blue color.		
4	Bath Towel	100 % cotton, 27" X 54", white		
5	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized		
		wrist (regular size, nylon)		
6	Body Lotion	200 ml., Hypoallergenic		
7	Whitening Soap	135 grams, papaya		
8	Scrubbing Products	milk salt, 350 grams		
9	Face Towel	100 % cotton, 12" X 12", white		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Acne Gel	25ml, hypoallergenic		
2	Astringent	125 ml, deep cleansing, hypoallergenic		
3	Bleaching Cream	50 grams, tube, hypoallergenic		
4	Cleansing Cream	60 ml., hypoallergenic		
5	Face Mask	disposable earloop face mask, 50 pcs per box		
6	Facial Brush	plastic handle, soft bristle		
7	Facial Cream	50 ml, dermatologically tested (hypoallergenic)		
8	Facial Scrub Cream	50 ml, dermatologically tested (hypoallergenic)		
9	Moisturizer	50 ml, hypoallergenic		
10	Pricking Tools	stainless steel, dual end, pointed and round		
11	Skin Toner	100 ml, dermatologically tested		
		(hypoallergenic)		
12	Sun Block Cream	50 ml. SPF 40 (hypoallergenic)		
13	Face Towel	100 % cotton, 12" X 12", white		
14	Cotton Balls	150 balls		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT	LOT 39 - Perform Foot Spa (Leading to Beauty Care NC II/Beauty Care Services [Nail Care] NC II)					
	TESDA'S SPECIFICATIONS		BIDDER'S SPECIFICATIONS			
No.	Item	Specifications	Item/Brand/Model	Specifications		
1	Footspa Machine	220V, 300W, 60Hz, with bubbles and vibrator				
2	Callus Remover	Stainless Steel, 7"				
3	Scrubbing Gloves	Exfoliating bath and shower gloves, elasticized				
		wrist (regular size, nylon)				
4	Foot File	Wooden, 9.5"				
5	Foot Blush	100ml, spray type				
6	Foot Soak	150ml, Liquid				
7	Foot Scrub	150ml, cream				
8	Foot Lotion	150ml, scented				
9	Foot Brush	plastic handle, plastic bristle				

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	TE	SDA'S SPECIFICATIONS	BIDDER'S SPEC	CIFICATIONS
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Astringent	125 ml, deep cleansing, hypoallergenic		
2	Blusher	pink and bronze shade, 4 grams each		
3	Eye Brow Pencil	black, 4"		
4	Eye Brow Pencil	brown, 4"		
5	Eye Liner Pencil	black, 4"		
6	Eye Liner Pencil	brown, 4"		
7	Eye Shadow	8 palette, earth colors, matte finish		
8	Eyebrow Tweezer	stainless steel, scissor type		
9	Eyelash Curler	stainless steel, scissor type		
10	Face Mask	disposable earloop face mask, 50 pcs per box		
11	Make-Up Sponge	round, powder puff sponge		
12	Foundation	Liquid, 30 ml, natural shade		
13	Head Band	3"x 23" cotton fabric with snap tape		
14	Lipstick	matte finish, red		
15	Lipstick	matte finish, coral pink		
16	Make Up Brush Set	wooden handle, soft bristle, set of 5pcs (lip		
		brush, angle eye brush, powder brush, eye		
		shadow brush, angle blusher brush)		
17	Mascara	black, water proof, 7g		
18	Pressed Powder	natural shade, matte finish		
19	Cotton Balls	150 balls		
20	Concealer	20ml with UVA/UVB protection		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

TESDA'S SPECIFICATIONS			BIDDER'S SPECIFICATIONS	
No.	ltem	Specifications	Item/Brand/Model	Specifications
1	Colorants	Paste form, brown (light, medium and dark) at 100 grams each		
2	Colorants	Paste form, blonde (light, medium and dark) at 100 grams each		
3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.		
4	Applicator Brush	Plastic, black, with comb and tail		
5	Frosting Cap with Hook	Reusable hair color highlighting cap hat with metal hook		
6	Bleaching Powder	30g (sachet)		
7	Hand Gloves	washable, medium size, preferably black		
8	Protective Cape	Water proof, nylon, black		
9	Oxidizing Solution	set of 3, 6%, 9% and 12%, at 100 ml each bottle		
10	Face Mask	disposable earloop face mask, 50 pcs per box		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT	42 - Perform Hair Perming/	Straightening (Leading to Hairdressing NC II)		
	TESDA	A'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Hair Straightening Iron	220V, 60hz, 40 watts, adjustable heat control		
2	Hair Straightening Product	straightening solution and neutralizing cream, at 500ml each		
3	Mixing Bowl	Plastic, 6 cm height, diameter 13.5 cm, color black.		
4	Hair Perming Product	cold wave lotion & neutralizer at 500 ml each		
5	Curling Rods	4mm size		
6	Curling Rods	14mm size		
7	Curling Rods	16mm size		
8	Applicator Brush	Plastic, black, with comb and tail		
9	Bottle Applicator	Plastic, transparent, 100 ml capacity		
10	Shower Cap	Thick plastic, preferably black, free size		
11	Protective Cape	Water proof, nylon, black		
12	Face Mask	disposable earloop face mask, 50 pcs per box		
13	Hand Gloves	washable, medium size, preferably black		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

TESDA'S SPECIFICATIONS		BIDDER'S SPECIFICATIONS		
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Hair Blower	220V, 1800W, 60 Hz, hot and cold blower function		
2	Cutting Scissors	6" stainless steel with tight regulator screw		
3	Thinning Scissors	5" Single notched, 23 teeth, stainless steel		
4	Apron	black with 3 pockets		
5	Protective Cape	Water proof, nylon, black		
6	Neck brush	Wood handle, app. 10 cm x 6.7cm		
7	Talcum Powder	250g		

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

TESDA'S SPECIFICATIONS			BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts		
2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)		
3	Measuring Urn	Transparent glass, 1 cup capacity, measurements are clearly mark in ounce, guarts and millilitres		
4	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

TESDA'S SPECIFICATIONS			BIDDER'S SPECIFICATIONS	
No.	Item	Specifications	Item/Brand/Model	Specifications
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts		
2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)		
3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity		
4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick		

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

	Т	ESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	Item	Specifications	Item/Brand/Model	Specifications	
1	Electric Oven	18L Stainless Housing, Timer 60mins with bell alarm, Temperature Control (100-250C) 4 Stainless Steel Heating Element, Indicator Light, Removable Tray for easy Cleaning (Crumb Tray) Tempered Glass, 4 Stage Heating Selection Accessories: Enamel Bake Tray, Wire Rack, Tray Handle, 220V, 60hz, 1,300 watts			
2	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			
3	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
4	Muffin Pan	6 holes, 3oz capacity per hole, non-stick			

Name of Bidder:_____

Name and Signature of Authorized Representative:

Position/Designation:_____

LOT	47 - Prepare and Cook	Hot Meals (Leading to Cookery NC II)			
	TE	ESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	Item Specifications		Item/Brand/Model	Specifications	
1	Frying Pan	10" diameter by 2" high teflon, non-stick,			
		riveted handle			
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
3	Chef's Knife	8", stainless steel blade with black polymer			
		handle			
4	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼			
		cup)			
5	Chopping Board	1/2" x 12" x 18"; made of polyethylene material			
6	Wooden Spoon	12" long, biodegradable, solid birchwood			
7	Saucepan	6" diameter stainless with lid, non riveted black			
	-	handle			
8	Strainer	8" diameter, single fine mesh, flat wooden			
		handle			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

LOT	48 - Prepare Cold Mea	Is (Leading to Cookery NC II)			
	T	ESDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	Item Specifications		Item/Brand/Model	Specifications	
1	Frying Pan	10" diameter by 2" high teflon, non-stick, riveted handle			
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
3	Chef's Knife	8", stainless steel blade with black polymer			
		handle			
4	Chopping Board	1/2" x 12" x 18"; made of polyethylene material			
5	Wooden Spoon	12" long, biodegradable, solid birchwood			
6	Saucepan	6" diameter stainless with lid, non riveted black handle			
7	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TE	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	ltem	Specifications	Item/Brand/Model	Specifications	
1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
2	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			
4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)			
5	Chef's Knife	8", stainless steel blade with black polymer handle			
6	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TE	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	Item	Specifications	Item/Brand/Model	Specifications	
1	Food Processor	2 Speed with Pulse, with safety lock, 6 cups capacity, stainless steel chopping and shredding blades, with 5 disc attachments, 220 V, 60 hz, 1,000 watts			
2	Chef's Knife	8", stainless steel blade with black polymer handle			
3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			
4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)			
5	Casserole	Stainless; 6L capacity; with two grip handle, with cover			
6	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
7	Colander	5 qts capacity, stainless steel, with two grip handles			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

	TES	SDA'S SPECIFICATIONS	BIDDER'S SPECIFICATIONS		
No.	ltem	Specifications	Item/Brand/Model	Specifications	
1	Blender	2 speed, 1.5 liter capacity, glass jar with stainless steel blades, 220 V, 60 hz, 500 watts			
2	Candy Thermometer	8" long, measures temperatures from 100 to 400 degrees F; glass, pen-type adjustable clip secures thermometer to pan			
3	Measuring Cups	Stainless steel, 1 set (1 cup, ½ cup, 1/3 cup, ¼ cup)			
4	Measuring Spoons	Stainless steel, 1 set (1tbsp, 1 tsp, ½ tsp, ¼ tsp)			
5	Mixing Bowl	Stainless steel, 8" diameter, 5 quart capacity			
6	Casserole	Stainless; 6L capacity; with two grip handle, with cover			
7	Chef's Knife	8", stainless steel blade with black polymer handle			
8	Rubber Scraper	Rubber head high heat resistant, flexible, 12" long			
9	Weighing Scale	Manual Weighing Scale; maximum weight capacity; 2 kg, graduated by grams; removable and washable tray			

Name of Bidder:_____

Name and Signature of Authorized Representative: _____

Position/Designation:_____

Section VIII. Bidding Forms

TABLE OF CONTENTS

BID FORM	474
CONTRACT AGREEMENT FORM	481
OMNIBUS SWORN STATEMENT	483
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	441
BID SECURING DECLARATION FORM	442

Bid Form

Date: _____ Invitation to Bid² N^o: _____

To: [name and address of Procuring Entity]

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in <u>BDS</u> provision for **ITB** Clause 17.1 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:³

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
/: f	- ")	

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

² If ADB, JICA and WB funded projects, use IFB.

³ Applicable only if the Funding Source is the ADB, JICA or WB.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of</u> <u>Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of Project</u> of the <u>Name of Project</u> of the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this ______ day of ______ 20____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

For Goods Offered From Abroad

 Name of Bidder ______. Invitation to Bid⁴ Number _____. Page _____.

 _______ of ____.

1	2	3	4	5	6	7	8	9
Item	Description	Country	Quantity	Unit price CIF port of	Total CIF or	Unit Price	Unit price	Total Price
		of origin		entry (specify port) or	CIP price per	Delivered Duty	Delivered Duty	delivered
				CIP named place	item	Unpaid (DDU)	Paid (DDP)	DDP
				(specify border point	(col. 4 x 5)			(col 4 x 8)
				or place of				
				destination)				

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

⁴ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

 Name of Bidder ______.
 Invitation to Bid⁵ Number _____.
 Page _____.

 ________ of ____.
 of _____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price	Transportation	Sales and	Cost of	Total Price,	Total Price
		of origin		EXW per item	and Insurance	other taxes	Incidental	per unit	delivered Final
					and all other	payable if	Services, if	(col 5+6+7+8)	Destination
					costs	Contract is	applicable, per		(col 9) x (col 4)
					incidental to	awarded,	item		
					delivery, per	per item			
					item				

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

 $^{^{5}}$ If ADB, JICA and WB funded projects, use IFB.

THIS AGREEMENT made the _____ day of _____ 20___ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- (a) the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.* bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation;
- (b) the Schedule of Requirements;
- (c) the Technical Specifications;
- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract;
- (f) the Performance Security; and
- (g) the Entity's Notice of Award.

3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written. Signed, sealed, delivered by ______ the _____ (for the Entity)

Signed, sealed, delivered by ______ the _____ (for the Supplier).

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of ___, 20___ at _____, Philippines.

Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on _____ at ____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission	
Notary Public for	until
Roll of Attorneys No	
PTR No [date issue	ed], [place issued]
-	ed], [place issued]

Doc. No
Page No.
Book No
Series of

* This form will not apply for WB funded projects.

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, *[name and address of Supplier]* (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of *[amount of guarantee in figures and words]*.

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

BID SECURING DECLARATION FORM

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

x-----x

BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We⁶, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

⁶ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on _____ at ____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission	
Notary Public for	until
Roll of Attorneys No	
PTR No [date issue	ed], [place issued]
IBP No [date issue	ed], [place issued]

Doc. No. _____ Page No. _____ Book No. _____ Series of _____

