



**SUPPLEMENTAL/BID BULLETIN**

**BID BULLETIN NO. 02**

5 November 2020

Name of Project: **Procurement of Starter Toolkits for the Implementation of FY 2020 Special Training for Employment Program (STEP) – General Infrastructure Sector**

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

**A. CLARIFICATION IN THE INVITATION TO BID:**

**1. On the schedule of the bid submission (Paragraph 7)**

ORIGINAL	AMENDED
Bids must be duly received by the BAC Secretariat through manual submission at the <b>office address indicated below on or before 10 November 2020 at 8:00 a.m.</b> Online submission is not yet available. Late bids shall not be accepted.	Bids must be duly received by the BAC Secretariat through manual submission at the <b>Main Lobby, TESDA Women’s Center (TWC), Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630 on or before <u>12 November 2020 at 8:00 a.m. to 9:00 a.m.</u></b> Online submission is not yet available. Late bids shall not be accepted.

**2. On the schedule of the opening of bids (Paragraph 9)**

ORIGINAL	AMENDED
Bid opening shall be on <b>10 November 2020 at 8:15 a.m.</b> , at the Tandang Sora Hall, TESDA Women’s Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.	Bid opening shall be on <b><u>12 November 2020 at 9:00 a.m. onwards</u></b> , at the Tandang Sora Hall, TESDA Women’s Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders’ representative who choose to attend the activity.
xxx	xxx



**B. CLARIFICATION IN THE BIDDING DOCUMENTS:**

**1. On the validity of Bid Security (Clause 14.2 of the Instructions to Bidders [ITB])**

ORIGINAL	AMENDED
The Bid and bid security shall be valid until <b>10 March 2021</b> . Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.	The Bid and bid security shall be valid until <b>12 March 2021</b> . Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

**2. On Section V. Special Conditions of the Contract**

The following clauses are hereby added:

GCC Clause	
1	xxx
2.2	xxx
3	xxx
4	xxx
5.1	All items shall have at least three (3)-month warranty. Warranty period shall commence from the date of acceptance after the conduct of functional inspection and testing.
5.2	In the event that the delivered toolkits are defective within the warranty period, the winning bidder must replace the items within one (1) month/thirty (30) calendar days from issuance of Defect. The winning bidder shall shoulder the Cost of Return.

**3. On the requirement for product certification (ITB Clause 20.1 of Section III. Bid Data Sheet and GCC Clause 4 of Section V. Special Conditions of the Contract)**

ORIGINAL	AMENDED
xxx  Imported products (for electronic products) should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, and the like.	xxx  Imported products (for electronic products) should pass the international quality control product standards and have international quality control product markings such as but not limited to CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, and IQA.

**4. On the technical specifications of the Screwdriver:**

Query of Reddot Imaging Philippines Inc.: "Phillips 1.5-2mm x 150mm and Philipps 1-1.5mm x 100mm is very thin and long for a screwdriver. Not industry standard and not common in the market. We would like to suggest for PH1 x 100mm and PH2 x 150mm which is usually the standard on Philipps screwdrivers."

LOT NO.	ORIGINAL	AMENDED
2	<ul style="list-style-type: none"> <li>• Cushion Grip Screwdriver</li> <li>• Magnetized tip for easy pick-up of screws</li> <li>• 6pcs               <ul style="list-style-type: none"> <li>- Slotted/standard 5.5-6.5mm x 150mm (±5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 3-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)</li> <li>- <b>Phillips- 1.5-2mm x 150mm (± 5mm)</b></li> <li>- <b>Phillips -1-1.5mm x 100mm (± 5mm)</b></li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Cushion Grip Screwdriver</li> <li>• Magnetized tip for easy pick-up of screws</li> <li>• 6pcs               <ul style="list-style-type: none"> <li>- Slotted/standard 5.5-6.5mm x 150mm (±5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 3-5mm x 100mm (± 5mm)</li> <li>- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)</li> <li>- <b>PH2 x 150mm (± 5mm)</b></li> <li>- <b>PH1 x 100mm (± 5mm)</b></li> </ul> </li> </ul> <p><b>Kindly refer to Annex "A" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</b></p>

**5. On the technical specifications of the Shovel:**

Query of Reddot Imaging Philippines Inc.: Lot 3 - Same specs item 5 and 6  
Lot 7 - Same specs item 4 and 5

LOT NO.	ITEM NO.	ORIGINAL	AMENDED
3	5	<ul style="list-style-type: none"> <li>• <b>Rectangular end</b></li> <li>• Tempered steel blade (0.8 mm gauge or higher)</li> <li>• 17 cm - 23 cm blade tip width</li> <li>• 22 cm - 28 cm blade tip length</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Round end</b></li> <li>• Tempered steel blade (0.8 mm gauge or higher)</li> <li>• 17 cm - 23 cm blade tip width</li> <li>• 22 cm - 28 cm blade tip length</li> </ul>

LOT NO.	ITEM NO.	ORIGINAL	AMENDED
		<ul style="list-style-type: none"> <li>• All metal handle</li> <li>• Overall length 100 cm - 115 cm</li> </ul>	<ul style="list-style-type: none"> <li>• All metal handle</li> <li>• Overall length 100 cm -115 cm</li> </ul> <p>Kindly refer to Annex "B" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</p>
7	4	<ul style="list-style-type: none"> <li>• <b>Rectangular end</b></li> <li>• Tempered steel blade (0.8 mm gauge or higher)</li> <li>• 17 cm - 23 cm blade tip width</li> <li>• 22 cm - 28 cm blade tip length</li> <li>• All metal handle</li> <li>• Overall length 100 cm - 115 cm</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Round end</b></li> <li>• Tempered steel blade (0.8 mm gauge or higher)</li> <li>• 17 cm - 23 cm blade tip width</li> <li>• 22 cm - 28 cm blade tip length</li> <li>• All metal handle</li> <li>• Overall length 100 cm -115 cm</li> </ul> <p>Kindly refer to Annex "C" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</p>

For the information and guidance of all concerned.

  
**DDG LINA C. SARMIENTO**  
 Chairperson  
 Bids and Awards Committee

**Lot 2 : Construction Painting NC II**

**APPROVED BUDGET FOR THE CONTRACT : Two Million Seven Hundred Sixty-Five Thousand Nine Hundred Eighty Pesos and 75/100 (P2,765,980.75)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Spray gun	• 600 to 1000ml capacity	1	unit			
		• Corded (AC Power) 500 to 700 watts					
		• Detachable paint container					
		• Power Plug: US Type					
		• 220-250 V, 60 Hz					
2	Putty Knife	• Polished Steel Blade	1	pc			
		• Plastic Handle					
		• Blade width: 3" (+-1/16")					
		• Full Tang Blade					
3	Pull-Push Rule	• Blade length 8m/26ft	1	pc			
		• Blade width 1"					
		• High impact ABS case with durable rubber					
		• Corrosion resistant tru-zero end					
4	Screw Driver	• Cushion Grip Screw Driver	1	set			
		• Magnetized tip for easy pick-up of screws					
		• 6pcs					
		- Slotted/standard 5.5-6.5mm x 150mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 3-5mm x 100mm (± 5mm)					
		- Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)					
		- PH2 x 150mm (± 5mm)					
		- PH1 x 100mm (± 5mm)					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5	Steel Float/Plastering Trowel	<ul style="list-style-type: none"> <li>Thickness: 0.7 mm</li> <li>Surface measurement: 280 mm x 125 mm (+- 1 mm)</li> <li>High carbon Steel</li> <li>Solid forged steel with plastic handle</li> </ul>	1	pc			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

<b>Name of Company/Bidder</b>	<b>Signature over Printed Name of Authorized Representative</b>	<b>Date</b>
-------------------------------	---	-------------



**ANNEX B**

Revised

Lot 3 : Masonry NC I

APPROVED BUDGET FOR THE CONTRACT : One Million Five Hundred Seventy Thousand Six Hundred Ninety-Two Pesos (₱1,570,692.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chalk Line Reel	• Includes chalk reel and 4-oz bottle of blue chalk	1	pc			
		• String Length: 100-ft					
		• Material: ABS plastic body and a Stainless Steel Hook at the end of the string					
2	Crow Bar	• 36" long	1	pc			
		• Length Tolerance: +/- 1/8"					
		• forged steel carbon					
3	Claw Hammer	• Forged steel head	1	pc			
		• Head Weight: 12 oz					
		• Overall Average Weight: 13oz -19oz					
		• Wooden Handle					
4	Pull-Push Rule	• Blade length 8m/26ft	1	pc			
		• Blade width 1"					
		• High impact ABS case with durable rubber					
		• Corrosion resistant tru-zero end					
5	Shovel	• Round end	1	pc			
		• Tempered steel blade (0.88 mm gauge or higher)					
		• 17 cm - 23 cm blade tip width					
		• 22 cm - 28 cm blade tip length					
		• All metal handle					
		• Overall length (100 cm - 115 cm)					
6	Shovel	• Rectangular end	1	pc			
		• Tempered steel blade (0.88 mm gauge or higher)					
		• 17 cm - 23 cm blade tip width					
		• 22 cm - 28 cm blade tip length					
		• All metal handle					
		• Overall length (100 cm - 115 cm)					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
7	Spirit Level Bar	• Aluminum Frame with Magnet	1	pc			
		• Size: 12" (+- 1/8")					
		• With 3 vials (horizontal, vertical and 45 degrees)					

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

\_\_\_\_\_  
**Name of Company/Bidder**                      **Signature over Printed Name of Authorized Representative**                      **Date**



**Lot 7 : Plaster Concrete/Masonry Surface (Leading to Masonry NC II)**

**APPROVED BUDGET FOR THE CONTRACT : Two Million Nine Hundred Sixty-Nine Thousand Nine Hundred Thirty-Six Pesos and 08/100 (₱2,969,936.08)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Pull-Push Rule	• Blade length 8m/26ft	1	pc			
		• Blade width 1"					
		• High impact ABS case with durable rubber					
		• Corrosion resistant tru-zero end					
2	Claw Hammer	• Forged steel head	1	pc			
		• Head Weight: 12 oz					
		• Overall Average Weight: 13oz -19oz					
		• Wooden Handle					
3	Spirit Level Bar	• Aluminum Frame with Magnet	1	pc			
		• Size: 12" (+- 1/8")					
		• With 3 vials (horizontal, vertical and 45 degrees)					
4	Shovel	• Round end	1	pc			
		• Tempered steel blade (0.8 mm gauge or higher)					
		• 17 cm - 23 cm blade tip width					
		• 22 cm - 28 cm blade tip length					
		• All metal handle					
		• Overall length 100 cm - 115 cm					
5	Shovel	• Rectangular end	1	pc			
		• Tempered steel blade (0.8 mm gauge or higher)					
		• 17 cm - 23 cm blade tip width					
		• 22 cm - 28 cm blade tip length					
		• All metal handle					
		• Overall length 100 cm - 115 cm					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
6	Hacksaw with Blade	• Adjustable aluminum alloy frame with soft-grip handle	1	set			
		• 90° adjustable blade angle					
		• 12 inches (+- 1/4") bi-metal hacksaw blade					
		• 24 TPI"					
7	Steel Square	• Carpenter's framing square	1	pc			
		• Blade Width: 2" (+- 1/8")					
		• Scale: 16" x 24"					
		• Steel					
		• Engraved Double graduation english/metric					
8	Crow Bar	• 36" long	1	pc			
		• Length Tolerance: +/- 1/8"					
		• forged steel carbon					
9	Steel Float/ Plastering Trowel	• Thickness: 0.7 mm	1	pc			
		• Surface measurement: 280 mm x 125 mm (+- 1 mm)					
		• High carbon Steel					
		• Solid forged steel with plastic handle					

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

**I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.**

<b>Name of Company/Bidder</b>	<b>Signature over Printed Name of Authorized Representative</b>	<b>Date</b>
-----------------------------------	---	-------------

