



SUPPLEMENTAL/BID BULLETIN

BID BULLETIN NO. 02

5 November 2020

Name of Project: **Procurement of Starter Toolkits for the Implementation of FY 2020 Universal Access to Quality Tertiary Education Act (UAQTEA) - Single/Bundled Programs - General Infrastructure Sector**

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

A. CLARIFICATION IN THE INVITATION TO BID:

1. On the schedule of the bid submission (Paragraph 7)

ORIGINAL	AMENDED
Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before 12 November 2020 at 8:00 a.m. Online submission is not yet available. Late bids shall not be accepted.	Bids must be duly received by the BAC Secretariat through manual submission at the Main Lobby, TESDA Women's Center (TWC), Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630 on or before <u>12 November 2020 at 8:00 a.m. to 9:00 a.m.</u> Online submission is not yet available. Late bids shall not be accepted.

2. On the schedule of the opening of bids (Paragraph 9)

ORIGINAL	AMENDED
Bid opening shall be on 12 November 2020 at 8:15 a.m. , at the Tandang Sora Hall, TESDA Women's Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.	Bid opening shall be on <u>12 November 2020 at 9:00 a.m. onwards</u> , at the Tandang Sora Hall, TESDA Women's Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630. Bids will be opened in the presence of the bidders' representative who choose to attend the activity.
XXX	XXX

B. CLARIFICATION IN THE BIDDING DOCUMENTS:

1. **On the requirement for product certification** (ITB Clause 20.1 of Section III. Bid Data Sheet and GCC Clause 4 of Section V. Special Conditions of the Contract)

ORIGINAL	AMENDED
<p>xxx</p> <p>Imported products (for electronic products) should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, and the like.</p>	<p>xxx</p> <p>Imported products (for electronic products) should pass the international quality control product standards and have international quality control product markings such as but not limited to CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, and IQA.</p>

2. **On the technical specifications of the Screwdriver:**

LOT NO.	ORIGINAL	AMENDED
7 8 11	<ul style="list-style-type: none"> • Cushion Grip Screwdriver • Magnetized tip for easy pick-up of screws • 6pcs <ul style="list-style-type: none"> - Slotted/standard 5.5-6.5mm x 150mm (±5mm) - Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) - Slotted/standard parallel 3-5mm x 100mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) - Phillips- 1.5-2mm x 150mm (± 5mm) - Phillips -1-1.5mm x 100mm (± 5mm) 	<ul style="list-style-type: none"> • Cushion Grip Screwdriver • Magnetized tip for easy pick-up of screws • 6pcs <ul style="list-style-type: none"> - Slotted/standard 5.5-6.5mm x 150mm (±5mm) - Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) - Slotted/standard parallel 3-5mm x 100mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) - PH2 x 150mm (± 5mm) - PH1 x 100mm (± 5mm) <p>Kindly refer to Annexes "A", "B", and "C" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</p>

3. On the technical specifications of the Socket Wrench:

LOT NO.	ORIGINAL	AMENDED
7	<p>xxx</p> <ul style="list-style-type: none"> 18 pcs Socket: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm <p>xxx</p>	<p>The agency specifications on the socket wrench are revised with the following sizes:</p> <ul style="list-style-type: none"> 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm <p>Kindly refer to Annex "A" for the revised Section VII. Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the amended technical specifications.</p>

For the information and guidance of all concerned.


DDG LINA C. SARMIENTO
 Chairperson
 Bids and Awards Committee

Lot 7 : HEO (Wheel Loader) NC II**APPROVED BUDGET FOR THE CONTRACT : One Million One Hundred Seventeen Thousand Five Hundred Thirty-Eight Pesos and 95/100 (P1,117,538.95)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Combination Wrench (Open and Box)	<ul style="list-style-type: none"> • 16 pcs • sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm • Drop forged alloy or chrome vanadium steel construction • Polished Finished and Chrome Plated • with pouch holder or casing 	1	set			
2	Socket wrench	<ul style="list-style-type: none"> • Chrome Vanadium Steel (CrV) • Drive: ½" • Socket points: 12 points • Socket size: Metric • 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm • Ratchet Handle 250 mm (±5mm) • Swivel/ Power Handle 380 mm (±5mm) • Sliding-T Handle 300 mm (±5mm) • Universal Joint 70 mm (±5mm) • Extension bar length: 250 mm (±5mm) • Extension bar length: 125 mm (±5mm) • With Metal or Plastic Carry Case • Polished finished and Chrome Plated 	1	set			

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
3	Screwdriver	• Cushion Grip Screw Driver	1	set			
		• Magnetized tip for easy pick-up of screws					
		• 6pcs - Slotted/standard 5.5-6.5mm x 150mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) - Slotted/standard parallel 3-5mm x 100mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) - PH2 x 150mm (± 5mm) - PH1 x 100mm (± 5mm)					
4	Long Nose Plier	• Overall Length: 8" ± 1/2"	1	pc			
		• Steel Alloy					
		• Handle finish: plastic-dipped					
5	Vise Grip / Locking Grip Pliers	• Overall length: ≥ 10"	1	pc			
		• Heat treated alloy steel					
		• straight jaw					
		• Locking Grip					
6	Ball Peen Hammer	• Head Weight: 16oz	1	pc			
		• Overall Average Weight: 18 oz - 23 oz					
		• Drop forged carbon steel head					
		• Handle material: Fiber glass with rubberized cushion					
7	Grease Gun	• Capacity: 400-600 cc	1	pc			
		• with 1pc high pressure flexible nylon hose and/or high-pressure metallic bend spout use					
8	Tire Gauge	• Heavy Duty Condor type	1	pc			
		• 160 psi. maximum pressure capacity					

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
-----------------------------------	---	-------------

Lot 8 : PV Systems Installation NC II**APPROVED BUDGET FOR THE CONTRACT : Two Million Eighty-One Thousand Four Hundred Eighteen Pesos and 50/100 (₱2,081,418.50)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Clamp Meter	• AC current - maximum 100A \pm (2.5%+5)	1	pc			
		• DC current - maximum 100A \pm (2.5%+3)					
		• AC voltage - maximum 600V \pm (1%+3)					
		• DC voltage - maximum 600V \pm (1%+3)					
		• Resistance: maximum 20M Ω \pm (1%+2)					
		• Capacitance checking					
		• Manual/Auto Range Selection					
		• Jaw Opening 17mm (+- 2mm)					
		• Auto Power Off					
		• Power: AA or AAA batteries					
		• Accessories: Battery, Test Leads, Carrying Bag					
2	Electrician Plier	• Overall Length: 8" (+/- 1/4")	1	pc			
		• Steel Alloy					
		• Handle finish: plastic-dipped					
3	Screwdriver	• Cushion Grip Screw Driver	1	set			
		• Magnetized tip for easy pick-up of screws					
		• 6pcs					
		- Slotted/standard 5.5-6.5mm x 150mm (\pm 5mm) - Slotted/standard parallel 4.5-5mm x 100mm (\pm 5mm) - Slotted/standard parallel 3-5mm x 100mm (\pm 5mm) - Slotted/standard parallel 4.5-5mm x 150mm (\pm 5mm) - PH2 x 150mm (\pm 5mm) - PH1 x 100mm (\pm 5mm)					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
4	Spirit Level Bar	• Aluminum Frame with Magnet	1	pc			
		• Size: 12" (+- 1/8")					
		• With 3 vials (horizontal, vertical and 45 degrees)					
5	Multi-Tester	• Analog	1	pc			
		• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		• ACV Range: 10, 50, 250, 750 V					
		• Internal Battery: with Battery Included					
		• Internal Fuse: Over-voltage protection					
		• Resistance: X1, X10 X100, X1K, X100k					
6	Hacksaw with Blade	• Adjustable aluminum alloy frame with soft-grip handle	1	set			
		• 90° adjustable blade angle					
		• 12 inches (+- 1/4") bi-metal hacksaw blade					
		• 24 TPI"					
7	Allen Wrench	• 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set			
		• Chrome Vanadium steel					
		• Long arm					
8	Claw Hammer	• Forged steel head	1	pc			
		• Head Weight: 12 oz					
		• Overall Average Weight: 13oz - 19oz					
		• Wooden Handle					

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

**Name of
Company/Bidder**

**Signature over Printed Name of
Authorized Representative**

Date

Lot 11 : Construction Painting NC II**APPROVED BUDGET FOR THE CONTRACT : Two Million Five Hundred Sixty-Four Thousand Two Hundred Twenty-Six Pesos and 86/100 (P2,564,226.86)**

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Spray gun	• 600 to 1000ml capacity	1	unit			
		• Corded (AC Power) 500 to 700 watts					
		• Detachable paint container					
		• Power Plug: US Type					
		• 220-250 V, 60 Hz					
2	Putty Knife	• Polished Steel Blade	1	pc			
		• Plastic Handle					
		• Blade width: 3" (+-1/16")					
		• Full Tang Blade					
3	Pull-Push Rule	• Blade length 8m/26ft	1	pc			
		• Blade width 1"					
		• High impact ABS case with durable rubber					
		• Corrosion resistant tru-zero end					
4	Screwdriver	• Cushion Grip Screw Driver Magnetized tip for easy pick-up of screws	1	set			
		• 6pcs - Slotted/standard 5.5-6.5mm x 150mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 100mm (± 5mm) - Slotted/standard parallel 3-5mm x 100mm (± 5mm) - Slotted/standard parallel 4.5-5mm x 150mm (± 5mm) - PH2 x 150mm (± 5mm) - PH1 x 100mm (± 5mm)					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5	Steel Float/Plastering Trowel	<ul style="list-style-type: none"> • Thickness: 0.7 mm • Surface measurement: 280 mm x 125 mm (+- 1 mm) • High carbon Steel • Solid forged steel with plastic handle 	1	pc			

* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

**Name of
Company/Bidder**

**Signature over Printed Name of
Authorized Representative**

Date