

Republic of the Philippines

TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY





SUPPLEMENTAL/BID BULLETIN

BID BULLETIN NO. 02

5 November 2020

Name of Project: Procurement of Starter Toolkits for the Implementation of FY 2020 Universal Access to Quality Tertiary Education Act (UAQTEA) Single/Bundled Programs - Heating, Ventilation, Airconditioning and Refrigeration Sector

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 2 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidder/s.

A. CLARIFICATION IN THE INVITATION TO BID:

1. On the schedule of the bid submission (Paragraph 7)

ORIGINAL	AMENDED
Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before 12 November 2020 at 2:00 p.m. Online submission is not yet available. Late bids shall not be accepted.	Bids must be duly received by the BAC Secretariat through manual submission at the Main Lobby, TESDA Women's Center (TWC), Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City 1630 on or before 12 November 2020 at 8:00 a.m. to 9:00 a.m. Online submission is not yet available. Late bids shall not be accepted.

2. On the schedule of the opening of bids (Paragraph 9)

ORIGINAL	AMENDED
Bid opening shall be on 12	Bid opening shall be on 12
	November 2020 at 9:00 a.m.
Tandang Sora Hall, TESDA Women's	onwards, at the Tandang Sora Hall,
Center, Gate 1, TESDA Complex,	TESDA Women's Center, Gate 1,
Building 2, East Service Road, South	TESDA Complex, Building 2, East
Luzon Expressway (SLEX), Fort	Service Road, South Luzon
	Expressway (SLEX), Fort Bonifacio,
	Taguig City 1630. Bids will be opened
	in the presence of the bidders'
to attend the activity.	representative who choose to attend
	the activity.
XXX	
	XXX



B. CLARIFICATION IN THE BIDDING DOCUMENTS:

 On the requirement for product certification (ITB Clause 20.1 of Section III. Bid Data Sheet and GCC Clause 4 of Section V. Special Conditions of the Contract)

ORIGINAL	AMENDED
xxx	xxx
products) should pass international quality control product standards and have international quality control product markings such as CE, ISO,	Imported products (for electronic products) should pass the international quality control product standards and have international quality control product markings such as but not limited to CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, and IQA.

2. On the technical specifications of the Flaring with swaging tools set

Query of Reddot Imaging Philippines Inc.: "An Eight Swage adapter is not common in the market. It is usually a set of 7, wherein, size 7/16 is not included. May we suggest to revise it to Tubing SWAGING SIZE: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", and 3/4" O.D. Tubing."

LOT NO.	ORIGINAL	AMENDED
1	Screw type feed	Screw type feed
2	Two bars cover 9 sizes	Two bars cover 9 sizes
	Swivel type swaging adapters and Flaring cone hardened steel, chromed finished	 Swivel type swaging adapters and Flaring cone hardened steel, chromed finished
	Slip on forge steel yoke includes Nine (9):	Slip on forge steel yoke includes Nine (9):
	- Flares 1/8", 3/16",1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD	- Flares 1/8", 3/16",1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD
	• Eight (8) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"and 3/4" OD	• Seven (7) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4" OD
		Kindly refer to Annexes "A" and "B" for the revised Section VII.
		Technical Specifications. Likewise, the test parameters for this item will be adjusted based on the
		amended technical specifications.

For the information and guidance of all concerned.

DDG/LINA C. SARMIENTO Chairperson Bids and Awards Committee

Lot 1

: RAC Servicing (DomRAC) NC II

APPROVED BUDGET FOR THE CONTRACT Eight Million Five Hundred Thirty-Three Thousand Two Hundred : Ninety-Seven Pesos and 08/100 (₱Php 8,533,297.08)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
		Screw type feed	1	set			
		 Two bars cover 9 sizes 					
	Flaring with	 Swivel type swaging adapters and Flaring cone hardened steel, chromed finished 					
1	swaging tools set	 Slip on forge steel yoke includes Nine (9): Flares 1/8", 3/16",1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD 					
		 Seven (7) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4" OD 					
		Heavy duty	1	рс	21		
	Tube Cutter	 For 1/8 inch to 1 1/8 inches pipe 					
2		Materials: High strength zinc alloy					
		with spare cutter wheel on the knob					
		Overall Length: 8" ± 1/2"	1	рс		THE TRUE	
	Long Nose	Steel Alloy					
3	Plier	Handle finish: plastic-dipped					
		• 16 pcs	1	set			
4	Combination	 sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm 					
	Wrench	 Drop forged alloy or chrome vanadium steel construction 					
		Lobular box end design					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
		• 2 valves	1	set			
		Three (3) hoses					
		high side gauge pressure: 0- 500 psig					
	Gauge	 low side gauge pressure: 30 in Hg vacuum-250 psig 					
5	Manifold	For refrigerants R-22 and R134-a					
		• 1/4 in vacuum port			*****		
		Hose length: 36 inches					
		• 2,500 psig burst					
	Multi-Tester	Analog	1	рс			
		DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		• ACV Range: 10, 50, 250, 750 V					
		Internal Battery: R6 (IEC) or UM-3 1.5V x 2					
6		 Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm 					
		 Resistance: X1, X10 X100, X1K, X100k 					
		Over-voltage protection					
		with battery included					
		• 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set			
7	Allen Wrench	Chrome Vanadium steel					
		Long arm					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
		 AC current - maximum 100A ±(2.5%+5) 	1	рс			
		DC current - maximum 100A ±(2.5%+3)					
		 AC voltage - maximum 600V ±(1%+3) 					
		● DC voltage - maximum 600V ±(1%+3)					
		• Resistance: maximum 20MΩ ±(1%+2)					
8	Clamp Meter	Capacitance checking					
		Manual/Auto Range Selection					
		Jaw Opening 17mm (+- 2mm)					
		Auto Power Off					
		Power: AA or AAA batteries					
		 Accessories: Battery, Test Leads, Carrying Bag 					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of	Signature over Printed Name of	Date
Company/Bidder	Authorized Representative	

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



Lot 2

: RAC Servicing (PACU-CRE) NC III

APPROVED BUDGET FOR THE CONTRACT

Seven Hundred Ninety-One Thousand Five Hundred Eighty-Six

Pesos (₱791,586.00)

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1		Screw type feed	1	set			
		 Two bars cover 9 sizes 					
		Swivel type swaging adapters and Flaring cone hardened steel, chromed finished					
	Flaring with swaging tools set	 Slip on forge steel yoke includes Nine (9): Flares 1/8", 3/16",1/4", 5/16", 3/8", 7/16", 1/2", 5/8" and 3/4" OD 					
		 Seven (7) swage adapter for tubes sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4" OD 					
2	Tube Cutter	Heavy duty	1	рс			4,441.
		For 1/8 inch to 1 1/8 inches pipe					
		 Materials: High strength zinc alloy 					
		with spare cutter wheel on the knob					
3	Long Nose	Overall Length: 8" ± 1/2" Steel Alloy	1	рс			
	Plier	Handle finish: plastic-dipped					
4		• 16 pcs	1	set			
4	Combination Wrench	• sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm		301			
	Wichon	Drop forged alloy or chrome vanadium steel construction					
		Lobular box end design					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
5		• 2 valves	1	set			
		Three (3) hoses					
		high side gauge pressure: 0- 500 psig					
	Gauge	 low side gauge pressure: 30 in Hg vacuum-250 psig 					
	Manifold	For refrigerants R-22 and R134-a					
		• 1/4 in vacuum port					
		Hose length: 36 inches					
		• 2,500 psig burst					
6	Multi-Tester	Analog	1	рс			
		• DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V					
		• ACV Range: 10, 50, 250, 750 V					
		● Internal Battery: R6 (IEC) or UM-3 1.5V x 2					
		 Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm 					
		 Resistance: X1, X10 X100, X1K, X100k 					
		Over-voltage protection					
		with battery included					
7		• 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	1	set			
	Allen Wrench	Chrome Vanadium steel					
		Long arm					

No.	Item	Agency Specifications	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
8		 AC current - maximum 100A ±(2.5%+5) 	1	рс			
		 DC current - maximum 100A ±(2.5%+3) 					
		AC voltage - maximum 600V ±(1%+3)					
		 DC voltage - maximum 600V ±(1%+3) 					
		• Resistance: maximum 20MΩ ±(1%+2)			***************************************		
	Clamp Meter	Capacitance checking					
		Manual/Auto Range Selection			***************************************		
		Jaw Opening 17mm (+- 2mm)					
		Auto Power Off	1				
		Power: AA or AAA batteries					
		Accessories: Battery, Test Leads, Carrying Bag					

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of	Signature over Printed Name of	Date
Company/Bidder	Authorized Representative	

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.