

Republic of the Philippines TECHNICAL EDUCATION AND SKILLS DEVELOPMENT AUTHORITY

ISO 9001: 2015 Certified



SUPPLEMENTAL/BID BULLETIN

BID BULLETIN NO. 1

21 November 2022

Name of Project: Procurement of Starter Toolkits for the Implementation of FY 2022
Universal Access to Quality Tertiary Education Act (UAQTEA) –
Diploma Program

Pursuant to Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin No. 1 is being issued to further clarify the provisions in the Bidding Documents with reference to the queries/concerns raised by the bidders.

A. Invitation to Bid

The venue of the opening of bids shall be revised as follows:

ORIGINAL	AMENDED
9. Bid opening shall be on 28 November 2022 at 10:00 A.M., at the Gabriela Silang Room, TESDA Women's Center, Gate 1, TESDA Complex, Building 2, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.	9. Bid opening shall be on 28 November 2022 at 10:00 A.M., at the AS Conference Room, TESDA Administration Building, Gate 1, TESDA Complex, East Service Road, South Luzon Expressway (SLEX), Fort Bonifacio, Taguig City. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
XXX	xxx

B. Bidding Documents

1. On the revision of the technical specifications of the items (Section VII of the Bidding Documents)

ITEM	ITEM	M TECHNICAL SPECIFICATIONS				
NO.	NAME	ORIGINAL	AMENDED			
LOT 1						
	Plastic Pail	 16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM 	16 liters capacity Plastic utility pail with metal handle 650 grams weight			



ITEM	ITEM	TECHNICAL SPECIFICATIONS				
NO.	NAME	ORIGINAL	AMENDED			
LOT 5	Socket Wrench	 Chrome Vanadium Steel (Cr-V) Drive: ½" Socket points: 12 points Socket size: Metric 18 pcs Socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm Rachet Handle 250 mm (±5mm) Swivel/ Power Handle 380 mm (±5mm) Sliding-T Handle 250 mm (±5mm) Universal Joint 70 mm (±5mm) Extension bar length: 250 mm (±5mm) Extension bar length: 125 mm (±5mm) 	TESDA retains the technical specification of the item stated in the Bidding Documents.			
LOT 6	Claw Hammer	Forged steel head Head Weight: 16 oz Overall Average Weight: 13oz - 19oz Fiber glass heavy duty Handle	Forged steel head Head Weight: 16 oz Fiber glass heavy duty Handle			
LOT 12		The glass fleaty daty flatfale	!			
LOT 14	Digitizing Pen and Tablet	 wired or wireless connectivity to the PC/Laptop; orientation: left and right handed Interface: USB (for wired connectivity) or Bluetooth (for wireless connectivity); compatible OS: Windows 7/8/10 or later, Mac OS X 10.6.8 or later; movement detection technology: electromagnetic; Active area of 10x6 and Movement resolution of 5080 Pens with additional tips (Battery free Digital Pen) with complete accessories (e.g. cables) 	TESDA retains the technical specification of the item stated in the Bidding Documents.			
1	Spatula	2 speed with pulse	stainless steel straight blade			
·		 with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type 	 Plastic handle 3 cm blade width (+- 2 mm) 25.4 cm blade length (+- 0.5 cm) 12.7 cm handle length (+- 0.5 cm) round edges 			

ITEM	ITEM	TECHNICAL SPECIFICATIONS				
NO.	NAME	ORIGINAL	AMENDED			
2	Flour Sifter	 Stainless steel Thickness: 1mm Riveted handle 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 	 stainless steel mesh flour strainer 12" diameter (+- 1/4 inch) 			
3	Measuring Cup	 stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams 	 Stainless steel Thickness: 1mm Riveted handle 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 			
4	Mixing Bowl	 10" stainless steel blade (+- 1/4") full tang, riveted handle 	 stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams 			
5	Piping Bags	 AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type 	 12 inches reusable nylon/silicone coated, can be boiled dishwasher safe Complete with Accessories (Nozzle Set) 			
7	Wire Whisk Bread knife	 stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams 1/2" x 12" x 18" size 	stainless steel 12 inches balloon style (8 to 10 loops) enclosed sturdy handle Length: 8" - 12"			
		 made of polyethylene material white 	 serrated edge stainless steel blade polypropylene/ wooden straight riveted handle 			
8	Digital Weighing Scale	 2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type 	 AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type 			
9	Muffin Pan	 Stainless steel Thickness: 1mm Riveted handle 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup) 	12 holes3 oz. capacity per holeNon Stick pan			

ITEM	ITEM	TECHNICAL SPECIFICATIONS				
NO.	NAME	ORIGINAL	AMENDED			
10	Cheese Grater	 stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams 	 stainless steel box grater with handle Dimension of box grater: 20.9 cm (Height including handle) x 8.5 cm (length) x 6.1 cm (width) (+- 0.5 cm) small and large holes 			
12	Oven	 AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type 	45 L capacity timer 60 minutes with bell alarm temperature control (100 - 250C) indicator light removable tray for easy cleaning (crumb tray) tempered glass 5 stage heating selection accessories: enamel bake tray, wire rack tray handle 220V, 60Hz			
LOT 15			····			
	Mixing Bowl	 stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams 	TESDA retains the technical specification of the item stated in the Bidding Documents.			
LOT 16	•					
	Tablet	 Processor: 1.3 gHz or higher; Display: 7 inches HD or higher - Resolution: at least 1024 x 600; OS: Android 6.0 or Higher; Memory: 1 GB RAM or higher - ROM: 16 GB or higher; Connectivity: 802.11a/b/g/n WiFi LAN and Bluetooth 4.0; and with SIM and Memory Expansion Slot; Battery: 3400 mAh or higher. Charger Voltage Compatibility: 220V - 240V; 60 Hz Power Plug: US Type 	TESDA retains the technical specification of the item stated in the Bidding Documents.			

> Kindly refer to the revised Section VII of the Bidding Documents incorporating the amendments on the abovementioned items.

2. On the query on the packaging of tools and equipment (General Conditions of the Contract [GCC] Clause No. 1 of the Bidding Documents)

ORIGINAL

All items per lot/qualification must be packaged with a label. Each box must correspond to one (1) lot and contain all the items in that lot since the bidding is on a per lot basis. The winning bidder must ensure that the items are properly packed and secured in a lightweight but durable box that is strong enough to withstand stress and damage during delivery and even usage by the beneficiary. The maximum stacking level for the boxes to support a static load over time must be specified.

The special packaging must be lightweight and and portable. composed of durable plastic ОГ aluminum. It should not be packed in a carton box as this is less durable than plastic or aluminum, and can be susceptible to mold, fire and water damages due to weather, among others.

Each packaging box must be labeled individually with water resistant sticker paper weighing 210-300 gsm. The following information must be included on the label in font size 32:

- TESDA Logo
- Lot Number/Name of Qualification

Boxes containing items which are easily broken must be labeled "Fragile."

The winning bidder should also indicate the violator line. "NOT FOR be clearly seen or be visible to the eye. | mattocks,

AMENDED

All items per lot/qualification must be contained in one (1) package with a label. Each package must correspond to one (1) lot and contain all the items in that lot since the bidding is on a per lot basis.

The packaging must be made of either hard plastic or aluminum to safeguard the items.

Each package must be labeled individually with water resistant sticker paper weighing 210-300 gsm. The following information must be included on the label in font size 32:

- TESDA Logo
- Lot Number/Name of Qualification

Packages containing items which are easily broken and damaged must be labeled "Fragile."

The winning bidder should also indicate the violator line, "NOT FOR SALE" in the package which must be clearly visible.

However, items with their own packing, such as ovens, welding machines, and knapsack sprayers, among others, need not be placed together with other items in the lot.

The "NOT FOR SALE" statement and TESDA logo must be embossed on large items.

SALE" in the packaging box. This must | Large items such as rakes, pick hole diggers, post

ORIGINAL AMENDED wheelbarrows, and the like are also not required to be included in the package. Example: For Dressmaking and Tailoring, it must The following items shall have their have special packaging like an own special packaging: organizer bag for the toolkits like Lsquare, hip curve, French curve, etc. For welding machines or other machine tools, it must have For welding machines or embossed TESDA logo and "NOT machine tools, it must have printed or FOR SALE" wordings. embossed TESDA logo, bearing the masonry and carpentry. "NOT FOR SALE" wording. mechanical tools must have hard plastic or aluminum casing with For masonry, carpentry, mechanical embossed TESDA logo and "NOT tools, it must have hard plastic or FOR SALE" wordings. aluminum casing with printed and For hilot massage services, hard embossed TESDA logo and "NOT case plastic storage box/organizer FOR SALE" wordings. with embossed TESDA logo and "NOT FOR SALE" wordings. For hilot massage services, hard case For dressmaking and tailoring, the plastic storage box/organizer with toolkits enumerated as follows printed TESDA logo and "NOT FOR must be placed in an organizer bag SALE" wordings. made of canvas material with dark color: o Fabric cutting shears o Pinking shears

For the information and guidance of all concerned.

DDG ROSANNA A. URDANETA

Plastic rulerFrench curveTailors L square

Chairperson ♣ ♣ ♥
Bids and Awards Committee

Technical Specifications

Lot 1

: Animal Production (Poultry-Chicken) NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Plastic Pail	Kindly refer to the technical specifications attached as Revised Annex E1.	1	рс			
2	Knapsack Sprayer		1	unit			
3	Waterer for Chicken		1	рс			
4	Tubular Feeder		1	рс			
5	Shovel		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Revised Annex E1.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of	Signature over Printed Name of	Date
Company/Bidder	Authorized Representative	

Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warran ty	Training	Manual	No. of Items/Toolkits	Unit
Animal Production (Poultry-Chicken) NC II	1	1	Plastic Pail	16 liters capacity Plastic utility pail with metal handle 650 grams weight	visual check to verify brochures and data sheets Check for the functionality	YES	N/A	If applicable	1	рс
Animal Production (Poultry-Chicken) NC II	1	2	Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi- automatic with complete accessories (Hose, Nozzle, Handle, Strap)	to verify brochures and data sheets Check for the functionality	YES	N/A	YES	1	unit
Animal Production (Poultry-Chicken) NC II	1	3	Waterer for Chicken	Capacity : 1- gallon Material: Polyethylene Plastic (Dent- proof)	visual check to verify brochures and data sheets Check for the functionality	YES	N/A	If applicable	1	рс
Animal Production (Poultry-Chicken) NC II	1	4	Tubular Feeder	Capacity: 5 kg. Material: High Density Polyethylene Plastic	visual check Check for the functionality	YES	N/A	If applicable	1	рс
Animal Production (Poultry-Chicken) NC II	1	5	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Visual check measurement check Check for the functionality	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, i found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of ou bid.						
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date				

Technical Specifications

Carpentry NC II Lot 6

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Portable Hand Drill		1	Unit			
2	Portable circular saw		1	Unit			
3	Claw Hammer	Kindly refer to	1	рс			
4	Crow Bar	the technical	1	рс		_	
5	Pull-Push Rule	specifications attached as	1	рс			
6	Steel Square	Revised Annex E6.	1	рс			
7	Spirit Level Bar	L 0.	1	рс			
8	Wood Chisel		1	set			
9	Chalk Line Reel		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Revised Annex E6.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Carpentry NC II	6	1	Portable Hand Drill	Input Power: 500W-850W Input Voltage:220-240V, 60Hz No Load Speed:0-380/1300rpm Cord Length: 1 meter Power Plug: US Type	functionality test to verify brochures and data sheets	YES	N/A	YES	1	Unit
Carpentry NC II	6	2	Portable circular saw	Rated Power: 1,000-1200 W Input Voltage:220-240V, 60Hz Blade diameter: 185mm (7-1/4") Rated speed: 5200 r/min Saw blade bore diameter: 20mm or higher Cord Length: 1 meter Power Plug: US Type	functionality test to verify brochures and data sheets	YES	N/A	YES	1	Unit
Carpentry NC II	6	3	Claw Hammer	Forged steel head Head Weight: 16 oz Fiber glass heavy duty Handle	functionality test visual check to verify brochures and data sheets	YES	N/A	If applicable	1	рс
Carpentry NC II	6	4	Crow Bar	 36" long Length Tolerance: +/- 1/8" forged steel carbon 	visual check to verify brochures and data sheets	YES	N/A	lf applicable	1	pc
Carpentry NC II	6	5	Pull-Push Rule	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	to verify brochures and data sheet Visual check	YES	N/A	If applicable	1	рс
Carpentry NC II	6	6	Steel Square	Carpenter's framing square; 2" x 16" x 24" Steel Engraved Double graduation english/metric	dimension checking to verify brochures and data sheets engraved and painted graduation both sides	YES	N/A	If applicable	1	рс

Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Carpentry NC II	6	7	Spirit Level Bar	Aluminum Frame with Magnet Size: 12* With 3 vials (horizontal, vertical and 45 degrees)	to verify brochures and data sheets magnet test dimension checking	YES	N/A	If applicable	1	рс
Carpentry NC II	6	8	Wood Chisel	Carbon steel Size: 1/4", 1/2", 3/4", 1" Dimension Tolenrance +/- 1/16" Blade Length: 5" Plastic handle	visual check measurement check to verify brochures and data sheets	YES	N/A	If applicable	1	set
Carpentry NC II	6	9	Chalk Line Reel	Includes chalk reel and 4-oz bottle of blue chalk String Length: 100-ft Material: ABS plastic body and a Stainless Steel Hook at the end of the string	with colored chalk Line should not be lesser than 100 ft.	YES	N/A	If applicable	1	рс

	ent of compliance to the foregoing technical sp e either during bid evaluation or post-qualificat ur bid.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Technical Specifications

Lot 14

: Bread and Pastry Production NC II

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance *	Make Brand / Model	Reference
1	Spatula		1	рс			
2	Flour Sifter		1	рс			
3	Measuring Cup		1	set			
4	Mixing Bowl		1	рс			_
5	Piping Bags	Kindly refer to	1	рс			
6	Wire Whisk	the technical	1	рс			
7	Bread Knife	specifications	1	рс			
8	Digital Weighing Scale	attached as Revised Annex E14.	1	unit			
9	Muffin Pan		1	рс			
10	Cheese Grater		1	рс			
11	Chef's Knife		1	рс			
12	Oven		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Revised Annex E14.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Bread and Pastry Production NC II	14	1	Spatula	stainless steel straight blade Plastic handle 3 cm blade width (+- 2 mm) 25.4 cm blade length (+- 0.5 cm) 12.7 cm handle length (+- 0.5 cm) round edges	Actual Measurement visual check to verify brochures and data sheets	YES	N/A	If applicable	1	рс
Bread and Pastry Production NC II	14	2	Flour Sifter	stainless steel mesh flour strainer 12" diameter (+- 1/4 inch)	Actual Measurement visual check to verify brochures and data sheets Submit Certification mark for Food Grade Quality - (Ex: Tuv Sud) or any equivalent	YES	N/A	If applicable	1	pc
Bread and Pastry Production NC II	14	3	Measuring Cup	Stainless steel Thickness: 1mm Riveted handle 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)	Actual Measurement visual check to verify brochures and data sheets	YES	N/A	If applicable	1	set
Bread and Pastry Production NC II	14	4	Mixing Bowl	stainless stee! 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams	Actual Measurement to verify brochures and data sheets	YES	N/A	If applicable	1	рс
Bread and Pastry Production NC II	14	5	Piping Bags	12 inches reusable nylon/silicone coated, can be boiled dishwasher safe Complete with Accessories (Nozzle Set)	Actual Measurement Recycleable (Marked or Stamped "other" or "7") to verify brochures and data sheets	YES	N/A	If applicable	1	рс

Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Bread and Pastry Production NC II	14	6	Wire Whisk	stainless steel 12 inches balloon style (8 to 10 loops) enclosed sturdy handle	Actual Measurement and visual check Sealed and sturdy handle to verify brochures and data sheets	YES	N/A	If applicable	1	рс
Bread and Pastry Production NC II	14	7	Bread Knife	Length: 8" - 12 " serrated edge stainless steel blade polypropylene/wooden straight riveted handle	Actual Testing (Slicing Paper) and Measurement Any related Food Grade Certificate (Ex: TUV SUD, Regulatory Compliance for Utensils and Tools or any equivalent) to verify brochures and data sheets	YES	N/A	if applicable	1	рс
Bread and Pastry Production NC II	14	8	Digital Weighing Scale	AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type	Visual Checking (Clear Display) Weight Calibration (Sets to Zero) Functionality Test	YES	N/A	YES	1	unit
Bread and Pastry Production NC II	14	9	Muffin Pan	12 holes 3 oz. capacity per hole Non Stick pan	Actual Measurement Food Grade Certificate to verify brochure and data sheets visual check	YES	N/A	If applicable	1	рс

Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Bread and Pastry Production NC II	14	10	Cheese Grater	stainless steel box grater with handle Dimension of box grater: 20.9 cm (Height including handle) x 8.5 cm (length) x 6.1 cm (width) (+- 0.5 cm) small and large holes	Actual Measurement to verify brochure and data sheets visual check	YES	N/A	If applicable	1	рс
Bread and Pastry Production NC II	14	11	Chef's Knife	10" stainless steel blade (+- 1/4") full tang, riveted handle	actual measurement of the blade length to verify brochures and data sheets sharpness test using paper or thumbnail	YES	N/A	If applicable	1	рс
Bread and Pastry Production NC II	14	12	Oven	45 L capacity timer 60 minutes with bell alarm temperature control (100 - 250C) indicator light removable tray for easy cleaning (crumb tray) tempered glass 5 stage heating selection accessories: enamel bake tray, wire rack tray handle 220V, 60Hz	to verify brochures and data sheets Functionality Test	YES	N/A	YES	1	рс

•	nent of compliance to the foregoing technical speed e either during bid evaluation or post-qualificat our bid.	·
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

