Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine	23	4	Spark Plug Socket Wrench	<ul> <li>Chrome Vanadium Steel (Cr-V)</li> <li>3 pcs Spark Plug Socket Wrench</li> <li>Socket size: Metric 16, 18, and 21 mm</li> <li>Drive: 1/2"</li> <li>with casing</li> </ul>	<ul> <li>visual checking</li> <li>to verify brochures and data sheets</li> <li>Durability check (random actual tightening and loosening of bolts/nuts)</li> </ul>	YES	N/A	lf applicable	1	set
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine	23	5	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Slotted/standard 5.5-6.5mm x 150mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 100mm (± 5mm)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>sample checking of item in tightening screws/durability test</li> <li>measurement of actual dimension (excluding handle)</li> </ul>	YES	N/A	lf applicable	1	set
Automotive and Land Transportation	Motorcycle/Small Engine Servicing NC II - Overhaul Motorcycle/Small Engine	23	6	T-Handie Hex Key Wrench	<ul> <li>8 pcs.T-Handle Hex Key Wrench</li> <li>Metric Sizes: 2, 2.5, 3, 4, 5, 6, 8, 10mm</li> <li>Chrome Vanadium steel</li> <li>Anti-slip thermoplastic handles</li> <li>Solid hex tip at short end and on long end</li> </ul>	<ul> <li>visual checking</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set

\$

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

#### Lot 24

### : Assembly of Solar Nightlight and Post Lamp

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester		1	рс			
2	Soldering Iron		1	рс			
3	Long Nose Plier	Kindly refer to the technical	1	рс			
4	Diagonal Cutting Plier	specifications attached as Annex E24.	1	рс			
5	Screwdriver	Annex E24.	1	set			
6	Desoldering Pump/Solder Sucker		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E24.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de p

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Built-in test probes</li> <li>With battery included</li> </ul>	<ul> <li>checking of resistance calibration, and actual voltage test</li> <li>Shock Proof Design</li> <li>Visual Checking on test probe, specs and internal parts (fuse and batteries)</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	2	Soldering Iron	<ul> <li>30 watts, 220-240 volts/60hz</li> <li>heat pencil tip</li> </ul>	<ul> <li>visual check</li> <li>Soldering Iron Testing Method and Apparatus</li> <li>5 to 10 minutes pre- heating time</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	3	Long Nose Plier	<ul> <li>Overall Length: 8" ± 1/2"</li> <li>Steel Alloy</li> <li>Handle finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>measurement check</li> <li>to verify brochures and data sheets</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	рс
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8" (± 1/4")</li> <li>Material: Carbon Steel</li> <li>Handle Finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	pc

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	5	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Slotted/standard 5.5-6.5mm x 150mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 100mm (± 5mm)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>sample checking of item in tightening screws/durability test</li> <li>measurement of actual dimension (excluding handle)</li> </ul>	YES	N/A	lf applicable	1	set
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	24	6	Desoldering Pump/Solder Sucker	<ul> <li>anodized aluminum housing</li> <li>high suction</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>suction capability test</li> </ul>	YES	N/A	lf applicable	1	рс

	Name of Company/Bidder	Signature over Printed Name of Authorized	Date
dr A		Representative	

#### : Electrical Installation and Maintenance NC II

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester		1	рс			
2	Electrician Plier		1	рс			
3	Long Nose Plier	Kindly refer to the	1	рс			
4	Screwdriver	technical specifications attached as	1	set			
5	Automatic Wire Stripper	Annex E25.	1	рс			
6	Pull-Push Rule		1	рс			
7	Heat Gun		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the oorresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically cperated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E25.

Instruction Manual is an instructional book or bocklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a dccument that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Lot 25

Signature over Printed Name of Authorized Representative Date

dr ir

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electrical Installation and Maintenance NC II	25	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Built-in test probes</li> <li>With battery included</li> </ul>	<ul> <li>checking of resistance calibration, and actual voltage test</li> <li>Shock Proof Design</li> <li>Visual Checking on test probe, specs and internal parts (fuse and batteries)</li> </ul>	YES	N/A	YES	1	рс
 Electrical and Electronics	Electrical Installation and Maintenance NC II	25	2	Electrician Plier	<ul> <li>Overall Length: 9"</li> <li>Steel Alloy</li> <li>Handle finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>actual measurement</li> <li>to verify brochures and data sheet</li> </ul>	YES	N/A	lf applicable	1	рс
 Electrical and Electronics	Electrical Installation and Maintenance NC II	25	3	Long Nose Plier	<ul> <li>Overall Length: 8" ± 1/2"</li> <li>Steel Alloy</li> <li>Handle finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>measurement check</li> <li>to verify brochures and data sheets</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	рс
 Electrical and Electronics	Electrical Installation and Maintenance NC II	25	4	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Slotted/standard 5.5-6.5mm x</li> <li>150mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 100mm (± 5mm)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>sample checking of item in tightening screws/durability test</li> <li>measurement of actual dimension (excluding handle)</li> </ul>	YES	N/A	if applicable	1	set

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Electrical and Electronics	Electrical Installation and Maintenance NC II	25	5	Automatic Wire Stripper	<ul> <li>Multi-functional tool</li> <li>Stripping Capacity 0.2-6mm</li> <li>Stripping Length 0-10mm</li> <li>Cutting Capacity 0-10mm</li> <li>Crimp Capacity 1.5-6mm</li> <li>Made of forged steel</li> <li>With anti-slip handle</li> </ul>	<ul> <li>visual check</li> <li>Functionality test (Stripping, Cutting, and Crimping Capacity)</li> </ul>	YES	N/A	if applicable	1	рс
Electrical and Electronics	Electrical Installation and Maintenance NC II	25	6	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	рс
Electrical and Electronics	Electrical Installation and Maintenance NC II	25	7	Heat Gun	<ul> <li>Power : 2000W</li> <li>Voltage: AC220V-230V 60Hz</li> <li>Heat Setting : variable</li> <li>Switch Control : 2 stages</li> <li>Temperature : 50-450 deg / 90-600 deg</li> <li>Cord Length: 1.4m,</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>functionality test</li> <li>to verify brochures and data sheets</li> <li>Visual checking on availability of heat setting, blower stages and plug- type</li> <li>Measuring actual dimension on cord length</li> </ul>	YES	N/A	YES	1	рс

\$ Name of Company/Bidder	Signature over Printed Name of Authorized	Date	
	Representative		

#### Lot 26

Electronics Products Assembly and Servicing NC II -Assemble Electronics Products

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester		1	рс			
2	Soldering Iron		1	рс			
3	Long Nose Plier	Kindly refer to the technical	1	рс			
4	Diagonal Cutting Plier	specifications attached as Annex E26.	1	рс			
5	Screwdriver	Annex 220.	1	set			
6	Desoldering Pump/Solder Sucker		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E26.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1. 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Built-in test probes</li> <li>With battery included</li> </ul>	<ul> <li>checking of resistance calibration, and actual voltage test</li> <li>Shock Proof Design</li> <li>Visual Checking on test probe, specs and internal parts (fuse and batteries)</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	2	Soldering Iron	<ul> <li>30 watts, 220-240 volts/50hz</li> <li>heat pencil tip</li> </ul>	<ul> <li>visual check</li> <li>Soldering Iron Testing Method and Apparatus</li> <li>5 to 10 minutes pre- heating time</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	3	Long Nose Plier	<ul> <li>Overall Length: 8" ± 1/2"</li> <li>Steel Alloy</li> <li>Handle finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>measurement check</li> <li>to verify brochures and data sheets</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	рс
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8" (± 1/4")</li> <li>Material: Carbon Steel</li> <li>Handle Finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	рс

4 7~

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	5	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Slotted/standard 5.5-6.5mm x</li> <li>150mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 100mm (± 5mm)</li> </ul>	• to verify brochures and data sheets • sample checking of item in tightening screws/durability test • measurement of actual dimension (excluding handle)	YES	N/A	lf applicable	1	set
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	26	6	Desoldering Pump/Solder Sucker	<ul> <li>anodized aluminum housing</li> <li>high suction</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>suction capability test</li> </ul>	YES	N/A	lf applicable	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
in the of company. Drauor	erginatare erer i mitea maine er Admonized	Date
	Representative	
	Kepresentauve	

#### Lot 27

# Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Multi-Tester		1	рс			
2	Soldering Iron		1	рс			
3	Long Nose Plier	Kindly refer to the	1	рс			
4	Diagonal Cutting Plier	technical specifications	1	рс			
5	Screwdriver	attached as <b>Annex E27</b> .	1	set			
6	Desoldering Pump/Solder Sucker		1	рс			
7	Automatic Wire Stripper		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E27.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	1	Multi-Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 Ano/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Built-in test probes</li> <li>With battery included</li> </ul>	<ul> <li>checking of resistance calibration, and actual voltage test</li> <li>Shock Proof Design</li> <li>Visual Checking on test probe, specs and internal parts (fuse and batteries)</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	2	Soldering Iron	<ul> <li>30 watts, 220-240 volts/60hz</li> <li>heat pencil tip</li> </ul>	<ul> <li>visual check</li> <li>Soldering Iron Testing Method and Apparatus</li> <li>5 to 10 minutes pre- heating time</li> </ul>	YES	N/A	YES	1	рс
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	3	Long Nose Plier	<ul> <li>Overali Length: 8" ± 1/2"</li> <li>Steel Alloy</li> <li>Handle finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>measurement check</li> <li>to verify brochures and data sheets</li> <li>visual checking of specification</li> </ul>	YES	N/A	lf applicable	1	рс

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuał	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	4	Diagonal Cutting Plier	<ul> <li>Overall Length: 8" (± 1/4")</li> <li>Material: Carbon Steel</li> <li>Handle Finish: Ergonomic grip rubberized cushion</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> <li>visual checking of specification</li> </ul>	YES	N/A	if applicable	1	pc
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	5	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Siotted/standard 5.5-6.5mm x 150mm (± 5mm)</li> <li>Siotted/standard paralleli 4.5-5mm x 100mm (± 5mm)</li> <li>Siotted/standard paralleli 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard paralleli 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 150mm (± 5mm)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>sample checking of item in tightening screws/durability test</li> <li>measurement of actual dimension (excluding handle)</li> </ul>	YES	N⁄A	lf applicable	1	set
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	6	Desoldering Pump/Solder Sucker	<ul> <li>anodized aluminum housing</li> <li>high suction</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>suction capability test</li> </ul>	YES	N/A	lf applicable	1	pc

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	27	7	Automatic Wire Stripper	<ul> <li>Multi-functional tool</li> <li>Stripping Capacity 0.2-6mm</li> <li>Stripping Length 6-10mm</li> <li>Cutting Capacity 0-10mm</li> <li>Crimp Capacity 1.5-6mm</li> <li>Made of forged steel</li> <li>With anti-slip handle</li> </ul>	<ul> <li>visual check</li> <li>Functionality test (Stripping, Cutting, and Crimping Capacity)</li> </ul>	YES	N/A	lf applicable	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

**₽** €0

#### Lot 28 : Carpentry NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Hand Drill		1	Unit			
2	Portable circular saw		1	Unit			
3	Claw Hammer		1	рс			
4	Crow Bar	Kindly refer to the technical	1	рс			
5	Pull-Push Rule	specifications attached as	1	рс			
6	Steel Square	Annex E28.	1	рс			
7	Spirit Level Bar		1	рс			
8	Wood Chisel		1	set			
9	Chalk Line Reel		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E28.

Instruction Manual is an instructional bock or bookiet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

JA M

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
General Infrastructure	Carpentry NC II	28	1	Portable Hand Drill	<ul> <li>Input Power: 500W-850W</li> <li>Input Voltage:220-240V, 60Hz</li> <li>No Load Speed:0-380/1300rpm</li> <li>Cord Length: 1 meter</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	Unit
General Infrastructure	Carpentry NC II	28	2	Portable circular saw	<ul> <li>Rated Power: 1,000-1200 W</li> <li>Input Voltage:220-240V, 60Hz</li> <li>Blade diameter: 185mm (7-1/4")</li> <li>Rated speed: 5200 r/min</li> <li>Saw blade bore diameter: 20mm or higher</li> <li>Cord Length: 1 meter</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	Unit
General Infrastructure	Carpentry NC II	28	3	Claw Hammer	<ul> <li>Forged steel head</li> <li>Head Weight: 16 oz</li> <li>Overall Average Weight: 13oz - 19oz</li> <li>Fiber glass heavy duty Handle</li> </ul>	<ul> <li>functionality test</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Carpentry NC II	28	4	Crow Bar	<ul> <li>36" long</li> <li>Length Tolerance: +/- 1/8"</li> <li>forged steel carbon</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Carpentry NC II	28	5	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Carpentry NC II	28	6	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Engraved Double graduation english/metric</li> </ul>	<ul> <li>dimension checking</li> <li>to verify brochures and data sheets</li> <li>engraved and painted graduation both sides</li> </ul>	YES	N/A	lf applicable	1	рс

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Carpentry NC II	28	7	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Carpentry NC II	28	8	Wood Chisel	<ul> <li>Carbon steel</li> <li>Size: 1/4", 1/2", 3/4", 1"</li> <li>Dimension Tolenrance +/- 1/16"</li> <li>Blade Length: 5"</li> <li>Plastic handle</li> </ul>	<ul> <li>visual check</li> <li>measurement check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
General Infrastructure	Carpentry NC II	28	9	Chalk Line Reel	<ul> <li>Includes chalk reel and 4-oz bottle of blue chalk</li> <li>String Length: 100-ft</li> <li>Material: ABS plastic body and a Stainless Steel Hook at the end of the string</li> </ul>	<ul> <li>with colored chalk</li> <li>Line should not be lesser than 100 ft.</li> </ul>	YES	N/A	lf applicable	1	pc

Name of Company/Bidder	
------------------------	--

Signature over Printed Name of Authorized Representative

Date

**de** ∧γ

#### Lot 29 : Construction Painting NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Spray gun		1	unit			
2	Putty Knife	Kindly refer to the	1	рс			
3	Pull-Push Rule	technical specifications	1	рс			
4	Screwdriver	attached as <b>Annex E29</b> .	1	set			
5	Steel Float/Plastering Trowel		1	рс			

\* Bidders must state here either "Comply" or "Not Compiy" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shail be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E29.

instruction Manuai is an instructional book or bocklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative



Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Construction Painting NC II	29	1	Electric Spray gun	<ul> <li>600 to 1000ml capacity</li> <li>Corded (AC Power) 500 to 700 watts</li> <li>Detachable paint container</li> <li>Power Plug: US Type</li> <li>220-250 V, 60 Hz</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>functionality test</li> </ul>	YES	N/A	YES	1	unit
General Infrastructure	Construction Painting NC II	29	2	Putty Knife	<ul> <li>Polished Steel Blade</li> <li>Plastic Handle</li> <li>Blade width: 3" (+-1/16")</li> <li>Full Tang Blade</li> </ul>	<ul> <li>visual check</li> <li>measurement check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Construction Painting NC II	29	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Construction Painting NC II	29	4	Screwdriver	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs</li> <li>Slotted/standard 5.5-6.5mm x 150mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallell 4.5-5mm x 150mm (± 5mm)</li> <li>PH2 x 150mm (± 5mm)</li> <li>PH1 x 100mm (± 5mm)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>sample checking of item in tightening screws/durability test</li> <li>measurement of actual dimension (excluding handle)</li> </ul>	YES	N/A	lf applicable	1	set

<del>م</del> ج

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Construction Painting NC II	29	5	Steel Float/Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Stee!</li> <li>Solid forged steel with plastic handle</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	pc

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

#### Lot 30 : Masonry NC I

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chalk Line Reel		1	рс			
2	Crow Bar		1	рс			
3	Claw Hammer	Kindly refer to the technical specifications attached as	1	рс			
4	Pull-Push Rule		1	рс			
5	Shovel	Annex E30.	1	рс			
6	Shovel		1	рс			
7	Spirit Level Bar		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E30.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

dr M

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Masonry NC I	30	1	Chalk Line Reel	<ul> <li>Includes chalk reel and 4-oz bottle of blue chalk</li> <li>String Length: 100-ft</li> <li>Material: ABS plastic body end a Stainless Steel Hook at the end of the string</li> </ul>	<ul> <li>with colored chalk</li> <li>Line should not be lesser than 100 ft.</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC I	30	2	Crow Bar	<ul> <li>36" long</li> <li>Length Tolerance: +/- 1/8"</li> <li>forged steel carbon</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC I	30	3	Claw Hammer	<ul> <li>Forged steel head</li> <li>Head Weight: 16 oz</li> <li>Overall Average Weight: 13oz - 19oz</li> <li>Fiber glass heavy duty Handle</li> </ul>	<ul> <li>functionality test</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Masonry NC (	30	4	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Masonry NC I	30	5	Shovel	<ul> <li>Round end</li> <li>Tempered steel blade ( 0.88 mm gauge or higher)</li> <li>17 cm - 23 cm blade tip width</li> <li>22 cm - 28 cm blade tip length</li> <li>All metal handle</li> <li>Overall length (100 cm - 115 cm)</li> <li>D grip handle</li> </ul>	Visual check     measurement check	YES	N/A	lf applicable	1	pc
General Infrastructure	Masonry NC I	30	6	Shovel	<ul> <li>Rectangular end</li> <li>Tempered steel blade ( 0.88 mm gauge or higher)</li> <li>17 cm - 23 cm blade tip width</li> <li>22 cm - 28 cm blade tip length</li> <li>All metal handle</li> <li>Overall length (100 cm - 115 cm)</li> <li>D grip handle</li> </ul>	<ul> <li>Visual check</li> <li>measurement check</li> </ul>	YES	N/A	lf applicable	1	рс

\$ 7

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Masonry NC I	30	7	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> <li>Check for the functionality</li> </ul>	YES	N/A	lf applicable	1	pc

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	



Lot 31

#### : Masonry NC II - Plaster Concrete/Masonry Surface

#### APPROVED BUDGET FOR THE CONTRACT

Four Hundred Fifty-Three Thousand Six Hundred Fifty-Four Pesos and 54/100 (₱453,654.54)

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Pull-Push Rule		1	рс			
2	Claw Hammer		1	рс			
3	Spirit Level Bar	Kindly refer to the technical	1	рс			
4	Shovel		1	рс			
5	Shovel		1	рс			
6	Hacksaw with Blade	specifications attached as Annex E31.	1	set			
7	Steel Square	Annex EST.	1	рс			
8	Crow Bar		1	рс			
9	Steel Float/Plastering Trowel		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Ccmply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and ccmpliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for presecution subject to the applicable laws and issuances.

Ail tocis, equipment, gadgets and electrically cperated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E31.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

128

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Masonry NC II ~ Plaster Concrete/Maso nry Surface	31	1	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	2	Claw Hammer	<ul> <li>Forged steel head</li> <li>Head Weight: 16 oz</li> <li>Overall Average Weight: 13oz - 19oz</li> <li>Fiber glass heavy duty Handle</li> </ul>	<ul> <li>functionality test</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	3	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 viats (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	if applicable	1	pc
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	4	Shovel	<ul> <li>Round end</li> <li>Tempered steel blade (0.88 mm gauge or higher)</li> <li>17 cm - 23 cm blade tip width</li> <li>22 cm - 28 cm blade tip length</li> <li>All metal handle</li> <li>Overall length (100 cm - 115 cm)</li> <li>D grip handle</li> </ul>	Visual check     measurement check	YES	N/A	lf applicable	1	pc
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	5	Shovel	<ul> <li>Rectangular end</li> <li>Tempered steel blade (0.88 mm gauge or higher)</li> <li>17 cm - 23 cm blade tip width</li> <li>22 cm - 28 cm blade tip length</li> <li>All metal handle</li> <li>Overall length (100 cm - 115 cm)</li> <li>D grip handle</li> </ul>	Visual check     measurement check	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	6	Hacksaw with Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches bi-metal hacksaw blade</li> <li>24 TPI"</li> </ul>	• visual check	YES	N/A	lf applicable	1	set

<del>م</del> ج

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Masonry NC II ~ Plaster Concrete/Maso nry Surface	31	7	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Engraved Double graduation english/metric</li> </ul>	<ul> <li>dimension checking</li> <li>to verify brochures and data sheets</li> <li>engraved and painted graduation both sides</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	8	Crow Bar	<ul> <li>36" long</li> <li>Length Tolerance: +/- 1/8"</li> <li>forged steel carbon</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N⁄A	lf applicable	1	рс
General Infrastructure	Masonry NC II - Plaster Concrete/Maso nry Surface	31	9	Steel Float/Plastering Trowel	<ul> <li>0.7 mm min. thick x 280 mm x 125 mm</li> <li>High carbon Steel</li> <li>Solid forged steel with plastic handle</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	рс

	Name of Company/Bidder	Signature over Printed Name of Authorized	Date
		Representative	
4			

#### Lot 32

#### : Pipefitting (Metallic) NC II

No.	ltem	Minimum Agency Specifications Uniess Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Angle Grinder		1	unit			
2	Pipe wrench		1	рс			
3	Pull-Push Rule		1	рс			
4	Mechanical plier		1	рс			
5	Steel Square	Kindly refer to the technical	1	рс			
6	Claw Hammer	specifications attached as Annex E32.	1	рс			
7	Ball Peen Hammer		1	рс			
8	Hacksaw with Blade		1	set			
9	Spirit Level Bar		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unccnditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E32.

Instruction Manual is an instructional book or bocklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

đ۶

Sector	Qualification	Lot No.	ltem No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Pipefitting (Metallic) NC II	32	1	Angle Grinder	<ul> <li>Portable</li> <li>4" capacity</li> <li>220-240 Volts/60 Hz</li> <li>No Load Speed: 1100RPM or higher</li> <li>700 watts or higher</li> <li>With side handle grip,angle grinder guard, with lock nut wrench</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>visual check</li> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit
General Infrastructure	Pipefitting (Metallic) NC II	32	2	Pipe wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>visual check</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Pipefitting (Metallic) NC II	32	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Pipefitting (Metallic) NC II	32	4	Mechanical plier	<ul> <li>Overall Length: 8" ± 1/2"</li> <li>plastic dip insulated handle</li> <li>rush resistant chrome finish</li> <li>two position adjustable joint pliers</li> </ul>	<ul> <li>visual check</li> <li>measurement check</li> <li>Item's handle is electric shock resistant</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Pipefitting (Metallic) NC II	32	5	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Engraved Double graduation english/metric</li> </ul>	<ul> <li>dimension checking</li> <li>to verify brochures and data sheets</li> <li>engraved and painted graduation both sides</li> </ul>	YES	N/A	lf applicable	1	pc

\*

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Specifications unless Test Parameters W		Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Pipefitting (Metallic) NC II	32	6	Claw Hammer	<ul> <li>Forged steel head</li> <li>Head Weight: 16 oz</li> <li>Overall Average Weight: 13oz - 19oz</li> <li>Fiber glass heavy duty Handle</li> </ul>	<ul> <li>functionality test</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Pipefitting (Metallic) NC II	32	7	Ball Peen Hammer	<ul> <li>Head Weight: 16oz</li> <li>Overall Average Weight: 18 oz - 28 oz</li> <li>Drop forged carbon steel head</li> <li>Handle material: Fiber glass with rubberized cushion</li> </ul>	<ul> <li>Item will be weighed to ensure its weight</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Pipefitting (Metallic) NC II	32	8	Hacksaw with Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches bi-metal hacksaw blade</li> <li>24 TPI"</li> </ul>	• visual check	YES	N/A	lf applicable	1	set
General Infrastructure	Pipefitting (Metallic) NC II	32	9	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	lf applicable	1	рс



Name of Company/Bidder

Signature over Printed Name of Authorized Representative

#### Lot 33 : Plumbing NC I

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Pipe wrench		1	рс			
2	Pull-Push Rule	Kindly refer to the	1	рс			
3	Spirit Level Bar	technical specifications attached as	1	рс			
4	Ball Peen Hammer	Annex E33.	1	рс			
5	Hacksaw with Blade		1	set			

\* Bidders must state here either "Compiy" or "Not Ccmply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Ali toois, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E33.

Instruction Manuai is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

134

Sector	Qualification	Lot No.	ltem No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Plumbing NC I	33	1	Pipe wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	y forged alloy steel city: 2 inches aousing and I-beam full floating forged elf-cleaning threads • to verify brochures and data sheets • visual check • actual measurement		N/A	lf applicable	1	рс
General Infrastructure	Plumbing NC I	33	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Plumbing NC I	33	3	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Plumbing NC I	33	4	Ball Peen Hammer	<ul> <li>Head Weight: 16oz</li> <li>Overall Average Weight: 18 oz - 28 oz</li> <li>Drop forged carbon steel head</li> <li>Handle material: Fiber glass with rubberized cushion</li> </ul>	<ul> <li>Item will be weighed to ensure its weight</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс

135

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Plumbing NC I	33	5	Hacksaw with Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches bi-metal hacksaw blade</li> <li>24 TPi"</li> </ul>	• visual check	YES	N/A	lf applicable	1	set

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

¢

 $\Rightarrow$ 

#### Lot 34 Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Pipe wrench		1	рс			
2	Pull-Push Rule	Kindly refer to the	1	рс			
3	Spirit Level Bar	technical specifications attached as	1	рс			
4	Ball Peen Hammer	Annex E34.	1	рс			
5	Hacksaw with Blade		1	set			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Ccmply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electricaliy operated instruments should have Standard Manufacturers Manual and/cr Datasheet/Specification Sheet/Brochure as indicated in Annex E34.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

de p

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works	34	1	Pipe wrench	<ul> <li>355.6 mm (14")</li> <li>Heavy duty forged alloy steel</li> <li>Pipe capacity: 2 inches</li> <li>Cast-iron housing and I-beam handle with full floating forged hook jaw</li> <li>featuring self-cleaning threads</li> <li>With replaceable hook and heel jaw</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>visual check</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works	34	2	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	if applicable	1	рс
General Infrastructure	Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works	34	3	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works	34	4	Ball Peen Hammer	<ul> <li>Head Weight: 16oz</li> <li>Overall Average Weight: 18 oz - 28 oz</li> <li>Drop forged carbon steel head</li> <li>Handle material: Fiber glass with rubberized cushion</li> </ul>	<ul> <li>Item will be weighed to ensure its weight</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Plumbing NC II - Perform Multiple Plumbing Installation and Repair Maintenance Works	34	5	Hacksaw with Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches bi-metal hacksaw blade</li> <li>24 TPI"</li> </ul>	• visual check	YES	N⁄A	lf applicable	1	set

Signature over Printed Name of Authorized	Date
÷	
Representative	
Representative	
	Signature over Printed Name of Authorized Representative

 $\implies$ 

#### Lot 35 : Tile Setting NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Modei	Reference
1	Angle Grinder		1	unit			
2	Spirit Level Bar	Kindly refer to the	1	рс			
3	Pull-Push Rule	technical specifications attached as	1	рс			
4	Steel Square	Annex E35.	1	рс			
5	Rubber Mallet		1	рс			

\* Bidders must state here either "Comply" cr "Not Comply" against each of the individual parameters of each Specification stating the orresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E35.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

da Al

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
General Infrastructure	Tile Setting NC II	35	1	Angle Grinder	<ul> <li>Portable</li> <li>4" capacity</li> <li>220-240 Volts/60 Hz</li> <li>No Load Speed: 1100RPM or higher</li> <li>700 watts or higher</li> <li>With side handle grip,angle grinder guard, with lock nut wrench</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>visual check</li> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit
General Infrastructure	Tile Setting NC	35	2	Spirit Level Bar	<ul> <li>Aluminum Frame with Magnet</li> <li>Size: 12"</li> <li>With 3 vials (horizontal, vertical and 45 degrees)</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>magnet test</li> <li>dimension checking</li> </ul>	YES	N/A	lf applicable	1	рс
General Infrastructure	Tile Setting NC II	35	3	Pull-Push Rule	<ul> <li>Blade length 8m/26ft</li> <li>Blade width 1"</li> <li>High impact ABS case with durable rubber</li> <li>Corrosion resistant tru-zero end</li> </ul>	<ul> <li>to verify brochures and data sheet</li> <li>Visual check</li> </ul>	YES	N/A	lf applicable	1	pc
General Infrastructure	Tile Setting NC	35	4	Steel Square	<ul> <li>Carpenter's framing square;</li> <li>2" x 16" x 24"</li> <li>Steel</li> <li>Engraved Double graduation english/metric</li> </ul>	<ul> <li>dimension checking</li> <li>to verify brochures and data sheets</li> <li>engraved and painted graduation both sides</li> </ul>	YES	N⁄A	lf applicable	1	рс
General Infrastructure	Tile Setting NC	35	5	Rubber Mailet	<ul> <li>16 oz (453.6 grams)</li> <li>12"-14" Wooden Handle</li> <li>Rubber material</li> </ul>	visual check     measurement check	YES	N/A	lf applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

\$-

 $\Rightarrow$ 

Signature over Printed Name of Authorized Representative

#### Lot 36 : Dressmaking NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Sewing Machine		1	unit			
2	Fabric Cutting Shears		1	рс	-		
3	Plastic Ruler	Kindly refer to the technical specifications	1	рс			
4	French Curve	attached as Annex E36.	1	рс		:	
5	Tailor's L square		1	рс			
6	Flat iron		1	unit			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance cr the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E36.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced produots such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de p

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Un
Garments and Textiles	Dressmaking NC II	36	1	Portable Sewing Machine	<ul> <li>12 or more Built-in Different Stitches</li> <li>Top/Side Load Bobbin</li> <li>LED Light</li> <li>Auto set stitch length</li> <li>Auto set stitch width</li> <li>4 step button hole</li> <li>Maximum stitch Width/Length: 4/5mm</li> <li>60hz, 60-85watts, 220v-240V</li> <li>Sewing speed: 750spm</li> <li>Working space 99 x158 mm</li> <li>Feed dogs: 6 point</li> </ul>	<ul> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	ur
Garments and Textiles	Dressmaking NC II	36	2	Fabric Cutting Shears	<ul> <li>8" total length (+/- 1/8")</li> <li>stainless steel blade</li> <li>metal handle</li> <li>good edge retention</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>Printed basic information of the item</li> <li>Test for functionality (cutting of fabric)</li> </ul>	YES	N/A	lf applicable	1	p
Garments and Textiles	Dressmaking NC II	36	3	Plastic Ruler	<ul> <li>24" length</li> <li>2" width</li> <li>transparent</li> <li>red lines with grid</li> <li>flexible</li> <li>accurate/precise graduation lines and long lasting prints</li> <li>Double-sided scale (inches and centimeters)</li> </ul>	<ul> <li>visual check</li> <li>actual measurement check using other measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	if applicable	1	p
Garments and Textiles	Dressmaking NC II	36	4	French Curve	<ul> <li>12" graduation length</li> <li>1mm thickness</li> <li>aluminum</li> <li>accurate and long lasting prints</li> </ul>	<ul> <li>Visual check</li> <li>actual measurement check using other measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	N/A	1	p

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Garments and Textiles	Dressmaking NC II	36	5	Tailor's L square	<ul> <li>24" x 14" length</li> <li>1mm thickness</li> <li>aluminum</li> <li>graduation in black color and not engraved</li> <li>accurate/precise graduation lines and long lasting prints</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> <li>actual measurement check using standard measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	N/A	1	рс
Garments and Textiles	Dressmaking NC II	36	6	Flat Iron	electric     220V-240V 60Hz     1,100 - 1,310 watts     aluminum sole plate     length of wire: 1 meter (minimum)     Power Plug: US Type	<ul> <li>Functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

#### Lot 37 : Tailoring NC II

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Modei	Reference
1	Portable Sewing Machine		1	unit			
2	Fabric Cutting Shears		1	рс			
3	Pinking Shears	Kindly refer to the technical	1	рс			
4	Plastic Ruler	specifications attached as Annex E37.	1	рс			
5	French Curve		1	рс			
6	Tailor's L square		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Broohure as indicated in Annex E37.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de m

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Garments and Textiles	Tailoring NC II	37	1	Portable Sewing Machine	<ul> <li>12 or more Built-in Different Stitches</li> <li>Top/Side Load Bobbin</li> <li>LED Light</li> <li>Auto set stitch length</li> <li>Auto set stitch width</li> <li>4 step button hole</li> <li>Maximum stitch Width/Length: 4/5mm</li> <li>60hz, 60-85watts, 220v-240V</li> <li>Sewing speed: 750spm</li> <li>Working space 99 x158 mm</li> <li>Feed dogs: 6 point</li> </ul>	<ul> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N⁄A	YES	1	unit
Garments and Textiles	Tailoring NC II	37	2	Fabric Cutting Shears	<ul> <li>8" total length (+/- 1/8")</li> <li>stainless steel blade</li> <li>metal handle</li> <li>good edge retention</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>Printed basic information of the item</li> <li>Test for functionality (cutting of fabric)</li> </ul>	YES	N/A	lf applicable	1	рс
Garments and Textiles	Tailoring NC II	37	3	Pinking Shears	<ul> <li>8" length (+- 1/8")</li> <li>stainless steel blade</li> <li>metal handle</li> <li>sawthoothed blade</li> </ul>	Visual/actual check	YES	N/A	N/A	1	рс
Garments and Textiles	Tailoring NC II	37	4	Plastic Ruler	<ul> <li>24" length</li> <li>2" width</li> <li>transparent</li> <li>red lines with grid</li> <li>flexible</li> <li>accurate/precise graduation lines and long lasting prints</li> <li>Double-sided scale (inches and centimeters)</li> </ul>	<ul> <li>visual check</li> <li>actual measurement check using other measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	if applicable	1	рс

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Garments and Textiles	Talloring NC II	37	5	French Curve	<ul> <li>12" graduation length</li> <li>1mm thickness</li> <li>aluminum</li> <li>accurate and long lasting prints</li> </ul>	<ul> <li>Visual check</li> <li>actual measurement check using other measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	N/A	1	рс
Garments and Textiles	Tailoring NC II	37	6	Tailor's L square	<ul> <li>24" x 14" length</li> <li>1mm thickness</li> <li>aluminum</li> <li>graduation in black color and not engraved</li> <li>accurate/precise graduation lines and long lasting prints</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> <li>actual measurement check using standard measuring tools ex. pull- push rule/tape measure</li> </ul>	YES	N/A	N/A	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

d'

#### Lot 38

#### : Hilot (Wellness Massage) NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Spygmomanometer	Kindly refer to the technical	1	set			
2	Stethoscope	specifications attached as Annex E38.	1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E38.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de nu

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Health, Social, and Other Community Development Service	Hilot (Wellness Massage) NC II	38	1	Spygmomanometer	<ul> <li>aneroid</li> <li>handheid</li> <li>large gauge in metal casing, 0-300 mm Hg, anti-slip finish, shockproof</li> <li>inflatable cuff, adult (25.4-40.6 cm length), nylon strap locking system</li> <li>thick rubber bladder</li> <li>durable flexible rubber tubing</li> </ul>	<ul> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	set
Health, Social, and Other Community Development Service	Hilot (Wellness Massage) NC II	38	2	Stethoscope	<ul> <li>double diaphragm (fetal/adult)</li> <li>44 mm membrane</li> <li>stainless steel</li> <li>soft sealing earpieces</li> <li>flexible resilient rubber tubing</li> <li>non chill rim</li> <li>60cm tubing length</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>CE accreditation markings must be visible to the product commonly placed on the gauge.</li> <li>Check the item for leaks by using a tube that will fit into the ear and the bell of the stethoscope (http://www.andries.com/t est-your- stethoscope.html)</li> </ul>	YES	N/A	YES	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.



Name of Company/Bidder

Signature over Printed Name of Authorized Representative

#### Lot 39

#### : Shielded Metal Arc Welding (SMAW) NC I

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Welding Machine	Kindly refer to the	1	unit			
2	Auto-Darkening Welding Helmet	technical specifications attached as	1	рс			
3	Angle Grinder	Annex E39.	1	unit			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E39.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de p

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Metals and Engineering	Shielded Metal Arc Welding (SMAW) NC I	39	1	Portable Welding Machine	<ul> <li>2 in 1 Inverter Welding Machine Tig/ SMAW</li> <li>200Amps or higher • 220-240V</li> <li>60 Hz</li> <li>1PC -TIG Torch Set,</li> <li>1PC - Electrode Holder • 1PC - Ground Clamp</li> <li>Duty Cycle 60% or higher</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>to verify technical data sheets</li> <li>visual check</li> <li>functionality test (spark test)</li> </ul>	YES	N/A	YES	1	unit
Metals and Engineering	Shielded Metal Arc Welding (SMAW) NC I	39	2	Auto- Darkening Welding Helmet	<ul> <li>Power supply: Battery or solar powered</li> <li>Light shade: DIN4</li> <li>Dark Shade: DIN9-13</li> <li>Way to shift dark state: Outer Control, Stepless shift</li> <li>Switching time: 1/25000s</li> <li>Delay time: 0.1~0.8s</li> <li>Sensitivity adjustment: Stepless control</li> <li>Delay adjustment: Stepless control</li> <li>Operation temperature: -5 degrees ~ 55 degrees</li> <li>Active viewing area: 93mmx43mm</li> <li>Active viewing area size (+- 10mm)</li> </ul>	<ul> <li>visual check</li> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	рс

de Je

s	Sector	Qualification	Lot No.	ltem No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
	etals and gineering	Shielded Metal Arc Welding (SMAW) NC 1	39	3	Angle Grinder	<ul> <li>Portable</li> <li>4" capacity</li> <li>220-240 Volts/60 Hz</li> <li>No Load Speed: 1100RPM or higher</li> <li>700 watts or higher</li> <li>With side handle grip,angle grinder guard, with lock nut wrench</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>visual check</li> <li>functionality test</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

# Lot 40 Food Processing NC II - Process Food by Salting, Curing and Smoking

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Measuring Cup	Kindly refer to the technical specifications attached as Annex E40.	1	set			
3	Mixing Bowl		1	рс			
4	Chef's Knife		1	рс			
5	Digital Weighing Scale		1	unit			
6	Measuring Spoon		1	set			
7	Chopping Board		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and Issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E40.

Instruction Manual is an instructional book or bocklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

Date

Ĩ

Sector	Qualification	Lot No.	ltem No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	1	Food Processor	<ul> <li>2 speed with pulse</li> <li>with safety lock</li> <li>1L to 1.8L capacity</li> <li>stainless steel chopping and shredding blades</li> <li>with 5 disc attachments</li> <li>220v - 250v / 60Hz</li> <li>450 - 500 watts</li> <li>Power plug: US type</li> </ul>	<ul> <li>functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	2	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	3	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	4	Chef's Knife	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	5	Digital Weighing Scale	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>● Visual Checking (Clear Display) ● Weight Calibration (Sets to Zero)</li> <li>● Functionality Test</li> </ul>	YES	N/A	YES	1	unit

1 <del>1</del>

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	40	7	Chopping Board	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension check</li> </ul>	YES	N/A	N/A	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

#### Lot 41 Food Processing NC II - Process Food by Fermentation and Pickling

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Measuring Cup	Kindly refer to the technical specifications	1	set			
3	Mixing Bowl		1	рс			
4	Chef's Knife		1	рс			
5	Digital Weighing Scale	attached as Annex E41.	1	unit			
6	Measuring Spoon		1	set			
7	Chopping Board		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E41.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shail give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

de pr

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	1	Food Processor	<ul> <li>2 speed with pulse</li> <li>with safety lock</li> <li>1L to 1.8L capacity</li> <li>stainless steel chopping and shredding blades</li> <li>with 5 disc attachments</li> <li>220v - 250v / 60Hz</li> <li>450 - 500 watts</li> <li>Power plug: US type</li> </ul>	<ul> <li>functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N⁄A	YES	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	2	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	3	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	4	Chef's Knife	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	5	Digital Weighing Scale	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>● Visual Checking (Clear Display) ● Weight Calibration (Sets to Zero)</li> <li>● Functionality Test</li> </ul>	YES	N/A	YES	1	unit

4 }

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	41	7	Chopping Board	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension check</li> </ul>	YES	N/A	N/A	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

ş

 $\rightarrow$ 

Lot 42 Food Processing NC II - Process Food by Sugar Concentration

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Measuring Cup		1	set			
3	Mixing Bowl	Kindly refer to the	1	рс			
4	Chef's Knife	technical	1	рс			
5	Digital Weighing Scale	attached as Annex E42.	1	unit			
6	Measuring Spoon		1	set			
7	Chopping Board		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E42.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

159

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Uni
Processed Food and Beverages	II - Process 42 1 Food shredding blades • to		<ul> <li>functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit			
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	42	2	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	42	3	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	Actual Measurement     to verify brochures and data sheets	YES	N/A	lf applica ble	1	pc
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	42	4	Chef's Knife	<ul> <li>10° stainless steel blade (+- 1/4°)</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс

\*

-

Sector	Qualification	Lot No.	ltem No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	42	5	Digital Weighing Scale	<ul> <li>AC/DC Digital Scate</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Setection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	• Visual Checking (Clear Display) ● Weight Calibration (Sets to Zero) ● Functionality Test	YES	N/A	YES	1	unit
Processed Food and Beverages	Food Processing NC II • Process Food by Sugar Concentration	42	6	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	42	7	Chopping Board	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension chéck</li> </ul>	YES	N/A	N/A	1	рс

Name of Company/Bidder

γ

Signature over Printed Name of Authorized Representative

#### Lot 43

#### : Bread and Pastry Production NC II

No.	ltem	Minimum Agency Specifications Uniess Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Spatula		1	рс			
2	Flour Sifter	-	1	рс			
3	Measuring Cup		1	set			
4	Mixing Bowl		1	рс			
5	Piping Bags	Kindly refer to the	1	рс			
6	Wire Whisk	technical	1	рс			
7	Bread Knife	specifications attached as	1	рс			
8	Digital Weighing Scale	Annex E43.	1	unit			
9	Muffin Pan		1	рс			
10	Cheese Grater		1	рс			
11	Chef's Knife	]	1	рс			
12	Oven	]	1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradioted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E43.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

degr

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II	43	1	Spatula	<ul> <li>2 speed with pulse</li> <li>with safety lock</li> <li>1L to 1.8L capacity</li> <li>stainless steel chopping and shredding blades</li> <li>with 5 disc attachments</li> <li>220v - 250v / 60Hz</li> <li>450 - 500 watts</li> <li>Power plug: US type</li> </ul>	<ul> <li>functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II	43	2	Flour Sifter	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II	43	3	Measuring Cup	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Bread and Pastry Production NC II	43	4	Mixing Bowl	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicabl <del>e</del>	1	рс
Tourism	Bread and Pastry Production NC II	43	5	Piping Bags	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>Visual Checking (Clear Display) ● Weight Calibration (Sets to Zero)</li> <li>Functionality Test</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II	43	6	Wire Whisk	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues One piece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс

d# ??

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II	43	7	Bread Knife	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension check</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II	43	8	Digital Weighing Scale	<ul> <li>2 speed with pulse</li> <li>with safety lock</li> <li>1L to 1.8L capacity</li> <li>stainless steel chopping and shredding blades</li> <li>with 5 disc attachments</li> <li>220v - 250v / 60Hz</li> <li>450 - 500 watts</li> <li>Power plug: US type</li> </ul>	<ul> <li>functionality check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	YES	1	unit
Tourism	Bread and Pastry Production NC II	43	9	Muffin Pan	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	pc
Tourism	Bread and Pastry Production NC II	43	10	Cheese Grater	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II	43	11	Chef's Knife	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс

₹ |}

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuai	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II	43	12	Oven	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>Visual Checking (Clear Display) ● Weight Calibration (Sets to Zero)</li> <li>Functionality Test</li> </ul>	YES	N/A	YES	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

یم چ

#### Lot 44

#### : Bread and Pastry Production NC II - Bread Making

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Measuring Cup		1	set			
2	Measuring Spoon	Kindly refer to the	1	set			
3	Mixing Bowl	technical specifications	1	рс			
4	Digital Weighing Scale	attached as Annex E44.	1	unit			
5	Oven		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E44.

Instruction Manual is an instructional book or bocklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

de p

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II - Bread Making	44	1	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Bread and Pastry Production NC II - Bread Making	44	2	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Bread and Pastry Production NC II - Bread Making	44	3	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	pc
Tourism	Bread and Pastry Production NC II - Bread Making	44	4	Digital Weighing Scale	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>Visual Checking (Clear Display) • Weight Calibration (Sets to Zero)</li> <li>Functionality Test</li> </ul>	YES	N/A	YES	1	unit

چ ک

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II - Bread Making	44	5	Oven	<ul> <li>45 L capacity</li> <li>timer 60 minutes with bell alarm</li> <li>temperature control (100 - 250C)</li> <li>indicator light</li> <li>removable tray for easy cleaning (crumb tray)</li> <li>tempered glass</li> <li>5 stage heating selection</li> <li>accessories: ename! bake tray, wire rack</li> <li>tray handle</li> <li>220V, 60Hz</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>Functionality Test</li> </ul>	YES	N/A	YES	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

168

¥ }

#### Lot 45

#### : Bread and Pastry Production NC II - Pastry Making

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Modei	Reference
1	Measuring Cup	Kindly refer to the technical specifications attached as	1	set			
2	Mixing Bowl		1	рс			
3	Oven	Annex E45.	1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the oorresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E45.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative



Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II - Pastry Making	45	1	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N∕A	lf applicable	1	set
Tourism	Bread and Pastry Production NC II - Pastry Making	45	2	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II - Pastry Making	45	3	Oven	<ul> <li>45 L capacity</li> <li>timer 60 minutes with bell alarm</li> <li>temperature control (100 - 250C)</li> <li>indicator light</li> <li>removable tray for easy cleaning (crumb tray)</li> <li>tempered glass</li> <li>5 stage heating selection</li> <li>accessories: enamel bake tray, wire rack</li> <li>tray handle</li> <li>220V, 60Hz</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>Functionality Test</li> </ul>	YES	N⁄A	YES	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.



Name of Company/Bidder

Signature over Printed Name of Authorized Representative

#### Lot 46

#### : Bread and Pastry Production NC II - Cake Making

No.	item	Minimum Agency Specifications Uniess Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Measuring Cup		1	set			
2	Measuring Spoon		1	set			
3	Mixing Bowl	Kindly refer to the	1	рс			
4	Wire Whisk	technical specifications	1	рс			
5	Muffin Pan	attached as Annex E46.	1	рс			
6	Flour Sifter		1	рс			1
7	Oven		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E46.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Broohure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

i hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

gr Un

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II - Cake Making	46	1	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Bread and Pastry Production NC II - Cake Making	46	2	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	if applicable	1	set
Tourism	Bread and Pastry Production NC II - Cake Making	46	3	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II - Cake Making	46	4	Wire Whisk	<ul> <li>stainless steel</li> <li>12 inches</li> <li>balloon style (8 to 10 loops)</li> <li>enclosed sturdy handle</li> </ul>	<ul> <li>Actual Measurement and visual check</li> <li>Sealed and sturdy handle</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II - Cake Making	46	5	Muffin Pan	<ul> <li>12 holes</li> <li>3 oz. capacity per hole</li> <li>Non Stick pan</li> </ul>	<ul> <li>Actual Measurement</li> <li>Food Grade Certificate</li> <li>to verify brochure and data sheets</li> <li>visual check</li> </ul>	YES	N/A	lf applicable	1	рс

¥

~

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Bread and Pastry Production NC II - Cake Making	46	6	Flour Sifter	<ul> <li>stainless steel mesh flour strainer</li> <li>12" diameter (+- 1/4 inch)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> <li>Submit Certification mark for Food Grade Quality - (Ex: Tuv Sud) or any equivalent</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Bread and Pastry Production NC II - Cake Making	46	7	Oven	<ul> <li>45 L capacity</li> <li>timer 60 minutes with bell alarm</li> <li>temperature control (100 - 250C)</li> <li>indicator light</li> <li>removable tray for easy cleaning (crumb tray)</li> <li>tempered glass</li> <li>5 stage heating selection</li> <li>accessories: enamel bake tray, wire rack</li> <li>tray handle</li> <li>220V, 60Hz</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>Functionality Test</li> </ul>	YES	N/A	YES	1	рс

	Name of Company/Bidder	Signature over Printed Name of Authorized	Date
¥		Representative	

#### Lot 47 : Cookery NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chef's Knife		1	рс			
2	Food Tongs		1	рс			
3	Digital Weighing Scale		1	unit			
4	Measuring Cup	Kindly refer to the technical	1	set			-
5	Measuring Spoon	specifications attached as Annex E47.	1	set			
6	Saucepan	Almex E47.	1	рс			
7	Mixing Bowl		1	рс			
8	Chopping Board	] 	1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All toois, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E47.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative

or m

Sector	Qualification	Lot No.	ltem No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II	47	1	Chef's Knife	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II	47	2	Food Tongs	<ul> <li>stainless steel</li> <li>11" - 12" long</li> <li>with wide shell head</li> <li>with locking/unlocking mechanism</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II	47	3	Digital Weighing Scale	<ul> <li>AC/DC Digital Scale</li> <li>4 digits LCD display</li> <li>5,000 x 1 gram</li> <li>220V to 240V / 60Hz</li> <li>Selection Key Mode for grams, pounds, ounce</li> <li>with AC Adaptor</li> <li>can be operated with AA or AAA batteries</li> <li>Power Plug: US Type</li> </ul>	<ul> <li>Visual Checking (Clear Display) • Weight Calibration (Sets to Zero)</li> <li>Functionality Test</li> </ul>	YES	N/A	YES	1	unit
Tourism	Cookery NC II	47	4	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set

¥

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II	47	5	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Cookery NC II	47	6	Saucepan	<ul> <li>stainless steel</li> <li>1L to 1.5L capacity</li> <li>with glass lid cover</li> <li>thermosetting plastic handle</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II	47	7	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	If applicable	1	рс
Tourism	Cookery NC II	47	8	Chopping Board	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension check</li> </ul>	YES	N/A	N/A	1	pc

ج	Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
$ \rightarrow $			

# **Technical Specifications**

#### Lot 48

:

#### Cookery NC II - Prepare and Cook Hot Meals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Mixing Bowl		1	рс			
2	Chef's Knife	Kindly refer to the	1	рс			
3	Chopping Board	technical specifications	1	рс			
4	Saucepan	attached as <b>Annex E48</b> .	1	рс			
5	Measuring Cup		1	set			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment cffered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence cr is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of oompilance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tccls, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E48.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

# ANNEX E48

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II - Prepare and Cook Hot Meals	48	1	Mixing Bowl	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II - Prepare and Cook Hot Meals	48	2	Chef's Knife	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II - Prepare and Cook Hot Meals	48	3	Chopping Board	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N⁄A	N/A	1	рс
Tourism	Cookery NC II - Prepare and Cook Hot Meals	48	4	Saucepan	<ul> <li>stainless stee!</li> <li>1L to 1.5L capacity</li> <li>with glass lid cover</li> <li>thermosetting plastic handle</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	pc

\$ ~?

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II - Prepare and Cook Hot Meals	48	5	Measuring Cup	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

179

¥

<u>ھے</u>

# **Technical Specifications**

#### Lot 49

### : Cookery NC II - Prepare Cold Meals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chef's Knife		1	рс			
2	Measuring Cup		1	set			
3	Measuring Spoon	Kindly refer to the technical	1	set			
4	Saucepan	specifications attached as	1	рс			
5	Mixing Bowl	Annex E49.	1	рс			
6	Chopping Board		1	рс			

\* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E49.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

i hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be faise either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized Representative Date

# ANNEX E49

Sector	Qualification	Lot No.	ltem No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Tourism	Cookery NC II - Prepare Cold Meals	49	1	Chel's Knife	<ul> <li>10" stainless steel blade (+- 1/4")</li> <li>full tang, riveted handle</li> </ul>	<ul> <li>actual measurement of the blade length</li> <li>to verify brochures and data sheets</li> <li>sharpness test using paper or thumbnail</li> </ul>	YES	N/A	lf applicable	1	рс
Tourism	Cookery NC II - Prepare Cold Meals	49	2	Measuring Cup	<ul> <li>Stainless steel</li> <li>Thickness: 1mm</li> <li>Riveted handle</li> <li>4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Cookery NC II - Prepare Cold Meals	49	3	Measuring Spoon	<ul> <li>stainless steel</li> <li>set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp</li> <li>Thickness: 1 mm</li> <li>Continues Onepiece</li> </ul>	<ul> <li>Actual Measurement</li> <li>visual check</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	lf applicable	1	set
Tourism	Cookery NC II - Prepare Cold Meals	49	4	Saucepan	<ul> <li>stainless steel</li> <li>1L to 1.5L capacity</li> <li>with glass lid cover</li> <li>thermosetting plastic handle</li> </ul>	<ul> <li>to verify brochures and data sheets</li> <li>actual measurement</li> </ul>	YES	N/A	lf applicable	1	рс

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II - Prepare Cold Meals	49	5	Mixing Bowl	<ul> <li>stainless steel</li> <li>10" - 12" diameter</li> <li>5 to 6 quarts of capacity</li> <li>Weight: 300 grams</li> </ul>	<ul> <li>Actual Measurement</li> <li>to verify brochures and data sheets</li> </ul>	YES	N/A	if applicable	1	рс
Tourism	Cookery NC II - Prepare Cold Meals	49	6	Chopping Board	<ul> <li>1/2" x 12" x 18" size</li> <li>made of polyethylene material</li> <li>white</li> </ul>	<ul> <li>visual check</li> <li>dimension check</li> </ul>	YES	N/A	N/A	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

i.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
	Representative	

¥

⇒

# Checklist of Technical and Financial Documents

### I. TECHNICAL COMPONENT ENVELOPE

### **Class "A" Documents**

Legal Documents

 (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents and
- Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
   Original copy of Notorized Bid Securing Declaration; and

Original copy of Notarized Bid Securing Declaration; and

- □ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; (Sections VI and VII of the Bidding Documents) and
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS);
  - and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### Class "B" Documents

□ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (j) Certification from the DT1 if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

### II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

is is to certify	that	(company) has	the following ong	poing and award	ded but not yet s	tarted contracts:	
Contracting Party	Name of Contract	Date and Status of the Contract	Kind of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery	Purchase Order Number/s or Date of Contract/s

a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:

i. The day before the deadline of submission of bids.

b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none or equivalent term. c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in

case an NFCC is submitted as an eligibility document. d) "Name of Contract". Indicate here the Nature/ Scope of the Contract for easier tracking of the entries/ representations

## STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

This is to certify that \_\_\_\_\_\_(company) has the following completed contracts within five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project

Contracting Party	Name of Contract	Date of the Contract	Kind of Goods	Amount of Contract	Date of Delivery	<ul> <li>Please submit any of the following attachment:</li> <li>a. Copy/ies of Contract/s or Purchase Order/s; <u>OR</u></li> <li>b. Copy/ies of corresponding Sales Invoice/s; <u>OR</u></li> <li>c. Copy/ies of Official Receipt/Cash Receipt/Collection Receipt; <u>OR</u></li> <li>d. Certificate of Performance Evaluation</li> </ul>
	me and Signati orized Represe					Date

\* Instructions:

a) Cut-off date as of:

(i) Up to the day before the deadline of submission of bids.

b) In the column under "Dates" indicate the dates of Delivery/ End-user's Acceptance and Official Receipt.

c) "Name of Contract". Indicate here the Nature/ Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

### REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

### BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>2</sup>, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

<sup>&</sup>lt;sup>2</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

### [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

SUBSCRIBED AND SWORN to before me this \_\_\_\_ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_\_ at \_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of [month] [year].

#### NAME OF NOTARY PUBLIC

Serial No. of Comr	nission
Notary Public for _	until
Roll of Attorneys N	0
PTR No[0	late issued], [place issued]
IBP No[d	ate issued], [place issued]

Doc. No	
Page No.	
Book No.	
Series of	

\*The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Seo. 12. Competent Evidence of Identity— The phrase "competent evidence of Identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual, such as but not limited to, passport, driver license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's iD, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification:

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

### **OMNIBUS SWORN STATEMENT (REVISED)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or</u> <u>controlling interest with another blacklisted person or entity as defined and</u> <u>provided for in the Uniform Guidelines on Blacklisting;</u>

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

### 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through

#### misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ at \_\_\_\_, Philippines.

[insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

\*The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Sec. 12. Competent Evidence of Identity --- The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senlor citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien cartificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification;

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

### JOINT VENTURE AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

This JOINT VENTURE AGREEMENT (hereinafter referred to as the "Agreement"), entered into this \_\_\_\_\_\_ day \_\_\_\_\_\_ of 20\_\_\_ at \_\_\_\_\_ City, Philippines by and among:

\_\_\_\_\_\_. a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at \_\_\_\_\_\_, represented by its \_\_\_\_\_, \_\_\_\_\_, hereinafter referred to as " \_\_\_\_\_\_";

- and -

\_\_\_\_\_\_. a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at \_\_\_\_\_\_, represented by its \_\_\_\_\_\_, hereinafter referred to as

- and –

						a fore	ign corporation organized and existing under
and	by	virtue	of	the	laws	of	, represented by its
	-						, hereinafter referred to as
"				-	<b>n</b> .		

(Henceforth collectively referred to as the "Parties")

### WITNESSETH: That

WHEREAS, the Technical Education and Skills Development Authority (TESDA) has recently published an Invitation to Apply for Eligibility and to Bid for the Supply and Delivery of \_\_\_\_\_\_;

WHEREAS, the parties have agreed to pool their resources together to form the " Joint Venture", hereinafter referred to as the Joint Venture, under the laws of the Philippines, for the purpose of participating in the abovementioned procurement of TESDA-CO;

NOW, THEREFORE, for and in consideration of the foregoing premises and the covenants hereto set forth, the Parties have agreed as follows:

### ARTICLE I ORGANIZATION OF THE JOINT VENTURE

SECTION 1. Formation — The Parties do hereby agree and bind themselves to establish, form and organize a Joint Venture pursuant to the laws of the Republic of the Philippines, in order for the JV to carry on the purposes and objectives for which it is created;

SECTION 2. Name — The name and style under which the JV shall be conducted is "\_\_\_\_\_";

SECTION 3. Principal Place of Business — The JV shall maintain its principal place of business at \_\_\_\_\_;

SECTION 4. Preparation and Documentation — The Parties shall secure and/or execute such certifications, documents, deeds and instruments as may be required by the laws of the Republic of the Philippines for the realization of the JV and in compliance with the Project. Further, they shall do all other acts and things requisite for the continuation of the JV pursuant to applicable laws;

SECTION 5. The Joint Venture shall be represented by the \_\_\_\_\_\_ in all biddings, related procurement transactions and other official dealings that it shall enter into with the TESDA-CO and third parties, such transactions to include, among others, the submission of eligibility documents, bids, registration documents obtaining bonds, performing the principal contract in the event that the contract is awarded in favor of the Joint Venture, receipt of payment for goods delivered, and similar and related activities.

SECTION 6. The period of the Joint Venture shall begin upon execution of this Agreement and shall continue until the complete performance of its contractual obligations to TESDA-CO, as described in Article II hereof, or upon its termination for material breach of any term or condition of this Agreement, by service of a written statement in English on the other Party, not less than 90 days prior to the intended date termination

### ARTICLE II PURPOSE

SECTION 1. The primary purpose of the Joint Venture is to participate in the public bidding to be conducted by the TESDA-CO Bids and Awards Committee for the supply and delivery of \_\_\_\_\_\_ for the

SECTION 2. If the above-described contract/s is/are awarded to the Joint Venture, the Joint Venture shall undertake the performance thereof to TESDA-CO, and such other incidental activities necessary for the completion of its contractual obligations.

#### ARTICLE III SOLIDARY LIABILITY OF THE PARTIES

SECTION 1. In the performance of the contract/s that may be awarded to the Joint Venture by the TESDA-CO, and all other related activities/obligations, as described in Article II hereof, - the Parties bind themseives jointly and solidarily, in the concept of solidarily debtors, subject to the right of reimbursement, as provided in the relevant provisions of the Civil Code of the Philippines.

#### ARTICLE IV CONTRIBUTION AND OTHER ARRANGEMENTS

SECTION I. Contribution — The Parties shall contribute the amount of \_\_\_\_\_\_ (Php ) to support the financial requirements of the Joint Venture, in the following proportion:

Α.	-	P .00
B.		P .00
TOTAL		P .00

Additional contributions to the Joint Venture shall be made as may be required for contract implementation. In addition, shall contribute any labor and contract management requirements.

SECTION 2. Profit Sharing — The share of the Parties to the JV from any profit derived or obtained from the implementation and execution of the Project shall be distributed pro rata to each, in accordance with the contribution and resources each has provided to the JV;

SECTION 3. Liquidation and Distributions — Any sum remaining after deducting from the total of all moneys or benefits received for the performance of the contract, all costs incurred by the JV after award of the contract for the Project pursuant to the accounting practices established for the JV, shall be distributed in accordance with the relative balances in the accounts of each Party pursuant to Sec.1 of this Article upon completion, final accounting, termination and liquidation of the JV. In the event of liquidation and termination of JV, and after taking into account the shares of the Parties in all income, gain, deductions, expenses, and losses, should the account of a Party contain a negative balance, such Party shall contribute cash to the JV sufficient to restore the said balance to zero;

SECTION 4. Sharing of Burden of a Net Loss — In case a net loss is incurred, additional contributions shall be made by the Parties in accordance with their respective shares.

### ARTICLE V MISCELLANEOUS PROVISIONS

SECTION 1. The provisions of the Instructions to Bidders, Supplemental Bid Bulletin, and other bidding documents issued by the TESDA-CO in relation to the contract described in Article II hereof, shall be deemed incorporated in this Agreement and made an integral part thereof.

SECTION 2. This Agreement shall be binding upon and inure to the benefit of the Parties and their respective-successors and assigns.

SECTION 3. The Parties herein are duly represented by their authorized officers.

SECTION 4. Governing Law - This Agreement shall be governed by and construed according to the laws of the Republic of the Philippines. Venue of any court action arising from this Agreement shall be exclusively laid before the proper court of the Philippines.

IN WITNESS WHEREOF, the parties have set their hands and affixed their signatures on the date and place first above-stated.

Signed in the Presence of:

#### ACKNOWLEDGMENT

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S. PROVINCE OF (in the case of Municipality)

BEFORE ME, a Notary Public for and in the City/Municipality of <u>(indicate</u> <u>also the Province in the case of Municipality</u>, this <u>day of</u> <u>month &</u> <u>year</u>)\_personally appeared the following:

Name

ID Name, Number and Validity Date

Known to me and to me known to be the same persons who executed the foregoing instrument and they acknowledge to me that the same is their free and voluntary act and deed and that of the corporation(s) they represent.

This instrument refers to a Joint Venture Agreement consisting of \_\_\_\_\_\_ pages, including the page on which this Acknowledgement is written, and signed by the parties and their instrumental witnesses.

WITNESS MY HAND AND NOTARIAL SEAL on the place and on the date first above written.

### NAME OF NOTARY PUBLIC

Serial No. of Commission						
Notary Public for until						
Roll of Attorr	ieys No.					
PTR No.	[ date	e issued]	[place issue	ed]		
IBP No.	, [ date is	ssued], [p	lace issued]	-		

Doc. No.	
Page No.	
Book No.	
Series of Note:	
Note:	

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification.

# Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

#### **BID FORM**

Date : \_\_\_\_\_\_
Project Identification No. : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agent Currency Commission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	
Date:	

### Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

#### For Goods Offered from Abroad

Name of Bidder \_\_\_\_\_ Project ID No.\_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature:

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

.

### Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid If bidder is offering goods from within the Philippines]

Name	e of Bidder				Project ID No			Pageof		
1	2	3	4	5	6	7	8	9	10	
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)	

#### For Goods Offered from Within the Philippines

Name: \_\_\_\_\_

Legal Capacity:

Signature:

Duly authorized to sign the Bid for and behalf of:

### Performance Securing Declaration (Revised)

[if used as an alternative performance security but It is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

### Contract Agreement Form for the Procurement of Goods (Revised) [Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after

receiving the Notice of Award]

### CONTRACT AGREEMENT

THIS AGREEMENT made the \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder</u> agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to

### <u>Proceed, Variation Orders, and Warranty Security, shall likewise</u> form part of the Contract.

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
- 4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]	[Insert Name and Signature]			
[Insert Signatory's Legal Capacity]	[Insert Signatory's Legal Capacity]			
for:	for:			
[Insert Procuring Entity]	[Insert Name of Supplier]			

**Acknowledgment** 

[Format shall be based on the latest Rules on Notarial Practice]



• -