Lot 6 : Bread and Pastry

APPROVED BUDGET Eight Hundred Twenty-Nine Thousand Seven Hundred FOR THE CONTRACT Eighty-Two and 71/100 Pesos (₱829,782.71)

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Measuring Cup, dry		12	pcs			
2	Measuring Cup, liquid		12	pcs			
3	Measuring Spoon		20	sets			
4	Cake Turn Table		3	pcs			
5	Decorating Tips		15	sets			
6	Rolling Pin		6	pcs			
7	Pie Plate, size 6"		6	pcs			
8	Pie Plate, size 8"		6	pcs			
9	Pie Plate, size 10"		6	pcs			
10	Jelly Roll Pan		6	pcs			
11	Cake Spring Form Pan		6	pcs			
12	Pie Cutter		6	pcs			
13	Rubber Scraper		6	pcs			
14	Spatula		6	pcs			
15	Cake Stand with tier		6	sets			
16	Saucepan	Kindly refer to	6	pcs			
17	Ladle	the technical	6	pcs			
18	Chef Knife	specifications attached as	6	pcs			
19	Chopping Board	Annex D6.	6	pcs			
20	Weighing scale	Alliex Do.	4	units			
21	Grater		6	pcs			
22	Wooden Spoon		6	pcs			
23	Piping Bag	-	3	pcs			
24	Mixing Bowl		12	pcs			
25	Wire Whisk	-	6	pcs			
26	Electric Mixer		6	units			
27	Dough Cutter		2	pcs			
28	Electric Oven	_	1	unit			
30	Pastry Brush Bread Knife	-	10	pcs			
31	Strainer		10	pcs			
32	Baking Sheet		10	pcs			
33	Muffin Pans	1	10	pcs			<del>                                     </del>
34	Working Table	1	2	pcs			
35	Gas Stove	1	4	pcs			
36	Kitchen Sink		1	unit			
37	Weighing Scale- Digital		5	pcs			
38	Double Boiler	1	5	pcs			

No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
39	Round pan 8"		10	pcs			
40	Round pan 6"		10	pcs			
41	Loaf pan		10	pcs			
42	Square pan	Vin ally, soften to	10	pcs			
43	Utility bowl	Kindly refer to the technical	25	pcs			
44	Ice cream scooper	specifications  attached as	10	pcs			
45	Food Tong	Annex D6.	10	pcs			
46	Utility Box	Allilex Do.	2	pcs			
47	Pastry blender		10	pcs			
48	Four Sifter		2	pcs			
49	Dough Roller		1	unit			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

the above stated schedule.	·	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

I hereby commit to comply and deliver all the above requirements in accordance with

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
1	Measuring Cup, dry	Material: Stainless steel     No. of pieces per set: 4 pcs.     Sizes: (1c, 1/2c, 1/3c & 1/4c)	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
2	Measuring Cup, liquid	Capacity: 250 ml     Material: Glass     Graduation: In Millimeter	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
3	Measuring Spoon	Material: Stainless steel     No. pieces by set: 6 pcs     Sizes: (1/8 tsp,1/4 tsp,1/2tsp,1 tsp 1/2 tbsp,1 tbsp)	20	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
4	Cake Turn Table	Dimension: 12.6"(L) x 12.6" (W) x 3.54" (H)     Material: Plastic     With locking switch and rubberized feet	3	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
5	Decorating Tips	Size: 17 cm (L) x 12 cm(W) x 5 cm(H)  Material: Stainless steel  Includes 24 pieces cake decorating tips	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
6	Rolling Pin	Size: 33.5 cm x 5 cm     Material: Wood     With light weight comfortable grip	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
7	Pie Plate, size 6"	Diameter: 6"     Depth: 5/8"     Material: Aluminum	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
8	Pie Plate, size 8"	Diameter: 8"     Depth: 3/4"-1"     Material: Aluminum	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
9	Pie Plate, size 10"	Diameter: 10"     Depth: 1"-1-1/4"     Material: Aluminum (w/ 0.7mm thick)	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
10	Jelly Roll Pan	Dimension: 1" (H) x 13" (W) x 15" (L)     Material: Aluminum	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
11	Cake Spring Form Pan	Size: 9" x 3"     Material: Aluminum	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
12	Pie Cutter	Size: 6" Material: Stainless steel Type: triple riveted pizza cutter/ rolling wheel slicer	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
13	Rubber Scraper	Size: 12"  Material: Rubber (high heat resistant)  Color: white	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
14	Spatula	Size: 14" long     Blade material: Stainless steel     With wooden handle	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
15	Cake Stand with tier	Type: 3-tier round cake stand Size (Diameter): 15 cm, 20 cm, and 20 cm With 10 inches gap between tier Material: Clear acrylic	6	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
16	Saucepan	Diameter: 18 cm     Material: Stainless steel     with cover and handle	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
17	Ladle	Size: 12"     Material: Stainless steel     With brush finished handle	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
18	Chef Knife	Size: 8"  Blade material: Stainless steel full tang blade  With plastic handle	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
19	Chopping Board	Size: 12" x17"     Material: Polyethylene     Color: White	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
20	Weighing scale	50 kg maximum capacity     Top loading balance     Strong Flat Top	4	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
21	Grater	Made of nonreactive stainless steel     With easy grip handle	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
22	Wooden Spoon	Size: 12 inches long     Material: Solid birchwood	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
23	Piping Bag	Size: 12"     Material: light weight, reusable, and flexible polyester	3	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
24	Mixing Bowl	Capacity: 8-9 quarts     Diameter: 12"     Material: Stainless	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manuai
25	Wire Whisk	Size: 12" long     Material: Aluminum     With balloon style	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
26	Electric Mixer	220VAC, 60 Hz.     Capacity: 4 quarts     Peak power: 290 watts     Bowl material: Stainless steel bowl,     With 5 speeds & quick burst button     Includes traditional beaters, whisk and dough hooks	6	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
27	Dough Cutter	Size: 6" (W) x 4" (H)     Blade material: High polished stainless steel	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
28	Electric Oven	Capacity: 48L gross volume Product Size: 583x410x370mm Baking Tray Size: 425.5x309x25.5mm •Electric oven •Rotisserie and convection function •4 knobs selection for heating stage •Stainless steel housing •Oven lamp •End-cooking signal	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
29	Pastry Brush	Size (brush): 1.5"     Material: Silicone     With 6" silicone handle	8	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
30	Bread Knife	Size: 8"     Blade material: Made of serrated edge stain free high -carbon steel blade     With polypropylene handle	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
31	Strainer	Size: 10" diameter     Material: Stainless steel	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
32	Baking Sheet	• Size: 12" X 19" / 13" x 18" • Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
33	Muffin Pans	Capacity: 12 holes at 3 oz. per hole     Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
34	Working Table	Size: 3 ft. x 3 ft.     Material: high-quality stainless-steel     Foldable tables	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
35	Gas Stove	Capacity: 2-burner Material: Stainless top body With automatic ignition With complete accessories	4	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
36	Kitchen Sink	Dimension: 50cm x 50cm x 30 cm     Material: Stainless steel     With steel collapsible frame legs and drain hose	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
37	Weighing Scale- Digital	<ul><li>Digital Weighing Scale</li><li>Maximum weighing scale: 1000 grams</li><li>Power: 2 AAA battery</li></ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
38	Double Boiler	Capacity: 2.5 quarts     Material: Stainless steel     With lid cover	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
39	Round pan 8"	Size: 8" diameter x 3" depth     Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
40	Round pan 6"	Size: 6" diameter x 3" depth     Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
41	Loaf pan	Size: 5" (W) x 10"(L) x 4"(H)  Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
42	Square pan	Size: 8" x 8"  Material: Aluminum	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
43	Utility bowl	Size: 5" diameter and 3" depth     Material: Stainless	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
44	Ice cream scooper	Size: 5cm/1.97" diameter     Material: Stainless	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
45	Food Tong	Length: 12"     Material: Stainless steel     With wide shell head with locking	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
46	Utility Box	<ul> <li>Capacity: 80 liters</li> <li>Dimension: 24"(L) x18" (WP x 16" (H)</li> <li>Material: plastic</li> <li>with Lid and handle</li> </ul>	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
47	Pastry blender	Blade material: Stainless steel     With handle	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

ltem No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
48	Four Sifter	Material: Stainless Steel Type: Sifters & Strainers Durable, corrosion proof Multi Size: 6 pack round flour sieve - 6inches to 12 inches in diameter Height: 1.5" to 2.5"	2	set	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
49	Dough Roller	<ul> <li>220VAC, 60 Hz.</li> <li>Power: 1.5 HP</li> <li>Size: 4x16 roller</li> <li>A bearing type dough roller</li> </ul>	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

I hereby commit to comply an stated schedule.	d deliver all the above requirements in a	ccordance with the
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 7

: Carpentry

APPROVED BUDGET FOR THE CONTRACT

One Million Four Hundred Thirty-Three Thousand Nine Hundred Seventy-Seven and 10/100 Pesos

**(₱**1,433,977.10)

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Cross cut saw		15	pcs			
2	Rip Saw (Medium)		15	pcs			
3	Claw hammer (8 oz)		20	pcs			
4	Claw hammer (16 oz.)		20	pcs			
5	Chalk line reel		10	pcs			
6	Plumb Bob		10	pcs			
7	Wood Planer		10	pcs			
8	Pull Push Rule		25	pcs			
9	Crow bar		5	pcs			
10	Steel square		15	pcs			
11	Try square		15	pcs			
12	Spirit level		15	pcs			
13	Automatic level		1	unit			
14	Phillips Screw Driver		6	pcs			
15	Flat Screw Driver	Kindly refer to	6	pcs			
16	Nail pouch	the technical specifications	20	pcs			
17	Nail set	attached as	20	sets			
18	Chisel, 1/4"	Annex D7.	12	pcs			
19	Chisel, ½ "		12	pcs			
20	Chisel, ¾ "		12	pcs			
21	Chisel, 2"		12	pcs			
22	Adjustable Wrench (8")		6	pcs			
23	Adjustable wrench (12")		6	pcs			
24	Combination spanner, 8mm to 24mm		1	set			
25	Transparent hose, white, 3/8 in diameter		12	meters			
26	Riveter		5	pcs			
27	Sealant gun		5	pcs			
28	Hard hat, white, (for trainer)		1	рс			
29	Hard hat, yellow (for trainees)		25	pcs			
30	Gloves, knitted		25	pairs			



No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
31	Safety Shoes		25	pairs			
32	Scaffolds, H-frame		5	sets			
33	Portable electric Drill	K. II	2	units			
34	Portable planer		5	units			
35	Tin Snips	Kindly refer to the technical	10	pcs			
36	Jig saw	specifications attached as	5	units			
37	Portable circular saw	Annex D7.	5	units			
38	Speed Square	1	20	pcs			
39	Reciprocating Saw		5	pcs			
40	Electrical extension cord		5	pcs			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply an the above stated schedule.	hereby commit to comply and deliver all the above requirements in accordance with he above stated schedule.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date						

No.	
_	Cross cut saw
И	Rip Saw (Medium)
ω	Claw hammer (8 oz)
4	Claw hammer (16 oz.)
თ	Chalk line reel
თ	Plumb Bob



item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
7	Wood Planer	Size: 9"  Material: Alloy steel Blade width: 2" Handle: Plastic With guidance knob	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
8	Pull Push Rule	Blade length 8m/26ft     Blade width 1"     High impact ABS case with durable rubber     Corrosion resistant tru-zero end	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
9	Crow bar	Length: 18" long     Material: Forged hardened steel     Type: Hex bar design     With hook end in deep V nail slot     With rust and corrosion resistant	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
10	Steel square	Size: 16" x 24"     Material: Higher quality 1cr13 hardened steel     Graduation: In Inches and Centimeters	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
11	Try square	Length: 12" long     Material: Spring Steel     Handle: Made of Aluminum alloy	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
12	Spirit level	Length: 36" long     Material: Aluminum     Hand holes: 2 holes     Height: 2.1 inches     No. of vials: 3 vials     With shock-absorbing end caps	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
13	Automatic level	Levelling Equipment  • Maximum working range: 120 meters or 400 ft.  • Magnification range: 32X  • Accuracy: +/- 1mm at 30 meters or +/-  • Unit of measure: 360 degrees 1/16" at 100 ft.  • Material: Durable plastic with over mold in key impact areas; aluminum  • Mount Threading: 5/8" - 11 thread  • Includes: Adjusting pin, Hex key, Lens cover, Plumb bob, and carrying case  Tripod  • Material: Made of light aluminum with Double banded legs  • Closed Max. height: 38 inches or 970 mm  • Extended height: 63 inches or 1,600 mm  • Head type: Flat head with 5/8" and 11 thread  • Material: Made of light aluminum with Double banded legs  • With locking clamps for quick adjustment of height and fast disassembling  Measuring Rod  • Working range: 5 meters  • Graduation: in Meters and Centimeters  • Weight: 1.98 Kgs or 4.5 lbs  • Material: anodized aluminum and imprinted with weather- and corrosion-resistant inks  • With high-strength locking buttons	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
14	Screwdriver, Philips	<ul> <li>Length: 8"</li> <li>Material: Made of Chrome vanadium</li> <li>Handle: Plastic handle</li> <li>Tip type: cross and magnetic</li> </ul>	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
15	Screwdriver, Flat	<ul> <li>Length: 8"</li> <li>Material: Made of Chrome vanadium</li> <li>Handle: Plastic handle</li> <li>Tip type: Flat and magnetic</li> <li>Tip wide: 6.5 mm</li> </ul>	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
16	Nail pouch	No. of Pockets: 8-9  Material: Leather  Large pockets for main nail and tool pockets.  Smaller pockets fits pliers, pencils, nail sets, etc.  With adjustable nylon belt with easy release buckle.	20	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
17	Nail set	<ul> <li>Length: 5" or 127mm long</li> <li>Material: hardened and precision-milled steel</li> <li>Nail punch set manufactured to ANSI standards</li> <li>Handle: Bi-material grip is slip-resistant and ribbed to absorb shock</li> <li>No. of pieces: 3 and color coded</li> <li>Nail setter size: 1/32", 1/16", and 3/32"</li> <li>Shank diameter: 0.8 → 2.4 mm</li> </ul>	20	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
18	Chisel, ¼"	Blade material: made of forged steel Blade size: 1/4 inch Handle: Made of Durable plastic Overall all length: 8-9"	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
19	Chisel, ½"	Blade: made of forged steel Blade size: 1/2 inch Handle: Made of Durable plastic Overall all length: 8-9"	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
20	Chisel, ¾ "	Blade material: made of forged steel Blade size: 3/4 inch Handle: Made of Durable plastic Overall all length: 8-9"	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
21	Chisel, 2"	Blade material: made of forged steel Blade size: 2 inches Handle: Made of Durable plastic Overall all length: 8-9"	12	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
22	Adjustable Wrench (8")	Material: Steel     Wrench type: Adjustable     Head type: Hex     Length: 8 inches     Jaw capacity: 0-36mm	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
23	Adjustable wrench (12")	Length: 12"     Material: Steel     Wrench type: Adjustable     Head type: Hex     Jaw capacity: 0-43mm	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
24	Combination spanner, 8mm to 24mm	Material: 45# Steel     Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm     With 14 pcs different sizes of open and ring end spanners.	1	set	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
25	Transparent hose, white, 3/8 in diameter	12 meters long; 3/8" diameter pvc clear vinyl hose	12	meters	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
26	Riveter	<ul> <li>Lenght:337.82 mm</li> <li>Height: 157.48 mm</li> <li>Width: 35.56 mm</li> <li>Material: All steel body with non-slip grip and wrench</li> <li>With spring loaded handle ejects rivet stem</li> <li>Rivet sizes: <ul> <li>3 mm</li> <li>4 mm</li> <li>5 mm</li> </ul> </li> </ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
27	Sealant gun	<ul> <li>Length: 225 mm or 9"</li> <li>Material: Aluminum tube body with shaft pusher</li> <li>With flexible stainless-steel thrusters and with spring and bolt</li> <li>With heavy duty aluminum handles</li> <li>With one (1) piece plastic nozzle</li> </ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
28	Hard hat, white, (for trainer)	Pyramex Safety SL Series Cap Style Hard Hat     With 4-Point Snap Lock Suspension, White	1	рс	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
29	Hard hat, yellow (for trainees)	Pyramex Safety SL Series Cap Style Hard Hat     With 4-Point Snap Lock Suspension, Yellow	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
30	Gloves, knitted	Knitted cotton with rubber lining	25	pairs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
31	Safety Shoes	Material: Made of heavy-duty materials     with steel toe cap     waterproof     anti static, and     heat resistant (up to 300 degree C/572-degree F)     Sizes: 40-42	25	pairs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
32	Scaffolds, H- frame	This set will provide a platform up to 2.4m high and 2.4m x 0.78m. Including handrails one one side and one end. It includes the following: 4 x Base Jacks 600mm 2 x H Frames 2020x780mm 2 x Cross Braces 2600mm 3 x Steel Planks 220x2400mm 3 x Handrail Posts 2 x Handrails 2400mm 2 x End Rails 780mm	5	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
33	Portable electric Drill	• 220 V, 60 hz.  • Rated input power: 800 watts  • Rated speed: 740 rpm  • Rated Torque: 5.2 Nm  • chuck capacity Min./Max: 1.5 - 13 mm  • No load Capacity: 0-3,000 rpm  • Impact rate at no load speed:0-48,000 bmp  • Drilling Diameters:  - Masonry: 22 mm  - Concrete: 16/20 mm  - teel: 8/13 mm  - Wood: 25/40 mm	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
34	Portable planer	220 VAC, 60 Hz.     Planes up to 3-1/4" wide and 5/32" deep in a single pass     With 2-Blade cutter head for fast material removal     No. of RPM:16,000     With chip ejection that can be directed to either side of the tool for convenience	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
35	Tin Snips	Size: 10" long  Material: Forged chrome molybdenum steel  Cutting Edge Length: 38 mm  Max. capacity: Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel  With Latch design allows for a quick single-handed operation  Slip-resistant bi-material grip for comfort and control	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
36	Jig saw	<ul> <li>220 VAC, 60 Hz.</li> <li>Power: 450 watts</li> <li>Cutting capacity: 65mm in wood and 6mm in steel</li> <li>With Variable speed and 18mm stroke</li> <li>With Footplate bevels to 45 deg.</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
37	Portable circular saw	<ul> <li>Rated Power: 1,000-1200 W</li> <li>Input Voltage:220-240V, 60Hz</li> <li>Blade diameter: 185mm (7-1/4")</li> <li>Rated speed: 5200 r/min</li> <li>Saw blade bore diameter: 20mm or higher</li> <li>Cord Length: 1 meter</li> <li>Power Plug: US Type</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
38	Speed Square	Length: 12 inches     Material: Made of Aluminum	20	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
39	Reciprocating Saw	Power: Cordless 12 volts battery  Wattage: 710W  Max. Capacity: For steel: 6mm For wood 115mm  With Saw blade quick changing system	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
40	Electrical extension cord	Industrial Extension Wheel Cord     Length: 25 m     Capacity: 2,500W 10A- 250V	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

I hereby commit to comply an stated schedule.	d deliver all the above requirements in ac	ccordance with the
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 8

: Plumbing

**APPROVED BUDGET** FOR THE CONTRACT

Seven Hundred Seven Thousand Four Hundred Thirteen Pesos and 52/100 (₱707,413.52)

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Adjustable wrench (10")		5	pcs			
2	Adjustable wrench (12")		5	pcs			
3	Adjustable wrench (14")		5	pcs			
4	Pressure Gauge		5	pcs			
5	Pull Push Rule		25	pcs			
6	Hacksaw w/ Blade		25	pcs			
7	Spirit level		5	pcs			
8	Pipe Reamer		5	units			
9	Pipe Vise		5	units			
10	Pipe Cutter		5	pcs			
11	Ballpeen hammer		25	pcs			
12	Cold Chisel (Pointed 10" long)	Kindly refer to the technical	25	pcs			
13	Cold Chisel (Pointed 12" long)	specifications attached as	25	pcs			
14	Electricians Plier	Annex D8.	6	pcs			
15	Plumb Bob		5	pcs			
16	Mechanical Plier		6	pcs			
17	Adjustable wrench (10")		5	pcs			
18	Adjustable wrench (12")		5	pcs			
19	Screwdriver, Flat		25	pcs			
20	Screwdriver, Philips		25	pcs			
21	Pipe Threader		2	units			
22	Fusion Machine		2	units			
23	Portable electric Drill		4	units			
24	Manual Test Pump		5	units			



No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
25	Oxy- Acetylene welding machine w/ complete outfit		2	units			
26	Portable Grinder		2	units			
27	Portable Soldering Kit		5	sets			
28	Arc Welding machine		1	unit			
29	Blow torch		5	units			
30	Cut-off Machine		1	unit			
31	Steel square		5	pcs			
32	Claw hammer (16 oz.)		5	pcs			
33	PPR Pipe Cutter	Kindly refer to	5	units			
34	Electric Test Pump	the technical specifications	1	unit			
35	Water Meter	attached as Annex D8.	5	units			
36	Water Closet		1	unit			
37	Lavatory		2	units			
38	Kitchen Sink		1	unit			
39	Single point Water Heater		2	units			
40	Faucets		15	pcs			
41	Floor Drain		10	pcs			
42	Grease trap		10	pcs		-	
43	Hard hat, yellow (for trainees)		25	pcs			
44	Safety Goggles		25	pcs			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

the above stated schedule.	d deliver all the above requirements in a	eccordance with
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
1	Adjustable wrench (10")	Length: 10"  Material: Steel  Wrench type: Adjustable  Head type: Hex  Jaw capacity: 0-38mm	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
2	Adjustable wrench (12")	Length: 12"     Material: Steel     Wrench type: Adjustable     Head type: Hex     Jaw capacity: 0-43mm	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
3	Adjustable wrench (14")	Heavy-duty straight pipe wrench Size: 14" (355.6 mm) Material: Made of forged alloy steel Pipe Size capacity: 1/2" - 2" pipe diameter with cast iron housing and I beam handle with full floating forged hook jaw Compliance with US federal specifications GGG-W65IE, Type II, Class A.	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
4	Pressure Gauge	<ul> <li>Case material: Stainless Steel</li> <li>Diameter: 2 inches or 50 mm</li> <li>Maximum pressure measurement: 300 psi</li> <li>Connector size: 1/4-inch diameter</li> <li>Best accuracy: +/- 16%</li> </ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
5	Pull Push Rule	Blade length 8m/26ft     Blade width 1"     High impact ABS case with durable rubber     Corrosion resistant tru-zero end	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
6	Hacksaw w/ Blade	Adjustable aluminum alloy frame with soft-grip handle 90° adjustable blade angle 12 inches (+- 1/4") bi-metal hacksaw blade 24 TPI"	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
7	Spirit level	Length: 36" long Material: Aluminum Hand holes: 2 holes Height: 2.1 inches No. of vials: 3 vials With shock-absorbing end caps	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
8	Pipe Reamer	<ul> <li>Rachet type pipe reaper with steel handle</li> <li>Capacity: 1/2"-2" spiral pipe reamer</li> <li>Material: Made of hardened alloy steel cone</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
9	Pipe Vise	<ul> <li>Capacity: 2 inches diameter pipe</li> <li>Material: steel</li> <li>With swivel base with dual locking nuts</li> <li>360 degrees of rotation.</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
10	Pipe Cutter	Maximum capacity: 1/8" - 2" pipe     Handle: Made of steel	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
11	Ballpeen hammer	Capacity: 12 oz. or 340g  Material: Forged steel (hardened and tempered)  Handle: Wood  Handle length: 10-1/2" or 268 mm  Overall length: 11-1/2" or 298 mm	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
12	Cold Chisel (Pointed 10" long)	Tempered Steel Hexagonal type: 16 mm(5/8") x 254mm (10") With Rubber Protection Handle	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
13	Cold Chisel (Pointed 12" long)	Material: Made of carbon steel and painted coating     Length: 12"     With durable plastic handle	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
14	Electricians Plier	Material: Carbon steel     Handle finished: Plastic dipped     Overall length: 8 inches     Knife length: 5/8 inch	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
15	Plumb Bob	<ul> <li>Size: 8 oz.</li> <li>Material: Solid brass and lacquer polished and rust resistant</li> <li>With replaceable hardened steel tip</li> <li>With string holder</li> </ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
16	Mechanical Plier	<ul> <li>Length: 8"</li> <li>Material: Made of carbon steel, rust resistant chrome finished</li> <li>Handle: Plastic dipped insulated handle</li> </ul>	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manuai
17	Adjustable wrench (10")	Length: 10"     Material: Steel     Wrench type: Adjustable     Head type: Hex     Jaw capacity: 0-38mm	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
18	Adjustable wrench (12")	Length: 12"     Material: Steel     Wrench type: Adjustable     Head type: Hex     Jaw capacity: 0-43mm	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
19	Screwdriver, Flat	Length: 8"     Material: Made of Chrome vanadium     Handle: Plastic handle     Tip type: Flat and magnetic     Tip wide: 6.5 mm	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
20	Screwdriver, Philips	Length: 8"     Material: Made of Chrome vanadium     Handle: Plastic handle     Tip type: cross and magnetic	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
21	Pipe Threader	220VAC, 60 Hz.     Threading Machine type: Rigid     Motor: 750W Single Phase     Capacity: 1/2"-2"     Rotation Speed: 28 rpm	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
22	Fusion Machine	220VAC, 60 Hz.     Electrothermal Power: 1,200 watts     Accessories Diameter: 20mm, 25 mm, and 32mm diameter PPR pipe     With dual heating element     Equipped with thermostat     Can withstand heat up to 300 degrees celsius	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
23	Portable electric Drill	<ul> <li>220 V, 60 hz.</li> <li>Rated input power: 800 watts</li> <li>Rated speed: 740 rpm</li> <li>Rated Torque: 5.2 Nm</li> <li>chuck capacity Min./Max: 1.5 - 13 mm</li> <li>No load Capacity: 0-3,000 rpm</li> <li>Impact rate at no load speed:0-48,000 bmp</li> <li>With the following drilling diameters: <ul> <li>Masonry: 22 mm</li> <li>Concrete: 16/20 mm</li> <li>Steel: 8/13 mm</li> <li>Wood: 25/40 mm</li> </ul> </li> </ul>	4	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
24	Manual Test Pump	Manual Hand Pressure Pipe Test Pump     Tank Material: Made of steel     Max. pressure capacity: 400 psi	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
25	Oxy- Acetylene welding machine w/ complete outfit	<ul> <li>Capacity: cuts up to 15 mm, welds up to 5 mm</li> <li>with complete accessories: <ul> <li>torch handle, equal pressure cutting</li> <li>attachment for acetylene and alternative fuels</li> <li>mixer,</li> <li>3 pcs. welding nozzles (No. 3, 5, 7)</li> <li>cutting tips</li> <li>single stage cylinder regulator for oxygen and acetylene regulator</li> <li>safety goggle,</li> <li>igniter and flints,</li> <li>10-way tank wrench,</li> <li>twin hose: 15ft x 1/4 c/w fittings,</li> <li>brass handle with large flow capacity for heavy duty applications,</li> <li>Oxygen cylinder with content and LPG cylinder with content</li> </ul> </li> </ul>	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
26	Portable Grinder	<ul> <li>220 V, 60 Hz.</li> <li>Rated input power: 900 watts</li> <li>Power output: 450 watts</li> <li>Disc diameter: 100 mm</li> <li>No load speed: 2,800 - 11,000 rpm</li> <li>With lockable switch</li> </ul>	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
27	Portable Soldering Kit	<ul> <li>220 VAC, 60 Hz.</li> <li>Power: 60W</li> <li>Heat capacity: 200°C-450°C</li> <li>Includes the following: <ul> <li>soldering Iron</li> <li>desoldering pump,</li> <li>5 soldering iron tips,</li> <li>tin wire tube</li> <li>soldering iron stand</li> <li>tweezers</li> <li>Cleaning Sponge</li> <li>wire stripper cutter</li> <li>2 electronic wire</li> </ul> </li> </ul>	5	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
28	Arc Welding machine	Heavy Duty Frame and Industrial Type     With Arc force knob control, Digital Amp Meter     With DC inverter technology     AC220V, 50/60Hz     Force Range: 0-100 amp     Duty Cycle at Max Amp: 60%     Insulation Grade: F     No-load Voltage: 59V     output Current: 20-300 amp     Power Factor: 0.73     Includes: Electrode Holder & Ground Clamp	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
29	Blow torch	Material: brass/ steel     Size: 120mm / 4.72     With high temperature pressure regulated flame.	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
30	Cut-off Machine	220 VAC, 60 Hz.     Blade diameter: 14"     No load speed: 3,800 rpm     Max. cutting capacity (90 degrees): 5"     Arbor: 1"     with lock-off switch	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
31	Steel square	Size: 16" x 24"     Material: Higher quality 1cr13 hardened steel     Graduation: In Inches and Centimeters	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
32	Claw hammer (16 oz.)	453.6 grams (16 oz.)     Forged steel     Hardened and tempered steel head     Smooth face     Fiberglass handle with rubber cushion     Overall length: 12"-14"	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
33	PPR Pipe Cutter	Type: Manual PPR Pipe cutter     Pipe capacity: 20mm - 32mm	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
34	Electric Test Pump	<ul> <li>220 VAC, 60 Hz.</li> <li>Power: 150 watts</li> <li>Working Pressure: 25Kg./2.5 Mpa</li> <li>Flow: 180 liters/hour</li> <li>Water Tank Volume: 7.4 liters</li> <li>Dimension (mm): 369 x 220 x 130</li> </ul>	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
35	Water Meter	Capacity: 20 gpm with 1/2" NPT Type: Multi jet plastic meter Body material: Brass	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
36	Water Closet	<ul> <li>Flash type</li> <li>Dimension (mm): 684(L) x 430 (W) x 787 (H)</li> <li>Material: Ceramic</li> <li>Flash volume: 6 liters</li> <li>Flushing elevation: front lever; Rough-in: 305mm</li> </ul>	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
37	Lavatory	<ul> <li>Type: Wall hung with center hole, with mixing hot and cold faucet</li> <li>Material: Ceramic</li> <li>With 4-inch center faucet, front overflow, self-draining deck area and with contoured back</li> </ul>	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
38	Kitchen Sink	Dimension (mm): 740 x 515 x 162     Material: Stainless steel (grade 304)     With outlet hole	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
39	Single point Water Heater	<ul> <li>220 v, 60 hz.</li> <li>Power: 4.5 Kw</li> <li>Min. pressure: 2 psi</li> <li>Max. water pressure: 5 psi</li> <li>Min. waterflow rate: 2 liters per minute</li> <li>with 1/2" BSP</li> </ul>	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
40	Faucets	Length: 6"     Diameter: 1/2"     Material: stainless     Type: Wall mounted	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
41	Floor Drain	Dimension: 4" (L) x 4" (W)     Material: stainless	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
42	Grease trap	Capacity: 5 gpm Dimension: 14" (L) x 10" (W) x 10" (H) Material: stainless Waste water Inlet diameter: 2" Water Outlet diameter: 2" Grease Outlet diameter: 0.60" With kitchen waste basket With filtered water chamber With baffle plate that separates the grease and filtered water	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
43	Hard hat, yellow (for trainees)	Pyramex Safety SL Series Cap Style Hard Hat     4-Point Snap Lock Suspension, Yellow	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
44	Safety Goggles	Wide vision, clear     PVC frame, PC lens, Elastic band     Maximum protection and comfort	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

I hereby commit to comply an stated schedule.	d deliver all the above requirements in ac	cordance with the
Name of Company/Riddor	Signature over Printed Name of	Date
Name of Company/Bidder	Authorized Representative	Date



Lot 9

: Electrical Installation and Maintenance

APPROVED BUDGET FOR THE CONTRACT

Three Million Three Hundred Fifty-Four Thousand Five Hundred Thirty-Eight Pesos and 30/100 (₱3,354,538.30)

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Spirit level		10	pcs			
2	Hacksaw w/ Blade		10	pcs			,
3	Pipe Cutter		10	pcs			
4	Plumb Bob		10	pcs			
5	Pipe Reamer		5	units			
6	Pipe Threader		10	units			
7	Pipe Bender		10	units			
8	Bolt Cutter		5	units			
9	Jack hammer Set		5	sets			
10	Electricians Plier		25	pcs			
11	Long-nose Pliers		25	sets			
12	Screwdriver, Philips		25	pcs			
13	Screwdriver, Flat	Kindly refer to	25	pcs			
14	Box Wrench / Allen Wrench	the technical specifications	10	sets			
15	Wire Splicer	attached as Annex D9.	5	pcs			
16	Wire Stripper	Almox Do.	5	pcs			
17	Electrician Knife		5	pcs			
18	Tool Holster		15	pcs			
19	Pull Push Rule		25	pcs			
20	Claw hammer (16 oz.)		5	pcs			
21	Prick Punch		5	pcs			
22	Ballpeen hammer		5	pcs			
23	Heat Gun		5	units			
24	Heavy Duty Soldering Iron		6	units			
25	Flat file smooth	-	5	pcs			
26	Portable electric Drill		5	units			
27	Portable Grinder		5	units			



No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
28	Power saw		2	units			
29	Multi Tester		5	units			
30	Insulation Resistance Tester		1	unit			
31	Clamp Ammeter		5	units			
32	Earth resistance tester		1	unit			
33	Pipe Vise		2	pcs			
34	Chisel	Kindly refer to	15	pcs			
35	Fire alarm system	the technical specifications	1	unit			
36	Labelling Machine	attached as Annex D9.	1	unit			
37	Security Equipment Access control		2	units			
38	CCTV		1	unit			
39	Safety Goggles		25	pcs			
40	Hard hat, yellow (for trainees)		25	pcs			
41	Safety Gloves		25	pcs			
42	Belt/ Safety Harness		25	pcs			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

i nereby commit to comply a	nd deliver all the above	equirements in acco	ordance with
the above stated schedule.			

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	



item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
1	Spirit level	Length: 36" long Material: Aluminum Hand holes: 2 holes Height: 2.1 inches No. of vials: 3 vials With shock-absorbing end caps	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
2	Hacksaw w/ Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches (+- 1/4") bi-metal hacksaw blade</li> <li>24 TPI"</li> </ul>	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
3	Pipe Cutter	Maximum capacity: 1/8" - 2" pipe     Handle: Made of steel	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
4	Plumb Bob	<ul> <li>Size: 8 oz.</li> <li>Material: Solid brass and lacquer polished and rust resistant</li> <li>With replaceable hardened steel tip</li> <li>With string holder</li> </ul>	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
5	Pipe Reamer	Capacity: 1/8"-2"     Type: rachet     With steel handle	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
6	Pipe Threader	<ul> <li>rop head</li> <li>3 sets of head and dies,</li> <li>sizes (1/2",3/4",1")</li> </ul>	10	units	Visual Test and Functionality Test	lf Applicable	N/A	If Applicable
7	Pipe Bender	Manual     1/2"-3/4" bending radius     Ductile high strength iron	10	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
8	Bolt Cutter	Steel Bolt Cutter     24" Overall Length     5/16" Hard Materials up to Brinnell 455/Rockwell C48	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
9	Jack hammer Set	<ul> <li>Jack hammer for cement and stones</li> <li>voltage: 220vac 50/60hz</li> <li>Power: 1,500 watts</li> <li>With 40J Ball point tip chisel tip Extra Carbon brush OEM</li> <li>Motor capacity: 1,510 watts</li> <li>Uses standard type 30mm Hex Bit</li> </ul>	5	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
10	Electricians Plier	Material: Carbon steel     Handle finished: Plastic dipped     Overall length: 8 inches     Knife length: 5/8 inch	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
11	Long-nose Pliers	Length: 8"     Jaw Surface Serrated     Jaw shape Straight,     Material: High Carbon Steel     With dyna grip handle	25	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
12	Screwdriver, Philips	Length: 8"     Material: Made of Chrome vanadium     Handle: Plastic handle     Tip type: cross and magnetic	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
13	Screwdriver, Flat	Length: 8"  Material: Made of Chrome vanadium  Handle: Plastic handle  Tip type: Flat and magnetic  Tip wide: 6.5 mm	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
14	Box Wrench / Allen Wrench	Wrench sizes:     6mm,8mm,10mm,11mm,12mm,13mm,14mm,15mm,16mm,17mm,19mm,     21mm,22mm, 24 mm,     Material: Chrome vanadium steel	10	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
15	Wire Splicer	Torting and leveling cakes     up to 10 inches wide	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
16	Wire Stripper	Automatic,     capacity: 1.5mm to 3.5mm	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
17	Electrician Knife	blade length 3",     taper ground cutlery single steel blade,     ergonomically designed slip resistant grip	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
18	Tool Holster	Leather,     3 pocket & 4 Holes	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
19	Pull Push Rule	Blade length 8m/26ft Blade width 1" High impact ABS case with durable rubber Corrosion resistant tru-zero end	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
20	Claw hammer (16 oz.)	453.6 grams (16 oz.)     Forged steel     Hardened and tempered steel head     Smooth face     Fiberglass handle with rubber cushion     Overall length: 12"-14"	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
21	Prick Punch	Length: 4"     Tapered Point Diameter: 5/64"	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
22	Ballpeen hammer	Capacity: 12 oz. or 340g  Material: Forged steel (hardened and tempered)  Handle: Wood  Handle length: 10-1/2" or 268 mm  Overall length: 11-1/2" or 298 mm	5	pcs.	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
23	Heat Gun	<ul> <li>Power: 2000W</li> <li>Voltage: AC220V-230V 60Hz</li> <li>Heat Setting: variable</li> <li>Switch Control: 2 stages</li> <li>Temperature: 50-450 deg / 90-800 deg</li> <li>Cord Length: 1 meter</li> <li>Power Plug: US Type</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
24	Heavy Duty Soldering Iron	<ul> <li>220 VAC, 60 hz.</li> <li>Max. temperature: Pp to 900° F</li> <li>With variable power control dial: 5 - 40 watts</li> <li>With quality and lightweight pencil iron</li> <li>With cushioned foam grip</li> </ul>	6	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
25	Flat file smooth	Size: 8"-12" Tapered design with double cut style	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
26	Portable electric Drill	220 V, 60 hz.     Rated input power: 800 watts     Rated speed: 740 rpm     Rated Torque: 5.2 Nm     chuck capacity Min./Max: 1.5 - 13 mm     No load Capacity: 0-3,000 rpm     Impact rate at no load speed:0-48,000 bmp     With the following drilling diameters:     Masonry: 22 mm     Concrete: 16/20 mm     Steel: 8/13 mm     Wood: 25/40 mm	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
27	Portable Grinder	<ul> <li>Portable</li> <li>4" capacity</li> <li>220-240 Volts/60 Hz</li> <li>700 watts or higher</li> <li>With side handle grip, angle grinder guard, with lock nut wrench</li> <li>Power Plug: US Type</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
28	Power saw	220VAC, 60 Hz.     Powerful 3.4 amp, 4,600 SPM motor     Cuts wood and metal	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
29	Multi Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Over-voltage protection</li> <li>with battery included</li> </ul>	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
30	Insulation Resistance Tester	Test Leads with Alligator Clips  1 fluidounce  500VDC	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
31	Clamp Ammeter	Digital max. AC voltage measurement 600V, • max. AC current measurement 400Aac, max. DC voltage measurement 600Vdc, max. resistance measurement 400ohms, battery type AAA, clamp meter type continuity current, frequency, resistance, voltage, display type LCD jaw capacity- busbars 10x34mm, safety category voltage, 300V, 600V	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
32	Earth resistance tester	Test voltage combinations: 250V, 500V or 1000V  1mA test current for megaohm range at rated voltage 200mA test current for continuity range Large, easy-to-read dual display with backlight Includes test leads, alligator clip, hanging strap, hard carrying case and batteries	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
33	Pipe Vise	Capacity: 2 inches diameter pipe  Material: steel  With swivel base with dual locking nuts  360 degrees of rotation.	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
34	Chisel	<ul> <li>Carbon steel</li> <li>Size: 1/4", 1/2", 3/4", 1"</li> <li>Dimension Tolerance +/- 1/16"</li> <li>Blade Length: 5"</li> <li>Plastic handle</li> </ul>	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
35	Fire alarm system	<ul> <li>Phone Alerts: Nest Protect sends you a message when there's a problem or the batteries run low.</li> <li>Smoke and CO Locator. Nest Protect speaks up if there's smoke or CO and tells you where it is, so you know what to do.</li> <li>Detects CO: Carbon monoxide is an invisible, poisonous gas.</li> <li>Nest Protect tells you where it's hiding. A Light in the Dark: Usually Nest Protect has its light turned off, but when you walk underneath it, Pathlight can light your way. </li> <li>Fast Detection: Every second counts.</li> <li>Split-Spectrum Sensor looks for both fast and slow burning fires.</li> <li>Connect Nest Protect to Wi-Fi and it will send an alert to your phone if the alarm goes off or the batteries run low.</li> </ul>	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
36	Labelling Machine	Type: Handheld  Power: 6-pc of AAA battery  Keyboard type: Qwerty  No. of Symbols: 200 electrical and datacom  Tape widths: 6mm; 9mm; 12mm  with case	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
37	Security Equipment Access control	Biometric Finger Access Control:  Up to 500 Card Capacity Up to 500 Fingerprint Capacity Less than 1 second user recognition Reads Fingerprint and/or Password and/or card Password Capacity up to 8 groups Integrated 125kHz RFID proximity reader Small Rugged elegant design Audio indications for acceptance and rejection of valid/invalid transactions 3rd Party Electric Lock, Alarm, Door Sensor, Exit Button and Doorbell Standard ID Card while MF card as optional feature Power Supply: Input Voltage: AC 110-240V 50-60HZ Output Voltage: DC 12V 3A Electric Lock: Voltage: 12V DC Current: 400mA Mode: NC (locked whilst power supply is operating), fail safe mode Application: wood, iron doors Faceplate dimensions: 130x32x9.3mm/5.12x1.26x0.37 inch Main body dimensions: 170x40x22mm/6.69x1.57x0.87 inch Pack includes: electric lock, installation diagrams Construction: stainless steel Holding force: 180KG RFID Key Fob (125 KHz): Water resistant Detecting distance: 3-10cm Operation frequency: 125Khz Each comes with Key ring included Compatible with all RFID ID card reader to gain access Each token pre-programmed with unique ID which is printed on it. Exit Button:	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
		No touch to open the door Output Contact: NO\NC\COM Mechanical Life: 500000 tests Operating temp: -20°c to 55°c Suitable Humidity: 0-95% (relative humidity) Detection range: 0.1-10cm LED Indicator: White LED indicator: Power OFF Blue LED indicator: Power ON (standby) Red LED indicator: Power ON (sensation) Working Voltage: DC 12V Current: 3A Temperature: -20°c~55°c Times: 500,000						
38	CCTV	1080P Security Camera System     No. of camera: 8 pcs (1080P Indoor & Outdoor)     With Safevant 8CH 5-in-1 DVR Home Security Camera System     Hard drive capacity: 2TB     Free App for Smartphone Remote Monitoring	1	unit	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
39	Safety Goggles	Wide vision, clear     PVC frame, PC lens, Elastic band     Maximum protection and comfort	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
40	Hard hat, yellow (for trainees)	Pyramex Safety SL Series Cap Style Hard Hat     4-Point Snap Lock Suspension, Yellow	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
41	Safety Gloves	Voltage Capacity: 500V AC / 750V DC, Length: 11 inches, Cuff style: Straight, Insulating Color: Black.	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	City	Unit	Test Parameters	Warranty	Training	Manual
42	Belt/ Safety	Belt: 45mm nylon belt	25	pcs	Visual Test	lf	N/A	If Applicable
	Harness	Max. weight capacity: 310 lbs.			and	Applicable		
		Max. Arresting for CE: 600 lbs.			Functionality			
		Max. Elongation: 21 ft. from anchor point	Ì		Test			
		With two (2) anchor hook						

I hereby commit to comply an stated schedule.	d deliver all the above requirements in ac	cordance with the
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date





Lot 10

: Photo Voltaic (PV) Systems Installation

APPROVED BUDGET FOR THE CONTRACT

Five Million Four Hundred Fifty-Four Thousand Forty-

Seven Pesos and 30/100 (₱5,454,047.30)

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Spirit level	-	15	pcs			
2	Hacksaw w/ Blade		10	pcs			
3	Lineman's Pliers		15	sets			
4	Long-nose Pliers		15	sets			
5	Diagonal Cutting Pliers		15	sets			
6	Screwdrivers		15	sets			
7	Combination spanner, 8mm to 24mm		15	sets			
8	Wire Stripper		25	pcs			
9	Precision Magnetic Compass		25	pcs			
10	Tool Holster		25	pcs			
11	Pull Push Rule		25	pcs			
12	Claw hammer (16 oz.)	Kindly refer to	5	pcs			
13	Cross Cut Saw	the technical specifications	5	pcs			
14	DC Drill	attached as	5	units			
15	Multi Tester	Annex D10.	25	units			
16	Clamp Ammeter		10	units			
17	Digital Hydrometer		25	units			
18	Battery Cell Tester		10	units			
19	PV Module		10	pcs			
20	Charging Controller		10	pcs			
21	Battery		10	pcs			
22	Battery Box		6	pcs			
23	Variable Power Supply		6	pcs			
24	Safety Goggles		25	pcs			
25	Hard hat, yellow (for trainees)		25	pcs			
26	Safety Gloves		25	pcs			
27	Belt/ Safety Hamess		25	pcs			

No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
28	Inverter (Full Sine)	Kindly refer to the technical	2	pcs			
29	Inverter (Modified)	specifications attached as Annex D10.	2	pcs			
30	Oscilloscope		2	pcs			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.									
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date							

## **ANNEX D10**

ltem No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
1	Spirit level	Length: 36" long Material: Aluminum Hand holes: 2 holes Height: 2.1 inches No. of vials: 3 vials With shock-absorbing end caps	15	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
2	Hacksaw w/ Blade	<ul> <li>Adjustable aluminum alloy frame with soft-grip handle</li> <li>90° adjustable blade angle</li> <li>12 inches (+- 1/4") bi-metal hacksaw blade</li> <li>24 TPI"</li> </ul>	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
3	Lineman's Pliers	Dimensions: 10.8 x 3.3 x 0.8 inches Weight: 0.31751 kg, Material High Carbon Steel. Handle dyna grip.	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
4	Long-nose Pliers	Length: 8"     Jaw Surface Serrated     Jaw shape Straight,     Material: High Carbon Steel     With dyna grip handle	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
5	Diagonal Cutting Pliers	Dimensions: 9.9 x 2.9 x 0.8 inches,     Material: High Carbon Steel     Handle dyna grip	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
6	Screwdrivers	<ul> <li>Cushion Grip Screw Driver</li> <li>Magnetized tip for easy pick-up of screws</li> <li>6pcs - Slotted/standard 5.5-6.5mm x 150mm (± 5mm)</li> <li>Slotted/standard parallel 4.5-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallel 3-5mm x 100mm (± 5mm)</li> <li>Slotted/standard parallel 4.5-5mm x 150mm (± 5mm)</li> <li>Phillips- 1.5-2mm x 150mm (± 5mm)</li> <li>Phillips -1-1.5mm x 100mm (± 5mm)</li> </ul>	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
7	Combination spanner, 8mm to 24mm	Material: 45# Steel     Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm     With 14 pcs different sizes of open and ring end spanners.	15	sets	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
8	Wire Stripper	Automatic,     capacity: 1.5mm to 3.5mm	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
9	Precision Magnetic Compass	Size: 100mmx70mmx30mm,     Materials Zinc Alloy	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
10	Tool Holster	<ul> <li>9 Pocket Tool Pouch</li> <li>Dimensions: 7" (L) x 4" (w) x 9.5" (h)</li> <li>Materials Genuine Leather.</li> </ul>	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
11	Pull Push Rule	Blade length 8m/26ft     Blade width 1"     High impact ABS case with durable rubber     Corrosion resistant tru-zero end	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
12	Claw hammer (16 oz.)	<ul> <li>453.6 grams (16 oz.)</li> <li>Forged steel</li> <li>Hardened and tempered steel head</li> <li>Smooth face</li> <li>Fiberglass handle with rubber cushion</li> <li>Overall length: 12"-14"</li> </ul>	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
13	Cross Cut Saw	Blade material: Made of Carbon steel Blade Length: 18 inches long No. of Teeth per inch: 3 1/2 teeth per inch Handle: Made of hard wood	5	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
14	DC Drill	12VDC     Rev/For     Battery Operated Lithium	5	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
15	Multi Tester	<ul> <li>Analog</li> <li>DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V</li> <li>ACV Range: 10, 50, 250, 750 V</li> <li>Internal Battery: R6 (IEC) or UM-3 1.5V x 2</li> <li>Internal Fuse: 0.5 A/250 V/5.2 mm dia. X 20 mm</li> <li>Resistance: X1, X10 X100, X1K, X100k</li> <li>Over-voltage protection</li> <li>with battery included</li> </ul>	25	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
16	Clamp Ammeter	Digital max. AC voltage measurement: 600V, • max. AC current measurement: 400Aac, max. DC voltage measurement 600Vdc, max. resistance measurement: 400ohms, battery type AAA, clamp meter type, continuity current, frequency, resistance, display type: LCD, jaw capacity, busbars 10x34mm, safety category voltage: 300V, 600V	10	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
17	Digital Hydrometer	<ul> <li>Measurement Range: Density: 0.000 – 2.000 g/cm3</li> <li>Sample Temperature: 01 – 40 °C (321 – 104 °F)</li> <li>Viscosity: 0 – 2,000 mPa. Accuracy: Density: 0.001 g/cm3</li> <li>Temperature: ±0.2 °C (±0.4 °F). Resolution: 0.0001 g/cm3.</li> <li>Minimum Sample Volume: 2 mL. Communication: IrDA Interface.</li> <li>Display: Backlit LCD. Internal Storage: 1100 Results.</li> <li>Operating Environment: 10 – 50 °C (-15 – 122 °F).</li> <li>Power Requirements: (2) AAA Batteries.</li> <li>Dimensions: 229 x 114 x 64 mm (9 x 4.5 x 2.5 in).</li> <li>Weight: 360 g (2.7 oz). Sample Tube</li> <li>Dimensions: 178 x 3.175 mm / 7 x 1/8 in. Diameter.</li> </ul>	25	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
18	Battery Cell Tester	<ul> <li>Size L x W x D 284mm x 173mm x 70mm,</li> <li>530mm cable (handle to end of clamps),</li> <li>Heavy duty leads and clamps (125A test load),</li> <li>Suitable for 1 x 12V battery per test, for 24-36V or larger simply split the battery bank.</li> <li>Split down to 12V sections for test.Battery from 200 - 1000 cold cranking (CCA), Battery from approx 30 - 140Ah rating. Indicates extent of battery sulphation / battery condition.,</li> <li>Battery voltmeter.High voltage load test safety trip at 13V, Fast 10 second load tests (2 min wait between tests).Test 12V alternators and starter motors.</li> </ul>	10	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
19	PV Module	Cell type Monocrystalline Maximum power 200W Optimum power voltage 18.2 Vmp Optimum operating current 10.99 Imp, Open circuit voltage 22.0Voc Short circuit current (Isc) 12.12A, Solar cell: 125mm x 125mm, Number of cell (pcs) 12 x 6, Size of module 1580 mmx 808mm x 35mm Front glass thickness 3.2mm Connection lead length approx 900 mm Connection type MC4, Shading protection 3x diodes, Max DC string voltage 1000V, Temperature range -40 to +85 °C, Tolerance wattage +/- 3%, cell efficiency >16.80, Surface maximum load capacity (Pa) 2400, Allowable hail load 23m/s, 7.53g, Frame Anodized Aluminum Alloy, Weight per piece 14.2kg, Standard test conditions AM1.5, 1000W/m2, 25°C (+/-2°C).	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable



Item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
20	Charging Controller	Design – MPPT; System nominal voltage – 12/24V DC Automatically detected; Maximum charge current – 30A Battery voltage range – 8~32V; Maximum PV input power: 390W for 12V DC system and 780W for 24V DC system Maximum PV input voltage – 100V Grounding – common negative; Ultra-fast MPP tracking speed; Tracking efficiency > 99.5% 2 USB ports provide power for DC USB powered devices	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
21	Battery	Deep-cycle lead-acid battery     12 VDC     200AH	10	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
22	Battery Box	<ul> <li>Material: SS304,</li> <li>Overall Dims (HxWxD - IN): 20.625 x 17.5 x 12.0</li> <li>Inside Dims (HxWxD - IN): 16.090 x 16.25 x 10.25</li> <li>Door Opening Dims (HxWxD - IN): 13.25 x 14.125</li> </ul>	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
23	Variable Power Supply	Output 5-30 VDC     30 A	6	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
24	Safety Goggles	Wide vision, clear     PVC frame, PC lens, Elastic band     Maximum protection and comfort	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
25	Hard hat, yellow (for trainees)	Pyramex Safety SL Series Cap Style Hard Hat     4-Point Snap Lock Suspension, Yellow	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
26	Safety Gloves	<ul> <li>Voltage Capacity: 500V AC / 750V DC,</li> <li>Length: 11 inch,</li> <li>Cuff style: Straight,</li> <li>Insulating Color: Black.</li> </ul>	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
27	Belt/ Safety Harness	Belt: 45mm nylon belt Max. weight capacity: 310 lbs. Max. Arresting for CE: 600 lbs. Max. Elongation: 21 ft. from anchor point With two (2) anchor hook	25	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
28	Inverter (Full Sine)	<ul> <li>Full Sine,</li> <li>Color: Silver</li> <li>Size: 205*55*55mm</li> <li>DC input: 12V(DC10.5-16V)</li> <li>AC Output Voltage: AC 220V</li> <li>USB output: DC5V, max 3.1A</li> <li>High temperature protection: 80-100°C</li> </ul>	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
29	Inverter (Modified)	Modified, Color: Black     Material: aluminum alloy     Maximum output: 500W     Continuous output: 300W     Input voltage: DC 12V     Output voltage: AC 220V     Waveform: Modified sine wave     Output interface: US     Cooling fan: with     Protection function: over current, overload, overvoltage, high temperature, low pressure	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
30	Oscilloscope	<ul> <li>DS-1200 vertical system: bandwidth 200 MHz,</li> <li>Channel: CH1,CH2,</li> <li>vertical resolution 8-bit,</li> <li>vertical sensitivity: 2mV/div, 1-2-5 14 step,</li> <li>simulation bandwidth: -3dB,</li> <li>rising time: equal or less than 1.8ns,</li> <li>input impedance 1Mohm +-2%, 20pF +-5%,</li> <li>max safe input voltage: 400V (AC+DC peak) / frequency equalor less than 400hz (when input impedance is 1Mohm).</li> </ul>	2	pcs	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

I hereby commit to comply an stated schedule.	d deliver all the above requirements in a	Date
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



## **Technical Specifications**

Lot 11 : Other Training Equipment

APPROVED BUDGET FOR THE CONTRACT

Two Million Two Hundred Fifty-Four Thousand Eight

Hundred Sixty Pesos and 44/100 (₱2,554,860.44)

No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	PA system		2	units			
2	Smart TV	Kindly refer to the	2	units			
3	Laptop	technical specifications	2	units			
4	Whiteboard	attached as Annex D11	2	units			
5	Fire Extinguisher		2	units			

<sup>\*</sup> Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

I hereby commit to comply and the above stated schedule.	er Signature over Printed Name of Date			
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date		



## **ANNEX D11**

item No.	ltem	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
1	PA system	220 VAC 60 Hz.     Built-in 12-hour rechargeable battery     40 Watts of class-D amplification     "8 Woofer and tweeter     Built-in 2-band equalizer     Built-in Bluetooth receiver     Stream from Smartphones, Tablets, PCs     Auxiliary input for line sources     Compatible with ULM wireless microphones     Built-in handle and rolling wheels	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable
2	Smart TV	Size: 43 "     Smart TV/ Android TV ,HDMI ready, Ultra HD,Bluetooth, Wifi,Stereo sound	2	units	Visual Test and Functionality Test	Yes	N/A	If Applicable
3	Laptop	<ul> <li>Display: 14"</li> <li>Resolution: 2116 x 1440 15 PPI</li> <li>Maximum brightness: 300 units</li> <li>Processor: AMD Ryzen™ 5 4600H</li> <li>Graphics: AMD Radeon™ Graphics</li> <li>Memory: 16 GB DDR4</li> <li>Battery: Lithium polymer, capacity 56 Wh</li> <li>Camera: 720p HD Recessed Camera</li> <li>Video Recording / Video Chat</li> <li>Audio: Speaker (2 W) x 2</li> <li>Microphone x 4</li> <li>Connectivity: Wi-Fi: IEEE 802.11a/b/g/n/ac</li> <li>2.4 GHz and 5 GHz; 2 x 2 MIMO</li> <li>WPA / WPA2 / WPA3</li> <li>Ports: USB 3.2 Gen 1 x 2</li> <li>USB-C x 1</li> <li>3.5 mm headset and microphone 2-in-1 jack x 1</li> <li>HDMI x 1</li> <li>Storage: 512 GB PCIe NVMe SSD</li> <li>With laptop bag (Backpack swift)</li> </ul>	2	units	Visual Test and Functionality Test	Yes	N/A	If Applicable
4	Whiteboard	Size: 4' x 4'x 3/4"     Material: Plywood with collapsible steel frame and stand	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

item No.	Item	Minimum Agency Specification Unless Otherwise Specified	Qty	Unit	Test Parameters	Warranty	Training	Manual
5	Fire Extinguisher	Cylinder type Chemical type: Multi-purpose ABC dry chemical, powder aluminum valve coated, and rechargeable Capacity: 10 lbs With pressure gauge that allows for immediate pressure status check With wall hanger Meets requirements for underwriter laboratory (UJ)	2	units	Visual Test and Functionality Test	If Applicable	N/A	If Applicable

I hereby commit to comply and deliver all the above requirements in accordance with the stated schedule.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date					

# Section VIII. Checklist of Technical and Financial Documents

# Checklist of Technical and Financial Documents

#### I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents Legal Documents (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **Technical Documents** (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) (c) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents and (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, which may include □ (e) production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and Original duly signed Omnibus Sworn Statement (OSS); (f) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Financial Documents The prospective bidder's computation of Net Financial Contracting □ (g) Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the □ (h) joint venture is already in existence;

126

in the instance that the bid is successful.

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA

	<u>Oth</u>	<u>ner do</u>	ocumentary requirements under RA No. 9184 (as applicable)
		(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government
		(j)	office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II.	FIN	ANC	IAL COMPONENT ENVELOPE
		(a) (b)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).

rchase Order nber/s or Date f Contract/s

<sup>\*</sup>Instructions:

a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:

i. The day before the deadline of submission of bids.

b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none or equivalent term.

c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in case an NFCC is submitted as an eligibility document.

d) "Name of Contract". Indicate here the Nature/ Scope of the Contract for easier tracking of the entries/ representations

	that receipt of bids,	(company) a contract similar			ontracts withii	n five (5) years prior to the date of
Contracting Party	Name of Contract	Date of the Contract	Kind of Goods	Amount of Contract	Date of Delivery	Please submit any of the following attachment     a. Copy of End User's Acceptance; OR     b. Copy of Official Receipt/s; OR     c. Copy of Sales Invoice with Collection Receipt/s

<sup>\*</sup> Instructions:

a) Cut-off date as of:

<sup>(</sup>i) Up to the day before the deadline of submission of bids.
b) In the column under "Dates" indicate the dates of Delivery/ End-user's Acceptance and Official Receipt.
c) "Name of Contract". Indicate here the Nature/ Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

## **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

## BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>2</sup>, the undersigned, declare that:

- 1. /We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Pursuant to GPPB Resolution No. 16-2020 dated 16 September 2020

## **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF ) S.S		

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- [Select one, delete the other:]
   [If a sole proprietorship:] I am the sole proprietor or authorized representative of
   [Name of Bidder] with office address at [address of Bidder];
   [If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized
   and designated representative of [Name of Bidder] with office address at [address
   of Bidder];
- 2. [Select one, delete the other:]
  - [If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney:
  - [If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	<b>WITNESS</b>	WHEREOF,	1	have	hereunto	set	my	hand	this	 day	of	,	20	at
		_, Philippines.												

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

# [Jurat] [Format shall be based on the latest Rules on Notarial Practice]

The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification;

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

## JOINT VENTURE AGREEMENT

## KNOW ALL MEN BY THESE PRESENTS:

This JOINT VENTURE AGREEMENT (hereinafter referred to as the "Agreement"), entered into this day of 20 at City, Philippines by and among:
a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at, represented by its, hereinafter referred to as "";
- and -
a domestic corporation duly organized, registered and existing under and by virtue of the laws of the Republic of the Philippines, with office address at, represented by its, hereinafter referred to as,
- and –
a foreign corporation organized and existing under and by virtue of the laws of, represented by its, hereinafter referred to as,
(Henceforth collectively referred to as the "Parties")
WITNESSETH: That
WHEREAS, the Technical Education and Skills Development Authority (TESDA) has recently published an Invitation to Apply for Eligibility and to Bid for the Supply and Delivery of
WHEREAS, the parties have agreed to pool their resources together to form the " Joint Venture", hereinafter referred to as the Joint Venture, under the laws of the Philippines, for the purpose of participating in the abovementioned procurement of TESDA-CO;
NOW, THEREFORE, for and in consideration of the foregoing premises and the covenants hereto set forth, the Parties have agreed as follows:

# ARTICLE I ORGANIZATION OF THE JOINT VENTURE

SECTION 1. Formation — The Parties do hereby agree and bind themselves to establish, form and organize a Joint Venture pursuant to the laws of the Republic of the Philippines, in order for the JV to carry on the purposes and objectives for which it is created;
SECTION 2. Name — The name and style under which the JV shall be conducted is "";
SECTION 3. Principal Place of Business — The JV shall maintain its principal place of business at;
SECTION 4. Preparation and Documentation — The Parties shall secure and/or execute such certifications, documents, deeds and instruments as may be required by the laws of the Republic of the Philippines for the realization of the JV and in compliance with the Project. Further, they shall do all other acts and things requisite for the continuation of the JV pursuant to applicable laws;
SECTION 5. The Joint Venture shall be represented by the in all biddings, related procurement transactions and other official dealings that it shall enter into with the TESDA-CO and third parties, such transactions to include, among others, the submission of eligibility documents, bids, registration documents obtaining bonds, performing the principal contract in the event that the contract is awarded in favor of the Joint Venture, receipt of payment for goods delivered, and similar and related activities.
SECTION 6. The period of the Joint Venture shall begin upon execution of this Agreement and shall continue until the complete performance of its contractual obligations to TESDA-CO, as described in Article II hereof, or upon its termination for material breach of any term or condition of this Agreement, by service of a written statement in English on the other Party, not less than 90 days prior to the intended date termination
ARTICLE II PURPOSE
SECTION 1. The primary purpose of the Joint Venture is to participate in the public bidding to be conducted by the TESDA-CO Bids and Awards Committee for the supply and delivery of for the
SECTION 2. If the above-described contract/s is/are awarded to the Joint Venture, the

Joint Venture shall undertake the performance thereof to TESDA-CO, and such other

incidental activities necessary for the completion of its contractual obligations.

## ARTICLE III SOLIDARY LIABILITY OF THE PARTIES

SECTION 1. In the performance of the contract/s that may be awarded to the Joint Venture by the TESDA-CO, and all other related activities/obligations, as described in Article II hereof, - the Parties bind themselves jointly and solidarily, in the concept of solidarily debtors, subject to the right of reimbursement, as provided in the relevant provisions of the Civil Code of the Philippines.

## ARTICLE IV CONTRIBUTION AND OTHER ARRANGEMENTS

SECTION I. Contribution — The Parties shall contribute the amount of (Php ) to support the financial requirements of the Joint Venture, in the following proportion:

Additional contributions to the Joint Venture shall be made as may be required for contract implementation. In addition, shall contribute any labor and contract management requirements.

SECTION 2. Profit Sharing — The share of the Parties to the JV from any profit derived or obtained from the implementation and execution of the Project shall be distributed pro rata to each, in accordance with the contribution and resources each has provided to the JV;

SECTION 3. Liquidation and Distributions — Any sum remaining after deducting from the total of all moneys or benefits received for the performance of the contract, all costs incurred by the JV after award of the contract for the Project pursuant to the accounting practices established for the JV, shall be distributed in accordance with the relative balances in the accounts of each Party pursuant to Sec.1 of this Article upon completion, final accounting, termination and liquidation of the JV. In the event of liquidation and termination of JV, and after taking into account the shares of the Parties in all income, gain, deductions, expenses, and losses, should the account of a Party contain a negative balance, such Party shall contribute cash to the JV sufficient to restore the said balance to zero;

SECTION 4. Sharing of Burden of a Net Loss — In case a net loss is incurred, additional contributions shall be made by the Parties in accordance with their respective shares.

## ARTICLE V MISCELLANEOUS PROVISIONS

SECTION 1. The provisions of the Instructions to Bidders, Supplemental Bid Bulletin, and other bidding documents issued by the TESDA-CO in relation to the contract described in Article II hereof, shall be deemed incorporated in this Agreement and made an integral part thereof.

SECTION 2. This Agreement shall be binding upon and inure to the benefit of the Parties and their respective-successors and assigns.

SECTION 3. The Parties herein are duly represented by their authorized officers.

SECTION 4. Governing Law - This Agreement shall be governed by and construed according to the laws of the Republic of the Philippines. Venue of any court action arising from this Agreement shall be exclusively laid before the proper court of the Philippines.

IN WITNESS WHERE( on the date and place f	OF, the parties have set their hands ar first above-stated.	nd affixed their signatures
	Signed in the Presence of:	
		<u> </u>

#### **ACKNOWLEDGMENT**

REPUBLIC OF THE PHILIPPINES CITY/MUNICIPALITY OF PROVINCE OF (in the case of Municip	) S.S. pality)
	for and in the City/Municipality of <u>(indicate pality</u> , this <u>day of month &amp; ing:</u>
Name ID Name, Nun	nber and Validity Date
	rn to be the same persons who executed the wledge to me that the same is their free and corporation(s) they represent.
	nt Venture Agreement consisting ofis Acknowledgement is written, and signed by esses.
WITNESS MY HAND AND NOT above written.	ARIAL SEAL on the place and on the date first
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [ date issued], [place issued] IBP No, [ date issued], [place issued]
Doc. No Page No Book No Series of Note:	
NO 40 Co A - A FE T L CL L CL L EL - EL EL EL EL EL EL EL EL EL E	and the second of the second o

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) ecard, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification

## **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

BID FORM	
Date :	
Project Identification No. :	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs:
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates.
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>2</sup> for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and

-

<sup>&</sup>lt;sup>2</sup> currently based on GPPB Resolution No. 09-2020

- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- I. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

# Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

1 tem	2			Name of Bidderof					
Item		3	4	5	6	7	8	9	10
	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)
				1		L		1	
lame	<b>e</b> :								
ega	l Capacity	/:							

Duly authorized to sign the Bid for and behalf of:

# Price Schedule for Goods Offered from Abroad [shall be submitted with the Bid if bidder is offering goods from Abroad]

ame 	of Bidder		For Goods Offered from Abroad Project ID No Page _							
1	2	3	4	5	6	7	8	9		
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8		
Iame	:									
egal	Capacity: ture:									

## **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES	)
CITY OF	) S.S

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]

Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

