Section VII. Technical Specifications

Lot 1	•	Animal Production	(P	oultr	v-Ch	ickeni	NC	: 11
LYLI		Withing Livenania	.,	YUIU.	,-	II O LOGIE	, 170	

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Vnit	Statement of Compliance*	Make Brand / Model	Reference
1	Plastic Pail		1	рс			
2	Manual Knapsack Sprayer	Kindly refer to the	1	unit			
3	Waterer for Chicken	technical specifications attached as	1	рс			
4	Tubular Feeder	Annex E1.	1	рс			
5	Weighing Scale		1	рс	-		

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E1.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datesheet/Specification Sheet/Brockure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items! Toolkits	Unit
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	1	 Plastic Pail 	16 liters capacity Plastic utility pall with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: Leak test Visual Check: Check actual measurements	YES	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	1 7	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC	1	3	Waterer for Chicken	Capacity : 1- gallon Material: Polyethylene Plastic (Dent-proof)	Functionality Test: Lesk test Visual check	YES	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	4	Tubular Feeder	Capacity: 5 kg. Materiat: High Density Polyethylene Plastic	Functionality test Visual checking of the item	YES	N/A	If applicable	1	pc
Agriculture, Forestry, and Fishery	Animal Production (Poultry-Chicken) NC II	1	5	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	рс

ance to the foregoing technical specifications are true and c tion, the same shall give rise to automatic disqualification of	
Signature over Printed Name of Authorized	Date
	tion, the same shall give rise to automatic disqualification of

ot 2	:	Animal	Production) ((Swine) NC	11
------	---	--------	------------	-----	------------	----

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance	Make Brand / Model	Reference
1	Ear Notcher		1	рс			
2	Forcep	Kindly refer to the technical	1	рс			
3	Weighing Scale	specifications attached as	1	pc			
4	Pig Nipple Drinker	Annex E2.	1	рс			
5	Ear Tag Applicator		1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E2.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasteet/Specification Sheet/Brockure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I havely contifusion that the eleterant of complements to the foregoing technical executions as

true and correct, otherwise, if found to be false either during bid evaluation or pequalification, the same shall give rise to automatic disqualification of our bid.									
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date							

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	2	1	Ear Notcher	Stainless steel 150 mm to 160 mm long V or U shaped ear clamps 170 to 190 grams	Functionality Test: • by cutting piece of paper if the blade is sharp forming a V or U shaped ear clamps Visual Check: • Check actual Measurement (length and weight) • Material test (test to magnet, purity test)	YES	N/A	if applicable	1	pc
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	2	2	Forcep	Stainless 5.5" long, straight forcep	Functionality Test Visual Check: Material test (test to magnet, purity test) Check actual measurement	YES	N /A	If applicable	1	pc
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	2	3	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	2	4	Pig Nipple Drinker	Stainless Steel 1/2" Automatic Duckbiti	Visual Check: • Material test (test to magnet, purity test)	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Swine) NC II	2	5	Ear Tag Applicator	universal plastic applicator with assorted plastic colored ear tags (100 pcs.)	Functionality Test: • Actual Test Visual Check	YES	N/A	If applicable	1	set

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.									
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date							

Lot 3 : Animal Production (Ruminants) NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Shovel		1	pc			
2	Hoof Knife	Kindly refer to the	1	рс			
3	Ear Tag Applicator	technical specifications	1	set			
4	Wheel Barrow	attached as	1	рс			
5	5 Bolo	Annex E3.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E3.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

		hat the statem								
true	and correc	t, otherwise,	if found to	o be false	either	during	bid	evaluation	OL	post-
quali	fication, the	same shall gi	ve rise to au	itomatic di:	squalific	cation of	our	bid.		
•	•	•			•					

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	3	1	Shovel	Round point tip; all metal handle Tempered steel blade (0.8 mm gauge or higher) Blade length 12 - 28 cm & width 17 cm - 23 cm Overall length 100 cm - 115 cm Digit plantie	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	3	2	Hoof Knife	carbon steel double edged blade length: 7 - 9.5 cm blade width: 1.8 - 2.5 cm wood handle	Functionality Test: Test usage by splicing a piece of card board without having any deformities such as having uneven blade or creating a cracks within the blade Visual Check: Actual measurement	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	3	3	Ear Tag Applicator	universal plastic applicator with assorted plastic colored ear tags (100 pcs.)	Functionality Test: • Actual Test Visual Check	YES	N/A	if applicable	1	set
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	3	4	Wheel Barrow	Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: • Deformity of bucket and wheel	YES	N/A	tf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II	3	5	Bolo	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm- 45 cm Full Tang Riveted handle Matchete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	NVA	lf applicable	1	рс

	npliance to the foregoing technical specifications are true an ification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 4	,	· Ruminants	Cuon	(Kumm	ants) NC II -	renomi	presaing or
No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Ear Tag Applicator	Kindly refer to the	1	set			
2	Shovel Round	technical specifications attached as Annex E4	1	рс			
3	Shovel	Alliex L4	1	рс			
correspin a Bi uncond A state under (be fals Bidder	ors must state here either "Conding performance parame dders Bid and cross-referentitional statements of specific ment that is not supported bevaluation liable for rejection. e either during Bid evaluation supplier liable for prosecutols, equipment, gadgets	ter of the equipment offered ced to that evidence. Evidence issued by evidence or is subsequent A statement either in the Ban, post-qualification or the consulpiect to the applicable	. Statem ence sha I by the r tly found idder's si execution laws and	ents of "Co all be in the manufacture to be cont latement of n of the Co d issuances	mply or "Not Comply" of form of manufactured or, samples, independent radicted by the evident compliance or the supported intract may be regarded.	must be supp 's un-amende nt test data et ce presented v porting eviden d as fraudule	orted by evidence d sales literature, c., as appropriate. will render the Bid ce that is found to nt and render the
Datash	eet/Specification Sheet/Brock tion Manual is an instructions	hure as indicated in Annex E	4.				
	ts. eet/Specification Sheet/Brock nent that comes along with th					cteristics of a	product, machine,
true	eby certify that the and correct, other ification, the same s	rwise, if found to	be f	alse eit	her during bid	evaluati	
Na	me of Company/Bid				nted Name of resentative		Date

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Perform Breeding of Ruminants	4	1	Ear Tag Applicator	universal plastic applicator with assorted plastic colored ear tags (100 pcs.)	Functionality Test: • Actual Test Visual Check	YES	N/A	If applicable	1	set
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Perform Breeding of Ruminants	4	2	Shovel Round	Round point tip; all metal handle Tempered steel blade (0.8 mm gauge or higher) Blade length 12 - 28 cm & width cm - 23 cm Overall length 100 cm - 115 cm D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Perform Breeding of Ruminants	4	3	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: Actual measurement (blade thickness, blade length and width, and overall length) Verify brochures and datasheets	YES	N/A	ff applicable	1	рс

Name of Company/Bidder Signature over Printed Name of Authorized Date		
Name of Company/Bidder	Signature over Printed Name of Authorized	Date

Lot 5	•	: Lay Activities	ouon (r	outu y-	Cilicken) NC II	· Perionii	rie-Lay and
No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Waterer for Chicken		1	рс			
2	Tubular Feeder	Kindly refer to the technical specifications	1	рс			
3	Shovel	attached as Annex E5.	1	рс			
4	Plastic Pail		1	рc			
correspin a Bi uncond A state under of be fals	ers must state here either "Conding performance parame dders Bid and cross-referen liment statements of specific iment that is not supported bevaluation liable for rejection. e either during Bid evaluation or supplier liable for prosecul	ter of the equipment offered ced to that evidence. Evide ation and compliance issued by evidence or is subsequent A statement either in the Bion, post-qualification or the	. Stateme ence shall by the m tly found t idder's state execution	nts of "Cor I be in the anufacture to be conti- itement of of the Co	mply" or "Not Comply" o form of manufacturer or, samples, independe radicted by the evident compliance or the sup ntract may be regarde	must be supp 's un-amende nt test data et ce presented to porting eviden	orted by evidence of sales literature, c., as appropriate. will render the Bid ce that is found to
All to Datash	ols, equipment, gadgets eet/Specification Sheet/Brod	and electrically operated here as indicated in Annex E	instrume 5.	nts shou	ld have Standard i	Manufacturers	Manual and/or
instruc produc	tion Manual is an instruction: ts.	al book or booklet that is su	pplied with	n almost a	Il technologically advar	nced products	such as electrical
	set/Specification Sheet/Broc nent that comes along with th					cteristics of a	product, machine,
true	eby certify that the and correct, other ification, the same s	rwise, if found to	be fa	lse eit	her during bid	evaiuati	
— Na	me of Company/Bid	lder Signa	ature o	ver Pri:	nted Name of		Date

Authorized Representative

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Poutry-Chicken) NC II - Parform Pre- Lay and Lay Activities	5	1	Waterer for Chicken	Capacity: 1- gallon Material: Polyethylene Plastic (Dent-proof)	Functionality Test: • Leak test Visual check	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre- Lay and Lay Activities	5	2	Tubular Feeder	Capacity: 5 kg. Material: High Density Polyethylene Plastic	Visual check • Functionality test • Visual checking of the item	YES	N/A	if applicable	1	pc
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre- Lay and Lay Activities	5	3	Shove!	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	if applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Poultry-Chicken) NC II - Perform Pre- Lay and Lay Activities	5	4	Plastic Pall	16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized

Representative

Lot 6

: Agricultural Crops Production NC II - Plant Crops

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer		1	unit			
2	Shovel	Kindly refer to the technical specifications	1	pc			
3	Plastic Pail	attached as Annex E6.	1	рс			
4	Bolo		1	pc			

^{*} Bidders must state here either "Compty" or "Not Compty" sgainst each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated Instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E6.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

i her	eby (certify tha	nt the staten	nent (of co	mpl	ianc	e to ti	he foreç	joing te	chni	cal specifica	ıtio	ns are
												evaluation	or	post-
quali	ficat	ion, the s	ame shall gi	ve ri:	se to	aut	oma	tic dis	qualific	ation of	our	bid.		

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Agriculturel Crops Production NC II - Plant Crops	6	1	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzte, Handle, Strap)	Functionality Test: • perform test run by assembling the components, add water and spray in the surface Visual Check: • check the manufacturer's manual for the completeness of the accessories • material test (test to magnet, purity test)	YES	N/A	YES	•	unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	6	2	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Coverall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	pc
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	6	3	Plastic Pall	16 liters capacity Plastic utility pail with metal handle 850 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements"	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC II - Plant Crops	6	4	Bolo	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm- 45 cm Full Tang Riveted handle Matchete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	If applicable	1	pc

I hereby certify that the statement of cor- either during bid evaluation or post-quali	npliance to the foregoing technical specifications are true and fication, the same shall give rise to automatic disqualification o	correct, otherwise, if found to be false of our bid.
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 7

Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Shovel		1	pc			
2	Wheel Barrow	Kindly refer to the technical specifications	1	рс			
3	Plastic Pail	attached as	1	р¢		, i	
4	Manual Knapsack Sprayer		1	unit			
in a Bit uncond A state under e be false	ors must state here either "Conding performance parame dders Bid and cross-referentional statements of specific ment that is not supported bevaluation liable for rejection. e either during Bid evaluation reupplier liable for prosecut	ter of the equipment offered ced to that evidence. Evide ation and compliance issued y evidence or is subsequent A statement either in the Bi n, post-qualification or the o	. Stateme ence shell by the ma tly found t idder's state execution	nts of "Cor be in the anufacture o be contr tement of of the Cor	mply" or "Not Comply" form of manufacturer ir, samples, independe radicted by the evident compliance or the sup ntract may be regarde	must be supp 's un-emende nt test data et ce presented v porting eviden	orted by evidence of sales literature, c., as appropriate. will render the Bid ce that is found to
	ots, equipment, gadgets a eet/Specification Sheet/Brock			nts shoul	ld have Standard I	Vanufacturers	Manual and/or
instruct product	ion Manual is an instructiona Is.	Il book or booklet that is su	optied with	almost al	II technologically advar	roed products	such as electrical
	eet/Specification Sheet/Brock nent that comes along with th					cteristics of a	product, machine,
true	eby certify that the and correct, other fication, the same s	wise, if found to	be fai	ise eitl	her during bid	evaluation	
Na	me of Company/Bid				nted Name of esentative		Date

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	7	1	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	7	2	Wheel Barrow	Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: • Deformity of bucket and wheel	YES	N/A	if applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	7	3	Plastic Pail	16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N /A	if app licable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Prepare Land for Agricultural Crops Production	7	4	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: • perform test run by assembling the components, add water and spray in the surface Visual Check: • check the manufacturer's manual for the completeness of the accessories • material test (test to magnet, purity test)	YES	N/A	YES	1	unit

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder	Signature over Printed Name of Authorized	Date
• •	Representative	

88

Lot 8			Agriculture		NC	II	-	Produce	Organic
Lot o	•	Concocti	ions and Extr	acts					

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chef's Knife		1	рс			
2	Chopping board	Kindly refer to the technical	1	рс			
3	Plastic Pail	specifications attached as Annex E8.	3	рс			
4	Weighing Scale		1	bc			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brockure as indicated in Annex E8.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing technication found to be false either during bid earlies to automatic disqualification of our bits automatic disqualification of our bits automatic disqualification our bits au	evaluation or post-
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	8	1	Chefs Knife	■ 10" stainless steet blade (+- 1/4") ■ full tang, riveted handle	Functionality Test: • sharpness test using paper or thumbnail Visual Check: • actual measurement of the blade length • to verify brochures and datasheets • material test (test to magnet, purify test)	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	8	2	Chopping board	1/2" x 12" x 18" size made of polyethylene material white	Visual Check: • visual check (non-corrugated) • dimension check • to verify brochures and datasheets	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concoctions and Extracts	8	3	Plastic Pail	16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Concections and Extracts	8	4	Weighing Scale	10 kg capacity with 50 grams graduation Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be fals either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Name of Company/Bidder Signature over Printed Name of Authorized Date			
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date	



Lot 9 : Organic Agriculture Production NC II - Produce Organic Fertilizer

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Wheel Barrow	Kindly refer to the	1	рс			
2	Manual Knapsack Sprayer	technical specifications attached as	1	unit			
3	Shovel	Annex E9.	1	рс	-		

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sates literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E9.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing technic found to be false either during bid rise to automatic disqualification of our	evaluation or post-
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	9	1	Wheel Barrow	Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: • Deformity of bucket and wheel	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	9	2	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steet tank Semi-automatic with complete accessories (Hose, Nozzie, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Produce Organic Fertilizer	9	3	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be feither during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Name of Company/Bidder Signature over Printed Name of Authorized Representative		
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 10

: Animal Production (Ruminants) NC II - Raise Dairy Animals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Weighing Scale	Kindly refer to the	1	рс			
2	Shovel Round	technical specifications	1	pc			
3	Stainless Collecting Pail for Milk	attached as Annex E10.	1	pc			

^{*} Bidders must state here either "Compty" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E10.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing techn f found to be false either during bid e rise to automatic disqualification of our	evaluation or post-
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Dairy Animals	10	1	Weighing Scale	50 kg capacity Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	pc
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Dairy Animals	10	2	Shovel Round	Round point tip; all metal handle Tempered steel blade (0.8 mm gauge or higher) Blade length 12 - 28 cm & width 17 cm - 23 cm Overall length 160 cm - 115 cm D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	tf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Dairy Animals	10	3	Stainless Collecting Pail for Milk	Heavy duty stainless bucket 32cm diameter 12 liters capacity	Functionality Test Visual Check: • Actual measurement • Material test (test to magnet, purity test)	YES	N/A	if applicable	1	pc

	ther during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Name of Company/Bidder Signature over Printed Name of Authorized Date Representative			
Name of Company/Bidder		Date		

Lot 11 : Animal Production (Ruminants) NC II - Raise Meat Type Animals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer	Kindly refer to the	1	unit			
2	Weighing Scale	technical specifications attached as	1	рс			
3	Plastic Pail	Annex E11.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E11.

Instruction Manual is an Instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

•	nt of compliance to the foregoing technical found to be false either during bid ev	₹					
rue and correct, otherwise, if found to be false either during bid evaluation or post- ualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of	Date					

Authorized Representative



Sector	Qualification	Lot No.	Item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Meat Type Animals	11	1	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Staintess Steel tank Semi-automatic with complete accessories (Hose, Nozzie, Handle, Strap)	Functionality Test: • perform test run by assembling the components, add water and apray in the surface Visual Check: • check the manufacturer's manual for the completeness of the accessories • material test (test to magnet, purity test)	YES	N/A	YES	4	unit
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Meat Type Animals	11	2	Weighing Scale	50 kg capacity Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	lf applicable	1	рс
Agriculture, Forestry and Fisheries	Animal Production (Ruminants) NC II - Raise Meat Type Animals	11	3	Plastic Pail	16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	pc

I hereby certify that the statement of con either during bid evaluation or post-qualit	npliance to the foregoing technical specifications are true and Reation, the same shall give rise to automatic disqualification (I correct, otherwise, if found to be false of our bid.
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 12

: Organic Agriculture Production NC II - Raise Organic Hogs

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Weighing Scale	Kindly refer to the	1	рс			
2	Manual Knapsack Sprayer	technical specifications as	1	unit			
3	Plastic Pail	Annex E12.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sates literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E12.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing technical found to be false either during bid errise to automatic disqualification of our bit	valuation or post-
Name of Company/Bidder	Signature over Printed Name of	Date

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	12	1	Weighing Scale	50 kg capacity Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	12	2	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: • perform test run by assembling the components, add water and spray in the surface Visual Check: • check the manufacturer's manual for the completeness of the accessories • material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Hogs	12	3	Plastic Pail	16 liters capacity Plastic utility pall with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	If applicable	1	рс

	fication, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 13		Organic	Agriculture	Production	NC	11	-	Raise	Organic	Smal
_01 10	•	Ruminan	its							

No.	ltern	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Modei	Reference
1	Manual Knapsack Sprayer		1	unit			
2	Wheel Barrow	Kindly refer to the technical	1	рс			
3	Shovel Round	specifications as Annex E13.	1	рс			
4	Hoof knife		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" sgainst each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier flable for prosecution subject to the applicable taws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E13.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing ted found to be false either during rise to automatic disqualification of	bid evalu	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	f –	Date

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC ti - Raise Organic Small Ruminants	13	1	Menual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Staintess Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YE\$	1	unit
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	13	2	Wheel Barrow	Load: 50 kgs. Wheel: Air inflated Material: Steel	Functionality Test Visual Check: • Deformity of bucket and wheel	YES	N/A	tf applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	13	3	Shovel Round	Round point tip; all metal handle Tempered steel blade (0.8 mm gauge or higher) Blade length 12 - 28 cm & width 17 cm - 23 cm Overall length 100 cm - 115 cm Digrip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Organic Agriculture Production NC II - Raise Organic Small Ruminants	13	4	Hoof knife	carbon steel doubte edged blade length: 7 - 9.5 cm blade width: 1.8 - 2.5 cm wood handle	Functionality Test: Test usage by splicing a piece of card board without having any deformities such as having uneven blade or creating a cracks within the blade Visual Check: Actual measurement	YES	N/A	if applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized
Representative

Lot 1	item	Minimum Agency Specifications Unless Otherwise Specified		Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer	Kindly refer to the technical	1	unit			
2	Shovei	specifications attached as	1	рс			
3	Bolo	Annex E14.	1	рс		<u> </u>	
in a Bi uncond A state under of be fals Bidder	conding performance parame dders Bid and cross-referent litional statements of specific ment that is not supported by evaluation liable for rejection. e either during Bid evaluation or supplier liable for prosecutions.	ced to that evidence. Evidention and compliance issued y evidence or is subsequent A statement either in the Bin, post-qualification or the consulting to the applicable	ence shall by the m ity found i idder's sta execution laws and	I be in the anufacture to be contri itement of of the Co- issuances.	o form of manufacturer or, samples, independent radicted by the evident compliance or the sup- ntract may be regarde	's un-amende nt test data et ce presented v porting eviden d as fraudule	d sales literature, c., as appropriate, will render the Bio ce that is found to at and render the
	eet/Specification Sheet/Brock			mis snou	ig nave Standard i	Manuiacurers	manuai antroi
Instruct product	tion Manual is an instructionals.	l book or booklet that is sup	plied with	n almost al	il technologically advar	nced products	such as electrica
	eet/Specification Sheet/Brock nent that comes along with the					cteristics of a	product, machine
true	eby certify that the sand correct, other	wise, if found to	be fa	ise eiti	her during bid	evaluati	

Date

Signature over Printed Name of

Authorized Representative

Name of Company/Bidder

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Agronomic Grop Work	14	1	Manual Knapsack Sprayer	Semi-automatic sprayer It liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purily test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Agronomic Crop Work	14	2	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Agronomic Crop Work	14	3	Boło	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overail length 42 cm- 45 cm Full Tang Riveted handle Matchele Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	tf applicable	1	pc

	npliance to the foregoing technical specifications are true and offication, the same shall give rise to automatic disqualification of	
Name of Company/Bidder	Signature over Printed Name of Authorized	Date

Lot 15	· Agricultural Ci · Work	rops Producti	on NC (- Supp	ort Horticultural Cro
<u> </u>	9.01 - 1			1

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer	Kindly refer to the	1	unit		•	
2	Shovel	technical specifications attached as	1	рс			
3	Bolo	Annex E15.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable taws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manuel and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E15.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, it	nt of compliance to the foregoing technic found to be false either during bid rise to automatic disqualification of our l	evaluation or post-
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Horticultural Crop Work	15	1	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC 1 - Support Horticultural Crop Work	15	2	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YE\$	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC 1 - Support Horticultural Crop Work	15	3	Boło	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm- 45 cm Full Tang Riveted handle Matchete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	If applicable	1	рс

	phance to the foregoing definited specifications are true to leation, the same shall give rise to automatic disqualification.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 16

: Agricultural Crops Production NC I - Support Nursery Work

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer	Kindly refer to the	1	unit			
2	Shovel	technical specifications attached as	1	рс			
3	Bolo	Annex E16.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E16.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

true and correct, otherwise, if	nt of compliance to the foregoing techni- found to be false either during bid rise to automatic disqualification of our	evaluation or post-
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Sector	Qualification	Lot No.	Item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Nursery Work	16	1	Manual Knapsack Sprayer	Semi-automatic sprayer Is liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: Perform test run by assembling the components, add water and spray in the surface Visual Check: Check the manufacturer's manual for the completeness of the accessories Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Nursery Work	16	2	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: Actual measurement (blade thickness, blade length and width, and overall length) Verify brochures and datasheets	YES	N/A	ff applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC I - Support Nursery Work	16	3	Bolo	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm - 45 cm Full Tang Riveted handle Matchete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	tf applicable	1	рс

either during bid evaluation or post-qual	ification, the same shall give rise to automatic disqualification	on of our bid.
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false



Lot	1	7
-----	---	---

Agricultural Crops Production NC ill - Undertake Agronomic Crop Harvesting Activities

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Weighing Scale		1	рс			• .
2	Plastic Pail	Kindly refer to the technical specifications	1	pc			
3	Shovel	attached as Annex E17.	.1	рс			
4	Bolo		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E17.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are

•	found to be false either during bid ever rise to automatic disqualification of our bid.	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	ftern	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Undertake Agronomic Crop Harvesting Activities	17	1	Weighing Scale	50 kg capacity Top loading balance Strong Flat Top	Functionality Test: • Actual test (to weigh sample items if it is calibrated or not) Visual Check: • Check flat top	YES	N/A	If applicable	1	pc
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Undertake Agronomic Crop Harvesting Activities	17	2	Plastic Pail	16 liters capacity Plastic utility pall with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: Lesk test Visual Check: Check actual measurements	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Undertake Agronomic Crop Harvesting Activities	. 17	3	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall length (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	If applicable	1	рс
Agriculture, Forestry and Fisheries	Agricultural Crops Production NC III - Undertake Agronomic Crop Harvesting Activities	17	4	Boto	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm- 45 cm Full Tang Riveted handle Machete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	ff applicable	1	pc

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized

Representative



Lot 18

Agricultural Crops Production NC III - Undertake Agronomic Crop
Maintenance Activities

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Manual Knapsack Sprayer		1	unit			
2	Plastic Pail	Kindly refer to the technical	1	рс			
3	Shovel	specifications attached as Annex E18.	1	рс			
4	Bolo		1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E18.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

		<u> </u>
Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/ Toolkits	Unit
Agriculture, Forestry, and Fishery	Agricultural Crops Production NC III - Undertake Agronomic Crop Maintenance Activities	18	1	Manual Knapsack Sprayer	Semi-automatic sprayer 16 liter capacity Stainless Steel tank Semi-automatic with complete accessories (Hose, Nozzle, Handle, Strap)	Functionality Test: • perform test run by assembling the components, add water and spray in the surface Visual Check: • check the manufacturer's manual for the completeness of the accessories • material test (test to magnet, purity test)	YE\$	N/A	YES	1	unit
Agriculture, Forestry, and Fishery	Agricultural Crops Production NC III - Undertake Agronomic Crop Maintenance Activities	18	2	Płastic Pail	16 liters capacity Plastic utility pail with metal handle 650 grams weight L= 30 CM, W= 30 CM H= 31 CM	Functionality Test: • Leak test Visual Check: • Check actual measurements	YES	N/A	lf applicable	1	pc
Agriculture, Forestry, and Fishery	Agricultural Crops Production NC III - Undertake Agronomic Crop Maintenance Activities	18	3	Shovel	Rectangular end Tempered steel blade (0.88 mm gauge or higher) 17 cm - 23 cm blade tip width 22 cm - 28 cm blade tip length All metal handle Overall tength (100 cm - 115 cm) D grip handle	Functionality Test Visual Check: Actual measurement (blade thickness, blade length and width, and overall length) Verify brochures and datasheets	YE\$	N/A	If applicable	1	рс
Agriculture, Forestry, and Fishery	Agricultural Crops Production NC III - Undertake Agronomic Crop Maintenance Activities	18	4	Boto	30 cm -35 cm blade length 4.5 cm - 5 cm blade width Overall length 42 cm- 45 cm Full Tang Riveted handle Matchete Type	Functionality Test: • Actual test Visual Check: • Check bends and rusts • Actual measurement	YES	N/A	ff applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.										
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date								

Lot 19

: Automotive Servicing NC I

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Torque wrench	Kindly refer to the	1	рс			
2	Combination Wrench	technical specifications	1	set	_		
3	Oil Filter Wrench	attached as Annex E19.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E19.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Automotive Servicing NC I	19	1	Torque wrench	Click Type Micrometer Setting 1/2 inch Drive Capacity: 30-150 ftlb. (42-210 Nm) Length: 485mm (18"") ± 0.5"	Functionality Test: Click sound on the desired torque Visual Check: Venity brochures and datasheets	YES	N/A	YES	1	рс
Automotive and Land Transportation	Automotive Servicing NC I	19	2	Combination Wrench	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy or chrome vanadium steel construction Lobular box end design	Visual Check: • Verify brochures and datasheets • Actual measurement (Use vemier caliper)	YES	N/A	if applicable	1	set
Automotive and Land Transportation	Automotive Servicing NC I	19	3	Oil Filter Wrench	3-Jaw maximum diameter of the clamp is 110 mm 1/2 inch drive	Visual Check: Verify brochures and datasheets Actual measurement	YES	N/A	If applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.										
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date								

Lot 20		Motorcycle/Sma Motorcycle/Sma	AC II	- Overhaui			
No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	T-Wrench set	Kindly refer to the technical	1	set			
2	Universal Gear/Bearing Pullers	ear/Bearing attached as					
corresp a Bidde uncond stateme evaluat either (supplie Aff too Datash Instruct product	conding performance parameters Bid and cross-reference itional statements of specificant that is not supported by e ion liable for rejection. A statuting Bid evaluation, post-qriliable for prosecution subjects, equipment, gadgets eet/Specification Sheet/Brockton Manual is an instructionals.	Comply" or "Not Comply" against of the equipment offered. It is that evidence. Evidentiation and compliance issued by widence or is subsequently for the execution of the the execution of the applicable laws and is and electrically operated there as indicated in Annex E20 at book or booklet that is supplicable that is supplic	Statement ce shall by the mad to be tatement of the Co suances. Instrument of the co suances.	s of "Comp be in the sufacturer, contradict of complian ntract may nts should almost all	ply" or "Not Comply" in form of manufacturer samples, independent ed by the evidence pro- nce or the supporting of the regarded as frau- d have Standard	nust be support s un-amende t test dats etc., ssented will ret svidence that is dutent and ren Manufacturers niced products	ted by evidence in d sales literature, , as appropriate. A nder the Bid under a found to be false ider the Bidder or Manual and/or such as electrical
		hure is a document that sum e product from its release from			ance and other chara	cteristics of a	product, machine,
true	and correct, other	statement of compli rwise, if found to hall give rise to auto	be fa	lse eitl	ner during bid	evaluati	
Nan	ne of Company/Bido			Printed eprese	Name of ntative	1	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty Training		Manual	No. of items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Sm all Engine Servicing NC II - Overhaul Motorcycle/Sm att Engine	20	1	T-Wrench set	• Sizes - 8mm - 10 mm - 12 mm - 14 mm • 10-12 inches long	Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	If applicable	1	set
Automotive and Land Transportation	Motorcycle/Sm alt Engine Servicing NC II - Overhaul Motorcycle/Sm alt Engine	20	2	Universal Gear/Bearing Pullers	2 bearing separators ranging in size for sizes 9/32 ^m to 3 ^m in diameter 5 ^m puller cross-bar with a 6-1/4 ^m forcing screw	Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	lf applicab le	1	set

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.										
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date								



Lot 21

Motorcycle/Small Engine Servicing NC II - Service Electrical System

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Digital Multimeter	Kindly refer to the technical	1	set			
2	Magneto Puller Set	specifications attached as Annex E21.	1	set			_

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E21.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

I he	reby	certify that	at the staten	nent of c	omp	liand	e to t	he fore	going te	chnic	cal specifica	itio	ns are
true	and	i correct,	otherwise,	if foun	d to	be	false	either	during	bid	evaluation	or	post-
qua	iifica	tion, the s	ame shall gi	ve rise to	o auto	omai	tic dis	qualific	ation of	our t	oid.		

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manua!	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Sm all Engine Servicing NC II - Service Electrical System	21	1	Digital Multimeter	DC Voltage: 200mV/2V/20V/200V/600V AC Voltage: 20V/200V/600V DC Current: 20mA/200mA/10A Resistance, continuity and buzzer test XAAA Tester Bag Manual 2 x Probes Data hold	Functionality Test: • Functionality test (voltage, resistance, beeping/buzzing sound for continuity) Visual Check: • Verify brochures and datasheets	YES	N /A	YES	1	unit
Automotive and Land Transportation	Motorcycle/Sm all Engine Servicing NC II - Service Electrical System	21	2	Magneto Puller Set	Diameter 27 mm and 16 mm Suitable for Honda Kawasaki Suzuki Yamaha	Visual Check: • to verify brochures and datasheets • actual measurement	YES	N/A	lf applicable	1	set

	mphance to the foregoing technical specifications are true and liftcation, the same shall give rise to automatic disqualification (
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 2	22	. Motorcycle/Small Engine Servicing NC II - Service . Motorcycle/Small Engine System									
No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference				
1	Cordiess Impact Wrench	Kindly refer to the technical specifications attached as Annex E22.	1	unit							
a Bidd uncond statema evalual correspination	* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances. All toots, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or										
Datash	eet/Specification Sheet/Brock tion Manual is an instruction	hure as indicated in Annex E2 al book or booklet that is sup	2.			nced products	such as electrical				
		hure is a document that sum e product from its release from			ance and other chara	cteristics of a	product, machine,				
I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.											
Nar	Name of Company/Bidder Signature over Printed Name of Date Authorized Representative										

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Motorcycle/Sm all Engine Servicing NC II - Service Motorcycle/Sm all Engine System	22	1	Cordiess Impact Wrench	Brushless Motor Voltage: 20V Square Drive: 1/2 rd No-load speed: 0-2300/min Impact rate: 0-3550 bpm Maximum torque: 300NM 20V Lithium-loa 2.0Ah batteries Integrated work light LED battery power indicator 2pcs bettery pack, 1pc 1Hr charger Charge Volts: 110V-240V~50/80Hz 3pcs sockets (17mm, 19mm, 21mm)	Functionality Test: • Functionality test (twisting impact test) Visual Check: • Verify brochures and datasheets • Actual measurement	YES	N/A	YES	1	unít

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.									
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date							



No.	Item	Minimum Agency Specifications Unless Otherwise	Qty	Unit	Statement of Compliance*	Make Brand /	Reference

: Driving NC II

Lot 23

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Hydraulic jack	Kindly refer to the technical	1	unit			
2	Combination Wrench	specifications attached as Annex E23.	1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E23.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

l her	eby ·	certify t	hat the	statem	ent o	f con	nplian	ce to t	he fore	going te	chnic	cal specifica	itior	ns are
true	and	COFFEC	t, othe	erwise,	if for	and i	to be	false	either	during	bid	evaluation	Or	post-
quali	ficat	ion, the	same s	shall giv	ve rise	to a	utoma	tic disc	qualific	ation of	our t	oid.		

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Automotive and Land Transportation	Orlying NC II	23	1	Hydraulic jack	3 TONS Minimum Height: 140mm Maximum Height: 460mm Lifting Range: 140-460mm	Functionality Test: • can hold pressure up to 460mm lifting height Visual Check: • to verify brochures and datasheets	YES	N/A	YES	1	unit
Automotive and Land Transportation	Driving NC II	23	2	Combination Wrench	16 pcs sizes: 6 mm, 8 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm and 32 mm Drop forged alloy or chrome vanadium steel construction Lobular box end design	Visual Check: • Verify brochures and datasheets • Actual measurement (Use vernier caliper)	YES	N/A	if applicable	1	set

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.									
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date							



t	-4	74
L	JU.	44

: Carpentry NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electrical Hand Drill	Kindly refer to the technical	1	unit			
2	Portable Circular Saw	specifications attached as Annex E24.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E24.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	



Sector	Qualificati on	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuai	No. of Items/ Toolkits	Unit
Construction	Carpentry NC II	24	1	Electrical Hand Drill	Input Power: 500W-850W Input Voltage: 220-240V, 60Hz No Load Speed: 0- 380/1300rpm Cord Length: 1 meter Power Plug: US Type with hammer function	Functionality Test: Check if the drill operates Check and make sure the chuck key is functioning With hammer function Visual Check: Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify features such as AC Amps and AC Volts Verify the no load speed Check cord length	YES	N/A	YES	1	unit
Construction	Carpentry NC II	24	2	Portable Circular Saw	Rated Power: 1,000-1200 W Input Voltage:220-240V, 60Hz Blade diameter: 185mm (7-1/4***) Rated speed: 5200 r/min Saw blade bore diameter: 20mm or higher Cord Length: 1 meter Power Plug: US Type	Functionality Test: Actual test run (quality, durability, blade sharpness, and strength) Features of a saw Visual Check: Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify features such as AC amps and AC volts Check the construction and ergonomics of the handle Check blade diameter Check rated speed Check saw blade bore diameter: 20mm or higher Check cord length	YES	N/A	YES	1	unit

ance to the foregoing technical specifications are true and c tion, the same shall give rise to automatic disqualification of	
Signature over Printed Name of Authorized	Date

Lot 25

: Construction Painting NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Spray Gun	Kindly refer to the technical specifications attached as Annex E25.	1	unit			

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E25.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

ı	her	eby	certify	tha	t the st	atemen	t of co	mpl	ianc	e to ti	he fore (going te	chnic	cal specifica	ıtior	is are
tı	rue	and	corre	ect,	otherw	rise, if	found	to	be	false	either	during	bid	evaluation	OF	post-
q	uali	ficat	ion, th	ie sa	me sha	ıll give :	rise to	auto	mat	ic disc	qualifica	ation of	our t	oid.		

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Iteme/Toolkits	Unit
Construction	Construction Painting NC II	25	1	Electric Spray Gun	Voltage: 220-240V~50/60Hz Input power: 500W Spraying Pressure: 0.1 - 0.2 Bar Maximum flow: 850ml/min Maximum viscosity: 50DIN-s Power cord length: 2.0m 800ml aluminum container 1pc viscosity measuring cup 1pc nozzle cleaning needle 1pc shoulder strap	Functionality Test: Check air adjustment and nozzle for tightness of fittings Verify technical specification of machine voltage matches the voltage source Visual Check: Check completeness of attachments/accessories Check power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check availability of operational manual	YE\$	N/A	YES	1	unit

	empliance to the foregoing technical specifications are true and calification, the same shall give rise to automatic disqualification of	
Name of Company/Bidder	Signature over Printed Name of Authorized	Date
Name of Company/blocer	Signature over Printed Name of Authorized Representative	Date



Lot 2	36	: Masonry NC I					
No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Chalk Line Reel		1	рс			
2	Crow Bar		1	рс			
3	Claw Hammer	Kindly refer to the technical	1	рс			
4	Pull-Push Rule	specifications attached as Annex E26.	1	рс			
5	Shovel Round	Autox 220.	1	рс			
6	Spirit Level Bar		1	рс			
a Bidd uncond statem evaluate correst a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem evaluate a Bidd uncond statem	conding performance parame ers Bid and cross-reference litional statements of specific ent that is not supported by e tion liable for rejection. A sta during Bid evaluation, post-on triable for prosecution subject	Comply" or "Not Comply" ag ter of the equipment offered. of to that evidence. Evider ation and compliance issued it widence or is subsequently for tement either in the Bidder's a jualification or the execution at to the applicable laws and it	Statement noe shall by the man und to be statement of the Cossuances.	is of "Com be in the nufacturer, contradict of complia ntract may	ply" or "Not Comply" in form of manufacturer, samples, independent led by the evidence pro- ince or the supporting of the regarded as frau-	nust be suppor 's un-amende i test data etc. esented will re- evidence that i dulent and rer	ted by evidence i d sales literature, , as appropriate, ander the Bid under s found to be fals ader the Bidder of
Datash	eet/Specification Sheet/Brock	and electrically operated nure as indicated in Annex E2	6.				Manual and/o
instruc produc		al book or booklet that is suj	oplied with	almost al	il technologically adva	ced products	such as electrica
		hure is a document that sum e product from its release from			nance and other chara	cteristics of a	product, machine
true	and correct, othe	statement of compl rwise, if found to hall give rise to auto	be fal	lse eitl	her during bid	evaluati	
Na	me of Company/Bid	•			d Name of entative		Date

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manuat	No. of Items/Toolkits	Unit
Construction	Masonry NC I	26	1	Chalk Line Reel	Includes chalk reel and 4-oz bottle of blue chalk String Length: 100-ft Material: ABS plastic body and a Steinless Steel Hook at the end of the string	Functionality Test Visual Check: • to verify brochures and data sheet • actual measurement • material test (test to magnet, purity test)	YES	N/A	lf applicable	1	рс
Construction	Masonry NC I	26	2	Crow Bar	36" long Length Tolerance: +/- 1/8" forged steel carbon	Functionality Test Visual check: • check actual measurement • to verify brochures and datasheets	YE\$	N/A	If applicable	1	рс
Construction	Masonry NC I	26	3	Claw Hammer	Forged steel head Head Weight: 16 oz Overall Average Weight: 13oz - 19oz Fiber glass heavy duty Handle	Functionality Test Visual Check: • check actual weight • to verify brochures and datasheets	YES	N/A	if applicable	1	рс
Construction	Masonry NC I	26	4	Pull-Push Rule	Blade length 8m/26ft Blade width 1° High impact ABS case with durable rubber Corrosion resistant tru-zero end	Functionality Test Visual check: • to verify brochures and datasheets • actual measurement	YES	N/A	if applicable	1	рс



Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	Masonry NC I	26	5	Shovel Round	Round point tip; all metal handle Tempered steel blade (0.8 mm gauge or higher) Blade length 12 - 26 cm & width cm - 23 cm Overall length 100 cm - 115 cm D grip handle	Functionality Test Visual Check: • Actual measurement (blade thickness, blade length and width, and overall length) • Verify brochures and datasheets	YES	N/A	lf applicab le	1	рс
Construction	Masonry NC I	26	. 6	Spirit Level Bar	Aluminum Frame with Magnet Size: 16" With 3 vials (horizontal, vertical and 45 degrees)	Functionality Test Visual Check: • check actual measurement • to verify brochures and datasheets	YES	N/A	If applicable	1	рс

	mpliance to the foregoing technical specifications are true and ification, the same shall give rise to automatic disqualification o	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 27

: Masonry NC II - Plaster Concrete/Masonry Surface

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	3D Green Light Laser Level Digital Level Self- Leveling 360° LED Display Rotary Indoor Outdoor Self Leveling Measuring Tool	Kindly refer to the technical specifications attached as Annex E27.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E27.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Construction	Masonry NC II - Plaster Concrete/Maso nry Surface	27	1	3D Green Light Laser Level Digital Level Self-Leveling 360° LED Display Rotary Indoor Outdoor Self Leveling Measuring Tool	Material: Atuminum Alloy Chassis Engineering Plastics Laser Unes: 12 (4/8/12 line is adjustable) Laser Color: Green Wall attachment distance:7mm Horizontal/Vertical Accuracy: ±0.2mm/ m Wavelength green light: 532 Automatic leveling range: ±3° Rotation Degree: 360° Slash function: Yes Protection level: IP54 Dustproof & Waterproof Operating temperature: -20°C-50°C Battery capacity: 4000mAh Working environment: Indoor/Outdoor Working environment: Indoor/Outdoor Working time: 12~16h Size: 11.5x8x13cm/4.5x3.1x5.1inch Power: 1 x 4000mAh Rechargeable Li Battery /Direct charging(4.2V) Application: Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails, furred ceiling, floor tile, plastering.	Functionality check: Check the line irradiation without dead angle Check indoor and outdoor clearly far projection distance, high laser height, clear lines Check the actual measurement Check the slash function Visual check: Check material if Aluminum Alloy Chassis Engineering Ptastics Inspect the materials Laser lines Check the color Automatic leveling range rotation degree	YES	N/A	YES	1	unit

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized

Representative

•	•	-	_
	~-	-	•
_		-	•

: Pipefitting (Metallic) NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Angle Grinder	Kindha safas ta tha	1	unit			
2	Spirit Level Bar	Kindly refer to the technical	1	pc			
3	Pull-Push Rule	specifications - attached as Annex E28.	1	рс			
4	Claw Hammer	7111104 220.	1	рс			

[&]quot;Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable lews and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E28.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of items/ Toolkits	Unit
Construction	Pipefitting (Metallic) NC II	28	1	Angle Grinder	Portable 4" capacity 220-240 Volts/60 Hz No Load Speed: 1100RPM or higher 700 watts or higher With side handle grip, angle grinder guard, and lock nut wrench Power Plug: US Type	Functionality Test: Check the disc balance, vibration, revolution control, speed control and automatic shutdown Check the soft start of the device Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check inclusion: side handle grip, angle grinder guard, and lock nut wrench Verify features and fuctionality such as AC Amps and AC Volts	YES	N/A	YES	1	unit
Construction	Pipefitting (Metallic) NC II	28	2	Spirit Level Bar	Aluminum Frame with Magnet Size: 16" With 3 vials (horizontal, vertical and 45 degrees)	Functionality Test Visual Check: • check actual measurement • to verify brochures and datasheets	YES	NA	lf applicabl e	1	pc
Construction	Pipefitting (Metallic) NC II	28	3	Pull-Push Rule	Blade length Sm/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	Functionality Test Visual check: • to verify brochures and datasheets • actual measurement	YES	N/A	if applicabl e	1	рс
Construction	Pipefitting (Metallic) NC II	28	4	Claw Hammer	Forged steel head Head Weight: 16 oz Overall Average Weight: 13oz - 19oz Fiber glass heavy duty Handle	Functionality Test Visual Check: • check actual weight • to verify brochures and datasheets	YES	N/A	if applicabl e	1	рс

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 29	Plumbing NC	ı
LOT 29	Plumbing NC	ı

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	PPR/PVC Pipe Cutter	Kindly refer to the technical	1	рс			
2	Fusion Machine	specifications attached as	1	unit		_	
3	Manual Test Pump	Annex E29.	1	рс			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E29.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of ttems/ Toolkits	Unit
Construction	Plumbing NC I	29	1	PPR/PVC Pipe Cutter	Cutting 3-42mm Automatic opening mode Size 139mm Anti slips handle	Functionality Test: Actual Test (Cutting 3-42mm) Visual Check: Check cutting capacity Check actual measurement Check anti-stip handle	YES	N/A	if applicable	1	PC
Construction	Plumbing NC I	29	2	Fusion Machine	PPR (polypropylene) pipe heater machine Power cord length: 1.2m Voltage: 220V-240V Frequency: 50-60 Hz Input power: 800W/1500W Bracket type: UT type bracket Weight: 1.75kg	Functionality Test: Test power input and heating time Actual test on pipes Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check power cord length Check bracket type Check weight	YES	N/A	YES	1	UNIT
Construction	Plumbing NC I	29	3	Manual Test Pump	Pressure Test Pump Material: Metal Pressure: 2.5 MPa Flow 13ml/sec	Functionality Test: Test power input and heating time Actual test on pipes Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check power cord length Check bracket type Check weight	YES	N/A	YES	1	PC

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized

Representative

Lot 31

: Tile Setting NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Angle Grinder		1	unit			
2	Spirit Level Bar	Kindly refer to the technical	1	рс			
3	Pull-Push Rule	specifications	1	pc			
4	Manual Tile Cutter	attached as Annex E31.	1	рc			
5	Rubber Mallet		1	рc			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as Indicated in Annex E31.

Instruction Manual is an instructional book or booklat that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

_		
Name of Company/Bidder	Signature over Printed Name of	Date
· •	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	Tile Setting NC II	31	1	Angle Grinder	Portable 4" capacity 220-240 Volts/60 Hz No Load Speed: 1100RPM or higher 700 watts or higher With side handle grip, angle grinder guard, and lock nut wrench Power Plug: US Type	Functionality Test: Check the disc balance, vibration, revolution control, speed control and automatic shutdown Check the soft start of the device Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check inclusion: side handle grip, angle grinder guard, and lock nut wrench Verify features and fuctionality such as AC Amps and AC Volts	YES	N/A	YES	1	UNIT
Construction	Tite Setting NC	31	2	Spirit Level Bar	Aluminum Frame with Magnet Size: 16" With 3 vials (horizontal, vertical and 45 degrees)	Functionality Test Visual Check: • check actual measurement • to verify brochures and datasheets	YES	N/A	if applicable	1	PC
Construction	Tile Setting NC	31	3	Puil-Push Rute	Blade length 8m/26ft Blade width 1* High impact ABS case with durable rubber Corrosion resistant tru-zero end	Functionality Test Visual check: • to verify brochures and datasheets • actual measurement	YES	N/A	If applicable	1	PC
Construction	Tite Setting NC	31	4	Manual Tile Cutter	Heavy duty cutting machine type 600mm maximum cutting length Table mount	Functionality Test: • check cutting edge and length • check table mount Visual Check: • to verify brochures and datasheets	YES	N/A	If applicable	1	PC



Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Construction	Tile Setting NC	31	5	Rubber Mailet	16 oz (453.6 grams) 12"-14" Wooden Handle Rubber Material	Visual Check: • check weight • check wooden handle • check rubberized material	YES	N/A	If applicable	1	PC

	mpliance to the foregoing technical specifications are true a ification, the same shall give rise to automatic disqualificatio	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 32 : Assembly of Solar Nightlight and Post Lamp

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Clampmeter	Kindly refer to the technical specifications attached as Annex E32.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E32.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Assembly of Solar Nightlight and Post Lamp	32	1	Clampmeter	Digital Ergonomic and Handheld Features: NCV Testing DC and AC Voltage Testing (max 600V) DC and AC Current Testing (max 100A) Resistance Testing Capacitance Testing Maximum Jaw Opening: 17mm True RMS Inclusion: Batteries (2 pcs. AAA) Clampmeter case Test Probes	Functionality Test: • Verify features and fuctionality such as DC Amps, AC Amps, DC Volts, AC Volts, Resistance and Capacitance Testing in the digital display Visual Check: • Verify brochure/manual for True RMS feature • Check inclusions of batteries, test probes and casing	YES	N/A	YES	1	unit

- · · · · · · · · · · · · · · · · · · ·	mpliance to the foregoing technical specifications are true ar lification, the same shall give rise to automatic disqualification	· · · · · · · · · · · · · · · · · · ·
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 33

: Electrical Installation and Maintenance NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Cordless Drill	Kindly refer to the technical specifications attached as Annex E33.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E33.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electrical Installation and Maintenance NC II	33	1	Cordless Drill	Voltage: 20V Spindle Capacity: 0.8-10mm Features: Keyless Chuck - 2-Speed Mechanical Gear Box Inclusion: - 2 Li-lon Batteries Hardcase	Functionality Test: check for dual speed Visual Check: to verify brochures and datasheets check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire)	YES	N/A	YES	1	unit

	mpliance to the foregoing technical specifications are true a lification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 34

Electronics Products Assembly and Servicing NC II – Assemble Electronics Products

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Soldering Station	Kindly refer to the technical specifications attached as Annex E34.	1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation flable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as Indicated in Annex E34.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Assemble Electronics Products	34	1	Soldering Station	Operating Voltage: 220 Volts Power: 730 Watts Features: Hot Air Gun Power: 650W Hot Air Gun Temperature Range: 100℃~480℃ Hot Air Gun Heater: Heating core ceramics heater Soldering Power: 75W Soldering Temperature Range: 200℃~480℃ Soldering Heater: Common metal heater (898D+ use imported high-power heater) Inclusion: Air Gun Handle: 1pc Nozzie: 3pcs (5mm, 8mm, 10mm) IC Puller: 1pc Handle Frame: 1pc Iron Handle (including a heater and tips): 1pc Iron Holder: 1pc Power Plug: 1pc	Functionality Test: • Pre-heating period of 30 seconds to 1 minute as per verification to brochure/manual Visual Check: • Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) • Check for completeness of inclusions and nozzle sizes (5mm, 8mm, 10mm)	YES	N/A	YES	1	set

	ification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 35

Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Clampmeter	Kindly refer to the technical specifications attached as Annex E35.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E35.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Electrical and Electronics	Electronics Products Assembly and Servicing NC II - Service Consumer Electronic Products and Systems	35	1	Clampmeter	Digital Ergonomic and Handheld Features: NCV Testing DC and AC Voltage Testing (max 600V) DC and AC Current Testing (max 100A) Resistance Testing Capacitance Testing Maximum Jaw Opening: 17mm True RMS Inclusion: Batteries (2 pcs. AAA) Clampmater case Test Probes	Functionality Test: • Verify features and fuctionality such as DC Amps, AC Amps, DC Volts, AC Volts, Resistance and Capacitance Testing in the digital display Visual Check: • Verify brochure/manual for True RMS feature • Check inclusions of batteries, test probes and casing	YES	N/A	YES	1	unit

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.					
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date			

Lot 36 : Dressmaking NC II

No.	Item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Sewing Machine	Kindly refer to the technical specifications attached as Annex E36.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation fiable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E36.

instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

<u> </u>		
Name of Company/Bidder	Signature over Printed Name of	Date
- -	Authorized Representative	

Sector	Qualification	Lot No.	item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Garments and Textiles	Dressmaking NC II	36	1	Portable Sewing Machine	12 Built-in Different Stitches Top/Side Load Bobbin LED Light Auto set stitch length Auto set stitch width 4 step button hole Maximum stitch Width/Length: 4/5mm 60hz, 60-85watts, 220v-240v Sewing speed: 750spm Working space 99 x158 mm Feed dogs: 6 point Battery powered	Functionality Test: Perform test run and check the following: Verify technical specification of machine voltage matches the voltage source Check sewing light, foot control for sewing speed, reverse sewing lever; and stitch and width dial Make sample stitch patterns Visual Check: To verify brochures and datasheets Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire)	YES	N/A	YES	1	unit

	npliance to the foregoing technical specifications are true and fication, the same shall give rise to automatic disqualification of	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



No.	ltem	Minimum Agency Specifications Unless Otherwise	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference

: Tailoring NC II

Lot 37

No.	item	Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Sewing Machine	Kindly refer to the technical specifications attached as Annex E37.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E37.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datesheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorizad Renrecentative	

Sector	Qualification	Lot No.	Item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of (tems/Toolkits	Unit
Garments and Textiles	Taitoring NC II	37	1	Portable Sewing Machine	12 Built-in Different Stitches Top/Side Load Bobbin LED Light Auto set stitch length Auto set stitch width 4 step button hote Maximum stitch Width/Length: 4/5mm 60hz, 60-85watts, 220v-240V Sewing speed: 750spm Working space 99 x158 mm Feed dogs: 6 point Battery powered	Functionality Test: Perform test run and check the following: Verify technical specification of machine voltage matches the voltage source Check sewing light, foot control for sewing speed, reverse sewing lever; and sitch and width dial Make sample stitch patterns Visual Check: To verify brochures and datasheets Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire)	YES	N/A	YES	1	unit

	ification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 38 : RAC Servicing (DomRAC) NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Pressure Washer	Kindly refer to the technical	1	unit			
2	Clampmeter	specifications attached as Annex E38.	1	Unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E38.

instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Heating, Ventilating, Air- Conditioning and Refrigeration	RAC Servicing (DomRAC) NC	38	1	Portable Pressure Washer	Pressure: 100bar or higher Flow Rate: 300 - 500 M Input Vottage:220-240V, 60Hz Inclusions: Spray Gun w/ adjustable spray nozzle High Pressure Hose Water inlet quick connector	Functionality Test Visual Check: • to verify brochures and datasheets"	YES	N/A	YES	1	unit
Heating, Ventilating, Air- Conditioning and Refrigeration	RAC Servicing (DomRAC) NC II	38	2	Ctampmeter	Digital Ergonomic and Handheld Features: NCV Testing DC and AC Voltage Testing (max 600V) DC and AC Current Testing (max 100A) Resistance Testing Capacitance Testing Maximum Jaw Opening: 17mm True RMS Inclusion: Battertes (2 pcs. AAA) Clampmeter case Test Probes	Functionality Test: • Verify features and functionality such as DC Amps, AC Amps, DC Volts, AC Volts, Resistance and Capacitance Testing in the digital display Visual Check: • Verify brochure/manual for True RMS feature • Check inclusions of batteries, test probes and casing"	YES	N/A	YES	1	unit

	mpliance to the foregoing technical specifications are true a ification, the same shall give rise to automatic disqualificatio	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 39 : Visual Graphic Design NC III

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Digitizing Pen and Tablet	Kindly refer to the technical specifications attached as Annex E39.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E39.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
IT-BPM (ICT)	Visual Graphic Design NC III	39	1	Digitizing Pen and Tablet	connectivity: wired crientation: left and right handed Interface: USB movement/tablet resolution: 2540 tpi active area: 8.5"" X 5.3"" or bigger compatible OS: Windows 7/8/10 or later, Mac OS X 10.6.8 or later; movement detection technology: electromagnetic	Functionality Test: • pen button functions • connectivity (wired and wireless) • OS compatibility Visual Check: • Active Area: 8.5 × 5.3 m or higher • Movement Resolution: 2540 lpi or higher • Compliant with 1 or more International Standard Regulatory Body such as (IC, FCC, IEEE, CE, IMDA, etc.) • Inclusion of pen, usb cable, pen nibs	YES	N/A	YES	1	unit

	either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date						



Lot 40 : Shielded Metal Arc Welding (SMAW) NC I

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Welding Machine	Kindly refer to the technical specifications attached as Annex E40.	1	unit		·	

^{*} Bidders must state here either "Compty" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation flable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E40.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Metals and Engineering	Shielded Metal Arc Welding (SMAW) NC I	40	1	Portable Welding Machine	2 in 1 Inverter Welding Machine Tig/SMAW 250Amps or higher 220-240V 60 Hz Duty Cycle 60% or higher 1PC -TIG Torch Set 1PC - Electrode Holder with cable 1PC - Ground Ctamp with cable Power Plug: US Type	Functionality Test: Spark test Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify datasheets Inclusion of welding attachments (TIG torch set, electrode holder with cable and ground clamp with cable)	YES	N/A	YES	1	unit

I hereby certify that the statement of cor either during bid evaluation or post-quali	I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.							
Name of Company/Bidder	Signature over Printed Name of Authorized	Date						



Lot 41

: Shielded Metal Arc Welding (SMAW) NC II

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Portable Welding Machine	Kindly refer to the technical specifications attached as Annex E41.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as Indicated in Annex E41.

Instruction Manual is an instructional book or booklet that is aupplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	



Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Metals and Engineering	Strielded Metal Arc Welding (SMAW) NC II	41	1	Portable Welding Machine	2 in 1 Inverter Welding Machine Tig/SMAW 250Amps or higher 220-240V 60 Hz Duty Cycle 60% or higher 1PC -TIG Torch Set 1PC - Electrode Holder with cable 1PC - Ground Clamp with cable Power Plug: US Type	Functionality Test: Spark test Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) To verify datasheets Inclusion of welding attachments (TIG torch set, electrode holder with cable and ground clamp with cable)	YES	N/A	YE\$	1	unit

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.						
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date				



Lot 42 : Food Processing NC il - Process Food by Fermentation and Pickling

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Mixing Bowl	Kindly refer to the	1	рс			
3	Weighing Scale	technical specifications	1	unit			
4	Measuring Cups	attached as Annex E42.	1	set			
5	Measuring Spoon		1	set			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E42.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	42	1	Food Processor	2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type	Functionality Test: Check for power, speed settings and functions such as chopping, shredding, or pureeing. Check for pulse function Check blades and attachments (securely fitted to motor) Visual Check: Check completeness of accessories without any defects Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify brochures and datasheets Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	42	2	Mixing Bowl	staintess steel 10*** - 12*** diameter 5 to 6 quarts of capacity Weight: 300 grams	Visual Check: actual measurement to verify brochures and datasheets material test (test to magnet, purity test)	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	42	3	Weighing Scale	AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type	Functionality Test: Check for the selection key on different units of measurement Check for "tare" and ""zero" key Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Clear clear display Check correctness of weight display (5,000 x 1 gram) Check weight calibration (sets to zero)	YES	N/A	YES	1	unit



Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	42	4	Measuring Cups	Stainless steel Minimum thickness 1mm Riveted handle 4 pieces per set (1 cup, 1/2 cup, 1/3 cup, 1/4 cup)	Visual Check: • actual measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	If applicable	1	set
Processed Food and Beverages	Food Processing NC II - Process Food by Fermentation and Pickling	42	5	Measuring Spoon	Stainless steet Set of 1 tbsp, 1tsp, 1/2 tsp, 1/4 tsp Minimum Thickness 1mm Continuous One-piece	Visual Check: - actual measurement - to verify brochures and datasheets - material test (test to magnet, purity test)	YES	N/A	ff applicable	1	set

either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Name of Company/Bidder Signature over Printed Name of Authorized Date									
Name of Company/Bidder	Signature over Printed Name of Authorized	Date							

Lot 43

Food Processing NC II - Process Food by Salting, Curing and Smoking

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Mixing Bowl	Kindly refer to the	1	рс			
3	Chefs Knife	technical specifications	1	рс			
4	Chopping Board	attached as Annex E43.	1	рс			
5	Weighing Scale		1	unit			
6	Plastic Sealer		1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as Indicated in Annex E43.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	1	Food Processor	2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type	Functionality Test: Check for power, speed settings and functions such as chopping, shredding, or pureeing. Check for pulse function Check blades and attachments (securely fitted to motor) Visual Check: Check completeness of accessories without any defects Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify brochures and datasheets Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	2	Mixing Bowl	stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams	Visual Check: • actual measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	· N/A	If applicable	1	pc
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	3	Chef's Knife	10" stainless steel blade (+- 1/4") full tang, riveted handle	Functionality Test: • sharpness test using paper or thumbnail Visual Check: • sctual measurement of the blade length • to verify brochures and datasheets • material test (lest to magnet, purity test)	YES	N/A	If applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	4	Chopping Board	1/2*** x 12*** x 18*** size made of polyethylene material white	Visual Check: • visual check (non-corrugated) • dimension check • to verify brochures and datasheets	YES	N/A	lf applicable	1	рc



Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	5	Weighing Scale	AC/DC Digital Scale 4 digits LCD display 5,000 x 1 gram 220V to 240V / 60Hz Selection Key Mode for grams, pounds, ounce with AC Adaptor can be operated with AA or AAA batteries Power Plug: US Type	Functionality Test: Check for the selection key on different units of measurement Check for 'tare' and "zero" key Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Clear clear display Check correctness of weight display (5,000 x 1 gram) Check weight calibration (sets to zero)	YES	N/A	YES	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Salting, Curing and Smoking	43	6	Plastic Sealer	12" sealing length (300mm) Minimum 3mm sealing width iron body 220V to 240V with extra heating element and extra teflon sheet body is made of metal material Power Ptug: US Type	Functionality Check: • heat test Visual Check: • check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) • inclusion of extra heating element and teflon sheet • to verify brochures and datasheets • actual measurement	YES	N/A	YES	1	unit

	npliance to the foregoing technical specifications are true a ification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 44 : Food Processing NC II - Process Food by Sugar Concentration

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor		1	unit			
2	Colander		1	рс			
3	Funnel	Kindly refer to the technical	1	рс			
4	Chefs Knife	specifications attached as	1	рс			
5	Mixing Bowl	Annex E44.	1	pc			
6	Jar Lifter		1	рс	_		

[&]quot;Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E44.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	1	Food Processor	2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type	Functionality Test: Check for power, speed settings and functions such as chopping, shredding, or pureeing. Check for pulse function Check blades and attachments (securely fitted to motor) Visual Check: Check completeness of accessories without any defects cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify brochures and datasheets Material test (test to magnet, purity test)	YES	N/A	YE\$	1	unit
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	2	Cotander	5-6 qts capacity 10-12" diameter, stainless steel with 2 grip handle	Visual Check: • actual measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	lf applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	3	Funnel	Stainless steel at least 10cm diameter; vent diameter of 1.5cm with removable strainer neck length 4cm-5cm	Visual check: • inclusion of removable strainer • actual Measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	if applicab le	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	4	Chef's Knife	10" stainless steel blade (+- 1/4") full tang, riveted handle	Functionality Test: • sharpness test using paper or thumbnail Visual Check: • actual measurement of the blade length • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	If applicable	1	рс



Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	5	Mixing Bowl	stainless steel 10" - 12" diameter 5 to 6 quarts of capacity Weight: 300 grams	Visual Check: • actual measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	if applicable	1	рс
Processed Food and Beverages	Food Processing NC II - Process Food by Sugar Concentration	44	6	Jar Lifter	stainless steel vinyl-coated clamp with rubber grip handle 8" length	Visual Check: • actual measurement • to verify brochures and datasheets • material test (test to magnet, purity test)	YES	N/A	if applicable	1	рс

	mpliance to the foregoing technical specifications are true and ification, the same shall give rise to automatic disqualification	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date



Lot 45 : Bread and Pastry Production NC II

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Electric Oven	Kindly refer to the technical	1	unit			:
2	Electric mixer with complete attachments	specifications attached as Annex E45.	1	unit			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E45.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Tourism	Bread and Pastry Production NC II	45	1	Electric Oven	45 L capacity timer 60 minutes with bell alarm temperature control (100 - 250C) indicator light removable tray for easy cleaning (crumb tray) tempered glass 5 stage heating selection accessories: enamel bake tray, wire rack, tray handle 220V, 60Hz	Functionality Test: Check the temperature control of the selected setting (use an infrared thermometer) Check the oven's timer to the selected time Check tight functionality. Check tempered glass for any sign of cracks Check door and door seals for any damages and/or gaps. Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check quality and completeness of the inclusions (enamel bake tray, wire rack, tray handle) To verify brochures and datasheets	YES	N/A	YE\$	1	unit
Tourism	Bread and Pastry Production NC II	45	2	Electric mixer with complete attachments	Mixer Features, Speed Control, Whisk Number of Attachments: 2 (Dough Hooks, Beater) Settings: 3-speed control option with pulse function 220V, 60Hz	Functionality Test: Check the speed dial and switch Visual Check: Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Check quality and completeness of attachments (dough, hook, and beat) To verify brochures and datasheets	YES	N/A	YES	1	unit

	npliance to the foregoing technical specifications are true a fication, the same shall give rise to automatic disqualificatio	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Lot 46

: Cookery NC II

No.	item	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor	Kindly refer to the	1	unit			
2	Butane Gas Stove	technical	1	unit	, , ,	,,==	
3	Wok	Annex E46.	1	рс		·	·

^{*} Bidders must state here either "Compty" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E46.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	Item No.	Item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/ Toolkits	Unit
Tourism	Cookery NC II	46	1	Food Processor	2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and stredding blades with 5 disc attachments 220v – 250v / 60Hz 450 – 500 watts Power plug: US type	Functionality Test: Check for power, speed settings and functions such as chopping, shredding, or pureeing. Check for pulse function Check blades and altachments (securely fitted to motor) Visual Check: Check completeness of accessories without any defects Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify brochures and datasheets Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Tourism	Cookery NC II	46	2	Butane Gas Stove	Adjustable heat control Electric Ignition Aluminum Body With a Strong durable plastic carry case	Functionality Test: Check for gas canister compatibility Check the ignition mechanism and gas control knob from minimum to maximum settings and flame intensity. Visuat Check: To verify brochures and datasheets	YES	N/A .	YES	1	unit
Tourism	Cookery NC II	46	3	Wok	Size: 36cm Carbon Steel Handle: Wood	Visual Check: on the handle and functionality/safety check and ensure that the material is sturdy, durable, and free from defects such as cracks, dents, or warping dimension check	YES	N/A	tf applicable	1	рс

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company/Bidder

Signature over Printed Name of Authorized

Representative

Lot 47

: Cookery NC II - Prepare and Cook Hot Meals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Food Processor	Kindly refer to the technical	1	unit			
2	Butane Gas Stove	specifications attached as	1	unit			
3	Wok	Annex E47.	1	pc			

^{*} Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as Indicated in Annex E47.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
• •	Authorized Representative	

Sector	Qualification	Lot No.	item No.	item	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of ttems/Toolkits	Vnit
Tourism	Cockery NC II — Prepare and Cock Hot Meals	47	1	Food Processor	2 speed with pulse with safety lock 1L to 1.8L capacity stainless steel chopping and shredding blades with 5 disc attachments 220v - 250v / 60Hz 450 - 500 watts Power plug: US type	Functionality Test: Check for power, speed settings and functions such as chapping, shredding, or pureeing. Check for pulse function Check blades and attachments (securely fitted to motor) Visual Check: Check completeness of accessories without any defects Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) Verify brochures and datasheets Material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Tourism	Cockery NC II — Prepare and Cock Hot Meals	47	2	Butane Gas Stove	Adjustable heat control Electric Ignition Aluminum Body With a Strong durable plastic carry case	Functionality Test: Check for gas canister compatibility Check the ignition mechanism and gas control knob from minimum to maximum settings and flame intensity. Visual Check: To verify brochures and datasheets	YES	N/A	YES	1	unit



Sector	Qualification	Lot No.	Item No.	ltern	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II — Prepare and Cook Hot Meals	47	3	Wak	Size: 36cm Carbon Steel Handle: Wood	Visual Check: • on the handle and functionality/safety • check and ensure that the material is sturdy, durable, and free from defects such as cracks, dents, or warping • dimension check	YES	N/A	If applicable	1	рс

	empliance to the foregoing technical specifications are true and co diffication, the same shall give rise to automatic disqualification of o	
Name of Company/Bidder	Signature over Printed Name of Authorized	Date

Lot 48	
LUL 40	

: Cookery NC II - Prepare Cold Meals

No.	ltem	Minimum Agency Specifications Unless Otherwise Specified	Qty	Unit	Statement of Compliance*	Make Brand / Model	Reference
1	Hand Mixer/Blender	Kindly refer to the	1	unit			
2	Oven Toaster	technical specifications	1	unit			
3	Plastic squeeze bottles	attached as Annex E48.	1	set			
4	Wooden chopping board	Allion Biro.	1	рс			

^{*} Bidders must state here either "Compty" or "Not Compty" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Compty" or "Not Compty" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

All tools, equipment, gadgets and electrically operated instruments should have Standard Manufacturers Manual and/or Datasheet/Specification Sheet/Brochure as indicated in Annex E48.

Instruction Manual is an instructional book or booklet that is supplied with almost all technologically advanced products such as electrical products.

Datasheet/Specification Sheet/Brochure is a document that summarizes the performance and other characteristics of a product, machine, component that comes along with the product from its release from the manufacturer.

Name of Company/Bidder	Signature over Printed Name of	Date
	Authorized Representative	

Sector	Qualification	Lot No.	item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cookery NC II - Prepare Cold Meals	48	1	Hand Mixer/Blender	3 in 1 hand blender, perfect for (blending, chopping, and whisking) Easy grip handle and function keys Detachable stainless steel blending leg, whisk chopper. 500 - 850W Voltage: 220-240V-50/60Hz Power plug: US type	Functionality Test: Check blades and attachments (securely fitted to motor) Visual check: Check completeness of accessories for defects (Detachable stainless steel blanding leg, whisk chopper) To verify brochures and datasheets Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire) material test (test to magnet, purity test)	YES	N/A	YES	1	unit
Tourism	Cookery NC II - Prepare Cold Meats	48	2	Oven Toaster	10-liter capacity 60-minute timer with bell ring 100-250°C temperature 2 pcs. quartz tube heating elements Top and bottom heating Heat selector Voltage: 220V 500 - 650W Power plug: US type	Functionality Test: Check the temperature control of the selected setting (use an infrared thermometer) Check the oven's timer to the selected time Check tempered glass for any sign of cracks Check door and door latch for any damages and/or gaps. Visual Check: To verify brochures and datasheets Check the power cord for any defects (such as but not limited to insulation deterioration, exposed wire)	YES	N/A	YES	1	unit



Sector	Qualification	Lot No.	Item No.	ltem	Minimum Agency Specifications unless otherwise specified	Test Parameters	Warranty	Training	Manual	No. of Items/Toolkits	Unit
Tourism	Cockery NC II - Prepare Cold Meats	48	3	Plastic squeeze bottles	Small - 300 ml Medium - 500 ml Large - 700 ml Material: plastic	Visual Check: • Dimension Check	YES	N/A	lf applicable	1	set
Tourism	Cookery NC II - Prepare Cold Meals	48	4	Wooden chopping board	Material: wood/bamboo Size: 30x40 cm	Visual Check: • Dimension Check	YES	N/A	lf applicable	1	рс

	mpliance to the foregoing technical specifications are true and ification, the same shall give rise to automatic disqualification o	
Name of Company/Bidder	Signature over Printed Name of Authorized Representative	Date

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

		. Olass A Documents
<u>Le</u>	_	<u>ocuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Te	chnic	al Documents
		· · · · · · · · · · · · · · · · · · ·
_	(-/	and private contracts, including contracts awarded but not yet
		started, if any, whether similar or not similar in nature and complexity
		to the contract to be bid; and
	(c)	
		similar to the contract to be bid, except under conditions provided for
		in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No.
		9184, within the relevant period as provided in the Bidding
		Documents and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit
		also a certification issued by the Insurance Commission;
		<u>or</u>
		Original copy of Notarized Bid Securing Declaration; and
	(e)	Conformity with the Technical Specifications, which may include
		production/delivery schedule, manpower requirements, and/or after-
		sales/parts, if applicable; (Sections VI and VII of the Bidding
		Documents) and
	(f)	Original duly signed Omnibus Sworn Statement (OSS);
		and if applicable, Original Notarized Secretary's Certificate in case of
		a corporation, partnership, or cooperative; or Original Special Power
		of Attorney of all members of the joint venture giving full power and
		authority to its officer to sign the OSS and do acts to represent the
		Bidder.
Fir	ancia	al Documents
	(g)	The prospective bidder's computation of Net Financial Contracting
		Capacity (NFCC);
		<u>or</u>
		A committed Line of Credit from a Universal or Commercial Bank in
		lieu of its NFCC computation.
		Class "B" Documents
	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the
		joint venture is already in existence;
		<u>or</u>
		duly notarized statements from all the potential joint venture partners
		stating that they will enter into and abide by the provisions of the JVA
		in the instance that the bid is successful.

	<u>Utr</u>	<u> 101 ac</u>	ocumentary requirements under RA NO. 9104 (as applicable)
		(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
		(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II.	FIN	ANC	IAL COMPONENT ENVELOPE
		(a) (b)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).

nis is to certify	that	(company) has	the following ong	going and awar	ded but not yet s	tarted contracts:	
Contracting Party	Name of Contract	Date and Status of the Contract	Kind of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery	Purchase Order Number/s or Date of Contract/s
			-	,			
	me and Signa orized Repre					Date	<u>_</u>

*Instructions:

a) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) as of:

i. The day before the deadline of submission of bids.

b) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state none or equivalent term.

c) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC) in case an NFCC is submitted as an eligibility document.

d) "Name of Contract". Indicate here the Nature/ Scope of the Contract for easier tracking of the entries/ representations

his is to certify that <u>(company)</u> has the following completed contracts within five (5) years prior to the date of ubmission and receipt of bids, a contract similar to the Project									
Contracting Party	Name of Contract	Date of the Contract	Kind of Goods	Amount of Contract	Date of Delivery	Please submit any of the following attachment: a. Copy/ies of Contract/s or Purchase Order/s; Of b. Copy/ies of corresponding Sales Invoice/s; OR c. Copy/ies of Official Receipt/Cash Receipt/Collection Receipt; OR d. Certificate of Performance Evaluation			
									
	me and Signatu					Date			

^{*} Instructions:

a) Cut-off date as of:

⁽i) Up to the day before the deadline of submission of bids.
b) In the column under "Dates" indicate the dates of Delivery/ End-user's Acceptance and Official Receipt.
c) "Name of Contract". Indicate here the Nature/ Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

Bid Securing Declaration Form

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We², the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request:
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

² Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

	RN to before me this day of [month] [year] at
	s. Affiant/s is/are personally known to me and
was/were identified by me through	h competent evidence of identity as defined in the
2004 Rules on Notarial Practice	(A.M. No. 02-8-13-SC). Affiant/s exhibited to me
his/her [insert type of government	t identification card used], with his/her photograph
and signature appearing thereon	, with no and his/her Community Tax
Certificate No issued on	
	
Witness my hand and seal	this day of <i>[month] [year]</i> .
•	_ · · · · · ·
	NAME OF NOTARY PUBLIC
:	Serial No. of Commission
	Notary Public foruntil
	Roll of Attorneys No.
	PTR No [date issued], [place issued]
	IBP No. [date issued], [place issued]
Doc. No	
Page No	
Book No	
Series of	

"The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Sec. 12. Competent Evidence of Identity— The phrase "competent evidence of Identity" refers to the Identification of an individual based on:

At teast one current identification document issued by an official agency bearing the photograph and signature of the individual, such as but not limited to, passport, driver license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alten certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Clsabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification:

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

OMNIBUS SWORN STATEMENT (REVISED)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINE	S)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through

misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS	WHEREOF, I	have hereunto	set my hand	l this	day of	_, 20	at
	_, Philippines.						

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

*The identification card shall be at least one of the acceptable proofs of identity as identified under the provisions of the 2014 Rules on Notarial Practice

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of Identity" refers to the Identification of an Individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangey certification, Government Service and Insurance System (GSIS) e-card, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, allen certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification:

The Board Resolution or Secretary's Certificate referring to the said Board Resolution designating the bidder's authorized representative and signatory need not specifically Indicate the particular project where such authority is given provided that the said authority covers activities by TESDA.

JOINT VENTURE AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

This JOINT VENTURE AGREEMENT (hereinafter referred to as the "Agreement"),
entered into this dayof 20_ at City,
Philippines by and among:
· implified by and among.
a domestic corporation duly organized, registered and
a domestic corporation duty organized, registered and
existing under and by virtue of the laws of the Republic of the Philippines, with office
address at, represented by its,, hereinafter referred to as ",";
, nereinafter referred to as "";
- and -
a domestic corporation duly organized, registered
and existing under and by virtue of the laws of the Republic of the Philippines, with
office address at, represented by its
harainaftar rafarrad to ac
,,, Helemater reletted to as
·
- and -
a foreign corporation organized and existing under
and by virtue of the laws of, represented by its
,,,, hereinafter referred to as
· · · · · · · · · · · · · · · · · · ·
(Henceforth collectively referred to as the "Parties")
MITAICOCTU, The
WITNESSETH: That
WHEREAS, the Technical Education and Skills Development Authority (TESDA) has
recently published an Invitation to Apply for Eligibility and to Bid for the Supply and
Delivery of;
WHEREAS, the parties have agreed to pool their resources together to form the "
Joint Venture", hereinafter referred to as the Joint Venture, under
the laws of the Philippines, for the purpose of participating in the abovementioned
procurement of TESDA-CO;
production (LODA-00,
MOM THEREORE for and in consideration of the foresting promises and the
NOW, THEREFORE, for and in consideration of the foregoing premises and the
covenants hereto set forth, the Parties have agreed as follows:

ARTICLE 1 ORGANIZATION OF THE JOINT VENTURE

SECTION 1. Formation — The Parties do hereby agree and bind themselves to establish, form and organize a Joint Venture pursuant to the laws of the Republic of the Philippines, in order for the JV to carry on the purposes and objectives for which it is created;
SECTION 2. Name — The name and style under which the JV shall be conducted is "";
SECTION 3. Principal Place of Business — The JV shall maintain its principal place of business at;
SECTION 4. Preparation and Documentation — The Parties shall secure and/or execute such certifications, documents, deeds and instruments as may be required by the laws of the Republic of the Philippines for the realization of the JV and in compliance with the Project. Further, they shall do all other acts and things requisite for the continuation of the JV pursuant to applicable laws;
SECTION 5. The Joint Venture shall be represented by the
SECTION 6. The period of the Joint Venture shall begin upon execution of this Agreement and shall continue until the complete performance of its contractual obligations to TESDA-CO, as described in Article II hereof, or upon its termination for material breach of any term or condition of this Agreement, by service of a written statement in English on the other Party, not less than 90 days prior to the intended date termination
ARTICLE II PURPOSE
SECTION 1. The primary purpose of the Joint Venture is to participate in the public bidding to be conducted by the TESDA-CO Bids and Awards Committee for the supply and delivery of for the
SECTION 2. If the above-described contract/s is/are awarded to the Joint Venture, the Joint Venture shall undertake the performance thereof to TESDA-CO, and such other incidental activities necessary for the completion of its contractual obligations.

ARTICLE III SOLIDARY LIABILITY OF THE PARTIES

SECTION 1. In the performance of the contract/s that may be awarded to the Joint Venture by the TESDA-CO, and all other related activities/obligations, as described in Article II hereof, - the Parties bind themselves jointly and solidarily, in the concept of solidarily debtors, subject to the right of reimbursement, as provided in the relevant provisions of the Civil Code of the Philippines.

ARTICLE IV CONTRIBUTION AND OTHER ARRANGEMENTS

SECTION I. Contribution — The Parties shall contribute the amount of _____ (Php ____) to support the financial requirements of the Joint Venture, in the following proportion:

Additional contributions to the Joint Venture shall be made as may be required for contract implementation. In addition, shall contribute any labor and contract management requirements.

SECTION 2. Profit Sharing — The share of the Parties to the JV from any profit derived or obtained from the implementation and execution of the Project shall be distributed pro rata to each, in accordance with the contribution and resources each has provided to the JV;

SECTION 3. Liquidation and Distributions — Any sum remaining after deducting from the total of all moneys or benefits received for the performance of the contract, all costs incurred by the JV after award of the contract for the Project pursuant to the accounting practices established for the JV, shall be distributed in accordance with the relative balances in the accounts of each Party pursuant to Sec.1 of this Article upon completion, final accounting, termination and liquidation of the JV. In the event of liquidation and termination of JV, and after taking into account the shares of the Parties in all income, gain, deductions, expenses, and losses, should the account of a Party contain a negative balance, such Party shall contribute cash to the JV sufficient to restore the said balance to zero:

SECTION 4. Sharing of Burden of a Net Loss — In case a net loss is incurred, additional contributions shall be made by the Parties in accordance with their respective shares.

ARTICLE V MISCELLANEOUS PROVISIONS

SECTION 1. The provisions of the Instructions to Bidders, Supplemental Bid Bulletin, and other bidding documents issued by the TESDA-CO in relation to the contract described in Article II hereof, shall be deemed incorporated in this Agreement and made an integral part thereof.

SECTION 2. This Agreement shall be binding upon and inure to the benefit of the Parties and their respective-successors and assigns.

SECTION 3. The Parties herein are duly represented by their authorized officers.

SECTION 4. Governing Law - This Agreement shall be governed by and construed according to the laws of the Republic of the Philippines. Venue of any court action arising from this Agreement shall be exclusively laid before the proper court of the Philippines.

signatures on the date				neir i	nands	and	апіхес	THEIR
					_			
	Signed i	n the Pres	sence o	f.	_			
					_			

ACKNOWLEDGMENT

REPUBLIC OF THE PHILIPPINES CITY/MUNICIPALITY OF PROVINCE OF (in the case of Municipal) _) S.S. ity)
	r and in the City/Municipality of <u>(indicate pality</u> , this <u>month</u> ing:
Name ID Name, Number	er and Validity Date
	to be the same persons who executed the edge to me that the same is their free and orporation(s) they represent.
This instrument refers to a Joint pages, including the page on which this the parties and their instrumental witness	Venture Agreement consisting of Acknowledgement is written, and signed by ses.
WITNESS MY HAND AND NOT first above written.	ARIAL SEAL on the place and on the date
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No, [date issued], [place issued]
Doc. No Page No Book No Series of Note:	

"Sec. 12. Competent Evidence of Identity — The phrase "competent evidence of Identity" refers to the identification of an individual based on:

At least one current identification document issued by an official agency bearing the photograph and signature of the individual such as but not limited to, passport, driver's license, Professional Regulations Commission ID, National Bureau of Investigation clearance, police clearance, postal ID, voter's ID, Barangay certification, Government Service and Insurance System (GSIS) ecard, Social Security System (SSS) card, Philhealth card, senior citizen card, Overseas Workers Welfare Administration (OWWA) ID, OFW ID, seaman's book, alien certificate of registration/immigrant certificate of registration, government office ID, certification from the National Council for the Welfare of Disabled Persons (NCWDP), Department of Social Welfare and Development (DSWD) certification.

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

	BID FORM
	Date : Project Identification No. :
To: [name and add	fress of Procuring Entity]
Supplemental or B acknowledged, we Goods in conform figures or the total and other bid mod made part of this limited to: [specify	amined the Philippine Bidding Documents (PBDs) including the id Bulletin Numbers [insert numbers], the receipt of which is hereby duly, the undersigned, offer to [supply/deliver/perform] [description of the ity with the said PBDs for the sum of [total Bid amount in words and calculated bid price, as evaluated and corrected for computational errors, ifications in accordance with the Price Schedules attached herewith and Bid. The total bid price includes the cost of all taxes, such as, but not the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) other fiscal levies and duties], which are itemized herein or in the Price
If our Bid is	accepted, we undertake:
	eliver the goods in accordance with the delivery schedule specified in the edule of Requirements of the Philippine Bidding Documents (PBDs);
•	rovide a performance security in the form, amounts, and within the times cribed in the PBDs;
	bide by the Bid Validity Period specified in the PBDs and it shall remaining upon us at any time before the expiration of that period.
Commission	paragraph if Foreign-Assisted Project with the Development Partner: as or gratuities, if any, paid or to be paid by us to agents relating to this t execution if we are awarded the contract, are listed below:
	Amount and Purpose of Commission or gratuity
	

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad										
Name	of Bidder		Project ID No Page of							
1	2	3	4	5	6	7	8	9		
Item	Description	Country of origin	Quantity	Unit price cif- port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)		
Name:										
Signature:										

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Nan	Name of Bidder Project ID No						Page	_of	
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
Name:									

Duly authorized to sign the Bid for and behalf of:

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)	
CITY OF) S.S

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract:
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised) [Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _	day of	20	between
[name of PROCURING ENTITY] of the	Philippines (hereina	fter called "th	e Entity") of
the one part and [name of Supplier] of	of [city and country	of Supplier]	(hereinafter
called "the Supplier") of the other part;	•		

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as

the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity]

for: [Insert Procuring Entity] [Insert Name of Supplier]

Acknowledgment
[Format shall be based on the latest Rules on Notarial Practice]

